MAY 6- 1971

1977

4-683.

### MINERAL SURVEY No. 2895

LOT No.

Anizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Maseat Copper Co

KNOWN AS THE

Section 16 Mus., Township 148, Range 275

Surveyed under instructions dated Feb. 18, 19//

by John Noch fleeow U. S. Mineral Surveyor.

Claim located Sur, Notice; 19

Survey commenced Oprie 7, 19/1

Survey completed Office // , 19//

Address of Claimant E. a. Ely, Supt. Cabizas

aris

#### Sunset Lode.

100

Beginning at Cor No 1, the SW Cor of location, a pine post 4 ins square, of ft above ground in a mound of stone, scribed SWC-SS add 1-2895 Whence:

bed rock bears S 41º 35'W 25.55 ft A cross (x) and BR 1-2895 chiseled on porphy ry rock 15x15x10 ins crowded into base of oak tree 9'' in diameter, bears N 33° 36' E 23.19 ft. The # Cor between sections 21-28 Township 14 S Range 27 E bears 60° 32' W 5760.9 ft

A cross (x) and BR 1-2895 chiseled on porphyry

Thence N. 22° 53' W. Variation 12° 50' E W center end identical with location, a juniper post 4 ins in diameter, 3 ft above ground, in a mound of stone, scribed W.C.E.-SS,add 2895.

To Cor No. 2, idenical with location, a juniper post 6 ins in diameter, 3 ft above ground, in a mound of stone, scribed HWC-SS, add 2-2895.

#### Whence:

A cross (x) and BR 2-2895 chiseled on a porphyry rock 30x12 ins 16 ins above ground bears N 4º 45'W 4.8 ft. A cross (x) and BT 2-2895 scribed on a blaze on an oak tree 8 ins in diameter, bears N 56° E 2.00 ft. U.S. location Monument No. 1542 bears N. 65º 11' W 1815.95 Thence N 67° 07' E, Variation 12° 25' E Wash in Dawson Canyon 8 ft wide, course Southerly. Cor No.1 Juniper lode, Survey No.2815. Also SE Cor

Gold Bluff Lode unsurveyed.

To-Cor No.3, identical with location and with Cor No.2 Highland Boy Jode, Survey No. 2815.

An oak post 5 ins in diameter 3 ft above ground, in a mound of stone, scribed NEC-SS, add 3-2895, also scribed

300

600

298

1069.6

1500

NWC-HB 2-2815

#### Whence:

A cross (X) and BR 3-2895 chiseled on porphyry rock 36x14x8 ins bears N 32 ° 30 ' E 9.4 ft.

A cross (x) and BR 3-2895 chiseled on porphyry rock 12x12x6 ins bears N 74° 50' W 17.7 ft.

A cross (x) and BR 3-2895 chiseled on porphy ry rock 20x8x6 ins bears S 74°11'W 25.75 ft.

Thence S 22°53'E. Variation 13°E

220 W Center end Highland Boy lode, Survey No. 2815.

> E Center End, identical with location, a cross (x) and ECE-SS chiseled on porphyry outcrop 16x13 ins,2 ins above ground, add 2895. Said point is witnessed by a monument 4 ft base 3 ft high alongside N Westerly. Intersect line 2-3 North Copper Ridge Lode at N55 21'

E 251.5 ft from Cor No.2.

Cor No.1 Highland Boy Lode, Survey No.2815. To Cor No.4, identical with Jocation, a juniper post 5 ins in diameter, 3 ft above ground, in a mound of stone, scribed SEC-SS, add 4-2895.

#### Whence:

A cross(x) and BR 4-2895 chiseled on porphyry outcrop exposing 16x13x10 ins bears S 88°36' E 7.3ft. A cross(x) and BR 4-2895 chiseled on porphyry outcrop exposing 12x8x4 ins, bears S 13° 10' W 9.15 ft.

Thence S 67°07'W. Variation 13°15'E.

144.41 Intersect line 1-2 North Copper Ridge Lode, Survey No.2816 at S 55° 29'E 188.95 ft from Cor No.2

Center of Sunset Gulch 8 ft wide.course SW.

Center of wash in Dawson Canyon 12 ft wide, course southerly.

300

440.25

600

844

1178

100000

1.500

To Wor No.1, the place of beginning.

"U TRE ATO "

TO OLL MITT

Area.

ayasin no colo

Acres.

Sunset Loge

20,661

Area in conflict with North Copper Ridgelode,

Survey No.2816

0.859

Location.

This claim is situated in the Dos Cabezas Mining

District., Cochise County, Arizona, in the unsurveyed

Sec. 16, Township 14, S Range 27 E. Vein

The presumed course of the vein is from the W. Center

End N 67° 07'E 1500 ft to the E Center End.

Adjacent Claims.

On the North

Gold Bluff lode unsurveyed
Juniper lode Survey No. 2815

On the East

Highland Boy lode, Survey No.2815 North Copper Ridge lode, Survey No.2816 On the South

Cactus lode unsurveyed

On the West

Azurite lode unsurveyed

All claimed by the Mascot Copper Company
Expenditure \$500.00

I hereby certify that the value of labor and improvements made upon this claim by the claimants or its grantors is not less than five hundred dollars and that said improvements consist of:

From point on Lode Line at S 67°07'W 418 ft from E Center End

 $N^{o}/i$  Discovery out and tunnel, the center of mouth of

which bears N 40° E 15 ft, thence cut northeasterly 17.5 It to portal of tunnel, cut 10 ft wide at mouth, 5 ft at face, height 9 ft. thence tunnel same course and turning northward and a branch northeastward tunnel 62x42 ft length 170 ft. Of this 146 ft is timbered.

Value of cut

\$100.00

Value of 146 ft timbered at \$12.per foot

1752.00

Value of 24 ft not timbered at \$10.per foot

Total value cut and tunnel

2092.00

Of this work valuation to amount of \$1394.66 is assigned to the Juniper and Highland Boy lodes, Survey No. 285 (See Sur. No. 2815) leaving \$697433 to the credit of this survey.

Note: The actual discovery is in the bottom of a canyou and extends both sides of, lode line. Work is begun at the edge of wash above the high water line. (See \* Poge5) Nº2.-A cut the mouth of which bears S 45°31'W 164.8 ft Course of cut northwesterly 28 ft to face 20 ft high. Cut 8 ft wide sloping and irregular sides somewhat caved.

Value of cut

\$200.00

MEJ.-A cut the mouth of which bears S 45° 31'W 224.3 ft. Course of cut northwesterly 16 ft, to face, caved now about 10 ft. Cut 5 ft wide.

Value of cut

\$100.00

NEA-A cut the mouth of which bears S 63° 30' E 199 ft. Course southezsterly 10 ft 4 ft wide 8 ft face

Value of cut

NSD-A cut the mouth of which bears S 69957 E 211 ft. Course southeasterly 10 ft,5 ft wide,6 ft face.

Value of cut

\$ 30.00

Nab. A cut the mouth of which bears 8 88° 50' E 240.8 ft Cut very irregular, equivilent to a cut course southeasterly 18x4 ft to 10 ft face.

Value of cut

\$100.00

From point on line 4-1 at S 67°07'W 144.41 ft.

N27.-A cut the mouth of which bears N 55°29'W 188.95

ft equivalent to Cor No.2 North Copper Bidge lode Survey No.2816, whence course of cut southerly 12 ft irregular 6 ft wide, 10ft face

Value of cut

\$100.00

This survey was made with a Young and Sons Mountain Transit, No. 6855, provided with Smith Solar Attachment.

The courses were deflected from true meridian as determined by direct solar observations. The distances were measured with 50 and 500 ft steel tapes.

Tombstone, Arizona.

April 24,1911.

U.S.Mineral Surveyor.

\* (See page 4).

The point on lode line from which measurements are made, (S. 67° 07' W. 418 ft. from F.Center End) is directly over the center of Sunset Gulch on a dump formed by the rock from discovery cut and tunnel. The cut and tunnel mentioned are up above the line of high water on north bank of gulch. From said point on lodeline, S. 45° 31' W. 164.8 ft. and 224.3 ft. are the mouths of two cuts running northward which crosscut a well defined vein of copper ore, the same as at discovery cut. It follows for a distance of 50 or 75 ft. the general line of the gulch bottom, extending both sides of the lode line, but has been covered, as stated, by the debris from tunnel. The grade of the gulch is great, so that, starting at mouth of discovery cut in 50 or 75 feet the dump fills the entire gulch to a height of probably 15 or 20 feet.

### FINAL OATHS FOR SURVEYS.

LIS	T OF NAMES.	
A list of the names of the individuals	employed by foliciable	or Seesaw
United States Mineral Surveyor, to assist		o lines corners and
boundaries described in the foregoing field	Copper	Company
June 1	1 6	wo linguing
known as the		
and showing the respective capacities in wh	2011/00	
	MAYOU TOOM	Chainman.
	,	, Chainman.
		, Axman.
	(Assistance of the control of the co	, Flagman.
FINAL OAT	HS OF ASSISTANTS.	
- I MA	2 Cours	A
and	, do solemnly swear that we assisted	Luca
X	ates Mineral Surveyor, in marking the co	more and annewing
	7/1 - 1 8 16	Coppe
the boundaries of the mining claim of	1000-	War I was a second
way oa	4	
known as the		
represented in the foregoing field notes as	having been surveyed by said mineral sur	eveyor and under his
direction; and that said survey has been in a	all respects, to the best of Arknowledge a	and belief, faithfully
and correctly executed, and the corner and bor	undary monuments established according t	o law and the instruc-
tions furnished by the United States Surveyo	r-General for Man	na
	My Po, OCom	A. Chainman.
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, Chainman.
		, Axman.
	***************************************	, Flagman
Subscribed and sworn to	by the above-named persons before me t	his 4
day of Mey	, 19 <b>/</b> /	
	Seich in R	clarve
	Water	Park.
My Commission capie	mey 11 1912 Co	chis & Drogons

### FINAL OATH OF U.S. MINERAL SURVEYOR.

$\mathcal{I}_{\mathcal{A}} = \mathcal{A} \mathcal{I}_{\mathcal{A}}$
I, John Collactoficeaco, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Cigano, dated
, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Marcot Dorpoper Co
, known as the
Shirt of
situate in Jos Charge Mining District,
County, County, in Section
Township No. 148, Range No. 276 Comments of the Comments of the Range No. 276 Comments of the Ra
and designated as Survey No. , as represented , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
folist Hockfreeaus
U. S. Mineral Surveyor.
Subscribed and sworn to by the said John a. Rockfellow
U. S. Mineral Surveyor, before me Frances J. Abell,
Motory Ouble, this 24th
day of Afril, 1981. My commission expires December 22, 1913.
My commission topula decima
Frances J. Abell,
Notary Inblie in
and for Cochine County,
De Torritory.

#### AMENDED LOCATION NOTICE

of the

#### SUN SET LODE MINING CLAIM.

To Whom it May Concern:-

This amended notice of location of the Sun Set Lode Mining Claim situated in the Dos Cabezos Mining District, Cochise County, Territory of Arizona, which mining claim was originally located on the Ist day of January, I902, by Simon Hansen and J. J. Savells, as the original locators thereof, and the original certificate of which was filed for recodment in the office of the County Records of said Cochise County, on the 29th day January, I902 and recorded in the records of said County, in Book I5 of Records of Mines at page 438, hereby certifies and declares that in order to EXEM more fully comply with all of the provisions of law respecting the location of mining claims, Mascot Copper Company, the present owner of said Sun Set Lode Mining Claim, hereby makes this amended location notice and states the following facts respection the said location To Wit:

I. The length of this claim is I500 feet, and the said Mascot Copper Company claims II00 feet in a southwesterly direction and center of the 400 feet in a northeasterly direction from the discovery shaft at which this notice is posted, together with 300 feet in width on each side of the center of the vein, the general course of the vein or lode is from southwesterly to northeasterly, and the description of the location of said claim with reference to some natural object or permanent monument such as will identify the claim is as follows:

Description: The discovery of this claim lies about

I700 feet in an easterly direction from the apex of Hassons Peak

and about I600 feet in a northwesterly direction from the entrance

to the I000 foot tunnel on the Camp Bird claim and is located on

the north side of the second gulgh which branches off on the east

side of Dawson gulch above the junction of Snipe and Dawson gulches

and is about 800 feet from the junction of this and gulgh and

Dawson gulch.

2. The surface boundries are of the claim are marked upon the ground as follows:

Beginning at a point in a North Easterly direction, 400 feet from the discovery shaft (at which shaft this notice is posted), being a post at the center of the North East end line of this claim, Thence Northwesterly 300 feet to a post, this being the North West corner of this claim, Thence Southwesterly I500 feet to a post, this being the South West corner of this claim, Thence Southeasterly 300 feet to a post this being the center end post in the South West end line of this claim, Thence Southeasterly 300 feet to a post, this being the South East corner of this claim, Thence Northeasterly I500 feet to a post, this being the North East corner of this claim, Thence Northwesterly 300feet to the center end post of the North East end line of this claim and the place of beginning.

All posts used in marking the boundaries of this claim are four inches square by four and one half feet long, set one foot in the ground with a mound of earth and stone around them four feet in diameter and 2wo feet high.

Dated October Ist, 1907.

Name of Present Owner making this
Amended Certificate.

MASCOT COPPER COMPANY

ASCOT COPPER COMPANI

Dar Calupor Deputy

11 monu begress ers mislo est to axx selvinuod sostrum est lewellot se innorg only

Beginning ut a point in a Torth Easterly direction, 400 feet from the discovery shaft (at which shaft this notice is posted), wind to entl bee tend direct of to retme ent is toge a maied claim. Thence Horthwesterly 300 feet to a post, this being the

South Reat corner All posts to selvebased of bentation in bent steen file

are four inches square by four and one half feet loar, set one foot in the ground with a mound of earth and stone around them four feet in diameter and hwo feet high.

Dated October Ist, 1907.

Name of Present Owner waking this Amended Certificate.

MARGOT COPPTE COURAIN

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
August 17, 1911. , 190
I, U. S. Surveyor-General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Mascot Copper Company,
known as the SUN SET,
situate in Dos Cabezas
Mining District, Cochise County, Arizona,
in Section 16 Uns., Township No. 14 S., Range No.27 E., and
designated as Survey No. 2895 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, i
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 1 tunnel and 7 cuts, total value \$1277.33. Cut and
tunnel No. 1 being a common improvement for the benefit of
this claim and the Highland Boy and Juniper lodes, Sur. No.
2815, an undivided 1/3 interest therein, value \$697.33, is
properly assigned to each of the said Highland Boy and Juniper
lodes.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona
is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,
United States Surveyor-General for Arizona.

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U.S. Surveyor-General, Phoenix, Arizona, August 17, 1911 , 190-I, U. S. Surveyor-General for Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of. Mascot Copper Co., known as the SUN SET, situate in \_\_\_\_\_ Dos Cabezas \_\_\_\_ Mining District, Cochise County, Arizona, in Section 16 Uns., Township No. 14 S., Range No. 27 E., , designated as Survey No. 2895, executed by John A. Rockfellow , U.S. Deputy Mineral Surveyor, April 7 - 11, 1911, 195, under my instructions dated February 18, 1911, 198, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

7360b5m3-03

U. S. Surveyor-General for Arizona.