

MAR. 31. 1911

4-683.

MINERAL SURVEY No. 2899

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Max-Delta Gold Mining Company,

KNOWN AS THE

Maxamillion, Leggat.

Unorganized Mining District,

Maricopa County, Arizona

Sections 18 & 19, uns, Township 1 South, Range 3 East, G. & SR B.M.

Surveyed under instructions dated February 27, 19 11

by Carl H. Parker U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced March 24th, 1911

Survey completed March 28th, 19 11

6-822

Address of Claimant's Attys.:

Bowman & Hildreth, Phoenix, Arizona.

SURVEY NO. 2899

Feet

LEGGAT LODGE.

Beginning at Cor. No. 1,

A Gneiss stone 20 x 12 x 6 ins. set 15 ins. in the ground, marked L.-1-2899 on S.W. face, with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside.

N $\frac{1}{4}$ Cor. Sec. 7, T. 1 S., R. 3 E., G. & S. R. B. & M. Bears N. 1° 12' 33" W. 9025.91 ft. dist. No bearings available.

Thence S. 85° 14' W.

300 To N. End Center.

600 To Cor. No. 2.

A Gneiss stone 5 x 11 x 20 ins. set 16 ins. in the ground, marked L.-2-2899 on S. E. face, with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside. No bearings available.

Thence S. 4° 46' E.

1314.72 Intersect Line 4-1 of Maxamillion lode of this survey at a point which bears N. 63° 4' W. 552.6 ft. dist. from Cor. No. 4 of the Maxamillion lode.

1500 To Cor. No. 3.

A Gneiss stone 6 x 6 x 24 ins. set 16 ins. in the ground, marked L.-3-2899 on N. E. face, with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside. No bearings available.

Thence N. 85° 14' E.

300 To S. E. C.

Intersects Line 4-1 of Maxamillion lode of this survey at a pt. which bears N. 63° 04' W. 200 ft. from Cor. No. 4 of Maxamillion lode.

600 To Cor. No. 4.

Ledge of rock in place facing E.

Marked L.-4-2899 and cross on E. face, with a mound of stone 2 ft. base, 2 ft. high alongside.

NOTE: There was no available place on N. W. face to mark Cor. No bearings available.

Thence N. $4^{\circ} 46'$ W.

1500 To Cor. No. 1, the place of beginning.

MAXAMILLION

Beginning at Cor. No. 1.

A Gneiss stone 6 x 6 x 20 ins. set 16 ins. in the ground, marked M-1-2899 on S. E. face, with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside.

The $N\frac{1}{4}$ Cor. Sec. 7, T. 1 S., R. 3 E., bears N. $1^{\circ} 52' 40''$ E. 10392.07 ft. dist.

Thence S. $26^{\circ} 56'$ W.

1442.53 Intersect line 4-1 of the Delta lode Survey No. 2900 - at a pt. which bears N. $28^{\circ} 29'$ W. 139.90 ft. dist. from Cor. No. 4 Delta Lode.

1500 To Cor. No. 2.

A Gneiss stone 5 x 6 x 20 ins. set 14 ins. in the ground, marked M-2-2899 on N. E. face, with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside. No bearings available.

Thence S. $63^{\circ} 04'$ E.

83.36 Intersects line 4-1 of Delta lode, Survey No. 2900, at a pt. which bears N. $28^{\circ} 29'$ W. 38.65 ft. dist. from Cor. No. 4 of the Delta Lode.

300 To S. End Center.

600 To Cor. No. 3.

Ledge of rock in place facing E.
Marked M-3-2899 and cross on E. face, with stone 2 ft. base, 2 ft. high alongside.

Thence N. $26^{\circ} 56'$ E.

1500 To Cor. No. 4.
A Gneiss stone 6 x 6 x 22 ins. set 16 ins. in the ground, marked M-4-2899 on S. W. face with a cross on top, with a mound of stone 2 ft. base, 2 ft. high alongside. No bearings available.

Thence N. 63° 04' W.

200 Intersect line 3-4 of Leggat Lode, this survey, at a point which bears N. 85° 14' E. 300 ft. dist. from Cor. No. 3 Leggat Lode.

300 To N. End Center.

552.6 Intersect line 2-3 of Leggat lode, of this survey, at a pt. which bears N. 4° 46' W. 185.28 ft. dist. from Cor. No. 3 Leggat Lode.

600 To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from developments the veins of the two locations embraced in this claim extend as follows from their respective discovery points:

Leggat Lode 210 ft. S. 4° 46' E. and 1290 ft. N. 4° 46' W.

Maxamillion Lode 750 ft. S. 26° 56' W. and 750 ft. N. 26° 56' E.

AREA:

Total area Leggat Lode	20.661 acres. ✓
Total area Maxamillion Lode	20.661 acres. ✓
Area in conflict " " & Leggat	.638 acres. ✗
" " " " & Delta lode, Sur.No. 2900.	.055 acres. ✓

LOCATION.

This claim is located in an unorganized mining district in the Salt River Mountains, on unsurveyed Government land, about 8 miles S. of Phoenix, Maricopa County, Arizona, in what would be approximately Sections 18 & 19, T. 1 S., R. 3 E., G. & S. R. B. & M.

ADJOINING CLAIMS.

This claim is bounded on the East and South by unsurveyed Government land; on the W. by the Delta lode, Survey No. 2900, Maxamillion No. 2 lode, and Montana claimant herein. lode, unsurveyed; on the N. by the Mantle lode, unsurveyed, claimant herein.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant, or its grantors is not less than five hundred dollars, and that said improvements consist of:

LEGGAT

No. 1.

Discovery cut and Tunnel 5 x 30 x 7 ft. face which bears from S. End Center N. 4° 46' W. 210 ft.

Value, \$300.00

Note: A $\frac{1}{2}$ interest in the value of No. 4 tunnel on the Maxamillion lode is credited to this lode,

Value, \$1000.00

MAXAMILLION

No. 1, Dis. Shaft 5 x 15 x 5 ft. face, which bears from S. end center N. 26° 56' E. 750 ft.

Value, \$150.00

No. 2, Tunnel, 8 x 40 x 8 ft. face which bears from N. end center S. 18° 03' W. 485 ft.

Value, \$600.00

No. 3, Tunnel, 8 x 40 x 8 ft. face, which bears from N. end center S. 18° 30' W. 520 ft.

Value, \$500.00

No. 4, Tunnel, 4 x 200 x 6.5 ft. face, which bears from N. End Center S. 0° 14' E. 350 ft. Value, \$2000.00

This tunnel is on the same ledge that extends through the Leggat lode of this survey, and the topography of these claims being such that from the end of this tunnel a shaft could be sunk to the level of Tunnel No. 1 Leggat lode, thus connecting the workings and developing both lodes, therefore $\frac{1}{2}$ of the value of this tunnel is credited to the Leggat lode,

Value $\frac{1}{2}$ interest, \$1000.00

REPORT.

The lode line of each of the locations of this claim was run directly on the ground and the several corners were established by means of offsets from the lode lines. All the lines were run directly on the ground, and all corners and end centers were identical with the location corners and end centers, which were in each instance a gneiss stone, properly marked. The bearings of the lodes on the location notices are not identical with this survey owing to their being run by compass.

Variation at all corners 14°30' E.

INSTRUMENT.

This survey was made with a Gurley Transit, and the courses were deflected from the true meridian determined by observations on Polaris. The distances were measured with a 100 ft. and a 400 ft. steel tape.

APR 18 1911

7

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Earl H. Parker,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Max-Delta Gold Mining Company,
 known as the Maxamillion Leggat
 and showing the respective capacities in which they acted.

H. Clay Parker, _____, *Chainman.*
R. L. Lutgerding, _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, H. Clay Parker
 and R. L. Lutgerding, _____; do solemnly swear that we assisted _____
Earl H. Parker, _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Max-Delta Gold Mining Company,
 known as the Maxamillion Leggat
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

H. Clay Parker, _____, *Chainman.*
R. L. Lutgerding, _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 31st
 day of March, 1911

Insula D. Mund

 _____, *Notary Public*
 6-1043

*My com. expires
 May 19, 1913.*

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Earl H. Parker, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
February 27, 1911, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claims of Max-Delta Gold Mining Company,
known as the
Maxamillion Leggat
situate in Unorganized Mining District,
Maricopa County, Arizona. in Section
18 & 19 uns. Township No. 1 South, Range No. 3 East, G & S. R. B. & M.
and designated as Survey No. 2899, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim., ~~except as is fully set forth in the~~
field notes.

Earl H. Parker
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Earl H. Parker.
U. S. Mineral Surveyor, before me a Notary Public
in and for Maricopa County this 31
day of March, 1911

Ursula D. Mund
Notary Public

*My com. expires
May 19, 1913.*

AMENDED
Notice of Mining Location
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Maxamillion
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
by the Max-Delta Gold Mining Company, a corporation

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 16th day of February, 1911

The length of this claim is 1500 feet,
and it claim a 750 feet,
in a Southerly direction and 750
feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in ~~the~~ an unorganized Mining District, in
Maricopa County in the Territory of Arizona, about eight miles
in a Southerly direction from the City of Phoenix and about
2 1/2 miles South from the N. W. Corner of Township One (1) South
Range 3 East, G. & S. R. B. & M. The S.W. Corner of this claim
overlaps the S. E. Corner of the Delta.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument

at a point in a Southwesterly direction 750 feet from
the discovery shaft (at which this notice is posted), being in the center of the Southwesterly
end line of said claim; thence S. 64°5' E. 300 feet to a stone
monument, being the S. E. corner of said claim; thence
N. 25° 55' E. 1500 feet to a stone monument, being at the
N. E. corner of said claim; thence N. 64°5' W. 300 feet
to a stone monument at the center of the Northeasterly end of said claim;
thence same direction 300 feet to a stone monument, being at the
Northwesterly corner of said claim; thence S. 25°55' W. 1500
feet to a stone monument at the Southwesterly corner of said claim;
thence S. 64° 5' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Maxamillion
Mining claim, located by George McClarty

on the 1st day of
October, 1900, and recorded in Book 9 of Records of Mines, at

page 222 in the office of the County Recorder of the aforesaid County of Maricopa
to which reference is hereby made, and this Amended location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 16 day of February, 1911

Max-Delta Gold Mining Company, a corporation

By _____

Wm. S. Jennings, Agent.

County of Maricopa ss.

I, C. F. Leonard

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 10:30 o'clock A.M.,
on this 16 day of February, 1911, and duly recorded in Book No. 20

of Miner Records of Maricopa County, Arizona, at pages 624-625

Witness my hand and official seal the day and year first above written

C. F. Leonard
County Recorder.

Indexed Compared

1283

AMENDED

Notice of Location.

LODE CLAIM.

Myamiller
and G. M. Co.

Dated _____, 19____

Filed and Recorded at request of

McKinnip

at _____, A. D. 19____

at 10:30 - A. M.


Book 20 - Miner

Pages 624-625

C. F. Leonard
County Recorder.

By W. F. Baughman
Deputy Recorder.

1 by H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Leggat
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
by the Max-Delta Gold Mining Company, a corporation

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 16th day of February, 1911.

The length of this claim is 1500 feet,
and it claim is 210 feet,
in a Southerly direction and 1290
7? feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in ~~the~~ the unorganized Mining District, in
Maricopa County in the Territory of Arizona, about eight miles
in a Southerly direction from the City of Phoenix, and about
2 1/2 miles South from the N. W. Corner of Township One (1) South
Range 3 East., G. & S. R. B. & M. This claim is the North
extension of the Maxamillion.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument
at a point in a Southerly direction 210 feet from
the discovery shaft (at which this notice is posted), being in the center of the South
end line of said claim; thence N. 84°13' E. 300 feet to a stone
monument, being the S. W. corner of said claim; thence
N/ 5° 47' W. 1500 feet to a stone monument, being at the
N. E. corner of said claim; thence S. 84°13' W. 300 feet
to a stone monument at the center of the North end of said claim;
thence same direction 300 feet to a stone monument, being at the
N. W. corner of said claim; thence S. 5° 47' E. 1500
feet to a stone monument at the S. W. corner of said claim;
thence N. 84° 13' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Leggat
Mining claim, located by Wm. S. Jennings
on the 15th day of
April, 1908, and recorded in Book 19 of Records of Mines, at
page 404, in the office of the County Recorder of the aforesaid County of Maricopa
to which reference is hereby made, and this Amended location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 16th day of February, 1911
Max-Delta Gold Mining Company, a corporation
By
Wm. S. Jennings, Agent.

TERRITORY OF ARIZONA,

County of Maricopa ss.

I, C. F. Leonard, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 10:30 o'clock A. M.,

on this 16 day of February, 1917, and duly recorded in Book No. 20

of Minis Records of Maricopa County, Arizona, at pages 625

Witness my hand and official seal the day and year first above written.

C. F. Leonard
County Recorder.

Compared

1254

AMENDED

Notice of Location.

LODE CLAIM.

Legat
M. J. M. Co.

Dated _____, 19____

Filed and Recorded at request of

Amesbury

FEB 16 1917, A. D. 19____

at 10:30 A. M.


Book 20 - Minis

Pages 625

C. F. Leonard
County Recorder.

By W. F. Traugh
Deputy Recorder.

1st. H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 10, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Max-Delta Gold Mining Company,

known as the MAXAMILLION, LEGGAT,

situate in Unorganized

Mining District, Maricopa County, Arizona,

in Sections 18 & 19, un~~st~~ Township No. 1 S., Range No. 3 E., G. & S. R. B. M. and

designated as Survey No. 2899, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim^{or for each of} by claimant or its grantors, and that said improvements consist of 1 cut, 1 shaft and 4 tunnels, total value \$3550.00

The topography of these claims is such that from the end of No. 4 tunnel on the Maxamillion lode a shaft could be sunk to the level of No. 1 tunnel, Leggat lode, thus connecting the workings and developing both lodes, and an undivided one-half interest in said No. 4 tunnel on the Maxamillion lode is credited to each of the claims in this survey, value of such half interest, \$1000.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

June 10, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Max-Delta Gold Mining Company,

, known as the

MAXAMILLION, LEGCAT,

situate in Unorganized Mining District,

Maricopa County, Arizona,

in Section s. 18 & 19, uns, Township No. 1 South, Range No. 3 E., G. & S.R.B.M.,

, designated as Survey No. 2899

executed by Earl H. Parker, U. S. Deputy Mineral

Surveyor, March 24 - 28, 1911., 190, under my instructions dated

February 27, 1911., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant- for

survey is included in the field notes.

Frank J. Ingalls

U. S. Surveyor-General for Arizona,

(COPY)
DEPARTMENT OF THE INTERIOR

15

GENERAL LAND OFFICE

OFFICE OF ASSISTANT SUPERVISOR OF SURVEYS

Phoenix, Arizona, May 23, 1925.

Mr. Charles M. Donohoe,
U. S. Surveyor General,
Phoenix, Arizona.

Dear Sir:

On dates May 20 and 21, in accordance with special instructions for Group 155, Arizona, dated April 10, 1925, I made an investigation, on the ground, of the location relative to the public land surveys in Secs. 18 and 19, T. 1 S., R. 3 E., and Secs. 15 and 24, T. 1 S., R. 3 E., Gila Base and Meridian, Arizona, of the following patented mining claims: The Maximilian and Leggat, Mineral Survey No. 2899; the Delta, Delta No. 2, Delta No. 3, and Richard Staunton, Mineral Survey No. 2900; the Hall and Thompson, Mineral Survey No. 3107; and the Oro Grande, Mineral Survey No. 3276.

I find from retracements, that the bearings and lengths of the boundaries of all of these claims, with the exception of the last mentioned, are substantially the same as of record.

The boundaries of the Oro Grande, however, were found to be slightly at variance with the record both in alignment and measurement of the side lines, inasmuch as the end lines of this claim were found to have a bearing and length of S. 75° 20' W., 9.08 chs., instead of S. 75° 26' W., 9.09 chs.; and the side lines a bearing and length of N. 16° 59' W., 22.56 chs., instead of N. 14° 54' W., 22.715 chs., indicated in the record.

From the cor. of Secs. 15, 18, 19 and 24, T. 1 S., R. 3 E. and S. E., Cor. No. 4 of Delta No. 3, M. S. No. 2900, brs. S. 55° 17' E., 9.74 chs.; Cor. No. 2, Leggat, M. S. No. 2899, brs. S. 76° 25' E., 54.23 chs.; and Cor. No. 1, of Hall and Cor. No. 4 of Thompson, M. S. 3107, brs. N. 51° 52' W., 11.86 chs. From the quarter-section cor. of Secs. 18 and 19, T. 1 S., R. 3 E., Cor. No. 2, Oro Grande, of M. S. No. 3276, brs. N. 6° 16' W., 22.79 chs.

Attached hereto is a plat of the afore-mentioned sections in T. 1 S., R. 3 E. and S. E., on which is shown the true location of said mining claims with relation to same.

Very respectfully,
Sidney E. Blout,

U. S. Cadastral Engineer.

(Copy hereof directed to be filed with each of involved M. S., see G.L.O. letter (1174063 "E" WEP) of June 9, 1925)