1

4-683

MINERAL SURVEY No. 2915

LOT No.

Anzona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

HNOWN AS THE

Buster Gellow Leadu

Dan Francisco Mining District,

Mohave County, arizona

Section Upp Township 19 N , Range 30 Minsur.

Surveyed under instructions dated May 5, 19 1 Township Leadu

by Hul. Achadu

U. S. Mineral Surveyor.

Claim located Dee Pocation notices, 19.

Survey commenced may 25, 19, ~

Survey completed may 37, 19, ~

O. H. Sterndow, atty. Sjingman. arizona.

Durvey Nos 2910. Buster Forde Ceginning at Cor. No.1. identical with location, a hime post 4x4 x 36 ins set 18 me. in the ground; scribed B. 1. 29 15. U. S. L. M. Mo. 1602 bear \$ 88030'20" 2. 6311. I feet ; an andesite stone project ing 16 ins. out of ground, chiscled H. J. J. M 16021 X. No bearings available. tut Thence & 38 Poj 6 333.26 Intersect line by Jellow Leader lode, this Survey. Cor. No. 6 said tode bears & 490016 510. 04 feet, a fine past. 927.2 Cor. no. 2 identical with location, a June past 4x 4x 36 ins. set 18 mo, in the ground, scribes B. R. 2915 Boundary Com Bean & 36005 W White Peak bear N 68059 6 On line 1-21 Cone View tode Sin. No. 2904 Thence N8º12 6 On line 2-1. Come View tode Dan no. og of 134.8 Cor. 6 Julaw Leader lock this survey. D. E. E. Center, identical with location, a mound of stones. 560. 5 Cor. No.1. Come View and Come View Wo. 2. todas Dur no. 2904, a fine hast, 4x 4x 36 ins. set 18 cms. in the ground, scribed C. V. 1. C. V. 2.1. 2904 Cross wagon road 734.3 CoriNo. 3. identical with location, a fune post 4 x 4x 36 ins. set 18 ins. in the gran No bearings available

Variation at all corners is 100 6.

3.

Yellow Leader From Feet Beginning at CoriNo. 1. identical with Cocation a fine past 4x4x36 in set18 sino, in the ground, scribed y. X. 1. 29 15. N. S. Lin. no. 1602 bears N86042:115903.6 feet, previously described. Trad Frame Benjamin Ovarrison lock dur no. 261 Bears 186593 6 White Peak bears N76013 6 Thence \$ 490 15 6 607.6 Cor. No. 2. a frine post 4 x 4x 36 ins. se 18 in with ground, could y. L.a. 2910 Center of Den Harrison Fead frame being White Seak bears N 69 026 6 Thence 1320 86 134.1 Cor. Ma. 3. a June past 4x 4x 36 mis. set 18 in the ground serves 4.2.3. 2918 Santical with N. Vr. Por. Centras lode uns. Shaft no. 2. views \$ 84.346 314.7 ft. Thence De 7º00 6 290. Hoad 300. Cor. no. 4. a pine post 4x 4x 48 ino set 34 ins in the ground, scribed y. L. 4. 2915 Identical with Need center Central Coderums. Doundary Come heave & 3000 9 7 White Cear bears No 6009 6 Thence \$43Roy 6 216.2 Cor. No. 6. a prine frost 4 x 4x 48 ino set of ino. in the ground scribes y. L. e. 2900 Identical with N. E. Cor, Central lode und. On line 1-2 Come View tode Sun No. 290x

Cor, No. 3. said lode bears & 842. 7 533.4 feet, a pine post 4x4x 36 in set of ins. in the ground, chiscled Q. V. 2. 2904 S. M. Con of location Leans 27047 Th 218. Speet, a stone monument. Boundary Come bear 236043' W Carter sheave where bears \$ 58035 Th Thence N89726 Fret On line 2. 1 Cone View Pode Sun No. 2904 161.2 a. 6.6. Gidentical with location a fine post 4x4x48 ins. set of ins in the ground soubed 9.2. D. E. E. C. 2910 Road 3385 Cor. of restainant on Cone Trew Toda du no you. 383.5 Cor. No. 2 Buster lode this survey prevenely describes. 518.3 Cor. No. 6 identical with Location, agrine Frost 4x 4x 36 ins. set 18 ins. in the ground Deribed 4. L. 6. 2915. It hite Peak bears N700546 Boundary Cone bears Do of N. Thence N 49 col' th 510.0x Intersect live 1-2 Buster ode This survey, at n. 38°01' 9.593.94 ft. from Cor. no.2. 1200.3 Cor. no.7, identical with tocation, a June post 4x4x36 in set 18 ins, in the ground, scribes 4. L.T. 2910. Bely amin Havison head frame bears N65936 It hite Peak bears N760/3 & Okence 0842 4 348.7 N. M. E. C. identical with to cation aprine frost 4x4x 36 in set 18 ins ing row scribed N. Vr. EC. Y. L. 2915

Survey no. 2915

Feet 05. 703.2 Cor. No.1. place of beginning. Variation at all corners is 100 to 0.00 in from D. E. E. C. N48041 1 12.05 fer to N. Mr. E.C. Great Total area Gellow Leader lode 14. 231 area in Conflict with Buster lode this survey 0.663 Jotal area Buster code, 10.871 area in Conflict with The B. Reed lode Div. no. 7610 0.002 This survey is located in San Francisco Minuig district, mohave &. ausona in approp TigN 1820 W on unsurveyed land of the Writer Statio · 6xpenditure of stive Hundred Dallars: I certify that the value of the labor and improvements made upon each of the Claim by the claimant or their grantors is not less than give rundred dollars, and said improvemento consist of Ou Buster Lodes Mail. Discovery shaft 4 x 6 x 32 feet bears from S.E. E. C. N 33022 W 124 feet Value no. V. Cut 12x8x10, beaux N4508 330ft from DiG.G.S Value, no. 2. Cut 8x20x6fet bears 9.300+4 219 254.3 feet from Cor. or Value

De Gellow Leader Land No.1. Discovery Cut 4 X18 X9 gt face Lears N48041'N 155 fr from D 6.60 no. 2. Shaft 4x 6x 23 ft deep bears Ny 055E no. 3 Shaft 4 x 6 x 8 ft deep bears Ny 5025 6 200.00 405 feet from Cor. 2. Value m. of Chentest 20 x 11x7 forface Entrava bears . 8 /00 v 2 th 317 for from Cor. 6. Value 100.00 m. 5 Cet 32 x 10 x 4 feet bears N 48 41 m 50 ft from d & 66 Value 10. 6 Oct 11 x 11 x 4 for deep bears from DEEC N 4 0 40 6 177 ft Value 50.00 -: Other Improvements:Nause 20x40' Course of long side
is N. Ely, On lode line 40 ft from DE. El of yellow Leader Tode De Buster Lode Hause bears pt ou wie 23 2543 ft from Cor. 1 1 9000 1 A17. Sft. 12 x 34 ft. Come long side is N 5/030'50 House 31×10 beaux De894 1 Tex : from Cor. No. 3. Course Long side 100 3030 E House 20 x 20' hears \$ 64012'24 170 ft from Cor, no. 3. Course love side N 90 30' 9r. Otours 26x12 bears N74030 7 off from Corlo. 3. Course Tougaide 5860 12

S. 80° 39' E. 218 fr. from Cor. No. 5.

5 Nacce, 12×14 Leave N44007 2 880

Hause 36x1 veaux No 50° 39 7 757.4

John Cor. No. 3. Course our side & 870 /r

-: Instrument:

This survey was made with a

hietz Eugmeiro Transit 710.1587.

The course were deflected from
the true meridian as determined by
direct solar observation. The distance
were measured with 100 ft and 600 ft.

stel tapes.

Duster lotte conflicto on nonth side with Rice Bird Code uns. B. F. Stid more claimant and argument lode uns. C. A. Nelson, claimant, also with Thos B. Reed lode Sur No. 2600 by Cor. No. 4,

Core View lode Sur no, ng on Cauflieto on sauth side with Jellow Leader lode this survey.

Jellows sader lode adjoins on west side line of Cone View Pode Sur. Mo. Mo. Most and adjoins on south side with Cutral lode uns. Ed Schattmiller Claimant.

Courses + distances of this survey agree wither the limit with the lines of Anweys no. 290 4+2610. The slight discrepancies retween This survey and courses and distances given in locate noticio are due to erroso in the batter. W.D. Mireral Durveyo the second of the second and the second of a second of a second Consequence of the same lost as he was wood then a wing. " execute souther these was a to of make the war to the to 20 0 10 60 624 3 Sec. 02 des as

FINAL OATHS FOR SURVEYS.

LIST OF N	IAMES.
A list of the names of the individuals employed by	H.J. Schader
United States Deputy Mineral Surveyor, to assist in runni	
boundaries described in the foregoing field notes of the surve	ey of the mining claim of
Karlen + So	~
known as the Buster, yell	low Leader
and showing the respective capacities in which they acted.	
1/2	26 Terguson Chainman.
6	A. Harnmerbeckainman.
	, Axman.
	, Flagman.
FINAL OATHS OF	ASSISTANTS.
We, Weil Oterque	son
and GICH Stammerbecko sole	mnly swear that we assisted
Hy Schader United States Deputy Mind	eral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Harl	1
the boundaries of the mining claim of	
12 + 1 21-12	9
known as the Kuster, gello	w Leader
represented in the foregoing field notes as having been surve	eyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to t	the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monument	ts established according to law and the instructions
furnished by the United States Surveyor-General for.	Horzona
Mai	In Hearson Chainman.
A Company of the Comp	A 16 Junes broken
	7. J. Chainman.
	, Axman.
	, Flagman.
Subscribed and sworn to by the abo	ove-named persons before me this 3/2/
day of May	1962
	A W. Lide
	15 () 00' P
//	17. Almar VIII MANAGERICA

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H. S. Deputy Mineral					
Surveyor, do solemnly swear that, in pursuance of instructions received from the United					
States Surveyor General for Arizona, dated					
May 15 1912, , I have, in strict conformity to the laws of the					
United States, the official regulations and instructions thereunder, and the instructions					
of said Surveyor General, faithfully and correctly executed the survey of the Mining					
Claim of Marlen Y Son					
, known as the					
situate in Janusco Mining District,					
situate in Janusco Mining District,					
Mohave County, Orizona, in Section					
Township No. 191V, Range No. 20 W. Olyssum,					
and designated as Survey No. 3915, as represented					
in the foregoing field notes, which accurately show the boundaries of said mining claim					
as distinctly marked by monuments on the ground, and described in the attached copy					
of the location certificate, which was received by me from the Surveyor General with					
said instructions, and that all the corners of said survey have been established and per-					
petuated in strict accordance with the law, official regulations and instructions there-					
under; and I do further solemnly swear that the foregoing are the true and original					
field notes of said survey and my report therein, and that the labor expended and					
improvements made upon said mining claim by claimants or the grantors					
are as therein fully stated, and that the character, extent, location and itemized value					
thereof are specified therein with particularity and full detail, and that no portion of					
said labor or improvements so credited to this claim has been included in the estimate					
of expenditures upon any other claim.					
·					
1.18 1 1					
O. J. Schader					
l'. S. Deputy Mineral Surveyor.					
$\mathcal{L}(\mathcal{P}_{1}, \mathcal{P}_{2})$					
Subscribed and sworn to by the said 14 2 Local					
U.S. Deputy Mineral Surveyor, before me DW Leely a					
Motory Obble this 18th					
day of July 1912,					
A 11 To class					
Lead Ext - M lich - Com Day					
mans years fel & 8 1816 notary Cabbe jucher (

Motice of Mining Location

LODE CLAIM

MAY 15.1912

to All Julion It May Concern:					
This Mining Claim, the name of which is the Yellow Leader					
Mining Claim, situate on lands belonging to the United States of America, and in which there					
are valuable mineral deposits, was entered upon and located for the purposes of exploration and					
purchase by Karlen & Son					
Citizens of U.S. (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")					
the undersigned, on the 30 day of Apr 1912					
The length of this claim is 1250 feet,					
and We claim 230 feet, in a S.E.ly direction and 1020					
feet in a N.W. ly direction from					
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each					
side of the center of said claim. The general course of the lode deposit and premises is from the					
The claim is situated and located in the San Francisco Mining District, in					
Mohave County, in the Territory of Arizona, about one mile					
in a easterly direction from U.S.L.M. 1602 and joins on N					
Side of Cone View Mine. This is an amended Location Notice of the Yellow					
Leader mining Claim located hy August Just on Apr 20 1908 and recorded in the office of County Recorder of Mohave County, to which reference is hereby made, and this Amended Location Notice is made and posted to Correct errors in the description in the said original Location Notice The surface boundaries of the claim are marked upon the ground as follows: Beginning at					
The surface boundaries of the claim are marked upon the ground as follows: Beginning at					
a pine post					
a pine post					
at a point in a N.W direction 1020 feet from					
at a point in a					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post					
at a point in a					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post being at the					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E. Ly 355 feet to a pine post , being the N.E. corner of said claim; thence					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post , being at the S.E. corner of said claim; thence S.W ly 355 feet					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post being at the S.E. corner of said claim; thence S.W ly 355 feet to a pine post at the center of the S.E. end of said claim;					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post being at the S.E. corner of said claim; thence S.W ly 355 feet to a pine post at the center of the S.E. end of said claim; thence S.W ly 355 feet to a pine post being at the					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post , being at the S.E. corner of said claim; thence S.W ly 355 feet to a pine post at the center of the S.E. end of said claim; thence S.W ly 355 feet to a pine post , being at the S.W. corner of said claim; thence N.W ly 1250					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post , being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post , being at the S.E. corner of said claim; thence S.W.Ly 355 feet to a pine post at the center of the S.E. end of said claim; thence S.W.Ly 355 feet to a pine post , being at the S.W. solve at the center of the S.E. end of said claim; thence S.W.Ly 355 feet to a pine post , being at the S.W. corner of said claim; thence N.W.Ly 1250 feet to a pine post , being at the S.W. corner of said claim; thence N.W.Ly 1250 feet to a pine post corner of said claim;					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1250 feet to a pine post being at the S.E. corner of said claim; thence S.W ly 355 feet to a pine post at the center of the S.E. end of said claim; thence S.W ly 255 feet to a pine post being at the S.W. corner of said claim; thence N.W ly 1250 feet to a pine post at the N.W. corner of said claim; thence N.E. ly 355 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a ping post					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E. ly 355 feet to a pine post point the S.E. corner of said claim; thence S.W. ly 355 feet to a pine post pine post pine post pine post pine post pine post peet to a pine post pine p					
at a point in a N.W direction 1020 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E ly 355 feet to a pine post					

Motice of Mining Location

LODE CLAIM

	Co All Whom It May Concern:					
	This Mining Claim, the name of which is the Buster					
Mining Claim, situate on lands belonging to the United States of America, and in which there						
	are valuable mineral deposits, was entered upon and located for the purposes of exploration and					
	purchase by Karlen & Son					
	(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")					
	the undersigned, on the 30 day of April 1912					
	The length of this claim is 1010 feet,					
	and We claim 125 feet,					
	in a S.E. direction and 885					
	feet in a N.V. direction from					
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together					
	with 300 feet in width of the surface grounds, on each					
	side of the center of said claim. The general course of the lode deposit and premises is from the					
	S.E.ly to the N.W.ly					
	The claim is situated and located in the San Francisco Mining District, in					
	Mohave County, in the Territory of Arizona, about 1 in miles					
	in a Easterly direction from U.S.L.M No 1602 and joins on side of Cone View and Cone View No.2 mines. This is an amended Location					
No	ice of the Buster Mining Claim located by R.A. Castleberry and Argust					
.T22	et on June 20 1908 and recorded in the office of County Recorder of					
Mo.	have County to which reference is hereby made and this amended Location					
or	tice is made and posted to correct errors in the description in said iginal Location Natice the claim are marked upon the ground as follows: Beginning at					
	a pine post					
	COT.					
	at a point in a N.W. direction 885 feet from					
	at a point in a					
	at a point in a					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post , being the N.E. corner of said claim; thence					
	at a point in a					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post , being the N.E. corner of said claim; thence					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post being the N.E. corner of said claim; thence S.E.ly 1000 feet to a pine post being at the					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post being the N.E. corner of said claim; thence S.E.ly 1000 feet to a pine post being at the S.E. corner of said claim; thence S.W.ly 400 feet to a pine post at the center of the S.E. end of said claim; thence S.W.ly 350 feet to a pine post being at the					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post being the N.E corner of said claim; thence S.E.ly 1000 feet to a pine post , being at the S.E corner of said claim; thence S.W.ly 400 feet to a pine post at the center of the S.E end of said claim; thence S.W.ly 350 feet to a pine post , being at the S.W. corner of said claim; thence N.W.ly 1000					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post being the N.E. corner of said claim; thence S.E.ly 1000 feet to a pine post being at the S.E. corner of said claim; thence S.W.ly 400 feet to a pine post at the center of the S.E. end of said claim; thence S.W.ly 350 feet to a pine post being at the S.W. corner of said claim; thence N.W.ly 1000 feet to a pine post at the N.W. corner of said claim;					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post being the N.E. corner of said claim; thence S.E.ly 1000 feet to a pine post being at the S.E. corner of said claim; thence S.W.ly 400 feet to a pine post at the center of the S.E. end of said claim; thence S.W.ly 350 feet to a pine post being at the S.W. corner of said claim; thence N.W.ly 1000 feet to a pine post at the N.W. corner of said claim; thence N.E.ly 450 feet to the place of beginning.					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post					
	at a point in a N.W. direction 885 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N.E.ly 220 feet to a pine post , being the N.E. corner of said claim; thence S.E.ly 1000 feet to a pine post , being at the S.E. corner of said claim; thence S.W.ly 400 feet to a pine post at the center of the S.E. end of said claim; thence S.W.ly 350 feet to a pine post , being at the S.W. corner of said claim; thence N.W.ly 1000 feet to a pine post at the N.W. corner of said claim; thence N.E.ly 450 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to					
	at a point in a					
	at a point in a					
	at a point in a					
Fi	at a point in a					

RECORDER'S CERTIFICATE

STATE OF ARIZONA,)
County of Mohave.)

I, J. W. MORGAN, County Recorder of the County of Mohave, State of Arizona, do hereby certify that I have compared the foregoing and attached copies of Amended Location Notices of the

"YELLOW LEADER" and "BUSTER"

Lode Mining Claims, situated and located in the San Francisco Mining District, Mohave County, Arizona; and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.



™ I T N E S S. my hand and the seal of n said
 office, this 9th day of May, A.D.1912

Accorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenis	, Arizona,		
			October	a •	, 1912
I, U. S. Surveyor-Gen	ieral for	Arizona			
do hereby certify that the	foregoing transc	ript of the Fi	eld Notes, return	and approval of t	he survey
of the mining claim of					
	Kar	len & Sor	1		
known as the	BUSTER	, YELLOW	LEADER		
situate in	SAN F	RANCISCO	=######==-		
Mining District,	MOHAVE		County,	ARIZONA	
in Section Approx.	., Township No.	19 N.,	, Range No. 20	W., Unsur.	, and
designated as Survey No.	2915	, has been	correctly copied	from the originals	on file in
this office; that said Field	l Notes furnish s	such an accura	te description of	said minin <mark>g claim</mark>	as will, if
incorporated into a patent,	, serve fully to id	entify the pre	mises, and that su	ch reference is mad	de therein
to natural objects or perm	anent monument	s as will perp	etuate and fix the	locus thereof.	
And I further certify each of ments made upon said mi				_	_
consist of 3 shafts	and 6 cuts	, total v	alue \$1170.	00	
,		v	T T T T T T W B T W W T B T B T W W T F T T T T T T T T T T T T T T T		
				·	
	~~~~~~~~~~~~~~~~~~				
and that no portion of sai					penditures
upon any other claim.					
I further certify that	the plat thereof,	filed in the U	. S. Land Office at	Phoenix,	
Arizona,	is correct a	and in conform	nity with the foreg	going Field Notes.	
		Fran	k S. Ingall	<b>s</b> .,	·
	United	States Surveyor-	General for	Arizona.	

4-687.

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U.S. Surveyor-General,

	Ph	oenix, Arizona,
,		October 8, , 1912.
I, U. S. Surveyor-General for	Arizona	
do hereby certify that the foregoing	g and hereto attached Field	Notes and Return of the Survey of the
		, known as the
	BUSTER, YELLOW I	LEADER.
situate in	SAN FRANCISCO	Mining District,
MOHAVE	County,	ARIZONA
		Range No. 20 W., Unsur
, designated as	Survey No. 2915	
executed by H	. G. Schader	, U. S. <del>Deputy</del> Mineral
Surveyor, May 25,-	27, 1912	, 190, under my instructions dated
May 15, 1912	, 190, have been cri	tically examined and the necessary cor-
rections and explanations made, and	d the said Field Notes and	Return, and the Survey they describe,
are hereby approved. A true copy	of the copy of the locatio	on certificate filed by the applicant for
survey is included in the field notes	Thank	I mall
	U. S. Surveyo	or-General for Arizona.

7360b5m3-03



### United States Department of the Interior

9632 (942)

BUREAU OF LAND MANAGEMENT

ARIZONA STATE OFFICE 2400 VALLEY BANK CENTER PHOENIX, ARIZONA 85073

May 18, 1981

Memorandum

To : Chief, Branch of Records and Data Management (952)

From : Chief, Branch of Cadastral Survey, ASO

Subject: Cancellation of Mineral Survey No. 2915

This memorandum cancels the survey of unpatented Buster and Yellow Leader lode claims of Mineral Survey No. 2915.

The following notation should be made on the plat of Mineral Survey No. 2915:

"Survey of Buster and Yellow Leader lode claims cancelled by Chief, Branch of Cadastral Survey, memorandum dated May 18, 1981, File 9632 (942)."

A notation of this cancellation should also be made on the Mineral Mining District sheets. This memorandum should be made a part of the original field notes. The plat and field notes should remain in the files.

These claims were declared invalid in 1916. This cancellation clears the records and facilitates future land transactions as requested by the Phoenix District Manager.

Jams P. Helley