4-683.

MINERAL SURVEY No. 2916 Aand B
LOT No.
Azizona Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
THE SURVEY OF THE MAINE CEMIN OF
Parker Mining Company
KNOWN AS THE
El Paso, Fort Worth and Dallas lodes and Jackson
Mill Site Claim and Water Right Camp Creek Mining District,
Maricopa County, Arizona
Section approximately Township T N, Range & E, unsur
Surveyed under instructions dated May 4, 1911
by Ofin 6 Thompson
U. S. Minéral Surveyor.
Claim located See Location Notices, 19
Survey commenced May 5-7, 1911
Survey completed May Z, 1911
6—822

address

& Richardson. President of M. L. Van Doren

Phorinx Storgera

Feet.

#### SURVEY NO.2916 A and B.

TeleTitle

EL PASO

Beginning at Cor. No.1, from which U. S. L. M. No.1131 bears S. 21° 46' 30" W. 5641.22 feet, a diorite stone 8 x 9 x 29 inches, set 21 inches in the ground, chiseled "1--E P--2916 A" + at exact corner point, with monument of stone 3 ft. base, 3 ft. high alongside, identical with Cor. No.2 Fort Worth lode of this survey.

Thence N. 6° 34' E

300.00 to west end center, a diorite stone 9 x 12 x 30 inches set 18 inches in the ground, chiseled "E P--2916 A W EC" / on top at exact point. Monument of stone 3 ft. base, 3 ft. high alongside.

600.00 to Cor. No.2. A diorite stone 9 x 15 x 27 inches set 19 inches in the ground, chiseled "2--E P--2916 A" / on top at exact corner point. Monument of stone 3 ft. base, 3 ft. high alongside.

Thence S. 83° 26' E.

53

1500.00 To Cor. No.3. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "3--E P--2916 A" nail at exact corner point.

Thence S. 6º 34' W.

300.00 To east end center. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "E P--E E C--2916 A", nail at exact point.

588.54

Cor. No.2 of the Dallas lode of this survey.

600.00

To Cor. No.4. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mount of stone. Scribed "4--E P--2916 A", nail at exact corner point, identical with Cor. No.3 Fort Worth lode of this survey.

Thence N. 83° 26' W.

Along line 3--2 Fort Worth lode, this survey, To Cor. No.1, the place of beginning.

1500.00

Feet.

## FORT WORTH

Beginning at Cor. No.1, from which U. S. L. M. No.1131 bears S. 23° 35' 02" W. 5064.50 feet. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "1--F W--2916 A", nail at exact corner point.

Thence N. 6° 34' R.

300.00 To west end center. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "F W--W E C--2916 A", nail at exact point.

600.00

To Cor. No.2, identical with Cor. No.1 El Paso Lode, this survey. A diorite stone 8 x 9 x 29 inches, set. 21 inches in the ground, chiseled "1--E P--2916 A" to which I add"2--F W." + at exact corner point.

Thence S. 83° 26' E.

Along line 1--4 El Paso lode, this survey, 1500.00 To Cor. No.3, identical with Cor. No.4 El Paso lode, this survey, and on line 1--2 of the Dallas lode, this survey, 536° 34' W. 11.46 feet from Cor. No.2. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "4--E P--2916 A" to which I add "3--F W", nail at exact point.

Thence 6° 34' W.

along line 2 -- 1 Dallas lode, this survey,

294.27 W. E. C. Dallas lode, this survey.

300.00 East end center. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "F W--E E C--2916 A", nail at exact point.

600.00

Cor. No.4. Identical with Cor. No.1 Dallas lode,, this survey. A redwood post 4inches square, 4 feet long, set 18 inches in the ground in mound of stone. Scribed "4--F W--2916 A", nail at exact corner point. Feet.

1500.00

Thence N. 83° 26' W.

To Gor. No.1, the place of beginning.

## DALLAS .

FFRU

Beginning at Cor. No.1, identical with Cor. No.4 of the Fort Worth lode, this survey, from which U. S. L.. M. No.1131 bears S. 38° 09' 45" W. 5686.60 feet.

A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in a mound of stone. Scribed "4--F W--2916 A", to which I add "1--D", nail at exact corner point.

Thence N. 6° 34' E.

along line 4--3 of the Fort Worth lode of this survey.

300.00 E. E. C. Fort Worth lode, this survey.

West end center. A redwood post 4 inches square,
4 feet long, set 18 inches in the ground in mound of
stone. Scribed "W E C--D--2916 A", nail at exact
point.

600.00 Cor No.3, Fort Worth lodes this survey.

along line 4-3, El Paso lode, this survey.

Cor. No.2, a redwood post 4 inches square, 4 feet

long, set 18 inches in the ground in mound of stone.

Scribed "2--D--2916 A", nail at exact corner point.

Thence N. 85° 27' E.

1500.00 To Cor. No.3. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone.

Scribed "3--D--2916 A"., nail at exact corner bount

Thence S. 6° 34' W.

305.73 To East End Center. A redwood post 4 inches square,
4 feet long, set 18 inches in the ground in mound of
stone. Scribed "E E C--D--2916 A". nail at exact boint.

611.46 To Cor. No.4. A redwood post 4 inches square, 4 feet long, set 18 inches in the ground in mound of stone.

Scribed "4--D--2916 A"., nail at exact corner fount

L

Thence S. 85° 27' W.

1500.00 To Cor. No.1, the place of beginning.

JACKSON MILL SITE Claim and Water Right. Beginning at corner No.1, a redwood post 4 inches square, 4 feet long, set 18 inches in the ground in nail at mound of stone, scribed "1--J M S--2916 B", from exact corner point which U. S. L. M. No.1131 bears S. 29° 09' 21" W. 8418.22 feet, and Cor. No.1 of the Fort Worth lode, this survey, bears S. 37° 29' 11" W. 3414.27 feet. Thence N. 58°  $42\frac{1}{2}$  W.

- A redwood post 4 inches square, 4 To Cor. No.2. 466.69 feet long, set 18 inches in the ground, in mound of stone. Scribed "2--J M S--2916 B"., nail at exact corner point.

  Thence 31° 17½' E.
- To Cor. No.3. A redwood post 4 inches square, 4 466.69 feet long, set 18 inches in the ground, in mound of stone. Scribed "3--J M S--2916 B"., mail at exact corner point Thence S. 58°  $42\frac{1}{2}$  E.
- To Cor. No.4. A redwood post 4 inches square, 4 feet 466.69 long, set 18 inches in the ground in mound of stone. Scribed "4--J M S--2916 B"., nail at exact corner point. Thence S. 31°  $17\frac{1}{2}$  W.
- 466.69 To Cor. No.1, the place of beginning.

All the corners and end centers mentioned in the preceding notes are identical with the corners and end centers of the respective amended locations.

## MAGNETIC VARIATION ..

The magnetic variation at all corners of this survey is 14° 33' E.

The measurements of this survey were made with 100 and 500 foot steel tapes, with a W. & L. E. Gurley light mountain transit, unnumbered, having horizontal circle and vertical arc graduated to half degrees and reading by verniers to single minutes.

ADJOINUNG CLAIMS.

The only adjoining claim to this survey, so far as known, is the Edwards No. 2 lode, unsurveyed, L.E. Hewins, claimant, which adjoins and conflicts with the Fort Worth lode on AREA. the south west.

Total area El Paso Lode,

20.661 acres.

- " Fort Worth Lode,
- 20.661
- " Dallas Lode,
- 20.661
- " Jackson Mill Site Glaim and 5.000
  Water Right;

### LOCATION.

This survey is located approximately in T. 7 N.,

R. 6 E., G. & S. R. B. & M. unsurveyed, in the Camp
Creek Mining District, Maricopa County, Arizona.

#### LODE LINES.

The presumed course of vein on the El Paso lode is N. 83° 26' W. 876.4 feet, and S. 83° 26' E.623.6 feet from No.1, the Discovery cut.

The presumed course of vein on the Fort Worth lode is N. 83° 26' W. 750 feet and S. 83° 26' E. 750 feet from No.1 the Discovery shaft.

The presumed course of vein on the Dallas lode is S. 85° 27' W. 240 feet, and N. 85° 27' E. 1260 feet from No.1 the Discovery cut.

### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dol-

6

5/

lars, and that said improvements consist of:

#### EL PASO .

No.1. The Discovery, consisting of an open cut  $6 \times 26.5 \times 18$  feet, and tunnel  $4 \times 6 \times 128$  feet with winze  $4 \times 6 \times 50$  feet.

The common face of the open cut and tunnel is on the lode line S. 83° 26' E. 876.4 feet from the W. E. C. and N. 83° 26' W. 623.6 feet from the E. E. C.

The open cut bears N. 83° 16' E.

Tunnel bears N. 83° 16' E. 44.5 feet

N. 76° 40' E. 83.5 feet.

Winze in bottom of tunnel 40 feet from face.

#### Value

Open cut,

\$300.00

Tunnel,

1500.00

Winze,

750.00 \$2550.00

No.2. Open cut 6  $\times$  7  $\times$  12 feet.

Tunnel  $4 \times 6 \times 43$  feet.

Bears S. 5° 00' W.

Common face of open cut and tunnel

hears S.87° 21' E. 741 feet from Cor. No.1.

#### Value

Open cut,

\$100.00

Tunnel,

430.00 \$ 530.00

## FORT WORTH

No.1. The discovery shaft 4 x 6 x 110 feet,
the center of which is on the lode line

S. 83° 26' E. 750 feet from the W. E. C. and
N. 83° 26' W. 750 feet from the E. E. C.

Value,

\$1100.00

No.2. Open cut 6 x 27.7 x 10 and tunnel 4 x 6 x 114 feet, with 3384feet of 4 x 6 feet underground workings described below.

The common face of Open Cut and Tunnel bears S. 84° 50' W. 654 feet from Cor. No.3.

Value, Open Cut,

\$ 175.00

Tunnel,

1720.00

Other underground workings,

4830.00

Total,

\$6725.00

The natural course of development on this property as indicated by the topography - the mesterd of the Dallas lude being higher than the working outlets on Fort Worth Tode. and the mineral pearing formation being apparently contemplates the extension of the workings above Continuous through the two ludes

noted toward and into the Dallas lode of this survey and away from the El Paso lode accordingly one-half of the above valuation is cred-\$3362.50 ited to Fort Worth lode, and the remainder \$3362.50 is credited to the Dallas lode.

## FIFLD NOTES OF IMPROVEMENT NO.2.

Beginning at the common face of open cut and tunnel thence N. 34° 26' E. 27.7 feet to mouth of open cut, and S. 34° 26' W. 114 feet to drifts to right and left and breast of tunnel.

From this point drift to left bears S. 51° 44' E.16.4 feet to breast, and drift to right bears N. 54° 14' W. 29.5 feet.

N. 69° 26' W. 20.5 feet to Winze 30.5 feet to prestof drift where it connects on R. with bottom of shaft No.1.

The winze noted above is 76 feet in depth and bearss N. 20° 34' E. Angle of depression 65°.

At the bottom of the winge a drift bears west 46 feet to breast, and a drift bears N. 80° E. 64 feet, at which point one branch of same bears N. 70° E. 56 feet to breast and one branch bears S. 65' E. 20 feet to breast.

#### DALLAS .

No.1. Discovery. Open cut 4 x 16 x 10 feet bears S. 80° W. Center of face is on lode line and bears N. 85° 27' E. 240 feet from W. E. C. and S. 85° 27' W. 1260 feet from E. R. C.

Value, \$ 75.00

No.2. Open cut 7 x 16 x 8 feet bears S. 80° W. Center of face bears S. 46° 17' E. 368 feet from Cor. No.2.

Value, \$ 75.00

No.3. Open cut 4 x 10 x 10 feet bears S. 80° W. Center of face bears S. 48°  $41^{\circ}$  E. 358 feet from Cor. No.2.

Value, \$ 50.00

One-half of Improvement No.2 Fort Worth lode of this survey credited to the Dallas lode, \$3362.50

## OTHER IMPROVEMENTS.

JACKSON MILL SITEClaim and Water Right-

A 5-stamp mill 16 x 32 feet, the N.E.corner of which bears S. 70° 20' W. 263 feet from Cor. No.4. Long side bears S. 34° 08' W.

A galvanized iron warehouse 16 x 40, the N. E. Cor. of which bears S. 64° 39' W. 205 feet from Cor. No.4. Long side bears N. 60° W.

A well 20 feet deep, the center of which bears S. 78° 58' W. 220 feet from Cor. No.4.

All the bearings mentioned in this survey are deflected from the true meridian as determined by observation on Polaris at its western elongation Using azimuth  $1^{\circ}$   $24\frac{1}{2}^{\circ}$ .

Olive 6 Vhorefason US Mineral Secongo

## FINAL OATHS FOR SURVEYS.

LIST	OF NAMES.	
A list of the names of the individuals employ	ved by Oliva O Thompson	
	t in running, measuring, and marking the lines, cor	ners, and
boundaries described in the foregoing field notes o	of the survey of the mining claim of	
Carter Mi	ning Company of	
known as the Jackson Mille	100 allandary Walter Jugiter	las lodes
and showing the respective capacities in which the	2//	
	6 & Mucks, Chain	5101
	& R Backshon, Chain	man.
	O VI Quell'3 None, Chain	man.
	, Axma	n.
	, Flagn	ıan.
FINAL OATHS	S OF ASSISTANTS.	
6 S M		
0 0 0		6
- OTA /	, do solemnly swear that we assisted	<u> </u>
Whomposon United States De	eputy Mineral Surveyor, in marking the corners and s	surveying
Jake Mi	ning Company	
known as the Jackson Mell Sing	Worth El Pars, Dallas	Poder
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and	under his
	espects, to the best of our knowledge and belief, faith	
	monuments established according to law and the ins	structions
furnished by the United States Surveyor-General f	6 6 70	
	6. O. Minchel , Chair	nman.
	Efficient, Chair	nman.
	, Axmo	ın.
	, Flag	man.
Subscribed and sworn t	to by the above-named persons before me this.	oh_
day of	1	
day or	1 Sellh	
	Cochipp	
(My Com. Cap. Cop. 26-1914	( way Enblu	<i>&gt;</i>

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Sun O Wonepson, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Otrzona , dated
May # 1911, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Parkas Mening Company
Claim of Parkar Mening Company  Claim and Water Right , known as the
faction quality grandount Or have Nation rouse,
situate in Camp Creek Herring Mining District,
Marcofa County, Anzona, in Section
Phoximally, Township No. 71 , Range No. 6 & unsurveyed ,
and designated as Survey No. 29/6 A and B, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U. S. Mineral Surveyor.
Subscribed and sworn to by the said Olini & Manufason
U. S. Mineral Surveyor, before me O Eschuff
this 10 th
day of May, 1911.
Telhupp
My com Exp. ceps 126-1914. notary Public
6-1044
V

MAY.4- 1911

## CERTIFICATE.

Territory of Arizona,)
) ss.
County of Maricopa,

I, C.F. Leonard, County Recorder in and for the County of Maricopa, Territory of Arizona, do hereby certify that I have compared the following copies of Location Notices of the "El Paso".

"Dallas", "Fort Worth" Mining Claims and "The Jackson Mill Site Claim and Water Right", with the original Location Notices, filed and recorded in my office on the 3rd day of May, 1911, in Book 21 of mines, at pages of the page of the pages of th

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 3rd day of May, A.D. 1911.



County Recorder.

### AMENDED NOTICE OF MINING LOCATION Lode Claim

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the El Paso Mining Claim , situate on lands belonging to the United States of America, and in which there ere valuable min eral deposits, was entered upon and located for the purposes of exploration and purchase by Parker Mining Company, a corporation duly organized under the laws of the Territory of Arizona the undersigned, on the 2nd day

of May 1911.

The length of this claim is fifteen hundred feet, and we claim Five hundred and seventy four feet, in an Easterly direction and nine hundred and twenty six feet in a westerly direction from the center of the face of the discovery cut, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Camp Creek Mining District, in Maricopa County, in the Territory of Arizona, about 4 mile in a Southerly direc

tion from the forks of Rackensack Gulch.

The surface boundaries of the claim are marked upon the ground as follows: Beginving at a trap stone-9" X12" X30"-set in the ground with a monument of stone 3' base and 3' high along side and chiseled E.P.-W.E.C. at a point which bares N. 83° 26' W. 926 feet from the face of discovery cut( at which this notice is posted,) being in the center of the West end line of said claim; thence N.6° 34' E. 300 feet to a trap Stone 9" X 15" X 27" set in the ground with monu ment of stone 3' high and 3' base alongside being the N.W. corner of said claim; thence S.83° 26' E. 1500 feet to a 4" x 4" X 4' Redwood post being at the N.E. Corner of said claim; thence S.6° 34' W. 300 feet to a 4" X 4" X 4" Redwood post at the center of the East end of said claim; thence S.6° 34' W 300 feet to a 4" X 4" X 4' Redwood post, being at the S.E. corner of said claim; thence N. 83° 26° W. 1500 feet to a trap stone 8" X 9" X 29" set in the ground with a monument of stone 3' high & 3' base along side at the S.W.corner of said claim; thence N.6° 34° E 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona entitled "An Act to Revise and Codify the Laws of the Territory of Arizona",

approved March 16, 1901.

This is an Amanded Location Notice of the El Paso Mining Claim, located by Milton Fisk and C.S.Richardson both citizens of the United States on the 20th day of January 1909, and recorded in Book 19 of Records of Mines, at page 565 & 566 in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description and name in the said original Location Notice

Dated and posted on the ground this 2nd day of May 1911.

Parker Mining Company C.S.Richardson-President.

Filed and recorded at request of Parker Mining Co. May. 3,1911 at 11:47 A.M. in Book 21 of Mining Claims. C.F. Leonard Count C.F.Leonard County Recorder.

### AMENDED NOTICE OF MINING LOCATION Lode Claim

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Dallas Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Parker Mining Company, a corporation duly organized under the laws of the Territory of Arizona the undersigned, on the 2nd day of May

The length of this claim is fifteen Hundred feet, and we claim twelve hundred and fifty one feet, in an easterly direction and two hundred and forty nine feet in a westerly direction from the center of the face of the discovery cut at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to West.

The claim is situated and located in the Camp Creek Mining District, in Maricopa County, in the Territory of Arizona, about 3/4 mile in a Southerly dir

ection from the forks of Rackensack Gulch.
The surface boundaries of the claim are marked upon the ground as follows: Beginking at a 4" X 4" X 4" Redwood post set in the ground and surrounded by a mound of stone at a point which bears S.85° 27° W. 249 feet from the face of the discovery cut (at which this notice is posted) being in the center of the west end line of said claim; thence N 6° 34° E. 305.73 feet to a 4" X 4" X 4° Redwood post being the N.W. corner of said claim; thence N.85° 27° E. 1500 feet to a 4" X 4" X 4' Redwood post being at the N.E. Corner of said claim; thence 8.6° 34° W. 305.73 feet to a 4" X 4" X 4' Redwood post at the center of the East end of said claim; thence S. 6° 34° W. 305.73 feet to a 4" X 4" X4° redwood post being at the S.E.Corner of said claim; thence S. 85° 27° W. 1500 feet to a 4" X 4" X4' Redwood post at the S.W. corner of said claim; thence IN. 6° 34° E. 305.73 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An act to Revise and Codify the laws of the Territory of

Arizona, approved March 16, 1901.

This is an Amended Location Notice of the Dallas Mining Claim, located by R.D. Dickson on the 1st day of January 1904, and recorded in Book 13 of Records of Mines, at page 544 in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the Description in the said original Location Notice.

Dated and posted on the ground this 2nd day of May 1911.

Parker Mining Company C.S.Richardson

President.

Wining Claims Jages 69-70. C.F.Leonard County Recorder.

Deputy. By V.L. Vaughn \*\*\*\*\*\*\*\*\*\*\*\*

# NOTICE OF MINING LOCATION Lode Claim



TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Fort Worth Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Parker Mining Company a corporation duly organized under the laws of the Territory of Arizona, the undersigned, on the 2nd day of May 1911.

The length of this claim is fifteen hundred feet, and we claim seven hundred and fifty feet, in an easterly direction and seven hundred and fifty feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface ground, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Camp Creek Mining District, in Maricopa County, in the Territory of Arizona, about 5/8 mile in a southerly

direction from the forks of Rackensack Gulch

The surface boundaries of the claim are markedupon the ground as follows:
Begin ang at a 4" X 4" X 4' Redwood post, set in the ground and surrounded by
a mound of stone at a point which bears 5.83° 26' E seven hundred and fifty feet
from the discovery shaft( at which this notice is posted) being in the center of
the east end line of said claim; thence \$\int\_60^{\circ}6^{\circ}34'\$ W. three hundred feet to a 4" X
4" X 4' Redwood post being the S.E. corner of said claim; thence N. 83° 26' W.
\$\int\_600^{\circ}600^{

All done under the provisions of chapter six, of Title XXXII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona entitled, "An Act to Revise and Codify the laws of the Territory of Arizona",

approved March 16, 1901.

This is an Amended Location Notice of the Fort Worth Mining Claim, located by R.D.Dickson on the 1st day of January 1904, and recorded in Book 13 of Records of Mines, at page 542, in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the original Location Notice.

Dated and posted on the ground this 2d day of May 1911.

Parker Mining Company

C.S.Richardson President.

Book 21 of Muning Claims at Pages 70-71.

C.F. Leonard County Recorder.

By V.L. Vaughn Deputy.

## AMENDED LOCATION NOTICE

The Jackson Mill Site Claim and Water Right-

Know all men by these presents, that the undersigned Parker Mining Company has this day located a Mill site for the purpose of erecting suitable works for reducing the eres of the Fort Worth group of Mining Claims, which insituate in Camp Creek Mining District, Maricopa County Arizona, Territory. The exterior boundaries of said Jackson Mill Site claim are as follows.

Commencing at a 4" X 4" X 4" Redwood post set in the ground at the N.E. corner of said claim and running thence S 31° 17½' W. 466.69 ft.; to a 4" X 4" X 4' Redwood post thence N.58° 42½' W. 466.69 ft to a 4" X 4" X 4' Redwood post; thence N.31° 17½' E. 466.69 ft. to a 4" X 4" x 4' Redwood post; thence S.58° 42½' E. 466.69 ft to the place of beginning.

This location may be more generally described as being situated at the forks of Rackensack gulch, about 3/4 mile northerly from the Fort Worth mine.

That the said Parker Mining Company has also located in connection with the said Mill-site claim fifty minches miners measure of the water of this Rackensack Gulch under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

Dated on the ground this 2nd Day of May, 1911.

Parker Mining Company

C.S.Richardson President. Filed and recorded at request of Parker Mining Co. May 3, 1911 at 11:47 A.M.

Box 21 Page Tay V.L. Vaughn Deputy.

V.L. Vaughn Deputy.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
August 17,, 1911.
I, U. S. Surveyor-General for Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Parker Mining Company,
known as the EL PASO, FORT WORTH, DALLAS Lodes, JACKSON MILLSITE CLAIM AND WATER RIGHT situate in Camp Creek
Mining District, Maricopa County, Arizona,
in Section Approx., Township No. 7 N., Range No. 6 E., Uns., and
designated as Survey No. 2916 A & B , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claims by claimant or its grantors, and that said improvements
consist of 6 cuts, 3 tunnels, 2 winzes, 1 shaft and 7 drifts, total
value \$11,105.00. Improvement No. 2 on the Fort Worth lode
being a common improvement for the benefit and development of
both the Fort Worth and Dallas lodes of this survey, and being
so situated that it does not develop the El Paso lode, an un-
divided 1 interest therein, value \$3362.50, is properly
credited to each the Fort Worth and Dallas lodes.
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona,
is correct and in conformity with the foregoing Field Notes.
The two two going I told it tolos.
Frank S. Ingalls,
United States Surveyor-General for Arizona.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Pho	enix, Arizona,
	August 17, 1911. , 190
I, U. S. Surveyor-General for	Arizona,
do hereby certify that the foregoing and heret	o attached Field Notes and Return of the Survey of the
Mining Claim of	
Parker M	ining Company,
	, known as the
EL PASO, FORT WORTH, D	ALLAS, Lodes, JACKSON MILLSITE, CLAIM
AND WATER RIGHT.	
situate in Camp (	Creek mining district,
Maricopa	County, Arizona, approximately
, designated as Survey N	7 N. Range No. 6 E., unsurveyed,
executed by Oliver C. The	ompson , United States Mineral
	7, 1911 , 198 , under my instructions dated
may 4, 1911 , 188	., have been critically examined and the necessary cor-
rections and explanations made, and the said	Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy	y of the location certificate filed by the applicant for
survey is included in the field notes.	
- Ch	und & morally
	U. S. Surveyor-General for Arizona.