Copied 6-26-1911

MAY 23 1911 UN 20, 1911

MINERAL SURVEY No. 2920

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Grand Tra	verse & Arizona Mini	ing Company
	KNOWN AS THE	
	The state of the s	
White Hagle	and New Hope	
Ca	ve Creek	Mining District,
Maricopa	County,	Arizona.
		, Range 5 E. (Unsurveyed)
Surveyed under instruc	ctions dated May 13	th. , 19 11.
	by Harry	E. Jones
		U. S. Mineral Surveyor.
Claim located.		tices
Survey commend	ced May 14 th.	, ₁₉ 11
	d May 15 th.	
6-922 Addres		, 10
	F. Smurthwaite Agt.	
	16 N. Center St. Phoenix, Arizona.	

TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

White Eagle

Beginning at cor. No. 1

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-1-2920 on SE-face with a nail in top.

No bearings available.

Section cor. common to sections 13 and 24, T. 6 N. R. 4
E. (unapproved) bears N. 33° 59' W. 2947.8 ft.

U. S. L. M. No. 2920 bears N. 19° 04' E. 6022.9 ft.

Thence S. 75° 50' E.

300. To N. end center.

600. To cor. No. 2

A pine post 4 ft.long, 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-2-2920 on SW. face, with a nail in top.

No bearings available.

Thence S. 4° 57' E.

1220. Int. N. bank of wash, course W.

1390. Int. S. bank of same wash, course W.

1500. To cor. No. 3

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-3-2920 on NW. face, with a nail in top.

No bearings available.

Thence N. 75° 50' W.

300. To S. end center.

400. Int. S. bank of wash, course SW.

600. To cor. No. 4

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-4-2920 on NE. face, with a nail in top.

Rock face of wash marked with a X., and BR-WE-4-2920 bears N. 83° 31' W. 75.65 ft.

Rock face of wash marked with a X, and BR-WE-4-2920 bears N. 7° 10' E. 81.6 ft.

Thence N. 4° 57' W.

2.

TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

65. Int. N. bank of wash, course SW.

1500. To cor. No. 1 the place of beginning.

Variation at all corners 13° 50° E.

NEW HOPE

Beginning at cor. No. 1

A pine post 4 ft. long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high.marked NH-1-2920 on SE. face, with a nail in top.

No bearings available.

Section cor. common to sections 13 and 24, T. 6 N. R. 4

E. (unapproved) bears N. 64° 27' W. 2362 1 ft.

U. S. L. M. No. 2920 bears N. 19° 11' E. 4516.3 ft.

Thence S. 75° 50' E.

300. To N. end center.

395. Int. W. bank of wash, course SW.

420. Int. E. bank of same wash, course SW.

600. To cor. No. 2

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked NH-2-2920 on SW. face, with a nail in top.

No bearings available.

Thence S. 14° 10' W.

160. Int. wagon road.

1500. To cor. No. 3

A pine post 4 ft.long, 4 ins. sq. set 18 ins. in the ground in a mound of stone 2 ft. base, 2 ft. high, marked NH-3-2920 on NW. face, with a nail in top.

No bearings available.

Thence N. 75° 50° W.

120. Int. cor. No. 2 of the White Eagle lode of this survey previously described.

300. To S. end center.

420. Int. N. end center of the White Eagle lode of this survey previously described.

White Eagle

and end certa Beginning at cor. No. 1

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-1lode of the survey 2920 on SE face with a nail in top.

Thence M. 75° 50' W. No bearings available.

Section cor. common to sections 13 and 24, T. 6 N. R. 4

10 E. (unapproved) bears N. 335 59 W. 2947.8 ft.

10 S. L. M. No. 2920 bears N. 19 04 E. 6022.9 ft.

10 bine bost 4 to jour 4 instance for the province of the second of

TO GOL TO S 1200 300. To N. end center.

600. To cor. No. 2

INO.

A pine post 4 ft.long, 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-2-2920 on SW. face, with a nail in top.

No bearings available.

TO GULT TO BE

bine post 4 ft. leng doing. 2-. Thence S. 4° 57' E.

Int. N. bank of wash, course W. 1220.

Int. S. bank of same wash, course W.

1500. To cor. No. 3

\$100°

Toog*

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-3-2920 on NW. face, with a nail in top.

No bearings available.

scaptons. Thence N. 75° 50' W.

3 118 (

300. To S. end center.

400. Int. S. bank of wash, course SW.

To cor. No. 4 600.

A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked WE-4-2920 on NE. face, with a nail in top.

Rock face of wash marked with a X., and BR-WE-4-2920 bears N. 83° 31' W. 75.65 ft.

Rock face of wash marked with a X, and BR-WE-4-2920 bears N. 7° 10' E. 81.6 ft.

Thence N. 4° 57' W.

11

Int. N. bank of wash, course SW. T' stop a/- ----

IL A LO E. BL.

1500. To cor. No. 1 the place of beginning.

Variation at all corners 13, 50 E.

200 on ME. teon, H NEW HOPE

THE RELIGIOUS RESIDENCE Beginning at cor. No. 1

TATE OF STREET A pine post 4 ft. long 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high.marked NH-1-2920 on SE. face, with a nail in top.

mar, drang

pesse, Fare : The bearing in-A

No bearings available.

Section cor. common to sections 13 and 24, T. 6 N. R. 4 E. (unapproved) bears N. 64° 27' W. 2362,1 ft.

U. S. L. M. No. 2920 bears N. 19° 11' E. 4516.3 ft.

Thence S. 75° 50' E.

300. To N. end center.

395. Int. W. bank of wash, course SW.

420. Int. E. bank of same wash, course SW.

600. To cor. No. 240. 27 % 24.

Plence S. 4" LY A pine post 4 ft.long 4 ins.sq.set 18 ins.in the ground FDTO. in a mound of stone 2 ft. base, 2 ft. high, marked NH-2-2920 on SW. face, with a nail in top. No bearings available.

Thence S. 14° 10' W.

160. Int. wagon road.

1500. To cor. No. 3

600

A pine post 4 ft.long, 4 ins. sq. set 18 ins. in the ground in a mound of stone 2 ft. base, 2 ft. high, marked NH-3-2920 on NW. face, with a nail in top.

No bearings available. Ho bearings availands ".

Thence N. 75° 50° W.

Title on Shalabe with 120. Int. cor. No. 2 of the White Eagle lode of this survey previously described.

300. To S. end center.

420. Int. N. end center of the White Eagle lode of this survey previously described.

- * Special English Latina 医. 7

600. To cor. No. 4

A pine post 4 ft.long, 4 ins.sq.set 18 ins.in the ground in a mound of stone 2 ft. base, 2 ft. high, marked NH-4-2920 on NE. face, with a nail in top.

No bearings available.

Thence N. 14° 10' E.

330. Int. wagon road.

540. Int. SE. bank of wash, course SW.

810. Int. wagon road.

860. Int. NW. bank of wash, course SW.

1500. To cor. No. 1 the place of beginning.

Variation at all corners 13° 50' E.

LODE LINES

As near as can be determined from the present developments the veinsof the locations embraced in this claim extend as follows from the discovery points.

White Eagle Fode: S. 4° 57' E.1425 ft. and N. 4° 57' W. 75 ft.

New Hope lode, S. 14° 10' W. 1265 ft. and N. 14° 10' E. 235 ft.

AREAS

Total area White Eagle lode

19.521 Acres.

Total area New Hope lode

20.661 Acres.

LOCATION

This claim is located in the Cave Creek Mining District Maricopa County, Arizona.in what will be when surveyed Section 19, T. 6 N. R. 5 E. Gila and Salt River Base and Meridian, in the Prescott National Forest Reserve.

ADJOINING CLAIMS

This survey is bounded on the N. by the Little Favorite lode uns. L. E. Hewins, claimant. On the E. by the Sure Thing lode and by public land the Prescott National Forest Reserve, on the S. by public land the Prescott National Forest Reserve, and on the W. by the New Hope No. 1

lode, uns. and by public land the Prescott National Forast Reserve. All bounding claims except the Little Favorite lode are owned by the Grand Traverse & Arizona Mining Company.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon, or for the benefit of, the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and said improvements consist of:

White Eagle

No. 1 Dis. Cut 6 x 20 x 6 ft. face, which bears from the N. end center S. 4° 57' W. 75 ft. Value

No. 2 Cut 4x 12 x 8 ft. face, Tunnel 3 x 6 x 21 ft.long which bear from the N. end center, S. 32 39 W. 210. ft.

Value \$ 310.00

to mandet bear St. Sto Legitro L. No. 3 Cut 30 x 20 x 12 ft. face, which bears from cor. No. 3 N. 4° 57' W. 310. ft

Value \$ 150.00

This improvement was originally made for a cut on the White Eagle lode, but by the survey it was found to be only 1/3 on the claim, therefore it has a 1/3 undivided interest in this improvement.

Value 50.00

No. 4 Cat 30 x 15 x 10 ft. face, which bears from cor. No. 3 N. 14° 44° W. 345 ft.

Value \$ 150.00 gate . cho-bant no fragath 12 day gross-out min. II.

CTHER IMPROVEMENTS

GROWN THE LINE X TO LATE AND SE THE
Lime Kiln 12 x 18 ft.sq. bears from cor. No. 3 N. 8° 18' W. 320. ft.

New Hope

No. 1 Dis. Shaft 7 x 9 x 180 ft. deep, shaft and all under ground workings are timbered; at the 60 ft. level a cross-cut runs E. 4x 6 x 16 ft.long, a drift from this

cross-cut runs N. 4 x 6 x 16 ft.long, and to the S. 4 x 6 x 30 ft.long; from the S. end of the S. drift a cross-cut runs W. 4 x 6 x 14 ft.long: At the 120 ft. level a cross-cut from the shaft runs E. 4 x 6 x 6 ft.long, and W. 4 x 6 x 3 ft.long: At the 160 ft. level a cross-cut runs E. 4 x 6 x 43 ft.long, from the 27 ft.point in this cross-cut a drift runs S. 4x 6 x 55 ft.long, and at the 30 ft. point in the drift a cross-cut runs W. 4 x 6 x 15 ft.long and E. 4 x 6 x 20 ft.long, bears from the N. end center S. 14° 10' W. 235 ft.

Value \$ 4776.00

No. 2 Shaft 6 x 9 & 6 ft.deep, which bears from the N. end center, S. 14° 10' W. 325 ft.

Value \$ 75.00

No. 3 Cut 4 x 10 x 3 ft. face, which bears from the N. end center, S. 14° 10' W. 300 ft.

Value \$ 40.00

No. 4 Tunnel 5 x 5 x 10 ft.long, which bears from the N. end center, S. 27° 45' E. 110 ft.

Value \$ 100.00

No. 5 Shaft 5 x 6 x 6 ft.deep, which bears from cor. No. 1 S. 14° 00' E. 92 ft.

Value \$ 60.00

No. 6 Cut 6 x 12 x 10 ft.face, which bears from the N. end center, S. 75° 50' E. 90 ft.

Value \$ 100.00

This improvement was originally made for a cut on the New Hope lode, but by the survey it was found to be only 1/2 on the claim; therefore it has a 1/2 undivided interest in this improvement.

Value \$ 50.00

No. 7 Shaft 3 x 6 x 6 ft.deep, which bears from cor. No. 2 S. 39 40 W. 30 ft.

Value \$ 60.00

No. 8 Cut 4 x 15 x 3 ft.face, which bears from the N. end center, S. 14° 10' W. 350 ft.

Value \$ 75.00

OTHER IMPROVEMENTS

Gallows frame over No. 1 Dis. Shaft 6 x 8 x 20 ft.high made of 6x6 timbers, bears from the N. end eenter, S. 14° 10' W. 235 ft.

Black-smith Shop bears from the N. end center, S. 9 15 W. 230 ft.

Shaft or Engine house bears from the N. end center S. 18° 51' W. 230 ft.

Change House bears from the N. end center, S. 18° 51' W. 270 ft.

Cook tents and cellar bear from cor. No. 1 S.9° 45' E. 418 ft.

Tent bears fromcor. No. 1 S. 6° 35' E. 480 ft.

House 20 x 40 ft. bears from cor. No. 1 S. 00° 20' E.

556 ft.

Bunk house 18 x 32 ft. bears from cor. No. 1 S. 3° 17' W. 460. ft.

REPORT

The lode lines of the locations of this claim weserun directly on the ground and the several corners established by means of offsets from the lode lines. All tie lines were run directly on the ground; All corners and end centers are identical with the location corners and end centers, which were a pine post 4 ft. long 4 ins.sq. set 18 ins. in the ground, in a mound of stone 2 ft. base, 2 ft high.

INSTRUMENT

This survey was made with a light mountain W. & L.E.

Gurley transit. The courses were deflected from the true
meridian as determined by an observation on Polaris May

15 th. 1911.

The distances were measured with a 100 and 600 ft steel
tape.

V. S. Mineral Surveyor.

Cave Creek Mining District, Maricopa County, Arizona.

Acting under instructions of the Surveyor General for Arizona, I have established U. S. Location Monument No. 2920, for the better location of surveys No. 2920 and 2921. said Monument being described as follows:-

This monument a 6 x 6 inch pine post 8 ft. long, set in the ground 3 ft. and surrounded with a mound of stone 6 ft. base, 3 ft. high, marked U. S. L. M. No. 2920 on the South face, with a nail driven in the top; is situated on top of a conical hill, from which, the section corner common to sections 13 and 24, Tp. 6 N. Rg. 4 E. bears S. 48° 03' W. 4860.9 ft.

Cor. No. 1 of the New Hope lode Sur. No. 2920 bears S. 19° 11' W. 4516.3 ft.

Cor. No. 1 of the White Eagle lode Sur. No. 2920 bears S. 19° 44' W. 6022.9 ft.

Cor. No. 1 of the Blue Boy lode Sur. No. 2921 bears N. 17° 58' E. 1114.8 ft.

What is known as Continental Mt. bears NW. about 1 mile.

Lone Mt. bears South about 1 miles.

Warry Jones.
U.S. Mineral Surveyor.

Phoenix, Arizona.

May 16 th. 1911

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals emplo	yed by Harry E. Jones	
United States Departy Mineral Surveyor, to assis	st in running, measuring, and marking the	lines, corners, and
boundaries described in the foregoing field notes	of the survey of the mining claim of	
	Anisona Wining Gampan	
known as the White Eagle and		
and showing the respective capacities in which th		P.
and showing the respective capacities in which th	A. M. Stratton	01 1 1 mm
	F. A. Clifford	, Chainman.
	·	Axman.
		, Flagman.
FINAL OATH	IS OF ASSISTANTS.	
We, A. M. Stratton and F.	A. Clifford	
and	do solemnly swear that we assisted Ha	rry E. Jones
, United States I		
the boundaries of the mining claim of		
	Arizona Mining Company	
White Page		
KIOWII as the		
represented in the foregoing field notes as having	been surveyed by said departs mineral surv	
direction; and that said survey has been in all r		
	respects, to the best of our knowledge and b	
correctly executed, and the corner and boundary	monuments established according to law a	pelief, faithfully and
correctly executed, and the corner and boundary furnished by the United States Surveyor-General	monuments established according to law a for	oelief, faithfully and and the instructions
	monuments established according to law a for	oelief, faithfully and and the instructions
	monuments established according to law a for	oelief, faithfully and and the instructions
	monuments established according to law a	ond the instructions Chainman. Chainman.
	for Arizona Of Mallow Arizona Of Mallow P. a. Blifford	coelief, faithfully and and the instructions Chainman. Chainman. Axman.
furnished by the United States Surveyor-General	for Arizona O, M. Shallow P. a. Blifford	chelief, faithfully and the instructions C, Chainman. Chainman. Axman. Flagman.
furnished by the United States Surveyor-General Subscribed and sworn	for Arizona for Arizona O, M. Shallow P. A. Blifford to by the above-named persons before me thi	chelief, faithfully and and the instructions Chainman. Chainman. Axman. Flagman.
furnished by the United States Surveyor-General Subscribed and sworn	for Arizona for Arizona O, M. Shallow P. A. Blifford to by the above-named persons before me thi	chelief, faithfully and and the instructions Chainman. Chainman. Axman. Flagman.
furnished by the United States Surveyor-General Subscribed and sworn	for Arizona O, M. Shallow P. a. Blifford	chelief, faithfully and and the instructions Chainman. Chainman. Axman. Flagman.

FINAL OATH OF U.S. DERECTOR MINERAL SURVEYOR

I,	Harry E.	Jones		, U.	S. Meputy Mineral
Surveyor,	do solemnly swear	that, in pur	suance of i	nstructions recei	ved from the United
					, dated
M	ay 13 th. 1911	. •	, I have, in	strict conformit	y to the laws of the
					and the instructions
					rvey of the Mining
					ny
					known as the
===	White	Eagle and	New Hor	e	·,
situate in	C	ave Creek	p b		Mining District,
	Maricopa		County,	Arizona	, in Section
	, Township No.				
and design	nated as Survey N	029	20		as represented
in the fore	egoing field notes, v	vhich accura	ately show	the boundaries o	of said mining claim
					n the attached copy
					veyor General with
					stablished and per-
petuated is	n strict accordance	with the la	w, official	regulations and	instructions there-
					e true and original
					abor expended and
					grantors
are as the	rein fully stated, a	nd that the	character,	extent, location	and itemized value
					that no portion of
					ded in the estimate
	tures upon any oth				
-					
				,	
			~/ ~/	Harry E.	puty Mineral Surveyor.
		·		U.S. Da	puty Mineral Surveyor.
Subs	cribed and sworn t	o by the said	d	Harry E. Jor	les ,
U	J. S. Baputy Minera	l Surveyor, l	before me	Margar	et Car
					20
d	ay of May	1911			
	//	(/ :	cm.		
			// ca	garel tary .	Lauz
			M	Stary F.	ubles
	o 8—154			/	

AMENDED

Motice of Mining Location

To All	Whom	Ilt	May	Concern	•
--------	------	-----	-----	---------	---

This Mining Claim, the name of which is the White Eagle
Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
uable mineral deposits, was entered upon and located for the purposes of exploration and purchase by
The Grand Traverse & Arizona Mining Company
O. F. Smurthwaite a citizen of the United Alete
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 23 rd day of March 1911
The length of this claim is 1500 feet,
and We claim 75 feet,
in a Northerly direction and 1425
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly
The claim is situated and located in the Creek Mining District, in
Maricopa County, in the Territory of Arizona, about 7 miles
in a Northeasterly direction from Cave Creek Station and about
12 miles in a Southeasterly direction from Continental Mt.
The surface boundaries of the claim are marked upon the ground as follows: Begining at
a post in a mound of stone
at a point in a northerly direction 75 feet from
the discovery shaft (at which this notice is posted,) being in the center of the north
end line of said claim; thence S. 75° 50' E. 300 feet to a post in a mound
of stone , being the Northeast corner of said claim; thence
S. 4° 57' E. 1500 feet to a post in a mound of stone , being at the
Southeast corner of said claim; thence N. 75° 50' W. 300 feet
to a post in a mound of stone at the center of the South and of said claims
thence N. 75° 50' W. 300 feet to apost in a mound of stone at the
thence N. 75° 50' W. 300 feet to a post in a mound of stone Southwest corner of said claim; thence N. 4° 57' W. 1500
feet to apost in a mound of stone at the Northwest corner of said claim;
thence S. 75° 50° E. 300 feet to the place of the begining.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the
Mining Claim, located by C. F. Smurthwaite for the Grand Traverse & Arizona
Mining Company on the 17 th. day of
May 19.07, and recorded in Book 19 of Records of Mines, at
page 139 , in the office of the County Recorder of the aforesaid County of Maricopa
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice.
Dated and posted on the ground this. 23 rd. day of March 19.11
The Grand Traverse & Arizona Mining Co.
by Chas. F. Smurthwaite
y (pices. 1' X) muripisaile

and

Bired

Dated

4 1911

MAY

Corner Monument Corner Monument 300 ft. End Monument End Monument 500 feet 25 Discovery Shaft 5000 feet 500001 1991 000I 300 ft. Corner Monument Corner Monument

AMENDED

3884

Indexed

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the order of the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with Feference to some natural object, or permanent monument, as will identify the claim.

Pages.

By

Book

AMENDED

Motice of Mining Location

To All Whom	It	May	Concern:
-------------	----	-----	----------

This Mining Claim the same final in the Hone Hone
This Mining Claim, the name of which is the New Hope
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by
The Grand Traverse & Arizona Mining Company
to Constituent of culing of the land of
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 23 rd. day of March 1911
The length of this claim is 1500 feet,
and We claim 235 feet,
in a Northerly direction and 1265
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly
The claim is situated and located in the Cave Creek Mining District, in
Maricopa County, in the Territory of Arizona, about 7 miles
in a Northeasterly direction from Cave Creek Station, and about
12 miles in a Southeasterly direction from Continental Mt.
The surface boundaries of the claim are marked upon the ground as follows: Begining at a post in a mound of stone
at a point in a Northerly direction of
at a point in aNortherly
end line of said claim; thence S. 75° 50' E. 300 feet to a Post in a mound
of stone , being the Northeast corner of said claim; thence
S. 14° 10° W. 1500 feet to a post in a mound of stone , being at the
Southeast corner of said claim; thence N. 75° 50' W. 300 feet
to a post in a mound of stone at the center of the South end of said claim;
thence. N. 75° 50' W. 300 feet to apost in a mound of stomeing at the
Southwest corner of said claim; thence N. 14° 10' E. 1500
feet to a post in a mound of stone at the Northwest corner of said claim; thence S. 75° 50' E. 300 feet to the place of the beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the New Hope
This is an Amended Location Notice of the Mew Hope Mining Claim, located by F. E. Withey and Thomas Smurthwaite
on the 10 th. day of
July 1903, and recorded in Book 13 of Records of Mines, at
page .319, in the office of the County Recorder of the aforesaid County of Maricopa
to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this 23rd. day of March 1911
The Grand Traverse & Arizona Mining Co. by C. H. Smurthwaite
had the constant of the contract of the contra

Monument

Monume

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

· Ph	oenix, Arizo	na,		
		July 15,	1911.	, 190
I, U. S. Surveyor-General for	Ar	izona	**************************************	
do hereby certify that the foregoing trans	script of the Field	•		
of the mining claim of .The Grand .	Fraverse &	Arizona M	ining Compa	any
known as the WHITE EAGLI				
situate in	Cave C	reek		
Mining District, Maricopa		County, Ar	izona	
in Section, Township No	. 6 N. ,	Range No	5 E. uns.	, and
designated as Survey No. 2920	, has been co	orrectly copied	from the origin	als on file in
this office; that said Field Notes furnish	such an accurate	description of	said mining clai	im as will, if
incorporated into a patent, serve fully to i	dentify the premi	ses, and that su	ich reference is n	nade therein
to natural objects or permanent monumer	ts as will perpetu	ate and fix the	locus thereof.	
And I further certify that five hund	lred dollars' wort	h of labor has	been expended	or improve-
ments made upon said mining claim by	elaimant or it	S grantors, a	nd that said in	aprovements
consist of 7 cuts, 2 tunnels,	4 shafts ar	d 218 fee	t of under	ground
workings, total value \$58	46.00			
		•••••		
and that no portion of said labor or impr	ovements has bee	n included in t	he estimate of e	expenditures
upon any other claim.				
I further certify that the plat thereof	filed in the U.S.	Land Office at	Phoenix	.
Arizona is correct	and in conformity	with the foreg	going Field Note	es.
	Fr	ank S. In	galls	
United	States Surveyor-Ge	neral for	Arizona	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoe	nix, Arizona,	
		July 15, 1911	, 190
I, U. S. Surveyor-	General for	Arizona	
do hereby certify that	the foregoing and hereto	attached Field Notes and Retur	rn of the Survey of the
Charles No		<mark>rse & Arizona M</mark> ining	
		nd NEW HOPE	
		Creek	
	Mari copa	County, Arizona	
		6 N., Range No	
executed by	Harry E. Jon	nes ,	United States Mineral
		, 190 ^X ., under	
May 13, 191	<u>1</u> , ₹96	, have been critically examined	and the necessary cor-
rections and explanati	ons made, and the said	Fie <mark>ld Notes an</mark> d Return, and the	Survey they describe,
are hereby approved.	A true copy of the copy	of the location certificate filed	by the applicant for
survey is included in t	the field notes.	Transflory	ally
		U. S. Surveyor-General for AT	izona