

JUN 12 1911

4-683.

MINERAL SURVEY No. 2929

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Queen Copper Mining Company

KNOWN AS THE

Silveride

Pioneer

Mining District,

Pinal

County,

Arizona

Sections 26-27-34-35, Township 1 S., Range 12 E., unsurveyed

Surveyed under instructions dated May 22, 1911, 19

by Harry E. Jones

U. S. Mineral Surveyor.

Claim located See Location Notice, 1911.

Survey commenced June 2, 1911.

Survey completed June 2, 1911.

6-822

Address:

Bowman & Hildreth Att'ys.

Phoenix, Arizona.

## Silveride

Beginning at cor. No. 1

A pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground, marked S-1-2929 on NE. face, with a nail in top, in a mound of stone 2 ft. base, 2 ft. high.

The true point for cor. No. 3 of the Irene lode Lot No. 42, bears S.  $88^{\circ} 51'$  W. 520.8 ft.

U. S. M. M. No. 1 bears S.  $1^{\circ} 08'$  W. 5841.3 ft.

The closing section cor. common to sections 2 and 3, Tp. 2 S. Rg. 12 E. (suspended) bears S.  $1^{\circ} 40'$  E. 5130.7 ft.

Thence N.  $20^{\circ} 52'$  W.

1500. To cor. No. 2

A ledge of rock in place, marked with a x and S-2-2929, on SE. side of the x, with a mound of stone 2 ft. base, 2 ft. high. alongside.

No bearings available.

Thence N.  $88^{\circ} 51'$  E.

300. To N. end center.

600. To cor. No. 3

A pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground, marked S-3-2929 on SW. face, with a nail in top, in a mound of stone 2 ft. base, 2 ft. high,

No bearings available.

Thence S.  $20^{\circ} 52'$  E.

1500. To cor. No. 4

A pine post 4 ft. long, 4 ins. sq. set 18 ins. in the ground, marked S-4-2929 on NW. face, with a nail in top, in a mound of stone 2 ft. base, 2 ft. high.

Cor. No. 1 of the Silver Tip lode of Sur. No. 2144, bears N.  $88^{\circ} 51'$  E. 345.1 ft.

Cor. No. 2 of the Irene lode of Lot No. 42 bears N.  $88^{\circ} 51'$  E. 357.4 ft.

Thence S.  $88^{\circ} 51'$  W.

300. To S. end center.

600. To cor. No. 1 the place of beginning.

Variation at all corners  $13^{\circ} 50'$  E.

---

 LODGE LINE

As near as can be determined from the present developments, the vein of the location embraced in this claim extends as follows from the discovery point.  
Silveride lode, N.  $20^{\circ} 52'$  W. 710 ft. and S.  $20^{\circ} 52'$  E. 710. ft.

---

 AREA

Total area, Silveride lode, 19.449 Acres.

---

 LOCATION

This claim is located in the Pioneer Mining District, Pinal County, Arizona. in what will approximately be when surveyed, sections 26-27-34-35, Tp. 2 S., R. 12 E., Gila and Salt River Base and Meridian, in the Crook National Forest.



## ADJOINING CLAIMS

This survey is bounded on the N. by an unknown claim, <sup>unsurveyed, claimant unknown.</sup> on the S. by the Irene lode Lot No. 42, on the E. by the Yellow Coat lode, <sup>uns.</sup> claimant unknown, and on the W. by an <sup>unsurveyed</sup> unknown claim, <sup>claimant unknown.</sup>

## EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon, or for the benefit of, the location embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and said improvements consist of:

No. 1 Dis. Cut 4 x 12 x 8 ft. face, which bears from the S. end center, N. 20° 52' W. 710. ft.

Value \$ 100.00

No. 2 Cut 6 x 12 x 8 ft. face, Tunnel 4 x 6 x 56 ft. long, which bear from the N. end center, S. 38° 25' E. 823. ft.

Value \$ 660.00

No. 3 Cut 4 x 18 x 10 ft. face, which bears from the N. end center, S. 27° 19' E. 785. ft.

Value \$ 150.00

No. 4 Cut 4 x 12 x 6 ft. face, which bears from the N. end center, S. 1° 18' W. 430. ft.

Value \$ 100.00

## REPORT

The lode line of the location of this claim was run directly on the ground and the several corners established by means of offsets from the lode line. All tie lines were run directly on the ground and all corners and end centers are identical with the location corners and end centers. All post corners were marked with a 1 x 4 in. copper plate having markings stamped on. The errors which exist between this survey and the Irene Lode Lot No. 42 in course and distance of the N. side line are due to errors in the latter. (See \* below)

## INSTRUMENT

This survey was made with a light mountain W. & L. E. Gurley transit. The courses were deflected from the true meridian as determined by an observation on Polaris, June 2 nd. 1911.

The distances were measured with 100 and 600 ft. steel tapes.

*Harry E. James*  
U. S. Mineral Surveyor.

\*The end centers consist of a pine post 4 ft. long, 4 ins. sq., set 18 ins. in the ground, marked with the initials of the claim, the survey number and the letters N.E.C., and S.E.C., respectively, stamped on a copper plate 1x4 ins., nailed to the post, facing the claim, in a mound of stone 2 ft. base, 2 ft. high.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Queen Copper Mining Company

known as the Silveride

and showing the respective capacities in which they acted.

A. M. Stratton, Chainman.

F. A. Clifford, Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, A. M. Stratton

and F. A. Clifford, do solemnly swear that we assisted

Harry E. Jones, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Queen Copper Mining Company

known as the Silveride

represented in the foregoing field notes as having been surveyed by said ~~Deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

A. M. Stratton, Chainman.

F. A. Clifford, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 10<sup>th</sup>

day of June, 1901.

Ansula D. Munn  
Notary Public

9189b5m8-08 My Commission Expires May 19, 1913.



# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
May 22, 1911., I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Queen Copper Mining Company, known as the  
Silveride,  
situate in Pioneer Mining District,  
Pinal County, Arizona, in Section<sup>s</sup>  
26-27-34-35, Township No. 1 S., Range No. 12 E. ( unsurveyed )  
and designated as Survey No. 2929, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or its grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

*Harry E. Jones*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones  
U. S. Mineral Surveyor, before me a Notary Public  
this 10<sup>th</sup>  
day of June, 1911.

*Ursula D. Munn*  
Notary Public.

*My commission  
6-7-04  
expires May 19, 1913.*



AMENDED  
Notice of Mining Location  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining Claim, the name of which is the Silveride  
Mining Claim, situate on lands belonging to the United States of America, and in which there are  
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase  
by QUEEN COPPER MINING COMPANY

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 21<sup>st</sup> day of April 1911

The length of this claim is 1500 feet,  
and we claim 1450 790 feet,  
in a North Westerly direction and 59 710  
59 710 feet in a South Easterly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
with 300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
North West to the South East

The claim is situated and located in the Pioneer Mining District, in  
Pinal County in the Territory of Arizona, about 700 ft.  
in a Westerly direction from The Queen Shaft, on what is known  
as the " Queen Hill " ; This claim lies West of and parallels the  
Yellow Coat Claim ( uns. ) and lies North of the Irene Lode Sur. No.  
350.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a pine post in a mound of stone

at a point in a South Easterly direction 59 710 feet from  
the discovery shaft (at which this notice is posted), being in the center of the South  
end line of said claim; thence S. 88° 51' W. 300 feet to a post and mound  
of stone, being the South West corner of said claim; thence  
N. 20° 52' W. 1500 feet to a post and mound of stone being at the  
North West corner of said claim; thence N.88° 51' E. 300 feet  
to a post and mound of stone at the center of the North end of said claim;  
thence N. 88° 51' E. 300 feet to a post and mound of stone, being at the  
North East corner of said claim; thence S. 20° 52' E. 1500  
feet to Post and mound of stone at the South East corner of said claim;  
thence S. 88° 51' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the  
United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and  
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Silveride Silveride  
Mining claim, located by Geo. P. Hunstock

on the 1 st. day of  
January, 1906, and recorded in Book 23 of Records of Mines, at  
page 427, in the office of the County Recorder of the aforesaid County of Pinal  
to which reference is hereby made, and this Amended Location Notice is made and posted to correct  
errors in the description in the said original Location Notice.

Dated and posted on the ground this 21<sup>st</sup> day of April, 1911

QUEEN COPPER MINING COMPANY  
by G. J. Greene Jr. Secy



TERRITORY OF ARIZONA,

County of Pinal } ss.

I, G. F. Watson, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 1 o'clock 9 M., on this 29th day of April, 1911, and duly recorded in Book No. 1 of Mines Amended Records of Pinal County, Arizona, at pages 404.

Witness my hand and official seal the day and year first above written.

G. F. Watson

County Recorder.

INDEXED  
COMPARED

AMENDED

# Notice of Location

LODE CLAIM.

Admiral

Dated Apr - 21 -, 1911

Filed and recorded at request of

E. F. Keener

April 29th A. D. 1911

at 1 o'clock P. M.

Book 1 of Mines Amended

Pages 404


G. F. Watson

County Recorder.

By Lucian C. Sundholm

Deputy Recorder.

The McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 19, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Queen Copper Mining Company,

known as the SILVERIDE,

situate in PIONEER

Mining District, PINAL County, ARIZONA,

in Sections 26, 27, 34, Township No. 1 S., Range No. 12 E., unsurveyed and designated as Survey No. 2929,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 4 cuts and 1 tunnel, total value \$1010.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,



SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 19, 1911., 190...

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Queen Copper Mining Company,

, known as the

SILVERIDE,

situate in PIONEER mining district,

PINAL County, ARIZONA,

in Sections 26, 27, 34, 35., Township No. 1 S., Range No. 12 E., unsurveyed,

, designated as Survey No. 2929,

executed by Harry E. Jones, United States Mineral

Surveyor, June 2, 1911., 190, under my instructions dated

May 22, 1911, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.