

SEP 13 1911

(4-683.)

## Mineral Survey No. 2945

Lot No.

ARIZONA Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Hartford-Arizona Copper Mining Company,

#### KNOWN AS THE

HELENA

Hartford Mining District,

Cochise County, Arizona,

Section 21 , Township 23 S , Range 20 E

Surveyed under instructions dated July 28 , 1911.

by Ralph L. Mctz

U. S. Xuputar Mineral Surveyor

Claim loo	cated See	Iocati	on Notice ,	1	1
Survey c	ommenced	Aug.	28	1911	
Survey co	ompleted	Sept.	2	1911	

o 6—169

Claimant's Attorney:-J. M. O'Connell,

Address:

Bisbee, Arizona.

1.1.	SURVEY	NO.	2945.	
	HELENA	0.001	10.12	

1.

Beginning at Cor. No: 1, the N. W. Cor., identical with location, with Cor. No. 6, Wisconsin Lode, Lot No. 37 and with the S.E. and S.W. Cors. respectively of the Lionel D. and Huachuck Chief Lodes, both unsurveyed, a pine post, 4 ft. long 4 ins. square, set 18 ins. in the ground in a m mound of stones and scribed 1-2945 H.L. whence a pine tree 18 ins, in diameter and about 75 ft, high, blazed and scribed B. T. x 1-2945 bears N 52° 40' E 42.7 ft., a granite rock 8.4 x 13.2 x 3.0 ft. high chiseled B.R. x 1-2945 bears N'66° 33' E 58.3 ft., a second granite rock in place 4.1 x 4.3 x 1.0 ft. high with like chiseling bears S 49° 12'E 16:9 ft., U. S. M. M. No. 1, Hartford Mining District, Cochise County, bears S 2º 33' E 510.4 ft. and the Quarter Corner between Sections 20 and 21, T 23 S, R 20 E, G & S R B & M bears S 48° 45\* W 911.5 ft. Thence N 19° 47' E

191.7 To Cor, No. 4, Undine Lode, Lot No. 38, whence Cor. No. 6, said Undine lode brs. N. 58° 30'E., 400 ft.
371.4 Same bearing to location for North End Center, being a monument of rocks 3 ft: high with 3 ft. base

724,9 Same bearing to intersection with line 6 - 7 Undine Lode, Lot No. 38; at S 28° 45' E 1146.1 ft. from Cor, No. 7, Undine Lode and at N 28° 45' W 333.9 ft. from Cor. No. 6, Undine Lode.

742.8 Same bearing to Cor, No. 2, the N. E. Cor., identical with location, being a pine post, 4 ft. long, 4 ins. square set, 18 ins. in the ground in a mound of stones and scribed 2-2945 H. L., whence a fir tree 45 ins. in diameter and about 100 ft. high, blazed and scribed B.T. x 2-2945, bears S 4° 36' E 34.7 ft., a granite rock in place 6.0 x 7.6 x 4.6 ft. high chiseled B. R. x 2-2945 bears S 32° 23' W 22.0 ft., and a slate rock in place

		3.0 x 3.0 x 1.5 ft. high with like chiseling bears S 53°
		221 E 33.7 ft
		Thence S 34° 05' E
	385.8	To intersect line 5 -6 I. X. L. Lode, Lot No. 39, at
		S 9° 10' E 659.4 ft. from Cor. No. 5, I. X. L. Lode and
		at N 9° 10' W 826.6 ft. from Cor. No. 6, I. X. L. Lode,
		Lot No. 39.
	1321.3	To Intersect line 6 - 2, I. X. L. Iode Lot. No. 39, at
		N 84° E 105.7 ft. from Cor. No. 1, I. X. L. Lode, at
		N 84° E 394.7 ft. from Cor. No. 6, I. X. L. Lode and at
		S 84° W 194.3 ft. from Cor. No. 2, I. X. L. Lode, Lot No.
	Sev.	39.
	1500.0	Same bearing to Cor. No: 3, the S. E. Cor., identical with
	1.5t	location, a pine post 4 ft. long, 4 ins. square set 18
	100	ins. in the ground in a mound of stones and scribed 3-
		2945 H. L. whence a pine stump 30 ins. in diameter and
		12 ft. high ; blazed and scribed B. T. x 3-2945, bears
		N 89° 43' E 35.7 ft., a second pine stump 12 ins. in
		diameter and 5 ft. high, blazed and with like scribing,
		bears N 92 W 15.2 ft: and a diorite rock in place 2.0 x
		4.0 x 2.0 ft. high bears chiseled B. R. x 3-2945 bears
		S-54° 42' W 23.7 ft.
		Thènce S'19° 47' W
1	371.4	To South End Center Location, being a monument of rocks
		3 ft. high with a 3 ft. base.
	742.8	Same bearing to Cor. No. 4, the S. W. Cor., identical with
		location, a pine post 4 ft. long, 4 ins. square, set 18
		ins. in the ground in a mound of stones and scribed 4-
		2945 H.L., whence a spruce tree 18 ins. in diameter and
		about 75 ft. high, blazed and scribed B. T. x 4-2945,
		bears N 81° 31' E 13:5 ft., a second spruce tree, 18 ins.
		in diameter and abcut 75 ft. high, blazed and with like
		scribing, bears S 17º 43' E 30.2 ft. and a fir tree, 24

3

.

ins. in diameter and about 80 ft. high, blazed and with like scribing, bears S 36° 54' W 39.1 ft. Thence N 34° 05' W 4

291.0 To Cor, No. 5, Wisconsin Lode, Lot No. 37.

1500.0 Same bearing, to Cor. No. 1, the place of the beginning. LEDGE

3.

The presumed course of the vein on this claim is from the North End Center Location S 34° 05' E 1500.0 ft.

AREAS

Total Area Helena Lode, Survey No. 2945 - - 20.658 A. Conflict with I. X. L. Lode, Lot

No. 39 - - - - - - - - 3.739 A

Conflict with Undine Lode, Lot No.

THE PARTY AND A SHARE A SHARE A SHE THAT I AND A SHARE A

38 - - - - - - <u>- 1.531 "</u>

#### IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim, placed thereon by the claimant or its grantors is not less than five hundred (\$500.00) dollars, and that said improvements are as follows:

No. 1, Discovery Cut, bears from N. E. C.

location S 34° 05' E 300.0 ft. 4 x 12



Total Value of Improvements - - - - \$ 10986.50

#### ADJOINING CLAIMS

North :- Lionel D., Huachuck Chief, and Princeton Lodes,

unsurveyed, and Undine Lode, Lot No. 38 all

owned by the claimant herein.

118

East :- Princeton Lode, unsurveyed and I. X. L. Lode Lot No. 39, owned by claimant herein.

South: - Triplets Lode, unsurveyed, S. A. Young, claimant. West: - Harriet J. Lode, unsurveyed and Wisconsin Lode,

Lot No. 37, owned by the claimant herein.

#### LOCATION

This **claim** is located in the Hartford Mining District Cochise County, Arizona, in Sec. 21, T 23 S, R 20 E, G & S R B & M., within the Garces National Forest.

#### INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 1 C Transit. The courses were deflected from the true meridian as determined by a Sclar observation. The distances were measured with a 300 ft. steel tape. Magnetic variation 12° 30' E at all corners.



5.

١

Wisconsin Lode, Lot No. 37. Cors. V and VI are pine posts 4 ft. long, 4 ins. square set 18 ins in the ground in a mound of stones and were re-established by me according to the official courses and distances.

Undine Lode, Lot No. 38. Cors. IV, V, VI and VII are pine posts 4 ft. long, 4 ins. square set 18 ins. in the ground in a mound of stones and were re-established by me according to the official courses and distances of original surveys.

I. X. L. Lode, Lot No. 39. Cors. I, II, V and VI are pine posts 4 ft. long, 4 ins. square set 18 ins. in the ground in a mound of stones and were re-established by me according to the official courses and distances of the original survey.

U.S.M.M. No. 1, is a pine post 6 x 6 ins. x 10 feet high set in a mound of stones 5 ft. high with a 7 ft. base. It is scribed U. S. M. M. No. 1, H. D.

Quarter Corner, Secs. 20 and 21, T 23 S, R 20 E is a granite rock 6 x 8 x 18 ins. high set in the ground, a mound of stones near it and 1/4 chiseled on the west face.

Ralph L. Motz. U. S. Mineral Surveyor

Dated at Bisbee, Arizona. Sept. 11, 1911.

6

### FINAL OATHS FOR SURVEYS.

4-685.

#### LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Hartford-Arizona Copper Mining Company,
known as the HELENA

and showing the respective capacities in which they acted.

Lionel H. Hamburg, Jr.	, <mark>Chainman.</mark>
<u> </u>	, Chainman.
Alex Daniels	, <mark>Axman.</mark>
	, Flagman.

#### FINAL OATHS OF ASSISTANTS.

We,	Lionel H.	Hemburg, Jr.		
and Alex	Daniels	,	do solemnly swear that we assist	ed Ralph
L. Motz		, United States Dept	rty Mineral Surveyor, in marking	the corners and surveying
the boundaries	s of the mining o	claim of		

Hartford- Arizona Copper Mining Company,

HELENA known as the \_\_\_\_\_

represented in the foregoing field notes as having been surveyed by said **RAFAR**y mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for \_\_\_\_\_ ARizona \_\_\_\_

Cional A. Kaubrer gehänman. , Chainman. Alex Saniels, Axman.

, Flagman.

1915.

Subscribed and sworn to by the above-named persons before me this free out

day of Arpleneber , 1981. Arching B. Jo Matany Cullie

e Feb. 16

9189b5m8-03

(4-686.)

#### FINAL OATH OF U.S. KARPANAXX MINERAL SURVEYOR

I, \_\_\_\_\_, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for \_\_\_\_\_ Arizona , dated July 28, 1911 , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Hartford-Arizona Copper Mining Company, known as the HELENA situate in <u>Hartford</u> Mining District, Cochise , in Section 21 , Township No. 23 S , Range No. 20 E, G. & S. R. B. & M., and designated as Survey No. 2945, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

U.S. Engrity Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Ho U.S. Maputy Mineral Surveyor, before me Math Notary Public this 11th) day offptember

My commission edpires Dept 3, 1914

Brach, notary Public In ana for bochise bo arizona

# Motice of Mining Location

LODE CLAIM

JUL 28. 1911

9

#### To HII Tabom IIt May Concern:

This Mining Claim, the name of which is the Helena Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Princeton Copper Mining & Smelting Co.-a corporation organized under the laws of the State of South Dakota (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") April the undersigned, on the 22-1904. .....day of..... The length of this claim is fifteen hundred (1500) feet. and we claim three hundred (300) feet. direction and 1200 twelve Northerly in a... Southerly hundred .....feet in a..... direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south The claim is situated and located in the Hartford Mining District, in County, in the Territory of Arizona, about 22 Miles Cochise in a Southerly direction from Berners Ranch and on the eastern slope of Ramsey Canon and bounded on the west by the Wisconsin Mine, on the North by the Undine, and on the east by the IXL Mine The surface boundaries of the claim are marked upon the ground as follows : Beginning at

a monument of stone

at a point in a	northerly	direction	about	300		et from
<mark>the discovery shaft</mark> (at	which this not	ice is posted), being	in the cen	nter of the	north	
ena line of said claim;	thence east	erly 300	feet	to a monu	ment of	stone
	, being th	e northeast	••••••••••••••••••••••••••••••••••••••	corner of s	aid <mark>claim</mark> ;	thence
southerly 1500		feet to a monum	ent of	stone	, being	at the
southeast		of said claim; thenc	e. weste	erly 300		feet
to a monument of	stone	at the center of	the s	outh	end of said	l claim;
thence westerly	300	feet to a mo	nument	of ston	e , being	at the
southwest		er of said claim; the	nor	therly 1	500	
feet to a monument	of stone	at the nort	h west	co	rner of said	l claim;
thence easterly 30	00	feet to the place	of begin	ning.		

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 22 d day of April 1904.

Witness:

Princeton Copper Mining & Smelting Co.

A. E. Slessman

By Henry Hamburg, President.

Clarence Woodcock

Filed and recorded at request of Henry Hamburg Apr.30 1904 at 9 A. M. in Book 31 Record of Mines at Page 24.

TERRITORY OF ARIZONA, County of Cochise.

ST. SAN

14 11

SS.

I, C. A. McDonald, County Recorder in and for the County of Cochise, Territory of Arizona, D O H E R E B Y C E R T I F Y, that I have compared the annexed and foregoing copy with the original location notice of the "H E L E N A" Mining Claim filed for record on the 30th day of April 1904, and recorded in Book 31 Record of Mines at page 24; and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and official seal this the 22nd day of July A. D. 1911.

Camodonal

County Recorder.

4-688.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

#### Phoenix, Arizona,

October 27, ....., 19 11.

I, U. S. Surveyor-General for Arizona,						
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey						
of the mining claim of						
Hartford-Arizona Copper Mining Company,						
known as the						
situate in						
Mining District, Cochise County, Arizona,						
in Section 21, Township No. 23 S, Range No. 20 E, and						
designated as Survey No. 2945 , has been correctly copied from the originals on file in						
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if						
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein						
to natural objects or permanent monuments as will perpetuate and fix the <i>locus</i> thereof.						

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant. or <u>its</u> grantors, and that said improvements consist of <u>l cut</u>, <u>2 tunnels</u>, <u>2 drifts</u> and <u>4 crosscuts</u>, <u>total value</u>



and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October	 1911

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Hartford-Arizona Copper Mining Company,

			, known as the
		HELENA,	
situate in		Hartford	mining district,
	Cochise		Arizona,
in Section	21, Townsl	nip No. 23 S.	, Range No. 20 E.
	, designated as Su	rvey No. 2945,	
executed by	Ralph L	. Motz,	, U. S. <del>Deputy</del> Mineral
Surveyor,	ugust 28 - Septe	ember 2	., 1911, under my instructions dated
	<mark>July</mark> 28	, 191 <b>11, have been</b> criti	cally examined and the necessary cor-
rections and ex	planations made, and the	e said Field Notes and	Return, and the Survey they describe,
are hereby app	roved. A true copy of th	ne copy of the location	certificate filed by the applicant for
survey is inclu	led in the field notes.		

trank fugally

U. S. Surveyor-General for Arizona,