NOV.20,1911

(4-683.)

OCT. 16.1911

### Mineral Survey No. 2951

Lot No.

ARIZONA Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Old Pueblo Copper Company KNOWN AS THE Little Betsey, Battle Axe, Quien Sabe, Quien Sabe No.2, Marion Amole Mining District, Pima County, Arizona. Sections 18, 19, 20, Township 14 S, Range 13 E. Surveyed under instructions dated August 24, , 1911. by Paul E. Fernald, U. S. Diputy Mineral Surveyor Claim located (see location notices) , 1 Survey commenced August 30th, 1911, Survey completed September 14th, 1911, Quien Sabe No. 2 Lode December 3rd, 1905. - Marion Lode - - - - - - February 6th, 1906. Date of amended locations - Little Betsey Lode - February I2th, I906.

" " " - Quien Sabe Lode - February I2th, I906.

" " " Battle Axe Lode February I3th, I906.

> Address: J.H. Wussow, Agent, 269 Broadway, Milwaukee, Wisconsin.

#### SURVEY NC. 2951.

#### LITTLE BETSEY.

Beginning at Cor.No.I, identical with S.E.Cor.of location. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq.,set  $I\frac{1}{2}$  ft.in ground, with mound of stones, scribed 295I, I-LITTLE BETSEY. Whence the S  $\frac{1}{4}$  Cor.of Sec.I6, T I4 S, R I3 E, G.& S.R.M. bears N 87°48'E, 806I.40 ft.

#### thence S 89 47 W

71.00 Center road, running N.- N.E.

206.00 Gulch, running N.- N.E.

300.00 S. End Center, monument of stones 3.ft.high.

467.53 Cor.No.2, Quien Sabe Lode, this survey, and Cor.No.I, Battle Axe Lode, this survey.

600.00 To Cor.No.2, identical with S.W.Cor.of location. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq.,set  $I\frac{1}{2}$  ft.in ground, with mound of stones, scribed 2891, 2-LITTLE BETSEY.

#### thence N O° I3'W

310.44 Intersects the S.boundary of Sec. 18, T 14 S, R 13 E, G.& S.R.M.

S.89 54 W, t736.64 ft.from SaEtCor and Ne89 54 E, 1903.36 ft.
from the S & Cor.

1450:00 Gulch, running E.

I500:00 To Cor.No.3, identical with N.W.Cor.of location.

A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stones, scribed 295I, 3-LITTLE BETSEY.

#### Thence N 89° 47'E

150.00 Gulch, running E.- N.E.

300.00 N.End Center, monument of stones 3 ft.high.

600.00 To Cor.No.4, identical with N.E.Cor.of location.

A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stones, scribed 2951, 4-LITTLE BETSEY.

#### thence S O'I3'E

7I.00 Gulch, running N.E.

IIO.00 Road, running E.

478.60 Gulch, at bend.

583.50 Gulch, same as above.

728.60 Gulch, " " '

IIO2.00 Gulch, " " "

1190.78 Intersects the S.boundary of Sec. 18, T 14 S, R 13 E, G & S.R.M.

#### SURVEY NO. 2951.

S.S.89°,54 W, - 136.64 ft.from the S.E.Cor. and N 89° 54 E, 2503.36 ft.from the S  $\frac{1}{4}$  Cor.

I397.00 Road running N.E.

I500.00 To Cor. No. I, the place of beginning.

#### QUIEN SABE

Beginning at Cor. No. I, identical with N. E. Cor. of location. A pine post, 5½ ft.long, 4 in.sq., set 1½ ft.in ground with mound of stones, scribed 2951, I-Quien Sabe. Whence:-the S 4 Cor. of Sec. 16, T 14 S, R 13 E, G & S.R.M. bears N 87° 46'E, 7929.02 ft.

the center of W.side of discovery shaft of Monarch lode, unsurveyed, bears S 68° 41'E, 437.42 ft.

#### thence S 89° 47'W

117:00 RoadqurunninginsE. Helledy Hode, this cally sy.

132:47 To Cor. No. I, Little Betsey Lode, this survey.

203.47 Road, running N.E.

300.Q0 N.End Center, monument of stones 3.ft.high.

338.47 Gulch, running N.-N.E.

To Cor. No. 2, identical with N.W. Cor. of location, and with 600.00 Cor. No. I, Battle Axe Lode, this survey.

> A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stones, scribed 2951, 2-QUIEN SABE, 2951, I-BATTLE AXE.

#### thence S O° I3'E

333.00 Gulch, running N.E.

3.50

1500.00 To Cor. No. 3, on W. bank of small gulch, identical with the S.W.Cor.of location, and with Cor.No.4, Battle Axe Lode, this survey.

> A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I_2^{\frac{1}{2}}$  ft.in ground with mound of stones, scribed 2951, 3-QUIEN SABE 295I, 4-BATTLE AXE. Charles Comment of the

thence N 89°47'E

300.00 S.End Center, monument of stones 3.ft.high.

	(3)
	SURVEY NO. 2951.
597.35	Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G & S.R.M.
· ·	8 - 1808, 96 Lft, from N.E. Cor. and N = 831.04 ft. from E. $\frac{1}{4}$ Cor.
600.00	To Cor. No. 4, identical with the S.E. Cor. of location, and
	with Cor. No. I, Marion Lode, this survey.
	A pine post, $5\frac{1}{2}$ ft.long, 4 in.sq., set $I_{\frac{1}{2}}$ ft.in ground
	with mound of stones, scribed 2951,-4-QUIEN SABE. 2951, I-MARION.
	thence N 0° 13 W
281.68	Intersects line 2-3, Quien Sabe No.2 Lode, this survey,
	N 89°47'E, 8.00 ft.from Cor.No.3.
701.05	Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G & S.R.M.
	S. 1107.90 ft. from N.E. Cor. and N 1538. 10 ft. from E $\frac{1}{4}$ Cor.
881.68	Intersects line 4-I, Quien Sabe No.2 Lode, this survey,
l,	N 89° 47'E, 8.00 ft.from Cor.No.4.
1500.00	To Cor.No.I, the place of beginning.
	BATTLE AXE
	Beginning at Cor.No.I,
	Identical with the N.E.Cor.of location, and with Cor.
	No.2, Quien Sabe Lode, this survey, heretofore described.
	Whence: the S I Can of Can TC T TA C D IZ E C C C D

Whence:-the S & Cor. of Sec. 16, T 14 S, R 13 E, G. & S.R.M. bears N 87° 54½'E, 8528.66

#### thence S 89°47'W

I32.47 Cor. No. 2, Little Betsey Lode. this survey.

300.00 N. End Center, monument of stone 3.ft.high.

To Cor. No. 2, identical with the. N. W. Cor. of location. 600.00 A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stones, scribed 295I, 2-BATTLE AXE.

#### thence S 0° I3'E

To Cor. No. 3, identical with S.W. Cor. of location, and 1500.00 with Cor. No. 4, Marion Lode, this survey. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stone, scribed 2951,3-BATTLE AXE 2951,4-MARION.

thence N 89° 47'E

I46.00 Gulch, running N.E.

SURVEY NO. 2951. S. End Center, monum ent of stones 3.ft.high. 300.00 600.00 To Cor.No.4, Identical with S.E.Cor.of location, and with Cor.No.3, Quien Sabe Lode, this survey, heretofore described. thence N O° I3'W II67.00 Gulch, running N.E. I500.00 To Cor. No. I, the place of beginning. QUIEN SABE NO. 2 Beginning at Cor, No. I, identical with the N.E. Cor. of location. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I_{\frac{1}{2}}$  ft.in ground with mound of stones, scribed 2951, I-QUIEN SABE-2. Whence: - the S  $\frac{1}{11}$  Cor. of Sec. 16, T 14 S, R 13 E, G. & S. R.M., bears N 81° 50 1 E, 6494.40 ft. thence S O° I3'E 300.00 E.End Center, monument of stones 3 ft.high. 600.00 To Cor.No.2, identical with S.E.Cor.of location. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I\frac{1}{2}$  ft.in ground with mound of stones, scribed 2951,2-QUIEN SABE-2. thence S 89°47'W. I492.00 Intersects line 4-I, Quien Sabe lode, this survey, N 0° I3 W 281.68 ft.from Cor.No.4. 1493.59 Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G. & S.R.M. S.-. I527, 28 ft. from N. El Cor. and N. - III2.72 ft. from E.  $\frac{1}{4}$  Cor. I500.00 To Cor. No. 3, identical with the S.W. Cor. of location. A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $1\frac{1}{2}$  ft.in ground, with mound of stones, scribed 2951,3-QUIEN SABE-2. thence N O° I3'W 300.00 W.End Center, monument of stone 3.ft.high. To Cor. No.4, lidentical with the N.W.Cor.of location. 600.00

A pine post,  $5\frac{1}{2}$  ft.long, 4 in.sq., set  $I_{\frac{1}{2}}$  ft.in ground

	$(\mathfrak{S})$
_	SURVEY NO. 2951.
	with mound of stones, scribed 2951,4-QUIEN SABE-2.
-	thence N 89°47'E
8.00	Intersects line 4-I, Quien Sabe Lode, this survey, N.O I3'W.
	881.68 ft.from Cor.No.4.
8.68	Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G. & S.R.M.
	S 927.28 ft.from. N.E.Cor. and N 1712.72 ft.from E. 4 Cor.
1500.00	To Cor.No.I, the place of beginning.
	MARION
	Beginning at Cor.No.I.
	Identical with the N.E.Cor.of location, and with Cor.No.
	4, Quien Sabe Lode, this survey, heretofore described.
	Whence: - the S the Cor. of Sec. 16, T 14 S, R 13 E, G. & S.R.M.,
	bears N 77°8'E, 8121.24 ft.
	thence S O° I3'E
143.00	0
300.00	E.End denter, monument of stone 3.1t.Mign.
600.00	To Cor. No. 2, identical with S.E. Cor. of location.
	A pine post, $5\frac{1}{2}$ ft.long, 4 in.sq., set $I\frac{1}{2}$ ft.in ground
	with mound of stones, scribed 2951,2-MARION.
104	thence S 89°47'W
4.92	Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G.& S.R.M.
	S.A. 2408.96 ft.from N.E. Cor. and N. A. 231.04 ft.from E. 4 Cor.
1200.00	To Cor.No.3, identical with the S.W.Cor.of location.
	A pine post, $5\frac{1}{2}$ ft.long, 4 in.sq., set $I\frac{1}{2}$ ft.in ground,
	with mound of stones, scribed 2951,3-MARION.
	thence N°0°13'W
300.00	W.End Center, monument of stone 3.ft.high.
600.00	To Cor.No.4.
, <u>.</u>	Identical with the N.W.Cor.of location, and with Cor.
	No.3, Battle Axe Lode, this survey, heretofore described.
	thence N 89°47'E

I46.00 Gulch, running N.E.

600.00

Cor. No.4, Battle Axe Lode, this survey, and Cor. No.3,

10000

#### SURVEY NO 2951.

Quien Sabe Lode, this survey.

Intersects the E.boundary of Sec. 19, T 14 S, R 13 E, G. & S.R.M. S.R. 1808.96 nft. from N.E.Gor. and N. + .831.04 fft. from E. d. Cor.

I200.00 To Cor.No.I, the place of beginning.

Variation at all corners - - - - - I3°40'E.

No natural bearing objects available.

#### LODE LINES.

As near as can be determined from present developements, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:—
Little Betsey Lode, 20.ft., N 0°13'W, and 1480.ft., S 0°13'E.
Quien Sabe Lode, 266.ft. N 0°13'W, and 1234.ft., S 0°13'E.
Battle Axe Lode, 543.ft., N 0°13'W, and 957.ft., S 0°13'E.
Quien Sabe No.2 Lode, 460.ft., S 89°47'W, and 1040.ft., N 89°47'E.
Marion Lode, 300.ft., S 89°47'W, and 900.ft., N 89°47'E.

#### AREAS.

Little Betsey Lode, - - - - - - - - 20.66I Acres.

Quien Sabe Lode, - - - - - - - - 20.66I "

Battle Axe Lode, - - - - - - - - - - 20.66I "

Quien Sabe No.2 Lode, - - - - - - - - - - - 20.66I "

Area in conflict with Quien Sabe

Lode, this survey - - - - - - 0.110 "

Marion Lode, - - - - - - - - - - - 16.529 " .

#### LOCATION.

This survey is located in the S.E. 4 of Sec. 18, the N.E. 4 of Sec. 19, and the N.W. 4 of Sec. 20, in T 14 S, R 13 E, G. & S.R.M, in the Amole Mining District, Pima County, Arizona.

a in the section of the section of the

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements

#### SURVEY NO 295I.

made upon, or for the benefit of, each of the locations embraced in said mining claim, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:-

No.I, The discovery shaft, on the center line, 20.ft.from the N.End Center, is  $4x6\pi$  40.ft.deep, with old incline shaft joining in from the East.

Value - - - - - \$500.00

No.2, Shaft, bearing S 85°26'W, 388.I2 ft.to center, from Cor.
No.4, is 5x7# IO8.ft.deep.

Value - - - - - \$1620.00

Note: An undivided I/9th.interest in shaft No.2, Quien Sabe Lode, hereinafter described.

Value - - - - - - \$1666.66

#### Quien Sabe.

- No.I, The Discovery Point, on center line, 266.ft.from the N.End Center, showing ledge.
- No.2, The discovery shaft, the center of the S.E.side of which bears N 89°45'E, 53.ft.from the discovery point, is 5x7% 517.ft.deep, timbered part way to bottom, and equipped with gallows frame, etc. A drift, 4x6, 268.ft.long, runs S.W.from bottom, and drift 4x6% 235.ft.long runs N.W.from bottom. Total value of this improvement - \$15,000.00 An undivided I/9th.interest is assigned to this claim.

Value - - - - - - \$1666.66

This shaft, being centrally located, is a proper and feasible main working shaft for the entire group of nine claims, five of which are included in this survey, and the remaining four being the Princess, Alcalde, Gold Leaf and Crown Lodes, unsurveyed, the Old Pueblo Copper Company, claimant. The bottom of this shaft, at its present depth is over 350.ft.below the surface of any of the claims in the group, so that by drifting and crosscutting therefrom, ore may be extracted from beneath all of the claims, and they be developed thereby. An undivided I/9th. interest in the

J

#### SURVEY NO. 2951.

value of this improvement is therefore properly assigned to each of these claims.

No.3, Shaft, the center of E.side of which bears S 36°37'W, 260.63 ft.from Cor.No.I, is 5x7/ IOO. ft.deep.

Value - - - - - \$1500.00

No.4, Cut, the N.E.Cor.of which bears S 35°34'W, 437.ft.from Cor.No.I, is I8 by I8 & averaging 7.ft.depth.

Value - - - - - - \$400.00

Value - - - - - - \$320.00

No.5, Shaft, the center of E.side bearing N 44° 24'W, 225.8 ft.from, 372.61/fon line 4-1, is 5 x 5 1/5 31.ft.deep.

No.7, Trench, the center of E.side bears N 18°28'E, 418.6 ft.

from Cor.No.3, is 4.ft.wide, averaging 5.ft.deep, and 24.

ft.long N & S. Value - - - - - \$100.00

No.8, Shaft, the center of which bears N I8°30'E, 383.6 ft. from Cor.No.3, is  $4x6\pi$ 50.ft.deep.

Value - - - - - \$500.00

No.9, Shaft, the center of which bears N 37° I3'E, 256.8 ft. from Cor.No.3, is 5x67, 45.ft.deep.

Value - - - - - - \$500.00

No.IO, Cut, the mouth of which bears N 43°58'E, I70.ft.from Cor.No.3, is 4x20 15.IO.ft.face.

Value - - - - - - \$100.00

#### Battle Axe.

No.I, Discovery shaft, on center line, 543.ft.from N.End Center, is  $4 \times 6 \pi$  8.ft.deep.

Value - - - - - - \$40.00

No.2, Small Cut, bearing S 23°24'W, 417.ft.from the N.End Center, is 8x5% 5.ft.deep.

Value - - - - - \$20.00

#### SURVEY NO. 2951.

SUR VR. 1 NO. 2331.
No.3, Cut, the center of face bearing S I8°24'W, 43I.ft.from
the N. End Center, is 8xI55 5.ft.deep.
Value \$40.00
No.4, Cut, the center of face bearing S 20°32'W, 645.I ft.from
the N.End Center, is 9x19% 5.ft.deep.
Value \$55.00
No.5, Cut, the center of face bearing S 20°49'W, 714.8 ft.from
the N. End Center, is IOxI25 6.ft.deep.
Value \$50.00
No.6, Incline shaft, the S.W.Cor.of which bears N 49°22'E,
343.3 ft.from Cor.No.3, is 4x64, 20.ft.deep.
Value \$200.00
No.7, Shaft, the center of which bears N 72°35'E, 250.2 ft.from
Cor. No. 3, is $5x7/\sqrt{5}$ 99.ft.deep, timbered and wequipped with
gallows frame. Value \$1500.00
No.8, Cut, the S.side of mouth bearing N 21°9'E, 223.ft.from
Cor.No.3, is 4x2I/ IO.ft.face.
Value \$100.00
No.9, Cut, the S.side of mouth bearing N 10°16'E, 158.ft.from
Cor.No.3, is 6xI6 6 ft.face.
Value \$60.00
No.te:, An undivided .I/9th.interest in Shaft No.2, Quien Sabe
Lode, heretofore described.
Value \$1666.66
Quien Sabe No.2.
No.I, Discovery Shaft, on center line, 460.ft.from W.End Center,
is $4x6\pi$ , IO.ft.deep.
Value \$50.00
No.2, Shaft, bearing N 88°9'E, 45I.ft.from W.End Center, is 4x6/5
8.ft.deep. Value \$40.00
Note: An undivided I/9th.interest in Shaft No.2, Quien Sabe
Lode, heretofore described.
Value \$1666.66
No. I Discovery chaft
No.I, Discovery shaft, on the center line, 300.ft.from the W.

Value - - - - - - \$40.00

End Center, is 4x6辰8.ft.deep.

#### SURVEY NO. 295I.

No.2, Shaft, bearing S 35°52'W, 209.ft.from point 708.61.ft.of

Value - - - - - - - \$50.00

Note: An undivided I/9th.interest in Shaft No.1, Quien Sabe Lode, heretofore described.

Value - - - - - - - \$1666.66

#### OTHER IMPROVEMENTS.

- No.1, Camp Building, the S.E.Cor.of which bears S 65°36'W, 340.4I ft.from Cor.No.4, Little Betsey Lode, is 40x36 ff with addition 24x18 ff
- No.2, Stable, the N.W. Cor. of which bears S 47°23'W, 37I.89 ft. from Cor. No.4, Little Betsey Lode, is 47xI2# frame and iron.
- No.3, House, the N.E.Cor.of which bears S 58°47'W, 72.ft.from point 44I.59% of line 4-I, Little Betsey Lode, is 20xI2% frame and iron.
- No.4, Powder House, the E.side of mouth bears S 33°56'W, 321.7 ft.from Cor.No.2, Quien Sabe Lode, is a cut and tunnel, running 20.ft.S.E.
- No.5. Engine house for shaft No.2, Quien Sabe Lode, the N.E.Cor. of which bears S 41°49'W, 337.18 ft.from Cor.No.2, Quien Sabe Lode, is 40x40% in cut, of frame and iron. The equipment of machinery includes:-
  - I IOxI2"Sullivan Compressor.
  - I 30 H.P., 2 cyl. Marinette Gas Engine.
  - I 6x8"Reverse Motion Hoist.
  - I 30.H.P. Locomotive type boiler.

Air tanks, water tanks, air drills, hoisting cable, pipe, small tools, etc.

#### INSTRUMENT.

This survey was made with Buff & Buff Transit No.7905.

The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured

#### SURVEY NO. 2951.

with IOO.ft. and 300.ft. steel tapes.

#### REPORT.

The side and end lines of the locations included in this claim, were run directly upon the ground. All tie lines were run, either directly upon the ground, or by traverses run upon the ground and submitted in a separate report herewith.

Tie is given to Discovery Shaft of Monarch Lode, unsurveyed, J.E.Dufton and Louis Decker, Claimants, as corner monuments could not be accurately identified. Claim runs 1200.ft.northerly and 300.ft.southerly from Discovery.

Boundaries of the Princess, Gold Leaf, Alcalde and Crown Lodes, unsurveyed, Old Pueblo Copper Company, Claimant, as shown on plat, are taken from location notices, it being impossible to identify the correct corner monuments among the many old rock monuments in the vicinity.

The S  $\frac{1}{4}$  Cor. of Sec. 16, T 14 S, R 13 E, G. & S.R.M., is a pine post, 5 ft. above ground, in the center of a mound of stones, marked 1/4.

Although diligent search was made, none of the corners on the south boundary of Sections I7 and I8, nor any of the corners on the east boundary of Sections 7, I8, I9, and 30, T I4 S, R I3 E, G.& S.R.M., could be found. Therefore, in these notes, intersections of claim lines with the north and east boundary of Section I9, are given with distances to theoretical corners protracted from the S & Cor. of Section I6, in accordance with the courses and distances of said boundaries as of record in the office of the Surveyor General, viz.—

The N.E.Cor.of Sec. 19, at 120. chains due west from the S  $\frac{1}{u}$  Cor.of Sec. 16.

The N  $\frac{1}{4}$  Cor.of Sec I9, at 40.chains, S 89°54'W, from the N.E.Cor.said section.

The E  $\frac{1}{4}$  Cor.of Sec.19, at 40.chains due south from the N.E.Cor.of said section.

#### SURVEY NO. 2951.

Note:- The discovery shaft of the Quien Sabe Lode, is situated 53.ft. N 89°45'E, from the discovery point on lode line, where the vein outcrops, it being intended to cut the ledge on its dip to the east, at depth. The location notice fails to state this fact.

ADJOINING CLAIMS.

(See \* below)

Paul E. Fernald.
U.S. Mineral Surveyor.

Tucson, Arizona, Nov. 17th. 1911.

\*This survey is joined on the north by the Princess lode, unsurveyed, on the west by the Alcalde lode, unsurveyed, and on the east by the Crown lode, unsurveyed, all claimed by Old Pueblo Copper Company.

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals empl	loyed by Paul E. Tima	ld
United States Mineral Surveyor, to assist in r	unning, measuring, and marking the lin	es, corners, and
boundaries described in the foregoing field note	s of the survey of the mining claim of	. *
Old Pueblo Coffee Co	mjamy.	
Uld Pueblo Coffe: Coknown as the Sittle Betsey, Battle O	Les, Duien Salve, Duien Salve M	0.2 Marin
and showing the respective capacities in which	they acted.	
	George Kaufmann	, Chainman.
	George Konfmann a. R. Gronfield E. B. Johnson.	, Chainman.
-	E. B. Johnson.	, Axman.
	<u> </u>	
		, z vagnom.
FINAL OATHS	S OF ASSISTANTS.	
We George Kaulmann.	a. R. grafield	
We, George Kaufmann, and E.B. Johnson	do solemnly swear that we assisted P	ul E.
Λ .		
the boundaries of the mining claim of	Mineral Surveyor, in marking the corners	•
one would be the mining of the or	UU	7
known as the Sittle Betsy, Battle a	4e, Duin Sabe, Onin Salve No	2, marin
represented in the foregoing field notes as having	ng been surveyed by said mineral surveyor	and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge and be	elief, fa <mark>ithfu</mark> lly
and correctly executed, and the corner and bounda	ry monuments established according to law	and the instruc-
tions furnished by the United States Surveyor-Ger	neral for Oryana :	
· ·	Krage Raufman	Chainman.
	Morodield	Chainman.
	Edward Bolins	Arran con
	The state of the s	Electrical.
		Flagman
Subscribed and sworn to by t	the above-named persons before me this	
my Commission	mlen, 19/1 april 19th, 1	913
	De Purc	al .
	notary	Publes

### FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Paul & J'emald , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated, dated
Ougust 24 th. 1911, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Old Pueblo Coffee Confany
Claim of Old Pueblo Coffee Confany, known as the stitle Bitsey, Battle axe, Onion Salve, Onion Salve No 2. Marine
Little Betsey, Battle axe, Duren Salve, Duren Salve No 2. Maring
situate in Aurole Mining District, Prince County, Aryona, in Sections
Prina County, Origana, in Sections
18,19 y 20, Township No. 14 S., , Range No. 13 £.,
and designated as Survey No. 295/, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Paul E. Temald.
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Paul E. Fernald U. S. Deputy Mineral Surveyor, before me T. Whenevel
Subscribed and sworn to by the said O. Olmald
The state of the s
day of Fiftelinber 1911.
OW Pureell
Motory Bublic
Commence of the contract of th

AMENDED CERTIFICATE OF LOCATION OF THE Little Betray

The undersigned, The Old Pueblo Copper Company, a corporation duly organized, created and existing under and by virtue of the laws of the Territory of Arizona, being the assign and grantee of the original locators of the said mining claim, and now being the owner of the same, and being desirous of amending the said original location certificate and being claim, which said original location certificate is of of said mining claim, which said original location certificate is of record in the Recorder's Office of Pima County, Territory of Arizona, in Records of Mines of said Pima County, at page 265 and which said mining claim is located in the Amole Mining District, Pima County, Territory of Arizona;

Now Therefore, the said Old Pueblo Copper Company, a corporation, the assign and grantee of the said original locators of said mining claim, and being now the pwner of said mining claim, in accordance with the Acts of Congress and of the laws of the Territory of Arizona, in relation to mines and mining claims, hereby amends said original location certificate of said mining claim, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries and description of said mining claim as originally located upon the ground,

to wit:

## Motice of Mining Location

QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:  This mining claim, the name of which is the Little Betsey
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purpose of exploration and purchase by Harney W Roche
H.E. Cerefin, Homer Sante and William
Warford
by the undersigned, on the 10th day of March 1902
The length of this claim is 1500
feet and Me claim 1480
teet in a Southurly direction and twenty (20)
A TV
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side of the center of said claim.
The general course of the lode deposit and premises is from the Howk
to the 1000 Ch
The claim is situated and located in the Amole Mining District, in
County, in the Territory of Arizona, about fine miles
in a Westerly direction from Trason, and about 1/2 mile
south of the Copper Queen Mine
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument
at a point in a Northerly direction 20 feet from
the discovery shaft (at which this notice is posted), being in the center of the Morth
end line of said claim; thence East 300 feet to a stone monument
being the North Earl corner of said claim; thence South 1500
teet to a stone being at the Southeast
corner of said claim; thence wesh 300 feet to a stone monument
being the center of the South , end of said claim; thence, west 200
feet to a stone monument being at the Southwest
corner of said claim; thence North 1500 feet to a stone monument
at the North werks corner of said claim; thence Earl 300
feet to the place of beginning.  All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and
of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of
Arizona," approved March 16th, 1901.
Dated and posted on the ground this 12 th day of February 1906
He Old Pueblo Copper En
The wind do per ten
By Francis M. Hartman
attomer

Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain Pirst, the name of the claim located; second, the name or names of the locator or locators. The location notice must contain Pirst, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do cause to be done, the following things: First, to cause to be recorded in the cloim of the claim is distincted, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of aleast ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily fraced.

Section 5. The failure to do all the things enumerated in this section in the time and place specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

Section 6. Such surface boundaries shall be marked by six (6) su

		A CONTRACTOR OF THE PARTY OF TH	THE RESERVE THE PARTY AND THE	
TERRITORY OF ARIZONA,	} ss.	13.13.1	श शास्त्र राज	The Jonath of t
	)		1 3 10 1	East const.
and more than twenty-one years of age is personally acquainted with the minin the County Recorder of said County, in That between the	e, resides at	in ing District, Arizona, Territo cords of Mines, at page	coupry, the location notice of which and the day of improvements were done and and at the expense of	uty, Arizona, Territory, andmining claim, situated in the is recorded in the office of the control of the
F. 110C-19-201 001 2			***************************************	(Signature)
Subscribed and sworn to before me,	, this	day of	A. D	19 16
My commission as Notary Public ex	pires on the	day of		-curvinens
(Notary Seal).				
SECTION II. Such affidavit, when s	so recorded, shall be p	orima facie evidence of the perfo	rmance of such labor or the	making of such improve

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said orginal affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the Courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper that it was at the date of the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it soo feet from one end and 1000 feet from the other. In description

tion, be careful to state locality of clain		object, or permanent monument,	so as to identify the claim.	
TERRITORY OF ARIZONA,	(88	2 / 1	sagan (miss)	
County of	00.	a detail by the training	x 1 1 9 4 5 15	the publication
		County	Recorder in and for t	the County and
Territory aforesaid, do hereby	certify that the within	instrument was filed for a	record at	o'clock M.
on this				
of				
4-6- 7	WITNESS my hand and	official seal the day and y	ear first above writt	en.
	and the same	3		
	" comment of	The military	County	Recorder.

7	and the attract		الدائدورية ( ما الماليات	a water	1 2 1 TO	and the contract of	ounty Recorder.
NO. 110.—HEERMANS STATIONERY CO., TUCSON, ARIZ.	County Recorder.  By  Deputy Recorder.	Book KK Records of Mines  Pages 421  Change a ghibell	Februs 12 A. D. 190 b at 2-30 P M.	W. P. Ho agreed	Dated Fely 12- 190 6	A Commence of the Commence of	Martice of Location  Quantz CLAIM

#### AMENDED LOCATION CERTIFICATE.

AMENDED CERTIFICATE OF LOCATION OF THE "BATTLE AXE " MINING CLAIM.

The undersigned, the Old Pubblo Copper Company, a corporation The undersigned, the Old Pubblo Copper Company, a corporation duly organized, created and existing under and by virtue of the laws of the Territory of Arizona, being the assign and grantee of the original locators of said mining claim, and now being the owner of the same, and being desirous of amending the original location certificate of said mining claim, which said original location certificate is of record in the Recorder's Office of Pima County, Territory of Arizona, in Book claim is situated in the Amole Mining District, Pima County, Territory of Arizona:

Now Therefore, the said Old Pueblo Copper Company, a corporation, being the assign and grantee of the original locators of said mining claim, and being now the owner of said mining claim, in accordance with the Acts of Congress, and of the laws of the Territory of Arizona, in relation to mines and mining claims, hereby amends said original location certificate of said mining claim, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries and description of said mining claim as originally located

upon the ground, to wit .:

## Motice of Mining Location

were the Lewe of the Conding

QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:  This mining claim, the name of which is the Battle axe
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purpose of exploration and purchase by
H.E. Cerefin, William Warford and
Harvey W. Roche
by the undersigned, on the 30 th day of March 1902
The length of this claim is 1500
feet and Nul claim 957
feet in a Southerly direction and 5-43
feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said claim.
The general course of the lode deposit and premises is from the Aruth
to the County
The claim is situated and located in the Cinole Mining District, in County, in the Territory of Arizona, about five miles
in a westerly direction from Incsow, and adjoins and is
parallel with the west boundary of the Quien Sabe
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument
at a point in a Northerly direction 543 feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence East 300 feet to a stone monument
being the North East corner of said claim; thence South 1500
teet to a stone is being at the South East
corner of said claim; thence West 300 feet to a stone monument
being the center of the South end of said claim; thence West 300
feet to a stone being at the west
at the North West corner of said claim; thence East 300
feet to the place of beginning.
All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and
of an Act of the General Assembly of Arizona; entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
Dated and posted on the ground this 12th day of February 1906
10 000 0 00 0 00
The Old Tueblo Copper tex.
By Francis In Harting
" allowey

# An Act to Codify and Revise the Laws of the Territory of Arizona SECTIONS 1-11.-INC. LOCATION OF CLAIMS Motice Be it enacted by the Legislative Assembly of the Territory of Arizona: Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others. Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the location; The location notice must contain: Hirst, the name of the claim located; second, the name or names of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locatity of the claim with reference to some natural object or permanent monument whereby the claim can be identified. Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired. Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: Hirst, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced. Section 5. The failure to do all the things enumerated in this section in the time and place specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be foreited. Section 7. A such surface

no change shall be made that SECTION 9. The amount location as heretofore provide SECTION 10. Within the such improvements upon any facts, may make a record in U	will interfere with the rights of of of assessment or representation w. d., and the time for doing the same ee (3) months after the expiration of mining claim, the person on whos he office of the County Recorder of	thers.  ork or improvements to be do  shall be as provided by the l  of the period of the time fixed  se behalf such work or improv  the county wherein such clas	one or made during each yea aws of the United States, for the performance of an rement was made, or some im is situated, an affidavit i	ar, after the completion of the mual labor, or the making of person for him knowing the n substance as follows:
TERRITORY OF ARIZ		3351	Si min's	
	} ss.		APP ALL DO	
		being duly eman	denotes and save that he is	a citizen of the Huited States
	ears of age, resides at the mining claim known as Mini			
That between the	day ofday of	rds of Mines, at page	and theday mprovements were done ar and at the expense of	ofA. D. ad performed upon said claim,
owners of said claim, for the powners or men who worked twork and improvements, the	ears of age, resides at	s of the United States, pertain were the men employed by so ere describe the work done).	ning to assessments of annual owner, and who labore	nal work, and (here name the ed upon said claim, did said (Signature).
Subscribed and sworn to	before me, this	day of	A. D	
My commission as Notary	Public expires on the	day of		
(Notary Seal).	3 3 3 3 1	- 203/LX - 38/H/	repair too	Notary Public.
SECTION II. Such affidav ments, and said orginal affida accordingly by the Courts of t and fixing the boundary in th nal discovery shaft ten (10) fee ments the same as orignally part of the new location is loc	rit, when so recorded, shall be print in the state of the territory. The relocation of fees ame manner and to the same that it deeper that it was at the date of required. In either case a new located as abandoned property, else in the same of the	na facie evidence of the perfo a certified copy of record of si- orfeited or abandoned lode cla- ktent as is required in making the commencement of such lo- cation monument shall be ere it shall be void.	rmance of such labor or tame, or the record of same, times shall only be made by an original location; or the location, and shall erect nected, and the location notice.	he making of such improve- shall be received as evidence sinking a new discovery shaft e relocator may sink the origi- ew, or make the old monu- e shall state if the whole or any
God a Rud -	Corner Monument	um Lilea	Corner	Tal course let
ile dale	End Monument 2000 feet	Discovery Shaft	End Monument	The surface count
ment that	Corner Monument	direction	Corner Monument	7.7 " pr pr pared 4
The above diagram is to g claim, or any distance from e tion, be careful to state localit	give the locator a general idea of the litter end you desire. In the diagrity of claim with reference to some	ne plan of location under the am we have placed it 500 feet natural object, or permanent	e new law. Your discovery from one end and 1000 feet monument, so as to identify	y shaft may be in the center of t from the other. In descrip- y the claim.
TERRITORY OF ARIZ	they be a second	1.3.18.19	a marin	funtral pres a sum est
County of	\ SS.		to the first out the rest	Part Misse
			County Recorder in	and for the County and
Territory aforesaid, do	hereby certify that the w	ithin instrument was	filed for record at	o'clockM.
on this	day of	19	O, and duly recorde	ed in Book No
of	WITNESS my hai	s of nd and official seal the	day and year first abo	a, at pages Ove written.
100	The state of the s	of them made in the		THE RESERVE TO SERVE
	The state of the s	The total	disedualani.	County Recorder.
		The same of the sa	2	AL PROPERTY OF THE PARTY OF THE
and the second	adore in a	15 00 centres	Dec Harris	mer a sound charge, chi

Dated NO. 110.-HEERMANS STATIONERY CO., TUCSON, Filed and recorded at request of QUARTZ CLAIM w 8 County Deputy Recorder. D. 190 C

DISCOUNTED BY LUDGATION OF CUANTIES OF ANY DAYS. SOO

AUG. 24. 1911

AMENDED LOCATION CERTIFICATE.

MINING CLAIM. Sabe

The undersigned, The Old Pueblo Copper Company, a corporation duly organized, created and existing under and by virtue of the laws of the Territory of Arizona, being the assign and grantee of the original locators of the said mining claim, and now being the owner of the same, and being desirous of amending the said original location certificate of said mining claim, which said original location certificate is of record in the Recorder's Office of Pima County, Territory of Arizona, in Book . Records of Mines of said Pima County, at page 264 charges and which said mining claim is located in the Amole Mining District.

Pima County, Territory of Arizona;

Now Therefore, the said Old Pueblo Copper Company, a corporation, the assign and grantee of the said original locators of said mining claim, and being now the puner of said mining claim, in accordance with the Acts of Congress and of the laws of the Territory of Arizona, in relation to mines and mining claims, hereby amends said original location certificate of said mining claim, without waiver of any previous rights, for the purpose of correcting and making more specific the boundaries and description of said mining claim as originally located upon the ground, to wit:

# Motice of Mining Location

you tell add to awain and contour own are soil.

QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:  This mining claim, the name of which is the Quien Sabe
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purpose of exploration and purchase by Harry W.
William Warford
by the undersigned, on the 31 1 day of January 1902
The length of this claim is 1500
feet and we claim 1234
feet in a Southuly direction and 266
feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side of the center of said claim.
The general course of the lode deposit and premises is from the South
to the North
The claim is situated and located in the Mining District, in
County, in the Territory of Arizona, about five miles
in a westerly direction from The son
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument
at a point in a Northerly direction 266 feet from
the discovery shaft (at which this notice is posted), being in the center of the Morth
end line of said claim; thence Eash 300 feet to a store monument
being the North lear corner of said claim; thence fruth 1500
feet to a stone being at the South Ee ash
corner of said claim; thence West 300 feet to a stone monument
being the center of the South end of said claim; thence West 300
feet to a Mone being at the South west
corner of said claim; thence houth 1500 feet to a stone monument
at the Mosth west corner of said claim; thence East 300
feet to the place of beginning.
All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and
of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
Dated and posted on the ground this 12 th day of February 100 6
The Old Pueblo Copper Ev.
By Franci M Hait
attorney

### SECTIONS 1-11.-INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the location of the location of the must contain: Pirst, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.


SECTION 3. Until each and all of the above specified things shall have here done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least teu (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place; third, to monument the claim on the ground. Section 5. The failure to do all the things enumerated in this section in the time and place specified shall be construed into an abandoning of the claim, and all-right theseto of the discoverer and locator shall be foreited.

Section 5. Such surface boundaries sh

TERRITORY OF ARIZONA. .....A. D..... Subscribed and sworn to before me, this ... My commission as Notary Public expires on the..... .....Notary Public. (Notary Seal).

SECTION II. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said orginal affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the Courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper that it was at the date of the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a few location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, SS. County of ...

the straight of the .County Recorder in and for the County and ...o'clock Territory aforesaid, do hereby certify that the within instrument was filed for record at... on this ... ....day of ... Records of. ... County, Arizona, at pages.

WITNESS my hand and official seal the day and year first above written.

County Recorder. NO. 110.-HEERMANS STATIONERY CO., TUCSON, Filed. and QUARTZ 19 N 5 recorded at 64 3 CLAIN 0 Deputy 3 request Recorder. of 190 190

## Motice of Mining Location

or the the Tawa of the very

QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:  This mining claim, the name of which is the Quien Sabe no 2
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
Harvey W. Roche, HE. Crepin, W. Haynes.
RR. Richardson and a. E. Cerepin, all citizens of the
Whited States 3rd day of Llecember 1905
The length of this claim is 1500
feet and Muc claim 1040
feet in an Easterly direction and 460
feet in a Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side of the center of said claim.
The general course of the lode deposit and premises is from the East
to the West
The claim is situated and located in the Ample Mining District, in
Pina County, in the Territory of Arizona, about five miles
in a Westerly direction from Tuoson, and adjoins the Que
abe no One claim on the earh owned by the old Bueble
Coffee Co.  The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Stone monument
at a point in a Westerly direction 460 feet from
the discovery shaft (at which this notice is posted), being in the center of the West
end line of said claim; thence South 300 feet to a stone monument
being the South west corner of said claim; thence Easterly 1500
feet to a Mone being at the South East
corner of said claim; thence North 300 feet to a stone monument
being the center of the East end of said claim; thence North 300
feet to a styne being at the Morth East
corner of said claim; thence Westuly 1500 feet to a stone mounent
at the N.W. corner of said claim; thence South 300
feet to the place of beginning.
All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and
of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
Dated and posted on the ground this Ind day of Lecember 1905
alexandu Rossi
Harry W. Roche
W.P. Hannes
RR. Richardson
aE. Cerepin

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION I. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain the post of the claim located; second, the name or names of the locator or locators. The location notice must contain the claim is feet and the distance in feet from the point of discovery to each end of the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be acquired.

SECTION 5. The finite of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do reases to be done, the following things: First, to cause to be recorded in the County Recorder of the county in which the claim is structed, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and place specified shall be construed into an abandoning of the claim, and all right theseto of the discoverer and locator shall be foreited.

SECTION 6. Such surface boundaries shall be marked by six (6) substanti

TERRITORY OF ARIZONA. St milet subt 18 Subscribed and sworn to before me, this...... My commission as Notary Public expires on the...... A. D.. (Notary Seal). .....Notary Public.

SECTION II. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said orginal affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the Courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original observery shaft ten [10] feet deeper that it was at the date of the commencement of such location, and shall erect new, or make the old, monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property; else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, SS. County of .....

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at... ..o'clock..... ...day of ... on this .... County, Arizona, at pages. Records of. of.

WITNESS my hand and official seal the day and year first above written.

County Recorder.

## Motice of Mining Location

Laws of the Ucramore Mariena

QUARTZ CLAIM

TO ALL WHOM IT MAY CONCERN:  This mining claim, the name of which is the many of which it was a which is the many of which is the many
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral
deposits, was entered upon and located for the purpose of exploration and purchase by alex ander Rossi Harvey W. Roche, H.E. Cerepin, W.P. Haynes, RR Richard
and a. E. lerepin, all eitizen of the United State
The length of this claim is 1200
feet and We claim 300
teet in a merterly direction and 900
feet in a n lasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side of the center of said claim.  The general course of the lode deposit and premises is from the ask.
to the West
The claim is situated and located in the Amole Mining District, in
County, in the Territory of Arizona, about fine miles
in a westerly direction from Lucison, and adjoin and in partite the south end boundaries of the Perion Lake and Butter
The surface boundaries of the claim are marked upon the ground as tollows: Beginning at
a stone monument
at a point in a westerly direction 300 feet from
the discovery shaft (at which this notice is posted), being in the center of the West
end line of said claim; thence Month 300 feet to a stone monumen &
being the 1 Corner of said claim; thence East 15 00 /200
feet to a Mone being at the North East
corner of said claim; thence South 300 feet to a stone monument
being the center of the Ceast end of said claim; thence South 300
feet to a stone, being at the Jouth feart
corner of said claim; thence West 1500 feet to a More monument
at the South west corner of said claim; thence North 300
feet to the place of beginning.
All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and
of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
Dated and posted on the ground this Lixth day of Hebruary
11 Alexander Rossi, 1
Harvey W. Roche.
A terepin
RR Ball
as lerepin

Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.


SECTION 5. The failure to do all the things enumerated in this section in the time and place specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be foreited.

SECTION 5. The failure to do all the things e

facts, may make a record in the office of	the county recediacs of the			
TERRITORY OF ARIZONA,	) ss.		this faint is	A ALGORIA A
	>		4.5	
and more than twenty-one years of age, is personally acquainted with the mining the County Recorder of said County, in he That between the	resides at	District, Arizona, Territory, the f Mines, at page		Arizona, Territory, and nining claim, situated in s recorded in the office of the control of the
not including the location work of said cowners of said claim, for the purpose of cowners or men who worked upon the clawork and improvements, the same being	complying with the laws of the in doing the work) were	the United States, pertaining to the men employed by said or describe the work done).	to assessments of annual wo wner, and who labored up	ork, and (here name the on said claim, did said
		*********		(Signature).
Subscribed and sworn to before me,	this	day of	A. D	
	T-		······································	
My commission as Notary Public exp	oires on the	day of	A. D.	the Sensing and
(Notary Seal).				Notary Public.
SECTION II. Such affidavit, when so	recorded, shall be prima fa	cie evidence of the performan	ce of such labor or the m	aking of such improve-

ments, and said orginal affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the Courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (to) feet deeper that it was at the date of the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.

AL.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, )		The collect than the property of
	Commenter of the second	or the Miller
		Recorder in and for the County and
Territory aforesaid, do hereby certify that the with		
on thisday of		ounty, Arizona, at pages
	and official seal the day and	
- Control of the cont	Tallet I game out the	A colorador Alberta Colorador
1 400 87	The Age of the Solid	County Recorder.
start a municipal	E for the southern	otherst and come over MC

No. 110.—		By	Pages	Book K	at	7-1-1	21	55/11	ari en	Dated		ndar.	D	toline !	tori.
HEERMANS STATIONERY CO., TUCSON, ARIZ.	Deputy Recorder.	County Recorder.	1 20 0	K Rocords of Mine	9-30 P.	Febre 12 A. D. 190	M to k	W. O. Haynes	Filed and recorded at request of	Jely 6 th. 190	Naces	peny sel, in the on the	arion	QUARTZ CLAIM	tice of Location

THE PROPERTY OF LOCATION OF SUBSTITUTE OF SEC.

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## DEPARTMENT OF THE INTERIOR, OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
January 2, , 1912.
I, U. S. Surveyor General for Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
Cld Pueblo Copper Company,
, known as the LITTLE BETSEY, BATTLE AXE, QUIEN SABE,
QUIEN SABE NO. 2, MARION , situate in Amole
Mining District, Pima County,
Arizona , in Section s 18, 19 & 20, Township No. 14 S.
Range No. 13 E. , and designated as Survey
No. 2951 , has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended
or for each of or improvements made upon said mining claims by claimant or its grantors, and
that said improvements consist of 14 shafts, 3 drifts, 8 cuts, 1 trench
and 1 tunnel, total value \$25,785.00. Improvement No. 2 on
the Quien Sabe lode being a common improvement for the benefit
and development of the five lodes of this survey and the Princess,
Alcalde, Crown and Gold Leaf lodes, unsurveyed, an undivided 1/9
interest therein, value \$1666.66, is properly credited to each
of the lodes in this survey and reserved for each of the above
named unsurveyed claims.
and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizon	a,
Jan	uary 8, , 19/12.
I, U. S. Surveyor-General for Arizon	a,
do hereby certify that the foregoing and hereto attached Field	Notes and Return of the Survey of the
Mining Claim of	
Old Pueblo Copper	Company,
	, known as the
LITTLE BETSEY, BATTLE AXE, QUIEN SABE,	
situate in Amole	mining district,
Pima County,	Arizona,
in Section 18, 19 & 20 , Township No. 14 S.	Range No. 13 E.,
designated as Survey No. 2951,	
executed by Paul E. Fernald,	, U. S. <del>Deputy</del> Mineral
Surveyor, August 30 - September 14,	, 19 11, under my instructions dated
August 24, , 1911, have been critical	ically examined and the necessary cor-
rections and explanations made, and the said Field Notes and	
are hereby approved. A true copy of the copy of the location	certificate filed by the applicant for
survey is included in the field notes.	
drank of	enjælle.
II S Sumano	r-General for Arizona.