APR . 1.1912

(4-683.)

# Mineral Survey No. 2952

Lot No.

Arizona

Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Valentine Valenzuela Jr.
KNOWN AS THE
BONNIE CARRIE
Harshaw Mining District,
Santa Cruz County, Arizona.
Section Approx. 32 5 Township 22 S. Range 16 E.  Gila and Salt River Base and Meridian Arizona.  Surveyed under instructions dated September 2 , 1911.
by Welliam & alexande
U. S. Deputy Mineral Surveyor
Claim located See Location Notice , 1
Survey commenced February 23, 1912.
Survey completed February 23, 1912. 1 Address of claimant's
Attorney, A.W.Lautz, Atty.Box 984, Phoenix, Arizona.

1500

To Cor. No.3.

```
To Cor. No.1. and the place of beginning.
Feet.
                      BONNIE CARRIE L. ..
          Yaceng -
        Beginning with Cor. No.1:-50, K.
        Identical with the location which is a mound of stones
        4 ft. nobase, 3 ft., high a proper
         ad A porphyry stone loxlox24 ins., set 12 ins. in the
        ground, chiseled-X- on top at the exact corner point,
                                                              a ft. dist.
        1-2952-BC on the NW face, with a mound of stones 3 ft. base.
        12 ft rhigh mealongsident for the corner,
         From the true point for the corner,
         GOLHULS.L.M.No. 2952, Harshaw Mining District, Santa Cruzones
        County, Arizona, obrs. oN 688-25'W, 93.50 feet at low po
             Anloakutrae 12 uins min the diameter, scribedu que
        1-BC-2952-BT, brs. N.279-44'W, 43.2 feet distant.
         IdenNdootpertpearingscaraifaplech is a mound of stones
         TO . GO T . NO . 4 semement and member and
 BII.4
                     Thence N 5°-33'W Var. 13°-20'E.
         Ascend .
         3 ft. base, le ft. high.
        Descend.
        East end center monument, a mound of stones 3 ft. base.
         Identiwal with the location which is a mound of
 211.4
            the west end center monument.
 500
        12 ft. high, identical with the location.
          encend.
        To Cor. No.2.
 511.4
                         Sr. 12.-20 E.
        Identical with the location which is a mound of stones
        3 ft. hase, 1\frac{1}{2} ft. high.
            MoA porphyry stone 8x10x24 ins., set 12 ins. in the
         chiseled A-5-EC-2952-BR on top.
        ground, chiseled X on top at the exact corner point, .
         seribed 5-RC-2952-BT
        2-2952-BC on the SE face, with a mound of stones 3 ft, base,
          eribed 3-BO-2952-BT
        15 ttm wightsjoudsides. in diameter brs. N 120-70'E, 26.4 ft.
            From the true point for the corner,
         Flour Anjoak tree 12 ins. in diameter, scribed 2-BC-2952-BT
        prs. T2042 . 12, M.th 35 Restd gistables Sft. base, lift high
         chise Nod of hear pearings available point, 5-80-2952 on the
           A porphyry stone, Zzgzid ins., it ins.in the ground,
         Tt. base, la Lpeuce 2184 - 51. M
                          Var. 13°-20'E.
          denfical with the loss ton " oh is a mound of stones
        Ascend.
Feet.
 300
        Top of spur west from main ridge. Descend.
```

2.

Top of spur west from main ridge, Descend, 300

```
Feet.
        Identical with the location which is a mound of stones
                          ar. 13°-20'E.
         3 ft. base, la ft. high
           A porphyry stone, 7x9x24 ins., 12 ins.in the ground,
         chiseled - X- at the exact corner point, 3-BC-2952 on the
        SE face, and with a mound of stones 3ft. base, 12 ft high
         sjoudatqeak tree 12 ins. in diameter, scribed 2-80-2952-87
            From the true point of the corner us ..
            An cakutreculz ins. in diameter brs. N 13°-30'E, 26.4 ft.
         scribed 3-BC-2952-BT.
        S-SaAn-oakotreeel2ginscein_diameter.brs. Sa619-00 E. 16.5 ft.
         scribed 3-BC-2952-BT.
        chiseled X-3-BC-2952-BR on top.
            No Aotherhpearingses Asiyspjeins, set 12 ins. in the
        f ft. base, ly ft. bigh.
        fdentical with Lpeuce Sapie 23 Fich is a mound of atones
       To Cor. No.P.
 511.4
         Descend.
        To the west end center monument.
 300
        Identical with the location which is a mound of stones
 SIL.4
        Descend.
         3 ft. base, la ft. high.
                     Thence N 5°-33'W
Var. 13°-20'M.
         Ascend.
 511.4
         To cor. No. 4.----
         Identical with the location which is a mound of stones
        1384#29psser, Jart. WylSp-44' W, 48.2 feet distant.
             Auporphyry stone 6x10x24 ins suset 12 inspain the
        ground, chiseled -X- on top-at the exact point for the
         corner, 4-BC-2952 on the NE face, and with a mound of stones
         3 ft. base, 12 ft bhigh alongside ......
        From the true point for the corner,
        J-SapAngeak tree 11 ins. in diameter brs. S. 849W. 6 ft. dist,
         scribed 4-BC-2952-BT.
             q' chiseled-x- on top at the exact corner point, which the dist.
         soribed 4-BC-5825-BL .loxlox24 ins., set 12 ins. in the
        . No other bearings available.
                      the location which is a mound of stones
        Identical with
        Beginning with Colar of 12:-50.E.
         Ascend.
                      BORNIE WARREN LOWI.
```

AREA.

To Cor. No.1. and the place of beginning.

1001 1500

> BO\_NIE CARRIE LODE- - - -17.610 Acres.

Feet.

4.

3.

#### LOCATION.

The BONNIE CARRIE LODE, Survey No. 2952 is located approximately in the St of Section 32, of T 22 S, R 16 E, of the Gila and Salt River Base and Meridian, unsurveyed, Santa Cruz County, within the boundaries of the Coronade National Forest, Arizona, and is more than two miles from a section corner or other established mineral monument.

PRESUMED COURSE OF VEIN.

The presumed course of the vein on the Bonnie Carrie Lode is from its west end center monument to its east end center monument, N 84°-27'E, 1500 feet.

#### ADJOINING CLAIMS.

There are no definitely and clearly marked adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I hereby certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his grantor is not less than five hundred dollars for the development of this location. The said labor and improvements consist of the following, to-wit:

BONNIE CARRIE LODE.

From the west end center monument.

-Docut No.1 . 2 x2 x6 feet in length brs. N. 84%-271E, 750 feet.

No.2., Tunnel. entrance of which is situated S 36°E, 23 ft. whence 5'x 7' Tunnel runs.N 65°E 165 feet.

No.3. Tunnel. entrance of which is situated N 70°E, 100 ft. whence 5'x 7' Tunnel gruns East 150 feet 20 Loot take Ligg-

Lotal - - - 25510.00

from a true north as determined by Solar observation ith No.2. - 21000.00

a SmitNoSglar Attackment which was applied 00 y an observation No.1. - 210.00

No.1. - - 210.00

reading to siggle\_minutes\_of-are.-Bearings rere deflected

MoThe discrepancy mexisting between the field on otestof this survey and the location metice thereoff is udue to errors in the lattern and the lattern of th

copper, silver, and gold values sufficiently large to pay for treatment costs thereof were uncovered in Tunnel No.1 and in Tunnel No.2.

BGL.

real to the state of the state Rational Forest, Erizona, "11" to constitute our inlan menta Grus County, within the bounderive of the Coronado of the Gila and Salt iver hase and Meridian, unsurveyed, sportoximately in the S & of partion SS, of T 22 a, R 16 E. The PARTS As In Warrey No. 2952 is located

BEAR TAIN A LEAST OF WHIN.

conter monument, N 84°-27'E, 1500 feet. Lote is from its west end center monument to its east end Fig. pragumed course of the vein on the Bonnie Carrie

ADJUINING TRAINS.

Glaims. There are no definitely and clearly marked adjoining

EXPENDITURE OF PIVE HUNDRED POLLARS.

orants convict of the following, to-wit: the development of this location. The said labor and improvor his prentur is not less than flye handred dollars for ir provements upon this claim, placed thereon by the claimant I hareby certify that the value of the labor and

BOMBLE CARRIER LODY.

March 1, 1912. From the west end center monument.

Enceoutly isous xo feet in Alega Winers IN Shine Acts, 750 feet.

To 2. Tunnel entra Anglesia 208 JCP

graduated to feet and supplemented by a 50 foot take gradnated to feet, tenths, and/hundredths.

This survey was executed with a Young and Sons Lights IN Mountain Transit No. 7520, provided with a horizontal limb reading to single-minutes-of-are. -- Bearings were deflected 32210,00 from a true north as determined by Solar observation with -----T000 '0 a Smith Solar Attachment-which was chacked by an observation upon Polaris. Measurements were taken with a 500 foot tape

pay for treatment costs thereof were uncovered in Tunnel IL. Conper, silver, and gold values sufficiently large to

4.

and in Tunnel No.2.

TOTAL TOTAL N S T R U M E N T.

NOTES ON THE ESTABLISHMENT OF U.S.L.M.No. 2952.

HARSHAW MINING DISTRICT

Santa Cruz County, Arizona.

Set a pine post 6"x 6"x 8 ft. in length, 4" in the ground, scribed U.S.L.M.No.2952 on the W. face, and surrounded with a mound of stones 6 ft. base, 4 ft. high. This monument is situated on the top of a prominent, high ridge approximately S 17°E, 4½ miles distant from the village of Patagonia, in what is probably the N Shof Sec.32 of T 22 S, R 16 E, of the G. and S.R.B. and M.. Arizona Unsurveyed, within the Coronado National Forest.

Whence A porphyry bearing rock 3'x 3'x 2 ft above ground chiseled X-U.S.L.M.No.2952-BR brs. N 45°-36'W 14.3 feet distant.

An oak tree 8" in diameter, scribed U.S.L.M. 2952, BT, brs. N 10°-30'E, 45.5 feet distant.

An oak tree 8" in diameter, scribed U.S.L.M. 2952, BT, brs. N 58°-20'W, 27.2 feet distant.

An oak tree 10" in diameter, scribed U.S.L.M. 2952, BT, brs, S 12°-30'E, 50 feet distant.

A distant peak of the Santa Rita Mountains brs N 47°-35'W.

A sharp pointed peak brs. S 19°-15'W.

Magnetic Variation of the needle is N. 13°-20'E.

NOTE. It is impossible to sink the post deeper in the ground on account of the rock formation and the said rock breaks so irregularly that it is impracticable to chisel a cross on the same at the point over which the post is placed.

February 23, 1912.

U. S. Mineral Surveyor.

ORY OF ARIZONA COUNTY OF SANTA CRUZ

andrhare Tourales . being first drly sworn, deposes and says that he is familiar with the Bonnie Carrie lode mining claim, situated in the Harshaw Mining District, Santa Cruz County, Arizona, for which Valentine Valenzuela Jr., has made application to the Surveyor General for the District of Arizona for an official survey, as a basis for an application for patent to said claim; that he has actually been on the mining claim and has seen all of the monuments of location defining the boundaries thereof, as are described in the location notice of said lode claim on which this survey is based; that the original side center monuments of location were actually established on the ground by the locators at the approximate centers of the side lines of this claim; that said side center monuments of location were not situate within the boundaries of said lode claim, as defined by straight lines connecting the respective corner monuments; and furthermore that he is not interested in said claim in any manner whatsoaver. Hardelin Gonzals

Subscribed and sworn to before me this 4 day of Jum 1912.

(SEAL)

My commission expires fafy 23, 1916

COUNTY OF SANTA CRUZ

island, being first duly sworn, deposes and says that he is familiar with the Bonnie Carrie lode mining claim, situated in the Harshan Mining District, Santa Cruz County, Arizona, for which Valentine Valenzuela Jr., has made application to the Surveyor General for the District of Arizona for an official survey, as a basis for an application for patent to said claim; that he has actually been on the mining claim and has seen all of the monuments of location defining the boundaries thereof, as are described in the location notice of said lode claim on which this survey is based; that the original side center monuments of location were actually established on the ground by the locators at the approximate centers of the side lines of this claim; that said side center monuments of location were not situate within the boundaries of said lode claim, as defined by straight lines connecting the respective corner monuments; and furthermore that he is not interested in said claim in any manner whatsoever. George H. Weland

Subscribed and sworn to before me this 3 day of Jun 1912.

(SEAL)

Notary Public . MOTARY PUBLIC IN AND FOR THE COUNTY OF SANTA CRUZ, ARIZONA

My commission expires

Dry 23, 19/6

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the nam	nes of the individuals employed by William B. Alexander
United States Minera	al Surveyor, to assist in running, measuring, and marking the lines, corners, and
ooundaries described	in the foregoing field notes of the survey of the mining claim of
Valent	tine Valenzuela Jr.
known as the	Bonnie Carrie
and showing the resp	Lieuan B. Alyandy, Chainman.  James Kane fr., Chainman.  Aman.  Manney Molina, Flagman.
	FINAL OATHS OF ASSISTANTS.
We, William	B. Alexander, James Kane Jr.,
and Ramon Mo	1ina , do solemnly swear that we assisted William B.
Alexander	United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the	mining claim of
	Valentine Valenzuela Jr.
known as the	Bonnie Carrie
represented in the for	regoing field notes as having been surveyed by said mineral surveyor and under his
lirection; and that sa	aid survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed	l, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the	United States Surveyor-General for Arizona.
	William Balyander, Chainman.
effective ref	aries Public of hands fand fr., Chainman. having been advised for the forest take these oaths fore take these oaths forest take these oaths forest take these oaths forest
Si	ubscribed and sworn to by the above-named persons before me this 24th
	day of February , 19 (2)
	alianian 18/00 mm

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William B.Alexander	
Surveyor, do solemnly swear that, in pursuance of instruction	ons received from the United
States Surveyor General for Arizona.	
September 2, 1912 , I have, in strict c	
United States, the official regulations and instructions there	
of said Surveyor General, faithfully and correctly executed	
Claim of Valentine Valenzuela Jr.,	<del>-</del>
BONNIE CARRIE	•
situate in <u>Harshaw</u>	
Santa Cruz County, Ariz	
Approx.32, Township No. 22 S, Range No. 16 E,	
and designated as Survey No. 2952	
in the foregoing field notes, which accurately show the bour	ndaries of said mining claim
as distinctly marked by monuments on the ground, and des	scribed in the attached copy
of the location certificate, which was received by me from	the Surveyor General with
said instructions, and that all the corners of said survey have	ve been established and per-
petuated in strict accordance with the law, official regulation	ons and instructions there-
under; and I do further solemnly swear that the foregoin	g are the true and original
field notes of said survey and my report therein, and th	at the labor expended and
improvements made upon said mining claim by claimant o	r his grantors
are as therein fully stated, and that the character, extent,	location and itemized value
thereof are specified therein with particularity and full de	tail, and that no portion of
said labor or improvements so credited to this claim has be	en included in the estimate
of expenditures upon any other claim.	
Welliam	Deputy Mineral Surveyor.

U. S. Deputy Mineral Surveyor, before me and Serveyor & U.S.

day of april . 1912

450 Successor

0 3-154

NOTICE OF MINING LOCATION, Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Bonnie Carrie Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by JOHN H. POMEROY, the undersigned on the 24 day of August 1900.

The length of this claim is 1500 feet and while claim 600 feet in a Westerly and Easterly direction, and 750 feet in a Easterly and 750 in a Westerly direction from the center of the discovery shaft, at which this notice is nosted lengthwise of the claim together with 300 feet in

posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly.

The claim is situated and located in the Harshaw Mining District, in Santa Cruz County, in the Territory of Arizona, about won half mile in a Northerly direction from Frank Powers Mill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone the center of claim at a point in a Northerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of saidmclaim; thence 300 feet to a monument of stone being the corner of said claim; thence 750 feet to a monument of stone at the center of the North East side line of said claim; thence 750 feet to a monument of stone being at the North Hast corner of said claim; thence 300 feet to a monument of stone at the center of the east end of said claim; thence 300 feet to a monument of stone being at the South East corner of said claim; thence 750 feet to a monument of stone being at the center of the South East side line of said claim; thence 750 feet to a monument of stone at the South Mast corner of said claim; thence 300 feet feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines," approved March 2oth. 1895, and Amended March 2,1899.

Dated and posted on the ground this day of 1900

JOHN H. POMEROY,

William Stoerck.

Filed and recorded at the request of John H. Pomeroy Nov. 16, A. D. 1900.

W. N. Cummings, County Recorder.

Py Louis Hudgin, Deputy Recorder.

Territory of Arizona, County of Santa Cruz.

I, Phil Herold, Recorder of Santa Cruz County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of location notice of the Bonnie Carrie mining claim, with the record of the same as it appears in my office in Book Volume 2 of Mining Locations at page 19, and that the same is a full true and correct transcript of the same and of the whole thereof.

> WIT ESS my hand and seal of office hereto affixed at Nogales Arizona, this 9th, A.D.1911.

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,	
	June 29,	., <i>1</i> 912.
I, U. S. Surveyor General for	Arizona	
	ng transcript of the Field Notes, return and	
	n of	
	Valentine Valenzuela Jr.	
	BONNIE CARRIE	
	, situate in Harshaw	
	t, Santa Cruz	
	, in Section Approx.32 Uns Township N	
Range No. 16 E	, and designated	as Survey
No. 2952	, has been correctly copied from the or	iginals on
	Notes furnish such an accurate description	
mining claim as will, if incorpora	ted into a patent, serve fully to identify the	premises,
and that such reference is made th	erein to natural objects or permanent mon	uments as
will perpetuate and fix the <i>locus</i> th		
	e hundred dollars' worth of labor has been	expended
	mining claim by claimant or his gran	
that said improvements consist of	f 1 cut and 2 tunnels, total va	lue
o chara and		
	or improvements has been included in the e	
expenditures upon any other claim		stimate of
		hoenix,
_	and in conformity with the foregoing Field I	Notes.
	Frank S. Ingalls,	
United St	tates Surveyor General for Arizona.	
Omica St	with Swidger General Jon	

4-687.

#### SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior.

Phoenix, Arizona, June 29, 1912. U. S. Surveyor-General for Arizona

Office of U. S. Surveyor-General,

SAMILE VE			
***************************************	Valentine	e Valenzuela J	
			, known as the
***************************************	BON	VIE CARRIE	
	haw		
Santa	Cruz Count	t <b>y</b> ,	Arizona
, de	esignated as Survey No.  William B.	2952	
Surveyor,	February 23,	, 19 12,	under my instructions dated
September	2 , 19( <b>1</b> 1, ha	ve been critically exam	nined and the necessary cor-
***************************************			d the Survey they describe
	ns made, and the said Field	Notes and Return, ar	the state of the s

U. S. Surveyor-General for Arizona.

4115b5m6-02