(4—683.)

Mineral Survey No. 2956

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Sunset Mining & Miceling Co
KNOWN AS THE
- Daddy Wieles
Jos Caleza Mining District,
Cochise County, arizona
Section 13 Mus, Township 145, Range 26 E
Surveyed under instructions dated Lef 13, 19//.
by folm af tockfeelow
U. S. Deputy Mineral Surveyor
Claim located Sel Notice 1
Survey commenced October 13, 1911
Survey completed October 16 1911
o 6—IWI
ddress of Claimant's attorneys
Bownant Hiedreth
Thomas

DADDY WILLCOX

Beginning at Cor. No. 1, the N. F. Cor. of location, a quartz porphyry rock 15 X 3 ins. and 13 ins. above ground, chiseled a cross (X) at exact point, and N. E.C D. W., add 1-2956, witnessed by a monument alongside, Whence

The 1/4 corner between Secs. 13-18, Tps. 14 S., Rs. 26-27 E. bears N. 68 25 E., 3956.3 ft.

(Note: The cor. of Sections 13-18-19-24, Tps. 14 S., Rs. 26-27 R., has disappeared)

X B R 1-2956 chiseled on a porphyry reef outcrop, exposing 60 X 30 ins., brs./9 30 W. 4.45 ft. X B. R 1-2956 chiseled on a porphyry face 30 X 30 ins. brs. S. 79° 17' E. 8.4 ft.

Thence S. 25° 58' W. variation 13' 40' E.

E. center end, a pine post 6 X 2 ins., 4 ft. above ground in a mound of stone, scribed E C F - D. W. add 2956

Whence

X B. R. 2956 chiseled on a quartz-porphyry rock 30 X 18 X 18 ins. brs. S. 5 20' E., 10.65 ft.

To cor. No. 2, a porphyry rock 15 X 8 ins. 13 ins. above ground, chiseled a cross (X) at exact point, and \$. E. C. D. W. add 2-2956, witnessed by a monument alongside Whence

X B. R. 2-2956 chiseled on porphyry rock 24 X 12 X 14 ins., brs. S. 15 15 E., 14.65 ft.

X B. R. 2-2956 chiseled on porphyry outcrop, in

small gulch brs. N. 82 50' E. 4.7 ft. Thence N. 63° 50' W., Variation 🐼 😘 145.3 Point, whence a post in a mound of stone brs. N. 17 58' W. 227 ft. A small pole in a mound of stone brs. N. 5° 53' E., 344.8 ft.

Center of gulch 15 ft. wide. Course S. S. W.

To Cor. No. 3, a porphyry rock 10 X 4 ins., 12 ins. above ground chiseled a cross (X) at exact point, and

300

600

M

1070 1500

S. W. C. D. W. add 3-2956 witnessed by a monument alongside,

THE RESERVE TO THE ST

Whence:

X B R 3-2956 chiseled on a conglomerate rock 20 X 20 X 8 ins. brs. N. 76 40' W. 8.6 ft.

X B R 3-2956 chiseled on a conglomerate rock 30 X 22 by 6 ins. brs. N. 53 45' F. 11.25 feet.

Thence N. 25° 58' E. variation 13° 45' E.

W. Center end, a pine post 6 X 2 ins., 4 ft. above ground, in a mound of stone, scribed W. C. E. D. W. add 2956,

Whence

X B. R. 2956 chiseled on a conglomerate rock 60 X 54 X 24 ins. brs. N. 1° 15' W. 5.1 ft.

To Cor. No. 4, a porphyry rock in place exposing 20 X 20 X 6 ins., chiseled a cross (X) at exact point, and N. W. C. - D. W. add 4-2956, witnessed by a monument alongside.

Whence

X B. R. 4-2956 chiseled on a porphyry rock

30 X 20 X 4 ins. brs. N. 12 00 E. 5.85 ft.

X B. R. 4-2956, chiseled on a conglomerate rock 60 X

52 X 24 ins. brs. N. 1° 15' W. 5.1 ft.. A double stone monument brs. S. 52' 30' E. 241,5 ft.. A stake in a mound of stone brs. S. 52' 30' E. 317.2 ft.

Thence, S. 63 50' E. variation 13° 30' E. Center of gulch 12 ft. wide course S. S. W. To Cor. No. 1, the place of beginning.

This survey is identical with location:

Area

Daddy Willcox Lode

20.661 acres

300

600

Me

110

173

1500

LOCATION.

This claim is located in Dos Cabezas Mining District, Cochise County, Arizona, in Sec.

The presumed course of the vein is from E. Center End N. 63° 50' W. 1500 ft. to W. Center End.

Adjoining Claims

There are no adjacent claims known.

EXPENDITURE of \$500.

I certify that the value of labor and improvements made upon said mining claim by the claimant, or its grantors, is not less than five hundred dollars, and said improvements consist of:

- Center End S. 63° 50' E. 739 ft. Shaft 6 X 5 ft., 6 ft.

 deep; thence incline 30° to N. W. 5 X 4 ft. 6 ft.

 Total 12 ft. Part said to have been done by parties waknown and part by these claimants. Total value \$120.

 Assign to these claimants, \$60.
- lode line at \$63 50 E. 728.25 ft. from W. Center
 End S. 85 W. 13.5 ft. Shaft 8 X 6 ft., 54 ft. deep.
 Value at \$12 per foot

Other Improvements.

From Cor. No. 1 a cut, the face of which brs. S. 53° W. 59 ft. Thence cut S. W. 12 ft. to mouth, cut 8 ft. wide, 6 ft. face

From point on line 2-3 at N 63° 50' W. 881.4 ft. from Cor. No. 2

HE THE DA IS SHITE

A shaft, the center of which brs. N. 57 53' E. 241 ft. Shaft 6 X 4 ft., 12 ft. deep, thence drift northerly could not be explored.

p

- A cut, the mouth of which brs. N. 54° 50' H.

 195 ft. Cut easterly 24 ft., 5 ft. wide, face

 10 ft. At 6 ft. there is a cut left of 6 ft.,

 5 ft. wide to a face of 5 ft.
- D A shaft, the center of which brs. N. 48 54'

 F. 161 ft. Shaft 6 X 4 ft., 10 ft. deep.
- E A shaft, the center of which brs. N. 21 20'. F 195.5 ft. Shaft 10 X 6 ft., 10 ft. deep.

From point on line 2-3 at N. 63°, 50' W. 1375 ft. from Cor. No. 2.

- F A cut, the mouth of which brs. N. 82° 26' E.

 318 ft. Cut 10 ft. wide, 5 ft. to face of 5 ft.

 Course easterly
- From point on line 2-3 at N. 63° 50' W. 145.3 ft.

 from Cor. No. 2.

 A shaft which brs. N. 11° 30' W. 345.5 ft.

 Shaft 6 X 4 ft., 7 ft. deep, caved

All of these improvements claimants unknown.

Instrument.

This survey was made with a Young & Sons Mountain Transit, provided with Smith Solar Attachment.

The courses were deflected from true meridian as obtained by direct solar observations. The measurements were made with 50 ft. and 500 ft. steel tapes.

Tombstone, Arizona,

October 21, 1911.

John Rocksfellow

U. S. Mineral Surveyor

6-1043

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by Alas Charles
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of Sunsell Maning and Mailing Co.
known as the Chief Chattman and Swyf Marie and showing the respective capacities in which they acted.
M.T. Cooper, Chainman.
Chainman.
Axman.
, $Flagman.$
FINAL OATHS OF ASSISTANTS.
we, the form of Assistants. We, to be the solution of the sol
the boundaries of the mining claim of Sansah Hinning Milling Ce
known as the Left Chattanan and Church Marie and Dan Willert represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Willows for Chairman.
(O'cheel Chattman Lawert Aabert J Keith, Chainman.
, Flagman,
Subscribed and sworn to by the above-named persons before me this
day of Cotober, 19/1

NOTARY PUBLIC Commission Expires Aug. 5, 1913


FINAL OATH OF U.S. EXERMINE MINERAL SURVEYOR

I, John College Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
Cet 3 94, , I have in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Thurset Mining and Milling
known as the
Daddy/filled,
situate in Jos Casleza Mining District,
County, Clingona, in Section
, Township No. / + S, Range No. 2 le =
and designated as Survey No. 2956, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Lotan Allege and
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said him all cellellow
US De At Mineral Surveyor, before me
1 Wellmann this 30th
day of October 1911
Dans
(16 Moman
Mulan Motor De blei
as a sission (5 Trais)

AMENDED

Motice of Mining Location

	To All Whom It May Concern:	
1	This Mining Claim, the name of which is the Lady I lile	
	Mining Claim, situate on lands belonging to the United States of America, and in which there are val-	
	uable mineral deposits, was entered upon and located for the purposes of exploration and purchase by	
	Gerremiah Lucy	
	by a amuded location	
	Locator nust insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")	
	the undersigned, on the Sanday of February 1904	
	The length of this claim is / 5 0 0 feet,	
	in a W. W. Mesterly direction and 76/	
	in a Man Misterly direction and	
	feet in a d. S. Coasterly direction from	
	t <mark>he c</mark> enter of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with	
	feet in width of the surface grounds, on each	
	side of the center of said claim. The general course of the lode deposit and premises is from the	
	N 6 3 ° 5 7 N to the	
	The claim is situated and located in the Dog California Mining District, in	
	County, in the Territory of Arizona, about 3 Zuiles	
. ~	in a N. J. Westerly direction from Dos Calogeo Peals	/
1/2	outher N.E. Cover the tower of the M.E. Church M.	ele
ber	us N 75° 32'M about 10 miles: Vincon Peak	re
J830	W. and Scheeres Crap bran 5 8024 From	n
to, Cer	The surface boundaries of the claim are marked upon the ground as follows: Begining at	1
	a post mammalafilone	
	WA Production	
	at a point in a M. N. Mesterly direction 739 feet from	
	the discovery shaft (at which this notice is posted,) being in the center of the	
-	end line of said claim; thence \$\sqrt{25.58} \begin{align*} \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	200
	7 a mount along, being the N.W. corner of said claim; thence	loses
	S 63 50 = 1500 feet to a Chineled on rock, intrusted by a being at the	1
	corner of said claim; thence \$25.58W 300 feet	
	to about in a mount of stone at the center of the Cast end of said claim;	-
	thence de la 300 feet to a chiveles ou rock mining at the	
	corner of said claim; thence \\6.3°50'W \\500\\ ieet to a\ Chiele on rock Witness to the \\5.W.\\ corner of said claim;	
	ieet to a Clusted on rock Milusted at the S.W. corner of said claim;	
	thence N25 58 E 600 feet to the place of the beginning.	
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the	
	United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and	
	Codify the Laws of the Territory of Arizona," approved March 16, 1901.	
	This is an Amended Location Notice of the Sandouy Mining Claim, located by Arrennial Lucy	
	Mining Claim, located by formula & coey Out amends on the day of	
. 4	1904, and recorded in Book 3/ of Records of Mines, at	
0.	page 55 6, in the office of the County Recorder of the aforesaid County of Cochus	
	to which reference is hereby made, and this amended Location Notice is made and posted to correct	
	errors in the description in the said original Location Notice.	
1		
	Dated and posted on the ground this 3 day of Clober 19 //	
	Sunset / fining and Milling 60,	
	a conforation. Bresent owner	5
	6 1 B 1 9 1/20 - 10	
	Total Times	
	morney	



distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any Commence description of claim at a center end monument, giving its dis-tance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

By

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR GENERAL,

_Ph	oenix, Arizona,	
·	January 17,	, 1 912.
I, U. S. Surveyor General for	Arizona	,
do hereby certify that the foregoing tran	script of the Field Notes, r	et <mark>urn a</mark> nd approval
of the Survey of the mining claim of		
Sunset Min	ing & Milling Co.,	
, known as the	DADDY WILLCOX,	AND THE RESERVE OF THE PARTY OF
, situ	nate in DOS CABEZ	AS
Mining District,	COCHISE	County,
, in Se	ection 13 unsur., To	wnship No. 14 S
Range No. 26 E.	and do	esi <mark>gnate</mark> d as Survey
and that such reference is made therein twill perpetuate and fix the locus thereof. And I further certify that five hund or improvements made upon said mining that said improvements consist of	red dollars' worth of labor g claim by claimant or <u>i</u>	has been expended ts grantors, and \$708.00
	ovements has been include	d in the estimate of ce at Phoenix, ng Field Notes.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,					
January 17,, 1912.					
I, U. S. Surveyor-General for Arizona,					
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the					
Mining Claim of					
Sunset Mining & Milling Co.,					
, known as the					
DADDY WILLCOX,					
situate in Dos Cabezasmining district,					
Cochise County, Arizona,					
in Section 13 unsur., , Township No. 14 S., , Range No. 26 E.,					
designated as Survey No. 2956,					
executed by John A. Rockfellow,, U. S. Deputy Mineral					
Surveyor, October 13 - 16, , 19 11, under my instructions dated					
October 13, , 1911, have been critically examined and the necessary cor-					
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,					
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for					
survey is included in the field notes.					
chant I in jack					

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 2956 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Daddy Willcox lode, Mineral Survey No. 2956, located in section 13, Township 14 South, Range 26 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Daddy Willcox lode, M.S. No. 2956, was canceled December 12, 2011, by memo 9605 (956) M.S. 2956, which is now a part of the original field notes."

December 12, 2011

Date

Stephen K. Hansen

Chief Cadastral Surveyor of Arizona