(4-683.)

Mineral Survey No. 29

Lot No.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF KNOWN AS THE Mining District, County, Classone Section 2 / Unour, Township /45, Range 27 Surveyed under instructions dated 16, 19/2 e location notice Survey commenced //arch Survey completed / Jack 19 19/2

Claimant, C. a. Ely, Supt,

SURVEY NO: 2971.

1 1 1 1 1 1 1

STAR No. 1

Beginning at Cor. No.-1, the S. E. corner of location, on line 1-2 Star Mine No. 2 lode, Survey No. 2821, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed S E C - S 1, add 1-2971

200 College Control School College

Whence

The 1/4 Sec. corner between Secs. 21-28,

Tp. 14 S., R. 27 E., bears S. 2° 49' W. 3300.0 ft.

X B R 1-2971 chiseled on face 18 X 10 ins. of a porphyry reef bears S. 36° 15' W. 14.1 feet

A cross (X) 1-2971, chiseled on porphyry outcrop, exposing 16 X 12 ins., bears N. 64° 00' W. 14.84 ft.

Cor. No. 1-of said Star Mine No. 2 lode bears S. 1°

90' W. 673.1 ft.

Thence N. 80° 55' W. Var. 13° 35' E.

To Cor. No. 2, identical with location, a pine post
4 ins: sq. 3 1/2 ft. above ground, in a mound of
stone, scribed S W C - S 1, add 2-2971

Whence

A cross (X) B R 2-2971, chiseled on a porphyry face 20 X 12 ins. bears S. 41° 45' E. 8.8'ft.

A cross (X) B R 2-2971, chiseled on porphyry outcrop, exposing 18 X 18 ins., bears N. 60°23' W. 14.5 ft.

Thence N. 1° 00' E. Var. 13° 35' E.

W. center end, identical with location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed W. C. E. - S 1, add 2971.

Intersect S. End, Gray Dyke lode, unsurveyed, at

1500

546.03

302.6

S. 85° 16' W. 247.28 feet from S. E. corner,

605.6 To Cor. No. 3, identical with location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed N. W. C.-S 1, add 3-2971,

2

Whence

U. S. location monument No..1542 bears N. 9 59' W. 2973 ft.

A cross (X) B. R. 3-2971, chiseled on a porphyry rock, 14 X 10 ins., 4 ins. high, bears S. 56 25 W. 8.4 ft.

Thence S. 80° 56' E. Var. 13° 55' E.

248.5 S: E. Cor. Gray-Dyke lode, unsurveyed, a post scribed SEC-GD

Intersect W. side Brwon Dyke lode, unsurveyed, at N. 38° 40' W. 393.7 ft. from S. W. corner, a post scribed SWC-BD.

979.25 S. E. Cor. Brown Dyke lode, unsurveyed, a pine post scribed S E C-B D., S. W. Cor. Brown Dyke lode brs. S. 68° W. 513 ft.
Intersect W. side Maiden's Fancy lode, unsurveyed, at N. 40°-29' 00" W. 311.0 ft. from S. W. Cer., a post

center of road at-westerly edge of wash of Mascot
or Wanhoe Springs Canyon

scribed S.W.C:- M.F:

on line 1-2 Star Mine No. 2 lode, Sur. No. 2 lode, Sur. No. 2 lode, Sur. No. 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed N E C - S 1, add 4-2971

Whence -

A cross (X) B R 4-2971 chiseled on a porphyry face, 18 X 18 ins., bears N. 28° 12' E. 10.65 ft.

A cross (X) B R 4-2971, chiseled on a porphyry rock, 48 X 36 X 18 ins.; bears N. 69° 20' E. 11.25 ft. Cor. No. 2 Star Mine No. 2 lode, Sur. No. 2821 bears N.

1362

1500

1 ludes by a real for 1° 00' E. 220,9 ft.

Thence S. 1 00' W. Var. 13 00' E.

30,93

Intersect S. end, Maiden's Fancy lode, unsurveyed, at N. 68° 23' E. 335.38 ft. from S. W. Corner.

84.5

Center of wagon road at westerly edge of wash of AND THE POST TORGO canyon.

303

To F. center end, identical with location, a pine post 4 ins. sq!, 3 1/2 ft. above ground, scribed WCE-S1 add 297/ To Cor. No. 1, the place of beginning.

606

Area.

AREA STAR No. 1 LODE

20,651

Area in conflict with Gray Dyke

lode, unsurveyed,

0.169

Amea in conflict with Brown Dyke

lode, unsurveyed,

PARTY TOTAL 2.221

Area in conflict with Maiden's Fancy

lode, unsurveyed

1.316

Of application operations

LOCATION, . .

This claim is located in Dos Cabezas Mining District, Cochise County, Arizona, in district unsurveyed Sec. 21 of Tp. 14 S., Range 27 E. VEIN.

The presumed course of the vein or lode is from E. center end N. 80° 56' W. 1500 ft. to W. center end.

Adjoining claims on the north:

Gray Dyke, Brown Dyke and Maiden's Fancy lodes, unsurveyed

On the East:

Star Mine No. 2 lode, Survey No. 2821, all claimed by Mascot Copper Company

12/4 (E.)

On the South and West:

Unknown lodes; claimants unknown.

EXPENDITURE OF \$500.

I certify that the value of labor and improvements made upon or for the benefit of this claim, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1. Discovery shaft, the center of which bears from W. center end S. 80° 56' H. 526 ft. Shaft 6 X 4' (scant at bottom), 10 ft. deep

Value

\$85.00

No. 2, A cut, the face of which bears from a point on lode line at S. 80° 56' E., 517.8 ft., S 13° 56' E. 177 ft. Thence S./easterly 13 ft. to mouth of cut; 4 1/2 ft. wide, 9 ft. face

Value

80.00

No. 3. A cut, the mouth of which bears from Cor. No. 1 N. 40° 25' W. 59.5 ft.; course of cut westerly 4 ft.; 4 ft. wide, 4 ft. face

Value

\$10.00

Note: A $\frac{1}{8}$ interest in a tunnel on Star Mine No. 2 lode Survey No. 2821, the mouth of cut leading to which bears from Cor. No. 1 of Star No. 1 lode S. 50 48 E. 337.7 ft. This tunnel is designated as improvement No. 2 in notes of said Star Mine No. 2 lode. The claimants state that this tunnel is being run for the purpose of developing both the Star Mine No. 2 lode and the Star No. 1 lode. From a mining standpoint this

rt

is practical as the tunnel is lower than any point on the Star No. 1 lode; the east end of said lode lies along the bottom and west bank of the Mascot or Ivanhoe Springs Canyon; the ground rises at an angle of twenty degrees, thence less steep, but constantly, to the west end of lode.

The survey of tunnel is as follows:

From point at mouth, S. 42° 15' W. 20.0 ft. to station No. 1 at portal of tunnel,

Thence S. 85° 46' W. 21.5 ft. to Station No.2,

Thence N. 62° 08' W. 112.5 ft. to face. On this line at 97.0 ft. a branch extends S. 71° 15' W. 24.0 ft. to a point

Thence N. 79° 20' W. 30.9 ft. to a face. Tunnel $6\frac{1}{4} \times 4\frac{1}{4}$ ft.

Value of cut, 20 ft., \$100.00

Value of 134 ft. of tunnel at \$10.00 1340.00

Value of 54.9 ft. tunnel less 4.9 ft.

approximate amount accredited to main tunnel above, as measure is from center, 500.00

Total \$1940.00 Value of an undivided 1/2 interest credited to this lode, \$970.00

INSTRUMENT.

This survey was made with a Young & Sons Mountain transit No. 6855, provided with Smith solar attachment.

The courses were deflected from true meridian as determined by direct solar observations. The distances were measured with 50 ft. and 500 ft. steel tapes.

Note: The measurements to Corners 1 and 4 and the E. center end of this lode along line 1-2 Star Mine No. 2 lode, Survey No. 2821, differ slightly from those obtained and recorded in notes of said survey

2821. Any discrepancies between these notes and the notice of location or recorded notes of these surveys are due to errors in the latter.

griffings, englighter property subpression for spoyfers of the first of the

Tombstone, Arizona,

April 9, 1912.

U. S. Mineral Surveyor.

y was we have a suffer

· pagitifier and the 0177 161 161 6

TOT SPECIAL OF SECTION TO SECURITY SECTION 1145, CC

Talking T

FINAL OATHS FOR SURVEYS.

LIST	OF NAMES.
A list of the names of the individuals employ	ved by Shual Jockshillow
	st in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of
Mascot la	pper Campany
known as the Star 10,	
and showing the respective capacities in which th	ey acted.
	6. 6. Tillolson, Chainman.
	Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATH	S OF ASSISTANTS.
was letel	fillalson
	, do solemnly swear that we assisted shull.
A I	
Hockfellaco, United States D	eputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	ascot Cofficer
Company	
known as the Starr	No/
	have approved by said deputy minoral suppoyer and under his
	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all r	espects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General	for Mingma.
	66 Willoton Chainman.
	, Chainman.
	Axman.
	Flagman.
Subscribed and sworn	to by the above-named persons before me this
m 1/1	to by the above-hamed persons octore me variantly
day of	, 196
h	fromthookgellow
No notary publice	ish AS Honeral Surveyor
miles and suring	A wouse 100 inthink 10
monounine vita	rekeling and this
affidavis is made to	reforence Sohna Kockful

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Cohn Color Selection, U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for Arizona, dated	
Teb 6 1912, , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Mascor Copper Compan	7
, known as the	
Star No!	
situate in Loadyan Mining District,	
County, County, in Section 2/2/2005., Township No. 45, Range No. 27	
2/ Unsur., Township No. / Range No. 27 /	
and designated as Survey No. 2, 7//, as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
or experiences upon any other claim.	
(1 DAP blue	
U.S. Deputy Mineral Surveyor.	
Subscribed and sworn to by the said Ah (Gock fello	cel
U. S. Deputy Mineral Surveyor, before me Very Verice	P
	1
this / 12	
day of DUU_{Q} QU_{Q} .	
Menny Herrel	
July Commence of the 21 1016. The 1016.	_
10000 CC	e

£ 1.30.1911

Amended Location Notice.

of the

Star No.1 Lode Mining Claim.

To All Whom It May Concern:

This amended notice of location of the Star No.1 Lode mining claim situated in the Dos Gabezas Mining District, Cochise County, Territory of Arižona which mining claim was originally located on the 29th day of January 1908 by Mascot Copper Company as the original loc-ators thereof, and the original certificate of location which was filed for record in the office of the County Recorder of said Cochise County on the 17th day of March 1908 and recorded in the recordes of said county, in Book 41 Record of Mines at Page 390 hereby certifies and declares that in order to make the said original notice more definate and certain and to more fully decerbe said claim and to more fully comply with all provisions of law respecting the location of mining claims Mascot Copper Company, the present owner of the said Star No.1 lode mining claim, hereby makes this amended location notice and states the following facts respectin the said location to-wit:

Copper Company claims 532 feet in a N. 80° 55' W. direction and 968 feet in a S. 80° 55' E. direction from the center of the discovery shaft, at which discovery shaft this notice is posted, together with 300 feet in width on each side of the center of the vein, the general course of the vein or lode is north 80° 55' West and the description of the location of said claim with reference to some natural object or permanent monument such as will identify the claim is as follows:

Said Star No.1 calim crosses what is locally known as Mascot Canyon about one half mile below the 2000 foot tunnel the entrance to which is on the Wedge, patented, Mining claim. From the North West Corner of the said Star No.1 mining claim the South West corner (No.3) of the Wedge (patented) lode claim, survey No.1666, bears N. 27° 36' 30" W. 936 feet.

2. The surface boundaries of the claim are marked upon the sur

stone and earth at a point in a S. 80° 55' E. direction 968 feet from the discovery shaft (at which shaft this notice is posted) being ath the center of the east end line of said claim; Thence S. 1° 00' W. 3 303 feet to a post in a mound of earth and stone being the S.E. do Corner of said claim; thence N. 80° 55' W. 1500 feet to a post in a mound of earth and stone being the S.W. Corner of said claim; thence N. 1°00'E 303/2016 post in a mound of earth and stone being at the center of the west end of said claim; thence claim; thence same course 303 feet to a post in a mound of stone being at the N.W. Corner of said claim; thence S. 80° 55' E. 1500 feet to a post in a mound of earth and stone being at the N.E. Corner of said claim; thence S. 80° 55' E. 1500 feet to a post in a mound of earth and stone being at the N.E. Corner of said claim; thence S. 1° 00' W.303 feet to the place of beginning.

All posts used in the marking of said claim are 4 by 4 inches set in a mound of earth and stone at least four feet high above the surface of the ground.

Dated November 12, 1909

Name of present owner making this

Amended Certificate

Mascot Copper Company

By E.A.Ely Asst. Supt.

Filed and recorded at request of Mascot Copper Co. Nov.16 1909 at 9 A.M. in Book 40 Records of Mines at Pages 370 and 371.

TERRITORY OF ARIZONA, I SS. County of Cochise.

I, C.A.McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Amended Location Notice of the "Star No.1" Mining Claim, filed for record in my office on the 16fth day of November, A.D. 1909 and recorded in Book 40 Record of Mires at Pages 370 and 371; and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 23rd day of October, A.D. 1911.

By Josa July Daputy

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,				
	July 13,	, 1 912.			
I, U. S. Surveyor General for	Arizona				
	ng transcript of the Field Notes, retur				
	m of				
	ascot Copper Company				
	Star No. 1				
	, situate in Dos Cabezas				
	t, Cochise				
	, in Section 21 Unsur , Towns				
	, and design				
No. 2971	has been correctly copied from the	he originals on			
file in this office; that said Field	l Notes furnish such an accurate desc	cription of said			
mining claim as will, if incorpora	ated into a patent, serve fully to identify	y the premises,			
	nerein to natural objects or permanent				
will perpetuate and fix the locus th		·			
or for	ve hundred dollars' worth of labor has	been expended			
or improvements made upon said	nining claim by claimant or its	grantors, and			
that said improvements consist o	f 1 shaft and 2 cuts, value	\$175.00.			
Also an undivided 1/2 in	nterest, value \$970, in tunne	el No. 2 on			
the Star Mine No. 2 lode	, which is a common improven	ent for the			
benefit and development	of both said Star Mine No.	2 lode, Sur			
No. 2821, and the Star	No1-lode.				
######################################					
Very					
	or improvements has been included in				
expenditures upon any other clair	,	the estimate of			
	thereof, filed in the U.S. Land Office at	Phoenix,			
· ·	and in conformity with the foregoing F				
	Frank S. Ingalls,	**************************************			
$\it United~S$	tates Surveyor General for Arizona.				

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix, Arizona,		
			July 13,	, 19 12 .
I, U. S. Survey	or- <mark>General f</mark> or	Arizona		*
do hereby certify th	hat the foregoing and l	hereto attached 1	Field Notes and Return o	f the Survey of the
Mining Claim of				
			Company	
-		Star No.	1	**********
situate in	Do	s Cabezas		mining district,
Cochise		County,	Ari	zona.
in Section 21 U	nsur., Townsh	ip No. 14 S.,	, Range No.	27 E.
	, designated as Surve	y No. 2971		
executed by	John ^A .	Rockfellow	, U.	S. Deywy Mineral
Surveyor,	March 8, 19,	1912,	, 190, under my	instructions dated
Feb. 6,	1912, ,	190, have bee	n critically examined and	the necessary cor-
rections and explan	nations made, and the	said Field Notes	s and Return, and the Su	rvey they describe,
are hereby approve	ed. A true copy of th	ne copy of the lo	cation certificate filed by	the applicant. for
survey is included	in the field notes.	Chan	A d ing	rlle
		U. S. S.	urveyor-General for Ar	izona.

4115b5m6-02