(4—683.)

# Mineral Survey No. 2972

Lot No.

Hrizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mascot Copper Company
KNOWN AS THE
Oteamboat tode
Das Cabigas Mining District,
Cachise County, Asizona
Section 21 2mg, Township 145, Range 27E
Surveyed under instructions dated Feb. 6, 19/2
by John a Rockfeel
U. S. Deputy Mineral Surveyor
Claim located See Notice, 1
Survey commenced 766, 23 . 1912
Survey completed Mar. 19 1912
o 6—tm
Idans of Claimant
C. a. Ely, Super.
Los Cabizas
ans

# SURVEY NO. 2972.

and a figure of a second of

### STEAMBOAT TOTE.

I y distant his distant

Beginning at Cor. No. 1, the S. W. Cor. of location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed S.W.C. - S.M.B., add 1-2972; also scribed S.E.C.T for S. E. Corner Taft lode, unsurveyed; on N. side line Emmå lode, unsurveyed,

whence: The N. E. Cor. said Emma lode, a stone monument bears S. 74 37' E. 294.5 ft.

A cross (X) BR 1-2972 chiseled on slate butcrop, 12 X 12 X 4 ins., bears S. 84 20' E. 7.85 ft.

A cross (X) BR 1-2972, chiseled on slate outcrop,

12 X 10 X 4 ins., bears S. Il 00' W. 23.9 ft.

The 1/4 corner between Secs. 21-28, Tp. 14 S.

R. 27 E. bears S. 17° 35' W. 2474.2 ft.

Thence N. 1 00' E. Var. 13 40' E.

Post Center end Tart lode, unsurveyed

center of cut 20 ft. wide; distance W.N. W. 16/2 to mouth and E. S. E. 12 ft. to face.

Cor. No. 4 Star Mine No. 2 lode Sur. No. 2821, also N. E. Cor. Taft lode, unsurveyed.

A post in a mound of stone scribed S E C - S 2 4+2821 and N E C - T.

To Cor. No. 2, identical with location, a pine 2753

post 4 ins. square, 3 ft. above ground, in a mound of stone, scribed NWC - S'MB, add 2-2972

Whence

U. S. location monument, No. 1542 bears
N. 38° 11' W. 4200.7 ft.

101.1

206.0

253.5

1406.1

A cross (X) B R 2-2972, chiseled on porphyry outcrop, 24 X 10 ins., bears S. 4 23' E. 7.8 ft.

A cross(X) B R (not space for more) chiseled on porphyry bed rock, 12 X 48 ins., bears N. 48° 39' E. 10.00 ft. ""

Cor. No. 3 Star Mine No. 2 lode, Sur. No. 2821 bears N. 1 00' E. 347.4 ft. A post in a mound of stone scribed N E C - S 2 3-2821

Cor. No. 1 Spring Mine lode, Sur. No. 2753, bears S. 42° 41' E. 753.2 ft.

Thence S. 70 59' E. Var. 13 40' E.

N. center end, identical with location, a pine post 315.45 4 ins. sq!, 3 ft. above ground, in a mound of stone, scribed N C E - S' M B, add 2972

To Cor. No. 3, identical with location, a pine post 630.9 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed N E C - S'M B, add 3-2972

Whence

A cross (X) B R 3-2972, chiseled on a porphyry face. 20 X 10 ins., bears S. 21 00' W. 12.55 ft.

A cross (X) B R 3-2972, chiseled on porphyry outcrop 10 X 8 ins., bears N. 62 30' E. 5.7 ft. 1096: 2 30000 Thence S. 1° 00' W. Var. 14 00 E.

238.74 Intersect side 2-3 Midnight lode, Sur. No. 2970-at

N. 36 45' E. 335.57 ft. from Cor. No. 2. Identical With line 1-45 pring Mine lode Sur No 2753 at N3645 1364 spect from Cor No!

Intersect line 2-1 said Midnight lode at S. 46 22!

E., 266.5 ft. from Cor. No. 2

A pine post scribed N W'C - M for N. W. Cor. Mid Midget night lode, unsurveyed.

Point whence post scribed W C E - M for west center 1099.9 end said Midnight lode bears N. 89 00' W. 0.6 ft.

> To Cor. No. 4 on line 1-2 Ewell Springslode, Sur. No. 1554, set a pine post 4 ft. long, 4 ins. sq., 6 ins.

338.2

in ground to bed rock, in a mound of stone, scribed S E C - S M B 4-2972

3

Whence

Cor. of location, a post scribed S E C -S'M B bears S. 70° 59' E. 0.8 ft.

A cross (X) B R 4-2972 chiseled on porphyry outerop. 70 X 30 X 12 ins. bears S. 65° 31' W. 34.75 ft.

A cross (X) B R 4-2972, chiseled on porphyry reef, 12 X 5 X 2 (Chears N. 63° 42' W. 17.5 ft.

Cor. No. 1 Ewell Springs lode, Sur Nº1554, bears N. 68° 24' W, 337.5 ft.

Thence N. 70 59' W. Var. 13 35' E.

S. center end, identical with location, a pine post 315.45 4 ins. sq., 3:ft. above ground, in a mound of stone, scribed S C E S'M B add 2972.

Intersect line 1-5 Ewell Spings lode, Sur. No. 1554, 338.06 at S. 22 27 W. 15.24 ft. from Cor. No. 1

Areas

Intersect east end line Exma lode, unsurveyed, at s. 22 25' W. 18.7 ft. from N. E. corner.

To Cor. No. 1, the place of beginning. 630.9

> Acres Area Steamboat lode 19.367 Area in conflict lode and Spring 2.804 Minemolode, Sur. No. 2753 Area in conflict Steamboat lode and Midnight lode; Sur. No. 2970, 1.019 Area in conflict Steamboat lode and Ewell Springs lode, Sur No 1554 .059 Steamboat Area in conflict/Rode and Emma lode, .063. unsurveyed.

#### LOCATION.

This claim is located in Dos Cabezas Mining District, Cochise County, Arizona, in the unsurveyed pertion of Tp. 14 S., R. 27 E.

The presumed course of the lode or vein is N.

1° 00' E. 1406.1 feet from S: Center End to N. Center

End.

#### ADJOINING, CLAIMS:

On the North:

Spring Mine lode, Survey No. 2753.

On the East:

Midnight lode, Survey No. 2970, and Midnight Midget lode, undurveyed, all claimed by the Mascot Copper Company.

#### On the South:

- \* Ewell Springs lode, Survey No. 1554. Mrs. M. W. Stewart claimant.
- Emma lode, unsurveyed; Sylvester Porter claimant.

#### On the West:

Taft lode, unsurveyed.

Star Mine No. 2 lode, Survey No. 2821.

Both claimed by the Mascot Copper Company.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements made upon this claim by the claimant, or its grantors, is not less than five hundred dollars, and said improvements consist of:

No..1. Discovery cut and tunnel, the westerly point of which (cut) bears from N. center end S. 1 00'W. 613 feet, thence to a point at easterly edge of cut N. 79 41'E. 19.5 feet; thence S. 21° 45'W., 15 ft. to portal of tunnel 6 1/2 X 4 1/2 ft., and 110.5 ft. to face of tunnel. Cut triangular; 16 ft. wide 7 ft. to face of 10 ft.

Value of cut \$100

Value of 95.5 ft. tunnel at \$10 955

### Other Improvements:

Cut described in topography of line 1-2, old work. Claimant unknown.

#### Instrument.

This survey was made with a Young & Sons Mountain transit No. 6855, provided with Smith solar attachment.

The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50 and 500 ft. steel tapes.

Any discrepancies between these notes and the notice of location are due to errors in the latter; or between these notes and records of previous surveys are due to errors in the latter.

Tombstone, Arizona,

April 9, 1912.

U. S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

LIST OF I	NAMES.
A list of the names of the individuals employed by	John al Lockfillow
United States Deputy Mineral Surveyor, to assist in runn	ning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the sur	vey of the mining claim of
Marcatoopp	er Company
known as the Steamboak	Bole /
and showing the respective capacities in which they acted.	
and showing the respective departeres in which they detect	6. Tillolson, Chainman.
	, Chainman.
	, Axman.
·	, Flagman.
FINAL OATHS OF	ASSISTANTS.
Way & 6.6 7	illolson
and, do sol	emnly swear that we assisted
· 2 - 1	neral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	est Copper Com-
De soundaries of the mining of the of the sound of the so	
known as the Steam to a	1 Dec
represented in the foregoing field notes as having been sur-	veyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to	
correctly executed, and the corner and boundary monume	
furnished by the United States Surveyor-General for	arizona
Carringhold by the content states but voyor states at the	6. Teloloon, Chainman.
	, Chainman,
	, Axman.
	, Flagman.
Subscribed and sworn to by the	above-named persons before me this
day of May	199/ 2
	John a Pockfillace
to holary public is to	1. S. Minual Sun
o mil 189 5 ms - and owing to	exame delay and in

wmade before

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John afforkfellaw, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
Feb. 6 / 9/2, , Phave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mascat Capper Company
, known as the
Alean to at Indian
situate in Ood Cabraca Mining District,
County, 7262, in Section
21 Ging, Township No. /4 3, Range No. 27
and designated as Survey No. 277 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
or expenditures upon any other claim.
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Thu a good sellow
U.S. Deputy Mineral Surveyor, before me / Eury Verice
Way Dublic this 716
day of 160 1912 1
Why Neurel
My Commission Copins Til. 24 to 1016. Hotar Reblie
0 5-154
1St P Size

OCT. 30. 1911

### Ammended Location Certificate

of the

Steamboat Lode Mining Claim

To All Whom It May Concern:-

is as follows.

This ammended location certificate of the Steamboat Mining District.

Lode Mining Claim, situate in the Dos Cabezos, /Cochise County, Arizona, which mining Claim was originally located on the 4 day of February 1909 by E.A.Ely as the original locator thereof and the original certificate of which was filed for record in the office of the County Recorder of said County of Cochise, on the 15 day of February 1909 and recorded in the records of the said County in Book 43 at page 216 record of Mines, hereby certifies and declares that in order to make the said original notice more definite and certain and to more fully comply with all provisions of law respecting the location of mining claims, Western Finance Company, a corporation the present owner of the said Steamboat Mining claim, hereby makes this ammended location Notice and states the following facts respecting the said location, to-wit:-

Finance Company claims 635 feet in a S 1° 00' W. direction and 770.8 feet in a N. 1° 00' E. direction from the center of the discovery shaft at which this notice is posted. together with 300 feet in width on each side of the center of the vein. The general course of the vein or lode is N 1° 00' E. and the description of the location of said claim with reference to some natural object or permanent momument such as will identify the claim

1. The lenght of the claim is 1405.8 feet and the said Western

Mescription The North West corner of said claim is at The intersection of the South Side of the "Spring" lode claim and the East Side of the Star No2 lode claim of Record.

Also, From the mouth of the discovery cut, the U.S.L.M. No. 1542, brs N 36°- 6'- 30" W 4977.1 feet.

2. The boundaries of the claim are marked upon the gurface of the ground as follows: Beginning at a 4" x 4" post in a mound of

which this notice is posted, being at the center of the North end like line of said claim; thence S 70° 59' E. 315.5 feet to a 4" x 4" post in a mound of stone being at the North East corner corner of said declaim; thence S 1° 00' W 1405.8 feet to a 4" x 4" post in a mound of stones being at the South East corner of said claim; thence N 70° 59' W 315.5 feet to a 4" x 4" post in a Mound of stones being at the center of the South end of said claim; thence same course 315.5 feet to a 4" x 4" post in a mound of stones being at the south west corner of said claim; thence N 1° 00' E 1405.8 feet to a 4" x 4" post in a mound of stones being at the North West corner of said claim; thence S 70° 59' E. 315.5 feet to the place of beginning.

Dated April 18th 1910

Name of the present owner making this ammended certificate

Western Finance Company

By E.A.Ely

Agent.

Filed and recorded at request of Western Finance Company Apr.20-1910 at 9: A.M. in Book 40 Record of Mines at Pages 468 and 469.

TERRITORY OF ARIZONA, SS. County of Cochise.

I, C.A.McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compafed the annexed and foregoing copy with the original Amended Location Certificate of the "Steamboat" Mining Claim, filed for record in my office on the 20th day of April, A.D. 1911 and recorded in Book 40 Record of Mines at Pages 468 and 469 and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, thes the 23rd day of October, A.D. 1911.

By Josa July

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	July 10 , 1 912
I, U. S. Surveyor General for	Arizona
	transcript of the Field Notes, return and approval
	of
· ·	cot Copper Company
	STEAMBOAT
	, situate in Dos Cabezas
	Cochise County,
	in Section 21 Uns., Township No. 14 S.
	, and designated as Survey
	, has been correctly copied from the originals on
and that such reference is made there will perpetuate and fix the locus there.  And I further certify that five here or improvements made upon said methat said improvements consist of	ein to natural objects or permanent monuments as eof.  nundred dollars' worth of labor has been expended nining claim by claimant or its grantors, and 1 cut and tunnel, value \$1055.00
and that no portion of said labor or i expenditures upon any other claim. I further certify that the plat the	improvements has been included in the estimate of ereof, filed in the U. S. Land Office at Phoenix, in conformity with the foregoing Field Notes.
orizon alla	Frank S. Ingalls,
United States	Surveyor General for Arizona.

4-687.

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior.

Office of U.S. Surveyor-General,

	Phoe	enix, Arizona,
		July 10, 1912.
I. U. S. Surveyor-General for	Arizona	
do hereby certify that the foregoi	ng and hereto attached Field N	otes and Return of the Survey of the
Mining Claim of		
	Mascot Coppper Compa	any
	~	, known as the
***************************************	STEAMBOAT	······································
situate in	Dos Cabezas	mining district,
Cochise	County,	Arizona
	*	, Range No. 27 E.
, designated a	ıs Survey No. 2972	
		, U. S. DONARY Mineral
Surveyor, Feb. 2	3, - Mar. 19, 1912.	., 190, under my instructions dated
Fab 6 1010	100	. No. 2 - 2 - 2 - 4 - 2 - 2 - 4
Feb. 9, 1912	, 190, nave been critic	ally examined and the necessary cor-
rections and explanations made, a	and the said Field Notes and R	Return, and the Survey they describe,
are hereby approved. A true co	py of the copy of the location	certificate filed by the applicant. for
survey is included in the field not	es.	1
	chart I on	a o sla
	Chicon Ron	
	U. S. Surveyor-	General for Arizona.