MAR 22 1912

(4--683.)

(1-000.)
vey No. 2973
)•
a Land District.
LD NOTES
OF THE MINING CLAIM OF
e Mining Company
t House, Golden State Bullion Blue Tank Mining District, 8
County,Arizena
nip No. 8 N Range No. 3 W, unsurve
ted February 5th. and March 19th. 1912
by Geo. C. Clark
U. S. Deputy Mineral Surveyor
cations , 1
uary 8th. 1912 . 1
e.e.

Claimants Address:-

M. E. Leverich, Atty. in fact,

Phoenix, Arizona.

A 14.1 (e stone chisolad+

Beginning at cor. No. 1, the S. W. cor., identical with location. and. with cor. No. 2 Buchhorn lode of this survey, ser. No. 2, The B. F. ser., Adenies I was been in

Identical with cor. No. 2 survey No. 2489 Starlight

A granite stone, 2 ft. long, 6x12 ins., set 1 ft. in the ground by a mound of stones, chiseled +1-2973 G.S. whence

A granite cropping 18 ins. high, chiseled + 1-2973 B.R. bears S 30° 21'F 83.4 ft.

U. S. L. M. No. 2489 bears N 60° 51'W 4074.80 ft.

Thence N. 38°.00'E

To the W. end center, identical with location and 300.00 with E. end center survey No. 2489 Starlight lode.

this manyey and deal ribed thempiden,

Identical with cor. No. 2 survey No. 2489 Torina lode, A granite stone 10 ins. high , set by a mound of stones and chiseled + E.C.E-S.L and 2-2489 T.L.

600.00 To cor. No. 2, the N. W. cor., identical with location and with E end center survey No. 2489 Torina lode,

Identical with cor. No. 3 survey No. 2489 Starlight lode,

A granite stone 1 ft. high, 1 ft. sq., set by a mound of stones and chiseled + 2-2973 G. S. whence

04 had 9 4

200 00

A granite rock in place 1.5 x 2 ft., chiseled + 2ande et jight Light. 2973 B. R. bears N 82° 43 E 103.20 ft.

is come got the great regard production of a property

Thence S 59° 52' E

To cor. No. 3, the N. E. cor., identical with locat-1330.40 ion and with cor. No. 2 San Francisco lode of this group.

> A granite rock 2 ft. long, 12x16 ins., set 1 ft. in the ground by a mound of stones and chiseled # 3-2973 G.S. whence

A granite cropping 18 ins. high, chiseled + 3-2973 B. R. bears N 3 47 E 57.3 ft.

Golden State lode, continued,

List the Courvey No. 2973 Tek, chiseled + - 1305 Feet Thence S 380 00' W charged # 2-26 2 112 To a mound of stones 3 ft. high, identical with 300.00 location for the E. end center, Identical with W. end center San Francisco lode of this survey, 25-30- E 15-0 1 1 To cor. No. 4, the S. E. cor., identical with locat-600.00 ion, and with cor., No. 1, San Francisco lode of this group, A granite stone 2 ft. long, 8x12 ins., set 1 ft. in the ground by a mound of stones, chiseled + 4-2973 G. S. whence A granite bed-rock chiseled + 1-4-2973 B. R. bears S 62° 34° E 73. 9 ft. [6] TO THE THE PART OF THE PAR Thence N 59° 52' W. Along line 2 - 3 Buckhorn lode of this survey to cor. 1330.40 No. 1, the place of beginning The control of States The Time Beginning at cor. No. 1, the S. W. cor., identical with location and with cor. No. 4 Golden State lode of this survey and described thereunder, A granite stone chiseled + 1-2973 S.F. Oh line 2-3 Buckhorn lode of this sur. 160.1.ft. from Gor. No. 3. U. S. L. M. No. 2489 bears N 60° 36' 20" W 5405 ft. Thence N 380 00° E To W end center, identical with location and with E 300.00 end center Golden State lode of this survey, 600.00 To cor. No. 2, the N. W. cor., identical with location and with cor. No. 3 Golden State lode of this survey and described thereunder, A granite stone chiseled+ 2-2973 S.F.

. GRD *

San Francisco Lode, continued,

Survey No. 29.73

A - WARTE OF LT. The

Thence S 47° 13' E

CE che on line 2 - 3 dilbert house love erroup

700.00

To wagon road in center of canyon 130 ft, wide, course 200.00 northeasterly and southwesterly,

1497.70 To cor. No. 3, the N. E. cor., identical with locat-20. To ion withouseer limit & - 1 (and the took love to take they be

> A granite rock 2 ft. long, 10x14 ins., set 1 ft. in the ground by a mound of stones, chiseled + 3-2973 S. F. whence he was a So Pal I do

A rock in place 18 ins. sq. 2 ft. high, chiseled + 3-2973 B. R. bears N 47° 00' W 112.4 ft.

Thence S 38°00° W

300.00

To a mound of stones, identical with location for the E. end center, , the g. . well, tookerer in a region

600.00

To cor. No. 4, the S. E. cor., identical with locat-1750.50 To rester at Warm Ford Tree 177 Da. 1 4 1 4 15.

A granite rock 2 ft. long, 1 ft. sq., set 1 ft. in ground by a mound of stones, chiseled + 4-2973 S. F. whence

> A rock in place 1 ft. high, 2x3.5 ft., chiseled + 4-2973 B. R. bears N 41° 21' W 99.7 ft.

Thence N 47º 13' W Ideal Jaki ki i bor iki i iki dan bakan bakan baka i i is

682.00

To wagon road in center of canyon running northeastereco. of y and southwesterly

1338.91

To intersect line 3 - 4 Buckhorn lode of this survey at S 38° 35' W 35.15 ft. from cor. No. 3

1487.00

To intersect wagon road from shaft No. 1 on this lode To cor. No. 1, the place of beginning.

1497.70

Feel

Buckhorn base | pro pr | - 150.56 Lr. HOELD M SOO J . I SHITTEN MG - 2973

Beginning at ccr. No.1, the S. W. cor, identical with location, 5 TLAK - C . 53.20

A granite rock 2.5 ft. long, 6 x 18 ins., set 1 ft. in the ground by a mound of stones, chiseled +1-2973B, whence

Survey No. 2973

A granite cropping 3 ft. high, chiseled + 1-2973 B.R bears N 89º 16! E 201. 4 ft.

U. S. L. M. No. 2489 bears N 52. 33! W 4020.20 ft.

Thence N 380 35 E

1487.00

1497.30

್ಟ ಭಾರಾಧಕರ್ಮಕರು ಸಾಗ್ಯೆಯ ಒಂದೇಕ್ ಬ್ಲಾಪ್ ಕಿಲ್ಲಿ . ಇ.ಕಿ. 1 ರಾವ ಗಂತರ ತಾಯಕ್ಕ 300.00 To a mound of stones, identical with location for W end center

935 .00

H-63

1538.91

600.00 To cor. No. 2, the N. W. cor., identical with location and with cor. No. 2 survey No 2489 Starlight lode, Identical with cor. No. 1, Golden State lode of this survey and described thereunder,

A granite stone chiseled + 2-2973 B

Y LCCK THE DIFFERENCE S 59 52 E

1330.40 To cor. No. 4, Golden State lode of this survey, identical with cor. No. 1, San Francisco lode of this group,

1340.50 To center of wagon road from shaft No. 1 of the San Francisco lode of this survey on ... requesters the learn-

To cor. No. 3, the N. E. cor., identical with locate 1490.50 ion, 'C a that of stoner, identical in the tion for

> A granite rock 2 ft. long, 8 x 12 ins., set by a mound of stones, chiseled + 3-2973 B whence were H vao CO. A TER'S LI'

A granite cropping 2.5 ft. high, chiseled + 3-2973. B. R. bears N 2º 54! E 8.4 ft.

Thence S 38° 35' W

& compute text & Fire integral that, act in the Re-

35.15 To intersect line 4 - 1 San Francisco lode of this survey at S 47º 13. E 158.79 ft. from con. No. 1

300.00 To mound of stones, identical with location for E.E. Center

600.00 To cor. No. 4, the S. E. cor., identical with location and on line 2 - 3 Gilbert House lode of this group at S 10° 11' W 117 ft. from cor. No. 2,

> A granite stone 2 ft. long, 8 x 13 ins., set by a mound of stones, chiseled + 4-2973 B, whence

SU4 *96

Canada

Survey No. 2973

A granite bed-rock, level with surface, chiseled + 4+2973 B. R. bears N 10° 11° E 65 ft.

Thence N 59° 52' W

- of this survey,
- by Antonio KUKURUZOVIC at S 19° 28' W 74.91 ft. from the
- 337.50 To intersect line 1 2 Gilbert House lode of this survey at S 80° C9' E 282.75 ft. from cor. No. 1 and N. 80° C9' W. 317.25 ft. from Cor. No. 4

- Cont. Themist to the pro-

25.500

- at N 70° 32' W 397.72 ft. from the N. E. cor.
- 1490.50 To cor. No. 1, the place of beginning.

A much in place 0.5 for

CC1. 10. 1

Gilbert House Treat

Conversion Conversion

Beginning at cor. No. 1, the N. W. cor., identical with location,

A granite stone 2 ft. long, 8 ins. sq., set by a mound of stones 12 ins. in the ground, chiseled + 1-2973-

To Co B. R. bears N 22°4' E 26.7 ft., 12 3 LAA'

U. S. L. M. No. 2489 bears N 52° 36' W 4913.20 ft.

Thence S 80° 09' E

- 282.75 To intersect line 4 1 Buckhorn lode of this survey at N 59° 52° W 337.50 ft. from ccr. No. 4,
- 300.00 To mound of stones, identical with location for N.E.Center
- 436.70 To intersect E end line unsurveyed Antiberk lode, owned by Antonio Kukuruzovic at S 19° 28' W 20.6 ft. from the N. E. cor. and N 19°28'E 579.4' ft. from the S. E. cor.
- 478.00 To intersect road from shaft No. 1, San Francisco lode of this survey

Gilbert House lode, continued,

Feet Survey No. 2973.

for, or the Monte American and the State of the State of

A granite rock 2 ft. long, 10 x 14 ins., set I ft. in ground by a mound of stones, chiseled + 2-2973 G. H.

A granite bed rock, revel with surface, chiseled + 2-2973 B. R. bears S 10° 11' W 52 ft.

Thence S 10° 11' W

117.00 To cor. No. 4 Buckharn lode of this survey,

1290.00 To center wagon road

1340.00 To center canyon, course northeasterly and southwesterly

1500.00 To cor. No. 3, the S. E. cor., identical with location and with the N. E. cor. of the unsurveyed Homestead lode owned by Anton Bacic et al.

A granite stone 2 ft. long, 10 ins. sq., set I ft. in ground by a mound of stones, chiseled + 3-2973 G. H. whence

A rock in place 0.5 ft. high, 1.5 x 0.3 ft., chiseled + 3-2973 B. R. bears S 27 15 E 68.4 ft.

Thence N 80° 09' W

300.00 To a mound of stones, identical with location for the S end center and with N end center unsurveyed Homestead lode,

型品、大学 また * 13.6K またで

ion and with the N. W. cor., unsurveyed Homestead lode,

A granite rock 2 ft. long, 6 x 10 ins., set 1 ft. in ground by a mound of stones, chiseled + 4-2973 G. H.

No bearing objects available.

Thence N 10° 11' E

m ico foi m

To E. end center Bullion lode of this survey in center canyon, course here easterly and westerly

240.30 To center wagen road,

Froe

410.30 To center road from shaft No. 1, San Francisco lode of This

Survey No. 2973

survey,

To cor. No. 4 Bullion lode of this survey, 548.30

986.84 To intersect S side line of the unsurveyed Antiberk lode owned by Antonio Kukuruzovic, at N 70° 32° W 347.74 ft. from the S. E. cor.

1500 ft.

To cor. No. 1, the place of beginning.

Bullion

Strvey Fe. 2973

Magnetic var. 14° i Pancaphout. Beginning at cor. No. 1, the N. W. cor., identical 1505.70 int "ceation". No. 1, the place of he thaing.

A granite rock 2 ft. long, 8 x 10 ins., set 1 ft. in ground by a mound of stones, chiseled + 1-2973 B. whence pears I To SO, I 42'5 Lt.

> A granite rock in place, 18 ins. sq., level with the surface bears N 22º 14' E 48.3 ft., chiseled +1-2973 B.R. U. S. M. No. 2489 bears N 41º 04' W 3929 ft.

g ft. long, 8 g l4 ins., par L ft. in the grama by

A granite granite tok in longs clineled + - - 1535.

the S.E. Cor

To a corner, of the unsurveyed Planick lode, owned 688.00 ph Stene Tioucer, the . . . cor., identical with local-

344.00 To a mound of stones, identical with location for W end center 380.00 To center wagon road,

480.00 To center canyon, course here N. W. and S, E.

688.00 To cor. No. 2, the S. W. cor., identical with location' To a mound of stones in center of cangen, identical 344.00

A granite stone 2 ft. long, 10 ins. sq., set 1 ft. in ground by a mound of stones, chiseled + 2-2973 B. Walled ! Too II. E

> A granite cropping 1 ft. high, chiseled + 2-2973 BR bears S 10. 11: W 68.9 ft.

Thence S 500 ,16' E

1500.00 To cor. No. 3, the S. E. cor., identical with location,

Pround by a remain of stones, thiseled +5-10th of

Roll or lede, continued

Bullion lode, continued Survey No. 2973, Feet A granite rock 2 ft. long, 6 x 18 ins., set 1 ft. in ground by a mound of stones, chiseled +3-2973 B No bearing objects available A granice origing 1 ff. Tich, dissolate terminal Thence N 10° 11' E KLAFOG 139.70 To cor. No. 4 Gilbert House lode of this survey, identical with the N. W. cor. unsurveyed Homestead lode, 344.00 To a mound of stones in center of canyon, identical with location for the E end center, Inches 380.00 To center wagon road, 550.00 To center of wagon road from shaft No. 1, San Francisco lode of this survey, con with Toomfact the & end court 344.00 To cor. No. 4, the N. E. cor., identical with locat-688.00 ion. To a correctal the amburreys, Tlantok Late, exact 04.490 A granite granite rock in place chiseled +4-2973B. 2 ft. long, 8 x 14 ins., set 1 ft. in the ground by a mound of stones, a result was on . Take her whence be no N 220 let F da. 5 Ft., Frieled 41-2968 3.8. A granite cropping 1 ft. high, chiseled + 4-2973 B. R. bears N 17° 20' E 43.2 ft. Clarac ri e ramet di opine: apparetes + p-star vi Thence N 50° 16' W 1249.44 Int.S.side line Antiberk lode, Uns., S.70°32'E.50.90 ft.from S.W.Or. 1303.70 Int.W. end line Antiberk lode, Uns., N.19° 28'E.18.79 ft.from S.W.Cor 1500.00 To cor. No. 1, the place of beginning. deplanting at cor. Mc. I, the W. W. were, Identical Magnetic var. 14° E throughout. Lode lines As near as can be determined from present develop-

As near as can be determined from present developments the veins of the several locations embraced in this
survey, extend as follows from their respective discovery
points:-

orine2.

384 ST

D48 300

Feet.

"Ilac" lier solide, schtlause,

1

To core to . . Alberto todo to this interest,

Survey No. 2973

Golden State: -

N 59° 52' W 463 ft. and S 59° 52' E 867.40 ft.

Buckhorn: -

S 59° 52' E 310 ft. and N 59° 52' W 1180.50 ft.

San Francisco: -

N 47° 13' W 25 ft. and S 47° 13' E 1472.70 ft.

Gilbert House: - 1 one one will be ser the design of the services

S 100/11 W 350 ft. and N 100 119 E 1150 ft.

Bullion: -

DESCRIPT

S 50° 16' Exand N 50° 16' W 848 ft.

Areas

Total Area Golden State Lode . 18.153 Acres

Total Area Buckhorn 20.307 "

Area in conflict with Gilbert House lode

of this survey " CL MAJAC MITE C.426" , 18 "

Area in conflict with San Francisco lode

of this survey

Phoenia, Artania

Area in conflict with Antiberk lode,

unsurveyed

Common conflict with Antiberk and Gilbert House lodes, .095, Acs. tal Area San Francisco lode 20.557 " Total Area San Francisco lode

Total Area Gilbert House lode 20.659 W

Area in conflict with Antiberk lode, uns. 4.884

Total Area Bullion lode 20.607

Area in conflict Antiberk lode, unsurv. 0.012

Location

This survey is located on unsurveyed public lands, approximately in Tp. 8 N Rg. 3 W., in the Black Rock and Blue Tank Mining Districts , Yavapai County, Arizona. The courses were a likented anon

tree of the Adjoining Claims

This survey adjoins on the N and E, unclaimed. South; -Hemestead lode, unsurveyed, Anton Bacic et al owners West: Planick lode, unsurveyed, Steve Lioncer, owner, Antiberk lode, unsurveyed, Antonio Kukuruzovic, cwner, Survey No. 2489 Starlight and Torina lodes. , Instrument ,

vent: Manhor hose, the avec, so, figure thereof, have a, An insera

This survey was made with a C. L. Berger and Sons transit No. 6072. Valerried are the

The courses were deflected from the true meridian as determined by sclar observations with a Berger sclar attachment] In Th. Care . J.W., Jr. 18 Jack Cok ...

The distances were measured with a 300 ft. steel tape

Report

The lode line of each location of this claim was run directly upon the ground, and the several courses, establkshed by means of offsets from the same.

All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

The final oath of assistants on this survey was administered by myself for the following reasons:-The nearest official authorized to administer caths lived at Wickenburg, some ten or twelve miles distant, the assistants were employed and lived upon this and the adjoining properties and there was no means of transporting " them to the nearest point where affidavits could be 'T made. WILDER

BUTITCH: -

Affidavit of Five Hundred Dollars improvements will be furnished before the expiration of publication.

K ATO LLEW DE TE, INC. L JOS L. L E LG J. TO FL.

SELL PROFESSION -

E CO SA T. OT LIE THE DO THE A

SUCHECT

GCIDEN Stute: -

n ago est y cad at e al sign by ville

- Phoenix, Arizina,

March 22nd. 1912

· LETTINGES* THE COL

	Survey No. 2973	FR 25. 1912
		1012
	Expenditure of Five Hundred Dollars	i i
	I certify that the value of the labor and improvement	ន
made	upon, or for the benefit of, each of the locations e	m~
brace	d in said mining claim by the claimant or its granto	rs
	is not less than five hundred dollars and that said	im⊷
	provements consist of:-	· 1
	Golden State Bode; ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	
No. 1	Discovery cut and tunnel, course S 59° 52° E, bears	
	from W. end center of location S 59° 52' E 463 ft.	
	cut 4x8x37 ft., tunnel 4 x 6 x 127 ft. Value	\$1127.00
No. 2	Open cut 4x8x10 ft., tunnel 4x6x10 ft., course	110,
	S 40° 50' W, bear from same point S 62° 32' E 638 ft	
Note	One half interest in shaft No. '1, San Francisco lode	rr i
	of this survey is credited to this claim: Value	\$ 875.00
70. I	275.50 ft. of 300.60 ft. drift at 100 ft. level said	
	shaft No. 1, on this claim,	\$2200.00
	San Francisco 100,	*0.00
No. 1	Discovery Shaft 4 x 6 x 130 ft. bears from W end cen	ter
	Jof location 5-47° '13' E 25 ft., value \$1950.00	150.00
, c · 1	A one half interest allotted to this claim \$87	5.00
	Drift at 100 ft. level 4 x 6 x 300.6 ft, course N 58	• 1 150° °
6 . 4	49 W, value of 25 1 ft. on this claim, remaining 27	75.50
	ft.on the Golden State lode, value of portion on this Total value shaft and drift No. 1 allotted to this	\$200.00
; e = 2	claim or a subject to the street of the subject of	\$1075.00
No. 2	Shaft 4 x 6 x 80 ft. bears from point on lode line a	t +
16 * 5	S 47° 13' W 376.5 ft. from W end center of location,	
	S 385 ft. Value	\$ 960.00
e * 3	Buckhorn bode:	2 4
No. 1	Discovery cut 4 x 10 x 8 ft., course N bears from E	end
	center of location N 59° 52' W 310.00 ft. Value	\$ 2500
No. 2	Open cut 4 x 10 x 20 ft. course S 12010 W, bears f	rom

point on line 2 - 3 at 160.1 ft. from cer. No. 3, N 88 51 W 920 ft. Value , \$ 60.00 No. 3 Tunnel 4x6x40 ft., course S 85° 20° E bears from same

\$ 320.00 point N 89° 591 W 982 ft. Value

decrease in most star on each data.

	CONTRACTOR OF THE PROPERTY OF	
No. 4	Shaft 4 x 6 x 10 ft. bears from same point N 84° 05° W.	10700
	1093.50 ft 2 of Teler te. Value \$	50.00
No. 5		
	487.50 ft. jengeren 200 281 1.210 0 . Value \$	50.00
0.1	Gilbert House; e a go e g to., come to the tree for a	
No. 1	Discovery shaft 4 x 6 x 8 ft. bears from S end center of	
	location N 10° 11' E 350 ft. Value \$	50.00
No. 2	Shaft 4 x 6 x 15 ft. bears from same point N 2010 W	
1.113	600.00 ft. Value \$ 1	150.00
No. 3	Shaft 4 x 6 x 30 ft. bears from cor. No. 4 N 68° 20' E	6.6.00
	276 ft. Value \$300, allotted to this claom \$2.50 \$15	0.00
No. 4	Shaft 4 x 6 x 30 ft hears from same point N 87° 59 E	N A CREAT
	476 ft. Value \$300, allotted to this claim	50.00
No. 5	Shaft 4 x 6 x 30 ft. bears from same point N 88° 28' E	
	198 ft. Value \$300, allotted to this claim . \$1	.00
No. 6	Tunnel 4x6x12 ft course S 26 W bears from same point	
	N 26° 42' E 30 ft. ' Value \$	40.00
	Bullion: o g ' va	k u 1 00
No. 1	Discovery cut 4x6x8 ft. course N. bears from the E.	
	end center of location N 50° 16' W 652 ft: Value \$ 2	25.00
No.2	unnel 4x6x10 ft., course S 20°W, bears from cor. No. 3	
	N 4º 20 1, E 200 ft. Value .\$	50.00
Note	One half interest in shafts No. 3, 4, and 6, Gilbert	
	house lode of this survey Value \$	450.00
	Other Improvements; a section grow so, as a section of	
%c • 1	Gilbert House Lode; namely commee property of the	
	Five room house facing N, S. E. cor. bears from cor No.	
	4 N 50° 35° E 130 ft. :-	
	Two room house facing S., S. E. cor. bears from same	
n i i i i i	point Ny 57° 20° E 290 ft.	
- rge	Three room house facing N., 'N. W. cor. bears from same-	
	point N 87° 57° E 605 ft.	
	grecommunication of the contraction of the contract	

Survey No. 2973

Note- The value of Shaft No. 1 of the San Francisco lode has been equally divided with the Golden State since it is directly used in the development of the latter claim, ***
being on the same ledge and only twenty five feet E. of the E. end center. These two claims lie along the top of a high hill and the only accessible point from which they can both be most economically developed is from shaft No. 1 on the San Francisco lode.

A one half interest in shafts No. 3, 4 and 6 on the Gilbert House lode has been allotted to the Bullion claim since they are at practically the same elevation as the discovery cut on the latter and almost directly on the continuation of its lode line into the Gilbert House claim; any one of them would furnish the most accessible and economical method of developing both lodes from the most centrally located point with reference to each.

Survey No. 2489 Starlight and Torina lodes,

All of the corners are granite stones properly set and chiceled with the number of the corner and survey.

I find all courses and distances to be correct as approved.

The corners of the Antiberk lode, unsurveyed, are all mounds of stone 3 ft. high, 3 ft. base.

V. S. Mineral Surveyor

April 24th. 1912

AMENDED

NOTICE OF MINING LOCATION

man. 19.1912

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the San Francisco Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposite, was entered upon and located for the purposes of exploration and purchase by Samojlo Mandarich, a citizen of the United States, the undersigned, on the 1st day of January 1908.

The length of this claim is fifteen hundred feet, and I claim fourteen hundred eighty feet, in a southeasterly direction and twenty feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southeasterly to the northwesterly

The claim is situated and located in the Black Rock Mining District, in Yavapai County, in the Territory of Arizona, about one-half mile in a southerly direction from Gilbert Station and the eastern extension of the Golden State Claim

The surface boundaries of the claim are marked upon the ground as follows: Begining at a monument of stonesat a point in a south and easterly direction fourteen hundred eighty feet from the discovery shaft (at which this notice is posted,) being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones at the center of stones, being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stone at the southeast corner of said claim; thence easterly 1500 feet to a monument of stone at the southeast corner of said claim; thence northerly 300 feet to the place of begining.

of Title xxx11,

All done under the provisions of Chapter Six, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the San Francisco Mining Claim, Located by Samojlo Mandarich on the first day of January 1908, and recorded in Book 83 of Records of Mines, at page 552, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the discription in the asaid original Location Notice.

Dated and posted on the ground this 5th day of March 1912.

GOLDEN STATE MINING & MILLING COMPANY,

By E.J.Bonsall

Mar. 8		A. D. 191 2 at 2:45 0 clock
M., Book		pages
Records of Yavapai County,	Anigona	pages
records of Tavapar County,	Artzona.	
	SEAL }	L. S. COLWELL,
		County Recorder,
	By	
	.2	Deputy Recorder.
ALCOHOLD TO THE		
		e de la companya de l
	11 k 17 11	
	1	
STATE OF ARIZONA,	ss.	
COUNTY OF YAVAPAI.	\	
	I L & Colwell Cours	ty Recorder in and for the County of Yavapai, State of
Arizona, and custodian of the	records of such office	e, do hereby certify that I have compared the foregoing
opy with, and that the same i	is a full, true and con	rrect copy of AMENDED NOTICE OF MINING
		MOLIUM OF MARKET
LOCATION OF San F	rancisco LODE	CLAIM.
	rancisco LODE	CLAIM.
iled for record on Nar. 8	A.D.1912 at	
iled for record on— Har. 8 ecord in my office in Book	A.D.1912 at	
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	2:45 P.M. and as the same appears of
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	2:45 P.M. and as the same appears of IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	2:45 P.M. and as the same appears of IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	2:45 P.M. and as the same appears of IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this
iled for record on Mar. 8 ecord in my office in Book	A.D.1912 at	2:45 P.M. and as the same appears of IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this

NOTICE OF MINING LOCATION

Lode Claim

TO ALL WHOM IT MAY CONCERN:

This Mining Claim; the name of which is the BUCKHORN Mining Claim, situate on lands belonging to the United States of America, and in which there are valuablemineral deposits, was entered upon and located for the purposes of exploration and purchase by Sam Franklin, a citizen of the United States, the undersigned, on the 17th day of April, 1908.

The length of this claim is fifteen hundred feet, and I claim twelve hundred feet, in a westerly direction and three hundred feet in an easterly direction from the center of the discovery shaft, at which the notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the east.

The claim is situated and located in the Black Rock Mining District in Yavapai County, in the Territory of Arizona, about one mile in an easterly direction from Shaws Stage Station, Located as abandoned ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument at a point in a westerly direction twelve hundred feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim;

thence northerly 300 feet to a Monument, being the N. W. corner of said claim; thence easterly 1500 feet to a monument, being at the N.E. corner of said claim; thence Southerly 300 feet to a Monument at the center of the east end of said claim; thence Southerly 300 feet to a Monument, being at the S.E. corner of said claim; thence westerly 1500 feet to a Monument at the S.W. corner of said claim; thence westerly 1500 feet to a Monument at the S.W. corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title

XXXII, of the Revised Statutes of the United States, and of an Act

of the General Assembly of Arizona, entitled "An Act to Revise and

Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location notice of the Buckhorn Mining Claim, located by Sam Franklin on the 17th day of April, 1908, and recorded in Book 84 of record of Mines, at page 235, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the discription in the said original Location Notice.

Dated and posted on the ground this 5th day of March 1912.

GOLDEN STATE MINING & MILLING COMPANY,

BY

E.J.Bonsall

Har. 8		A. D. 191 2 at 2:45 0 cloc.
PM., Book		pages
ecords of Yavapai County, Arizon	a.	
	SEAL }	L. S. COLWELL,
		County Recorder,
	By	0 (7
		Deputy Recorder.
NA 上提起 18		
717		
		to the second se
	14 - 41 - 51	
TATE OF ARIZONA, OUNTY OF YAVAPAI.	λ, · · · · ·	
I, L. S.	Colwell, County Record	der in-and for the County of Yavapai, State of
rizona, and custodian of the record	ds of such office, do here	by certify that I have compared the foregoin
ou with, and that the same is a fu	Il true and correct con	y of ANENDED NOTICE OF MINING
		O - AMERICA NOTICE OF MINING
LOCATION OF BUCKHORN	LODE CLAIM	
led for record on Nar. 8 A.1	0.1912 at 2:45 1	and as the same appears o
cord in my office in Book		
pages and of the		The Art and the second
payor and of one of	enote thereof.	
	IN WI	TNESS WHEREOF, I have hereunto set m
	hand an	nd affixed my Official Seal thisda
	0/1	1000
YAMPA	of 7	lar. A. D. 1912
VANAPA	of Z	L.S. Colivell County Recorder.

Motice of Mining Location

FEB.6- 1912

LODE CLAIM

This Mining Claim, the name of which is the Gilbert House
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Sam Franklin.
a citizen of the United States (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 17th day of April 1908
The length of this claim is fifteen hundred feet,
and I claim -350- feet,
in a Southerly direction and
1150- feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Southto the North
The claim is situated and located in the Blue Tank Mining District, in
Yavapai County, in the Territory of Arizona, about one mile
in a Easterly direction from Shaw's Stage Station Located
as abandoned ground
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows:
Monument
Monument
Monument at a point in a Southerly direction 350 feet from
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South
at a point in a Southerly . direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument
at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the
at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument hence Northerly 1500 feet to a Monument hence South seing the South corner of said claim; thence Northerly 1500 feet to a Monument hence Easterly 300 feet to a Monument hence hence to a Monument hence hence to a Monument hence he worth hence he was the said claim; thence Easterly 300 feet to a Monument hence he was the said claim; thence he was the said claim; the said cl
at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the N.W. corner of said claim; thence Easterly 300 feet to a Monument end of said claim; thence Easterly 300 feet to a Monument being at the Corner of said claim; thence Easterly 300 feet to a Monument end of said claim; thence Easterly 300 feet to a Monument being at the N.E. corner of said claim; thence Southerly 1500.
at a point in a Southerly. at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the N.W. corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim;
at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the S.W. corner of said claim; thence Northerly 1500 feet to aMonument being at the N.W. corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Westerly 300 feet to the place of beginning.
at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument
at a point in a Southerly. at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument. being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the N.W. corner of said claim; thence Easterly 300. feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument , being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument , being at the N.W. corner of said claim; thence Easterly 300. feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument , being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500.
at a point in a Southerly. at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument. being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument being at the N.W. corner of said claim; thence Easterly 300. feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument , being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument , being at the N.W. corner of said claim; thence Easterly 300. feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument , being at the N.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500. feet to a Monument at the S.E. corner of said claim; thence Southerly 1500.
at a point in a Southerly. at a point in a Southerly. direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the. South end line of said claim; thence. Westerly 300 feet to a Monument corner of said claim; thence. Northerly 1500 feet to a Monument peing at the N.W. corner of said claim; thence Easterly 300 feet to a Monument end of said claim; thence Easterly 300 feet to a Monument peing at the N.E. corner of said claim; thence Southerly 1500 feet to a Monument peing at the N.E. corner of said claim; thence Southerly 1500 feet to a Monument peing at the S.E. corner of said claim; thence Westerly 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 17- day of April 1908

ARIZONA,	SX OE	TERRITOR
----------	-------	----------

		F	
		***********	bsges
County, Arizona, at	Records of	ło	in Book No
191 and duly recorded	day of	.M. on this	o,clock
was filed for record at	certify that the within instrument	ressid, do hereby	Territory afor
Recorder in and for the County and	County		i
	(County of

witness my hand and official seal the day and year first above written.

County Recorder.

B_{y} .I		- C	Pages
ohn I		TOAT)	234
Redd	c	T C	
lck,	Count	(STATE) I C Bradbury	Pages 234
ty Record	y Record	ANOZIR	
By John J. Reddick, Deputy Recorder.	County Recorder.	(CHAI) I C Bradbury	

Book 84 of Mines.	nt 11:15 o'clock	May 11. A. D. 1908	P.S.Wren,
	κ'	A. D.	
	A. M	1908	

Dat	
Dated	
1	-
19.	

Filed and Recorded at request of

ited			
ated 19.			
		0 0 0 0 0 0	
1			
19.			

ated		
19.		

LODE CLAIM

Motice of Location

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the object, or permanent monument, as will identify the claim. claim with reference to some natural claim in either direction. In descrip-Commence description of claim at a

the center of each end-line thereof.

each corner of said claim and one at

above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at

shall be marked by six substantial

Sec. 6. Such surface boundaries

in said shaft mineral in place.

of the shaft at the surface, and deeper, feet from the lowest part of the rim the claim to a depth of at least eight

f necessary, until there is disclosed

cause to be done the following things: ninety days within which to do or specified, the locator shall be allowed tion of a mining claim, as above

* * * * *

2. To sink a discovery shaft in

locators.

name or names of the locator or notice which shall be signed by the post there shall be posted a location

Sec. 4. From the time of the loca-

posts projecting at least four feet

amended at any time and the monu-

Sec. 8. Location notices may be

ments changed to correspond with the

fere with the rights of others. change shall be made that will interamended location; Provided, That no

Discovery Woundent 1000 teet 5	Bnd Monument
--------------------------------	-----------------

point of discovery a conspicuous

by erecting at or contiguous to the

Sec. 2. Such location shall be made of 1901, and Amendments Thereto. Title XLVII of the Revised Statutes Excerpts from the Mining Laws of the Territory of Arizona.

three feet in height, or an upright post, securely fixed, projecting at least monument of stones not less than

four feet above the ground, in which

monument of stones or on which

TERRITORY OF ARIZONA, COUNTY OF YAVAPAI,

I, J. C. Br	adbury, County Recorder in and for the County of
Yavapai, Territory of Arizona, and custodian of th	e records of such office, do hereby certify that I have
compared the foregoing copy with, and that the same	e is a full, true and correct copy of
the Notice of Location of the "G	ilbert House" Lode Claim, situate in
the Blue Tank Mining District, Y	avapai County, Arizona,
filed for record on May 11, A.D.1908,	and as the same appears of
record in my office in Book_84 of Mine	es, at pages
234, and of the whole thereof.	
	IN WITNESS WHEREOF, I have hereunto set my
	hand and affixed my Official Seal this 5th day
	of_February, A. D.xxxx_1912.
	County Recorder. Je

AMENDED

MAR. 19.1912

NOTICE OF MINING LOCATION

Lode Claim

TO ALL WHOM IT MAY CONCERN:

This Mining Claim; the name of which is the GOLDEN STATE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuablemineral deposits, was entered upon and located for the purposes of exploration and purchase by Bunice L. Franklin, a citizen of the United States, the undersigned, on the 2nd day of January, 1905.

The length of this claim is 1500 fifteen hundred feet, and I claim 450 feet, in a northwesterly direction and 1050 feet in a southeasterly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly.

The claim is situated and located in the Black Rock Mining
District in Yavapai County, in the Territory of Arizona, about 3000
feet in a Northerly direction from Gilberts store, this claim is located as an abandoned property formerly known as the Gypsey Mining Claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a north-westerly direction 450 feet from the discovery cut (at which this notice is posted), being in the center of the northwesterly end line of said claim; thence northeasterly 300 feet to a monument of stone, being the N.W. corner of said claim; thence southeasterly 1500 feet to a monument, being at the N.E. corner of said claim; thence southwesterly 300 feet to a monument at the center of the southeasterly end of said claim; themce southwesterly 300 feet to a monument, being at the S.E. corner of said claim; thence northwesterly 1500 feet to a monument at the S.W. corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title

XXXII, of the Revised Statutes of the United States, and of an Act

of the General Assembly of Arizona, entitled "An Act to Revise and

Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location Notice of the GOLDEN STATE Mining Claim, located by Eunice L. Franklin on the 2nd day of January, 1905, and recorded in Book 72 of Mines, at page 567, in the of fice of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the said original Location Natice.

Dated and posted on the ground this 5th day of March 1912.

GOLDEN STATE MINING & MILLING COMPANY,

BY

E.J.Bonsall

	Mar. 8		A. D. 1912, at 2:45 clock
M., Book			
		1.	pages
Records of Yavapai	County, Arizona.		
	}	SEAL }	L. S. COLWELL,
			County Recorder,
		Ву	
			Deputy Recorder.
1 1 To 1		-	
		- 1	
			95
STATE OF ARIZ	ONA, ss.		
SOUNTY OF YAV.	APAI.		
	I, L. S. Co.	lwell, County Reco	rder in and for the County of Yavapai, State of
Arizona, and custod	lian of the records o	of such office, do her	reby certify that I have compared the foregoing
			by of AMENDED NOTICE OF MINING
			og of Amended NOTICE, OF MINING
LOCATION OF	GOLDEN STATE	LODE CLAIM	
iled for record on	Mar. 8 A.1	0.1912 at 2:4	15 O'clock P. Mnd as the same appears of
ecord in my office	in Book	-of	
t pages	and of the who	ele thereof.	
			ITNESS WHEREOF, I have hereunto set my
Marie State State of the last	100000	7 7	nd affixed my Official Seal this Jay

County Recorder.

AMENDED

NOTICE OF MINING LOCATION

MAR. 19.1912

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the BULLION MINING CLAIM, situate on lands belonging to the Unitrd States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Golden State Mining and Milling Company, by George Margaretic, a citizen of the United States the undersigned, on the first day of July 1911.

The length of this claim is fifteen hundred feet, and we claim eight hundred fifty feet, in a northwesterly direction and six hundred fifty feet in a southeasterly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, togather with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast

The claim is situated and located in the Blue Tank & Black Rock in the Territory of arizona,
Miming Districts in Yavapai County, about fifty yards in a northwest direction from Gilbert House at Bullion Station

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a north-west direction eight hundred fifty feet from the discovery shaft (at which this notice is posted,) being in the center of the west end line of said claim; thence northerly 350 feet to a monument of stone, being the northwest corner of said claim; thence southeasterly 1500 feet to a monument of stone, being at the northeast corner of said claim; thence southerly 350 feet to a monument of stone at the center of the east end of said claim; thence southerly 350 feet to a monument of stone, being at the southeast corner of said claim; thence northwesterly 1500 feet to a monument of stone at the southwest corner of said claim; thence northerly 350 feet to the place of begining.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the

General Assembly of Ar izona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bullion Mining Claim, located by The Golden State Mining and Milling Company, by George Margaretic on the first day of July 1912, and recorded in Book 91 of Records of Mines, at page 120 in the office of the County Recorder of the aforesaid County of Yavapaito which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 5th day of March 1912

GOLDEN STATE MINING & MILLING COMPANY,

By E.J.Bonsall

Mar. 8	A. D. 191 2, at 2:45 0 clock
P.M., Book	pages
Records of Yavapai County, Arizona.	
SEAL }	L. S. COLWELL,
	County Recorder,
By	Control of the Contro
	Deputy Recorder.
The state of the s	
STATE OF ARIZONA, COUNTY OF YAVAPAI.	
I, L. S. Colwell, County Records	er in and for the County of Yavapai, State o
Arizona, and custodian of the records of such office, do heret	by certify that I have compared the foregoing
opy with, and that the same is a full, true and correct copy	of AMENDED NOTICE OF MINING
LOCATION OF Bullion LODE CLAIM.	
filed for record on Mar. 8 A.D. 1912 at 2:45 P.	.M. and as the same appears of
ecord in my office in Bookof	
t pages and of the whole thereof.	
IN WIT	NESS WHEREOF, I have hereunto set my
	d affixed my Official Seal thisday Narch, A.D. 1912_
of 1	
	L. S. Colwell County Recorder.
	L'Ounty Doggandon

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Geo. C. Clark		
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and		
boundaries described in the foregoing field notes	s of the survey of the mining claim of	
Golden State	Mining Company	
known as the Golden State, San Fran	cisco, Gilbert House, Buckhorn, Bullion	
and showing the respective capacities in which t		
	Anton Bacic , Chainman.	
	Gorg Bodirozo , Chainman.	
	, Axman.	
-	, Flagman.	
-		
FINAL OATHS	S OF ASSISTANTS.	
We, Anton Bacic		
and Gorg Bodirozo , do solemnly swear that we assisted		
	Mineral Surveyor, in marking the corners and surveying	
the boundaries of the mining claim of		
Golden State Mining Company		
	isco, Buckhorn, Gilbert House, Bullion	
	ag been surveyed by said mineral surveyor and under his	
	spects, to the best of our knowledge and belief, faithfully	
and correctly executed, and the corner and boundar	ry monuments established according to law and the instruc-	
tions furnished by the United States Surveyor-Gen	neral for Arizona	
90	, Chainman. Basis, Chainman. Awman. Flagman	
Subscribed and sworn to by t	he above-named persons before me this 21st.	
day ofMarch.	Jes C, Clark	
	II C Mineral Curveyor	

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Jeo, C. Clark, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Lolden Plate Mining Campany
brown as the
Tolden State, Saw Francisco, Buckharn, Filhert Kouse & Bulli
situate in Black Rock El Black To A Mining Districts
Secs. approx 7,8 +17
situate in Black Rock of Blue Tank Mining Districts Secs. approx 7,8 417 County, University JR B+M., Township No. 8 N, Range No. 3 N J+ S R B+M.
and designated as Survey No. 3973, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
J.S. O. Clark. U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Leo. C. Clark
U. S. Deputy Mineral Surveyor, before me SURVEYOR-DENERAL OF AREZONA this 22
day of March , 1912
though of the
Junit onjun
o 3-164 M.S. Supreyor General

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoen	ix, Arizona,
	June 5,
I, U. S. Surveyor General for Distr	ict of Arizona,
do hereby certify that the foregoing transcript or	,
of the Survey of the mining claim of	
Golden State Mining	
, known as the SAN FRANCISCO	
GOLDEN STATE, BULLION, situate in I	1
Mining District,s, in Section s	7 9 and 17
Range No. 2 W., Unsur.	and designated as Survey
No. 2973 , has been	correctly copied from the originals on
file in this office; that said Field Notes furnish	*
mining claim as will, if incorporated into a paten	at, serve fully to identify the premises.
and that such reference is made therein to natura	
will perpetuate and fix the <i>locus</i> thereof.	· ·
And I further certify that five hundred dollar or for each of or improvements made upon said mining claim?	ars' worth of labor has been expended
that said improvements consist of 5 cuts,	
l drift, total value \$8047. Shaft	
lode is directly used in the develo	
lode, and an undivided 1/2 interest	therein, value \$875, is
properly apportioned to each the Sa	n Francisco and Golden State
lodes. The value of shafts Nos. 3	, 4 and 5 on the Gilbert House
lode is properly apportioned between Bullion lodes, such improvements af and economical method of developmen one-half interest in each of said shand that no portion of said labor or improvement	
expenditures upon any other claim.	
I further certify that the plat thereof, filed in	the U.S. Land Office at Phoenix,
Arizona, is correct and in conformi	ty with the foregoing Field Notes.
	Frank S. Ingalls,
United States Surreyor Gen.	eral for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix, Arizona,
	June 5,, 1912.
I, U. S. Surveyor-General forDist.	rict of Arizona,
do hereby certify that the foregoing and hereto atta	ched Field Notes and Return of the Survey of the
Mining Claim of	
Golden State Min	ing Company
	, known as the
SAN FRANCISCO, BUCKHORN, GILBER	r House, Golden STATE, Bullion
situate in Black Rock and	d Blue Tank mining district, s
Yavapai Count	y,Arizona
7,8 and 17 in Sections. Approx. Township No.	8 N. Range No. 2 W., Unsur.
, designated as Survey No	2973 -
executed by Geo. C. Clark	, U. S. Deputy Mineral
Surveyor, February 8 - March 2	22,, 1912, under my instructions dated
Feb. 5 and Mch. 19 , 19 12, have	ve been critically examined and the necessary cor-
rections and explanations made, and the said Field	Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of	the location certificate filed by the applicant. for
survey is included in the field notes.	Magael
U	S. Surveyor-General for Arizona.