1

(4-683.)

Mineral Survey No. 2978

Lot No.______Land District.

FIELD NOTES

The Arizona Copper Company

KNOWN AS THE

Redondo

Copper Mountain Mining District,

Greenlee County, Arizona

Section 16 & 17 Uns., Township 4 S. , Range 29 E., uncurveyed

Surveyed under instructions dated March 5th. , 1 912

by Lamar Cobb

U.S. Deputy Mineral Surveyor

Claim located see location Notice , 1

Survey commenced March 7th. , 1912

Survey completed March 7th. , 1912

Attorney for claimant

o 6—139

John R. Hampton,

Clifton.

Arizona.

feet

Survey No. 2978

Redondo

Beginning at Cor. No. 1.

On line 3-4 Lot No. 42 Clay lode.

A pine post, in place, 4×4 ins., 3.5 ft. high, with mound of stone. scribed R-1-2978, whence

U.S.L.M. No.1654 bears N.65°04'E. 1066.4 ft.

No bearings available

Thence S.9°25'E.

11-731 028

5. N. E. end center of the location and lode.

9.04 To Cor. No. 2.

N THE SCOPE

Sorting to the second s

On line 3-4 Let No. 42 Clay lede, N. 9° 25' W. 231.33 ft. from Cor. No. 3.
On line 5-6 Sur. No.1654 A, Argyle lede, at S.76°53'W.

1.2 ft. from Cor. No. 6.

A pine post in place, 4×4 ins., 3.5 ft. high, with mound of stone, scribed R-2-2978, whence

A cross (X) and BR-2-2978 chiseled on quartz porphyry bed rock, facing southwest, bears N.54°40'E. 6.5 ft.

Thence S.76°53'W.

649.11 Cor. No. 2 Sur. No. 1654 A. Am. Petaluma lode.

567.8 To Cor. No. 3.

On line 5-6 Sur. No. 1654 A. Argyle lode.

A pine post, in place, 4 x 4 ins., 3.5 ft. high, with mound of stone. scribed R-3-2978.

No bearings available.

Thence N. 9°25'W.

4.44 S. W. end center of the location and lode.

9.44 To Cor. No. 4.

On line 1-2 Sur. No. 1654 A. Am. Petaluma lode, at N.75° 36'W. 20.38 ft. from Cor. No. 2.

A pine post, in place, 4×4 ins., 3.5 ft. high, with mound of stone, scribed R-4-2978.

No bearings available.

feet

Thence N.76°55'E.

667.8

To Cor. No. 1, the place of beginning.

Variation at all corners 13°E.

LODE LINE

As near as can be determined from present developements the vein of this lode extends as follows from the discovery point: 27 ft. S.76°55'W., and 640.8 ft. N.76°55'E.

Area

Acres Acres

Total area Redondo lode

0.141

Area in conflict with:-

Sur. No. 1654 A. Am. Petaluma lode 0.002

The survey of this location is identical with the location as staked upon the ground.

LOCATION

This survey is located in sections I6 & 17, T. 4 S., R 29 E G. & S.R. A.M., unsurveyed, Copper Mountain Mining District, ... Greenlee County, Arizona. Jr. * . * . * Et. M. S.J. 22

ADJOINING LODES

The adjoining lodes are as follows:

On the North, La Esperanza lode, unsurveyed, Detroit Copper Co. claimon the East, and on the south a ant; Lot No. 42 Clay, Sur. No. 1654 Argyle, Sur. No. 1654

A. Am. Petaluma lodes, claimant herein.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certy that the value of the labor and improvements made upon this claim or for the benefit of this claim is not less than five hundred dellars, and that said improvements consist of:

The discovery shaft which is on the lode line 27 ft.from the S.W. end center, 4 x 6 ft., 7 ft. deep.

Value \$ 70.00

No. 2. An undivide 1/8 interest in the last 950 ft. of a tunnel, described as follows:

Beginning at a shaft, known as the Liverpool, which bears from Cor. No. 1, S.40°35'E. 1132 ft.; thence N.84°50'E. 18.6 ft.; thence N.0°41'E. 42.9 ft.; thence N.65°13'W. 800 ft.; thence N.78°39'W.1138.0 ft.; thence S76°55'W.130 ft.

Value, \$42,590.00 Value 1/8 interest \$5,323.75 id

An undived 1/8 interest in this working is accredited to Sur.

No. 1654 A. Am. Petaluma, Sur. No. 1654 A. Petaluma No. 2, Peta-

luma No. 3, and Argyle lodes, Sur. No. 2977 Eureka, Lot No.

42, Clay, and Lot No. 41, Liverpool lodes.

This working will enable the claimant to develop this group of lodes to from 450 ft. to 800 ft. in depth. It will be seen from the "Contour Map" submitted that the ground rises rapidly from the Liverpool shaft, at an elevation of 5000 ft. to the Redondo lode, at an elevation of 5350 ft. As this tunnel is 250 ft. below the surface at the Liverpool shaft, it will, if continued in its present course and drifts and cross cuts run therefrom, develop this group of lodes as above stated.

INSTRUMENT.

This survey was made with a Buff & Berger light mountain Transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 50 ft. and 500 ft. steel tapes.

REPORT

U.S.L.M. No. 1654 is a pine post, 6 x 6 ins., properly set and scribed.

Sur. No.1654 A. Petaluma and Argyle lodes:

All corners are pine posts properly set and scribed.

The differences between the field notes and the location certificates are due to errors in the latter.

The differences between these field notes and the returns of prior surveys are due to errors in the latter.

The end center monuments of this claim are mounds of stone.

Lot. No. 42 Clay lode;

Cors. Nos. 3 and 4 are pine posts properly set and scribed.

W.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Deputy Mineral Surveyor, to	ployed by Lamar Cobb assist in running, measuring, and marking	
boundaries described in the foregoing field no		
	pper Company	
known as the		
and showing the respective capacities in which		
and showing the respective experiences in the	J. L. Awalt	
	KERNETH	, Flagman.
FINAL OAT	THS OF ASSISTANTS	S.
ws I. J. L. Awalt		
and	I	
	, do solemnly swear that we assisted	
United State	es Deputy Mineral Surveyor, in marking th	e corners and surveying
the boundaries of the mining claim of		
		ıy
	The Arizona Copper Compan	ıy
the boundaries of the mining claim of	The Arizona Copper Compan	ıy
the boundaries of the mining claim ofknown as the	The Arizona Copper Compare Redondo Redondo ving been surveyed by said deputy mineral	surveyor and under his
known as therepresented in the foregoing field notes as har direction; and that said survey has been in a	The Arizona Copper Compare Redondo ving been surveyed by said deputy mineral my all respects, to the best of our knowledge a	surveyor and under his
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge alary monuments established according to 1	surveyor and under his and belief, faithfully and aw and the instructions
known as therepresented in the foregoing field notes as har direction; and that said survey has been in a	Redondo Redondo ving been surveyed by said deputy mineral my all respects, to the best of our knowledge alary monuments established according to 1	surveyor and under his and belief, faithfully and aw and the instructions
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge alary monuments established according to 1	surveyor and under his and belief, faithfully and aw and the instructions, Chainman.
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge at lary monuments established according to 1 eral for Arizona	surveyor and under his and belief, faithfully and aw and the instructions, Chainman.
known as the	Redondo Redondo ving been surveyed by said deputy mineral my all respects, to the best of our knowledge a lary monuments established according to 1 eral for Arizons	surveyor and under his and belief, faithfully and aw and the instructions Chainman. Chainman.
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge at lary monuments established according to 1 eral for Arizons	surveyor and under his and belief, faithfully and aw and the instructions Chainman. Chainman. Axman. Flagman.
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge at lary monuments established according to learly for Arizons on to by the above-named persons before means to be the same of t	surveyor and under his and belief, faithfully and aw and the instructions Chainman. Chainman. Axman. Flagman.
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge at lary monuments established according to 1 eral for Arizons	surveyor and under his and belief, faithfully and aw and the instructions Chainman. Chainman. Axman. Flagman.
known as the	Redende Redende ving been surveyed by said deputy mineral my all respects, to the best of our knowledge at lary monuments established according to learly for Arizons on to by the above-named persons before means to be the same of t	surveyor and under his and belief, faithfully and aw and the instructions Chainman. Chainman. Axman. Flagman.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Lamar Cobb	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pur	suance of instructions received from the United
	, dated
	, I have, in strict conformity to the laws of the
	d instructions thereunder, and the instructions
	correctly executed the survey of the Mining
	Copper Company
	, known as the
Redende	,
situate in Copy	per Mountain Mining District,
Greenlee	County Arizana in Section
16 & 17 Unsur., Township No. 4 S., F	Range No29 E., WAXXXXXXXXX.
	2978 , as represented
	ately show the boundaries of said mining claim
	he ground, and described in the attached copy
	ceived by me from the Surveyor General with
	s of said survey have been established and per-
	w, official regulations and instructions there-
	that the foregoing are the true and original
	rt therein, and that the labor expended and
	aim by claimant or its grantors
	character, extent, location and itemized value
	ularity and full detail, and that no portion of
	this claim has been included in the estimate
	P
	Louis of the
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	d Lamar Cobb
·	before me Wade Hampton
	this 9th.
day of March	
	grade famplen
	Matay Rublis
My commission expires 4	ekonoy 23 1911
	1 2 1 1 0 -

Notice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Redouds
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by The acigona Copper Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 2802 day of march 1902
The length of this claim is season hundred feet,
and se claim sig hundred and senenty frosteet
in a mouth 76045 east direction, and twenty fine
feet in a South 76° 45 or est direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
to the north each
The claim is situated and located in the lapper humaniam Mining District, in
Gounty, in the Territory of Arizona, about the mile
in a mouth weelerly direction from the lower of
mounie.
This claim his between the argyle
and the La Espera to Pelaino
and the La Esperanza mining Claims
The surface boundaries of the claim are marked upon the ground as follows Beginning at
a mount y done.
a monument y dones.
a monment y done.
at a point in a S. 76° 45' Dr, direction twenty five feet from
at a point in a S. 76° 45' M, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the mealurly
at a point in a \$1.76° 45' \$\mathread{N}, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the mealurly end line of said claim; thence \$1,13° 15' \$\mathread{N}, \text{ (en } feet to a stake
at a point in a \$1.76° 45' \$\mathred{M}\$, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **reslucture* end line of said claim; thence \$\mathref{M}\$, \$13° 15' \$\mathref{M}\$, thence to a stable corner of said claim; thence
at a point in a s. 76° 45' M, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the mealury end line of said claim; thence 1,13° 15' M, ten feet to a stake , being the 2006 M Corner of said claim; thence 27,76° 45' E, 700 feet to a stake being at the
at a point in a \$1.76° 45' \$\mathred{N}\$, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the mealure end line of said claim; thence \$1.13° 15' \$\mathred{N}\$, ten feet to a stake corner of said claim; thence \$2.76° 45' \mathred{E}\$, \$760 \text{ feet to a stake being at the 2007 \$\mathred{N}\$. \$\mathred{N}\$ feet to a stake corner of said claim; thence \$\mathref{N}\$. \$\mathred{N}\$. \$\mathred{N}\$ feet to a stake being at the 2007 \$\mathred{N}\$.
at a point in a \$1.76° 45' \$7. direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the restriction and line of said claim; thence \$7.13° 15' \$7. (en feet to a stake corner of said claim; thence \$7.76° 45' \$6. 700 feet to a stake being at the corner of said claim; thence \$8.13° 15' \$6. (en feet to a stake) being the center of the seastfully end
at a point in a \$1.76° +5' \$7, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **realizing** end line of said claim; thence \$1.13° 15' \$77, ten feet to a **Take** corner of said claim; thence \$2.76° +5' \&6, 700 feet to a **Sake** being at the **2000 feet to a **Sake** being the center of the **2000 feet to a **300
at a point in a \$ 76° 45' \$?, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **realistic order of said claim; thence \$ 1.3° 15' \$?, ten feet to a **Jake corner of said claim; thence \$ 2.76° 45' \$£, 700 feet to a **Jake being at the \$ 2000 feet to a **Jake being the center of the **Land being at the \$ 2000 feet to a **Jake being the center of the **Land being the center of the **Land being at the **Jake being the center of said claim; thence \$ 3.75' \$\$, then feet to a **Jake being at the **Jake being at the **Jake being at the **Jake being the corner of said claim; thence \$ 3.75' \$.
at a point in a \$1.76° 45' \$7. direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **restricts* end line of said claim; thence \$1.13° 15' \$7. (en feet to a stake) being the **2000 \$1.
at a point in a \$1.76° 45' \$7, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **restricts*, and line of said claim; thence \$7.13° 15' \$77, ten feet to a stake corner of said claim; thence \$7.76° 45' \(\beta\), \$feet to a stake being at the said claim; thence \$8.13° 15' \(\beta\), \$\text{feet to a stake being the center of the enabledy end of said claim; thence \$8.13° 15' \(\beta\), \$\text{feet to a stake being at the said claim; thence \$8.13° 15' \(\beta\), \$\text{feet to a stake being at the stake \$\beta\\$ corner of said claim; thence \$8.76° 45' \$77, the said claim; thence \$8.76° 45' \$77.
at a point in a \$1.760 75' \$7', direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the **restructy* end line of said claim; thence \$7.130' 15' \$7', ten feet to a stake corner of said claim; thence \$7.760 45' \$6', \$700 feet to a stake being at the **Restruction* being the center of the **Lasting* end of said claim; thence \$8.130' \$5' \$6', ten feet to a stake being at the **Lasting* end of said claim; thence \$8.130' \$5' \$6', ten feet to a stake being at the **Lasting* end corner of said claim; thence \$8.760' 45' \$7', ten feet to a stake at the **Lasting* end corner of said claim; thence \$8.760' 45' \$7', ten feet to the place of beginning.
at a point in a \$1.76° 45' 17. direction wearly fine feet from the discovery shaft (at which this notice is posted), being in the center of the medicine and line of said claim; thence \$1.13° 15' 17. Len feet to a stake corner of said claim; thence \$1.76° 45' \omega, 760 feet to a stake being at the corner of said claim; thence \$1.13° 15' \omega, 600 feet to a stake being the center of the endury end of said claim; thence \$1.13° 15' \omega, 600 feet to a stake being at the corner of said claim; thence \$1.13° 15' \omega, 600 feet to a stake at the feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
at a point in a \$.76° 45' \$\mathcal{N}\$, direction twenty five feet from the discovery shaft (at which this notice is posted), being in the center of the meshed end line of said claim; thence \$7.13° 15' \$\mathcal{N}\$, ten feet to a stake corner of said claim; thence \$9.76° 45' \mathcal{E}\$, \$760 feet to a stake being at the corner of said claim; thence \$8.13° 15' \mathcal{E}\$. The feet to a stake being the center of the end of said claim; thence \$8.13° 15' \mathcal{E}\$. The feet to a stake being at the said claim; thence \$8.13° 15' \mathcal{E}\$. The feet to a stake being at the stake \$8.13° 15' \mathcal{E}\$, the feet to a stake being at the stake \$8.13° 15' \mathcal{E}\$. The feet to a stake being at the stake \$8.13° 15' \mathcal{E}\$, the feet to a stake feet to a stake \$8.13° 15' \mathcal{E}\$. The feet to be place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and states are states."
at a point in a \$1.76° 45' \$7., direction to end feet from the discovery shaft (at which this notice is posted), being in the center of the restriction of the discovery shaft (at which this notice is posted), being in the center of the restriction of the discovery shaft (at which this notice is posted), being in the center of the restriction of said claim; thence \$1.13° 15' \$8. The second of said claim; thence \$1.13° 15' 15' 15' 15' 15' 15' 15' 15' 15' 15'
at a point in a \$1.76° 45' \$7. direction to early from feet from the discovery shaft (at which this notice is posted), being in the center of the realizing and line of said claim; thence \$7.13° 15' \$77. Len feet to a stake corner of said claim; thence \$1.76° 45' \$6. The feet to a stake being at the corner of said claim; thence \$1.76° 45' \$6. The feet to a stake being at the corner of said claim; thence \$1.75° \$7. Len feet to a stake being at the said claim; thence \$1.75° \$7. Len feet to a stake being at the corner of said claim; thence \$1.75° \$7. Len feet to a stake at the corner of said claim; thence \$1.75° \$7. Len feet to a stake at the corner of said claim; thence \$1.75° \$7. Len feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.


Posprds of		30	ol Joog ai baby	Oger With
	day of		aidt no ,.M	o,cjock
nt was filed for record at	within instrumen	certify that the	storesaid, do hereby	Territory
aty Recorder in and for the	moO			animata milian
	•	'ss {	ASITORY OF ARIXA	

County, Arizona, at pages...

County Recorder.

Records of

County Recorder in and for the County and



Witness my hand and seal the day and year first above written.

The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either and you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

ERA PRINT, CLIP	County ByDeputy	Pages Money Lu	Aure 27	Filed and recorded at A. J. Hor	Dated Pronce	Redona	Notice of Loc	of 236
CLIFTON	County Recorder. Deputy Recorder.	1 mines	A. D. 190 Z	request of	1281902	Clarin	ocation.	MAR 4- 1912

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,	
August 3, , 1	912.
I, U. S. Surveyor General for Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and app	,
of the Survey of the mining claim of	
THE ARIZONA COPPER COMPANY	
, known as the REDONDO	
, situate in COPPER MOUNTAIN	
Mining District, GREENLEE Co	• •
, in Sections 16&17 Uns., Township No.4	S.,,
Range No. 29 E. , and designated as S	urvey
No. 2978 , has been correctly copied from the original	
file in this office; that said Field Notes furnish such an accurate description of	
mining claim as will, if incorporated into a patent, serve fully to identify the pren	
and that such reference is made therein to natural objects or permanent monumer	
will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expe	
or improvements made upon said mining claim by claimant or its grantors	s, and
that said improvements consist of 1 shaft, value \$70,00, and an undi	ivide
1/8 interest, value \$5323.75, in the tunnel from the shaft or	1 the
Liverpool lode, Lot No.41. Said tunnel, value \$42590.00, beir	ng a
common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement for the benefit and development of this common improvement is a second to be a second t	claim
the Eureka lode, Sur. No. 2977, the Petaluma lode, Sur. No. 1654 A	Am.
the Petaluma No.2, Petaluma No.3 and Argyle lodes, Sur.No.16	·
the Clay lode, Lot No.42, and the Liverpool lode, Lot No.41,	
divided 1/8 interest therein is properly credited to each of	
and that no portion of said labor or improvements has been included in the estimate	
expenditures upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoeni	.X.,
Arizona is correct and in conformity with the foregoing Field Notes	š.
Frank S. Ingalls,	. <u>.</u>

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

		I	hoenix, Arizona,
			August 3, /12.
I, U. S. Surveyo	r-General for Ar	izona	
do hereby certify tha	t the foregoing and b	nereto attached I	field Notes and Return of the Survey of the
Mining Claim of			
			COMPANY
			, known as the
************		REDONDO	
situate in	COPPE	R MOUNTAIN	mining district,
GREENLEE		County,	ARIZONA
in Section s 16&17	Uns., Townshi	p No. 4 S.,	Range No. 29 E.
·,	designated as Survey	No. 2978	
executed by	Lamar C	obb	, U. S. DEWNY Mineral
Surveyor,	March 7,	1912	, 190, under my instructions dated
March	<mark>5, 1912</mark> , 1	190, have beer	critically examined and the necessary cor-
rections and explanat	ions made, and the s	said Field Notes	and Return, and the Survey they describe,
are hereby approved.	A true copy of the	e copy of the loc	ation certificate filed by the applicant for
survey is included in	the field notes.		
	<u></u>	Man.	ld ongala
		U. S. Su	rveyor-General for Arizona.