4-683.

MINERAL SURVEY No. 2980

Arizona Land District.

LOT No.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jennie H. Clark
KNOWN AS THE
New Haven
Hassayampa Mining District,
Yavapai County, Arizona
Sections 25 & 36 , Township 13 North , Range 2 West
Surveyed under instructions dated March 9th. , 19 12
by Herbert C. Shotwell U. S. Mineral Surveyor.
Claim located See location notice , 19 ,
Survey commenced April 8th. , 19 12.
Survey completed " 16 th. , 19 12.

Address; John J. Hawkins, Attorney. Prescott, Arizona. Feet.

Mineral Survey No. 2980.

NEW HAVEN lott.

Beginning at Cor. No. 1, where I set a porphyry stone 4 X 8 X 24 inches long, one half in ground and chiseled N.H.- 1 - 2980 on east face with + on top for exact corner point, with substantial mound of stone alongside, from which a pine tree 15 in. in diam. blazed and scribed B.T.- N.H.-1-2980 brs. S.81° 04' W. 15 Ft., an oak tree 12 in. in diam blazed and scribed B.T.-N.H.-1-2980, brs. S. 23° 00' W. 35.4 ft. the cor. of sections 25,26,35 & 36, T.13 N.,R. 2 W., G.& S.R.B.& M., brs. S.44° 18' W. 813.9 ft.

Thence S.11° 24' W.

593.29 Intersect line between sections 25 and 36, T.13 N., R.2 W. N.89° 53' E. 451.17 ft. from the cor. of secs. 25,26,35 & 36 and S.89° 53' W. 2188.83 ft. from the 1/4 sec. cor. between sections 25 & 36.

700.00 Cross wagon road, course north westerly and southeasterly 708.00 Cross south fork of Groom Creek, flows, northwesterly.

1500.00 Cor. No. 2, a granite stone 14 X 15 X 26 in. long, set 13 in. in the ground and chiseled N.H.-2-2980 on east face with + on top for exact cornerpoint and with substantial mound of stone alongside, from which a pine tree 15 in. in diam. blazed and scribed B.T.-N.H.-2-2980 , brs., S.48° 56' E. 6.5 ft., an oak tree, 12 in. in diam. blazed and scribed B.T.-N.H.2-2980, brs.,

Thence S.78° 36' E.

300.00 South center end, a post in mound of stone.

350.00 Cross Gulch, flows northerly.

N.76° 46' W. 17.00 ft.

578.92 Intersect line 1-2 of King Kelly lode, Mineral Survey No. 1465, S. 5° 53' E. 1307.44 ft. from cor. No. 1.

· (1)

from the second of Fun extent Vo.

Feet. New Haven lode continued. 600.00 Cor. No.3. a porphyry stone 4 X 7 X 24 in. long, set 12 in. in the ground and chiseled N.H.-3-2980 on west face, with + on top for exact corner point and with a substantial mound of stone alongside, from which an oak tree, 8 in. in diam, blazed and scribed B.T.-N.H.-3-2980, brs., S.75° 19' W. 15 Ft., an oak tree 16 in. in diam, blazed and wribed B.T.-N.H.-3-2980, brs., S.61° 56' E. 25.5 ft. Thence N.8° 17' E. 345.00 Cross wagon road, course northwesterly and southeasterly. 375.00 Cross south fork of Groom Creek, flows northwesterly. 1019.25 Intersect line between sections 25 and 36, T. 13 N., R.2 W., N.89° 53' E. 1007.03 ft. from the cor. of secs. 25,26,35 & 36 and S.89° 53' W. 1632.97 ft. from the 1/4 sec. cor of secs. 25 & 36. 1370.70 Intersect line 1-4 of King Kelly lode, Mineral Survey No. 1465, N.81° 39' E. 355.93 ft. from cor. No. 1. 1502.26 Cor. No. 4. a porphyry stone 4 X 8 X 29 in. long, set one half in the ground and chiseled N.H.4-2980 on west face with + on top for exact corner point, from which an oak tree 8 in. in diam., blazed and scribed B.T. N.H.4- 2980 brs., S.44° 24' W. 10.0 ft. an oak tree 10 in. in diam., blazed and scribed B.T. N.H.4-2980 brs., S.16° 26' E. 22.5 ft. Thence N. 78 5 36' W. 218.40 North Center End, a post in mound of stone. 518.40 Cor No. 1 the place of beginning. All corners are identical with their respective location. Magnetic dec. at each corner 15° to east.

LEDGE

The presumed course of this ledge, as near as can be traced upon the ground, is from a point on line

Ledge continued.

No.2.

1-4, S.78° 36' E. 300.00 ft. from cor. No. 1, the N.C.E., thence S.11° 24' W. 1500.00 ft to intersection of line 3-2, at the SCE.

IMPROVEMENTS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and her grantors is not less than five hundred dollars (\$500.00) and that said improvements consist of:

No.1. Discovery point, a point on the ledge in tunnel No. 2,58 ft. from mouth, from which Cor. No. 1 brs., N.10° 35' W. 801.3 ft.

Tunnel, 4 by 6 ft., course N.11° 24'E. 122.0 ft. to face. The first 57 ft. of this tunnel is old work and is not to be accredited to this claim but the last 65 ft. was work done by the claimant and her grantors. From mouth of tunnel, cor. No. 1 brs., N.9° 05' W. 855.0 ft.

Value of 65 ft. of tunnel. \$ 520.00 No.3. Open cut, 4 x 15 x 10 ft face, from face of which Cor. No.1 brs. N.8° 35' W. 850.0 ft.

OTHER IMPROVEMENTS

Old shaft partially caved and filled with water,

judging from size of dump this shaft is about 25 ft.

deep, from center of shaft Cor. No.1 brs., N.15° 15' W.

720.0 ft.

Open cut from face of which cor. No.1. brs., N.12° 07' W. 765.0 ft.

About 600 ft.of wagon road.

Area in conflict with King Kelly lode, Mineral Survey No. 1465... 5.666

ADJOININGCLAIMS....

This claim joins and conflicts with the King Kelly lode, Mineral Survey No. 1465 on the east and there are no other claims joining, and so far as known, the balance of the ground surrounding this claim, is Public Domain and subject to entry.

LOCATION.

This claim is located upon surveyed land, sections 25 and 36, T. 13 N., R. 2 W. of the G. & S.R.B. & M. in the Hassayampa Mining District, Yavapai County, Arizona, within the Prescott National Forest.

INSTRUKENT.

This survey was made with a C.L.Berger & Sons transit, No.1 C.; The distances were measured with a 600 and a 100 foot steel tape. All courses were deflected from true meridian as determined by direct solar observation.

REPORT.

The discrepancies between this claim, as marked upon the ground by the location monuments and as described in the location notice, are due to error in the location notice.

I thoroughly satisfied myself while on the ground making the survey, that the improvements mentioned above and accredited to this claim, were made by the claimant and her grantors.

I do not agree with the courses and distances
as reported in the field notes for the King Kelly
lode, Mineral Survey No. 1465. I found the corners
mentioned above in a state of good preservation.; I.
tied to these corners, and the courses and distances.
reported by me, are the result of careful field and

Report continued.

office work and these discrepancies are due to error in the older survey. I returned to the field on April 16th. 1912 to check my survey which I found correct.

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names	s of the individuals employed	by Herbert C. Shotwell,	
United States Deputy	Mineral Surveyor, to assist i	in running, measuring, and marking	the lines, corners, and
boundaries described in	the foregoing field notes of the	he survey of the mining claim of	
	Jennie H.	Clark	
xnown as the	New Haven		
and showing the respec	etive capacities in which they	acted.	
		C.J.Jacobsen	, Chainman.
			, Chainman.
			, 1 wagmani
,			
XI	**************************************	do solemnly swear that we assisted	Herbert C.
Shotwell	, United States Depu	ty Mineral Surveyor, in marking the	corners and surveying
the boundaries of the r	nining claim of	ennie H. Clark	
known og the		New Haven	
		en surveyed by said deputy mineral	
		ects, to the best of our knowledge a	
correctly executed, and	the corner and boundary mo	onuments established according to la	and the instructions
furnished by the Unite	ed States Surveyor-General for		√., Chainman. √
			, Chainman.
			, Axman.
	a.		Flagman.
	Subscribed and sworn to by	the above-named persons before me	e this 25
57 N - 5	day of april	fuis 1912 for L	Harris
1/1/		/ / / / /	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert C. Shotwel	<u>l</u> , U	J. S. Deputy Mineral
Surveyor, do solemnly swear that, in p	ursuance of instructions rece	eived from the United
States Surveyor General for	Arizona.	, dated
March 9 th. 1912,	, I have, in strict conformi	ty to the laws of the
United States, the official regulations a	nd instructions thereunder,	and the instructions
of said Surveyor General, faithfully a	nd correctly executed the s	urvey of the Mining
Claim ofJen	nnie H. Clark	
		, known as the
	tew Haven	·,
situate in Hass	ay ampa	Mining District,
Yavapai	County, Arizona	, in Section s
25 & 36 , Township No. 13 N.	Range No. 2 W., G.& S.	R.B.& M.
and designated as Survey No	2980	as represented
in the foregoing field notes, which accu	urately show the boundaries	of said mining claim
as distinctly marked by monuments or	the ground, and described	in the attached copy
of the location certificate, which was	received by me from the Su	rveyor General with
said instructions, and that all the corne	ers of said survey have been	established and per-
petuated in strict accordance with the	law, official regulations and	d instructions there-
under; and I do further solemnly swe	ear that the foregoing are th	he true and original
field notes of said survey and my re		
improvements made upon said mining		
are as therein fully stated, and that the	he character, extent, location	n and itemized value
thereof are specified therein with part		
said labor or improvements so credited		
of expenditures upon any other claim.		
	\mathcal{O}	
	1 Ferlan	10/10/0
	U.S.1	Deputy Mineral Surveyor.
	7/ /	
Subscribed and sworn to by the s	aid N. G. Sh	Swell
U. S. Deputy Mineral Surveyor		anorthe Molan Pul
		24 th
day of april a:	2 1919	
uay on tapate	- T	D L/
My lommerion Ixpr	ru Ji.d.	/Tawalli
Feb. 19th 1916.		Motary Public.

NOTICE OF MINING LOCATION. LODE CLAIM.

MAR.9- 1912

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the New Haven Mining Claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Jennie H Clark, A Citizen of the United States the undersigned on the First day of January, 1906

The length of this claim is 1500 feet and I claim 800 feet in a Northerly direction and 700 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Hassayampia Mining District, in Yavapai County, in the Territory of Arizona, about Seven Miles in a Southerly direction from the City of Prescott and midway between the Chicago and the Empire Mines on Groom Creek. It was formerly Know as the Independence Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at Monument at a point in a Northerly direction 800 feet from the discovery shaft (at which this notice is posted) being in the center of the North end line of said claim; thence East 300 feet to a Monument, being the N.E corner of said claim; thence South 1500 feet to a Monument, being at the S.E corner of said claim; thence West 300 feet to a Monument at the center of the South end of said claim; thence 300 feet to a Monument, being at the S.W corner of said claim; thence 300 feet to a Monument, being at the S.W corner of said claim; thence North 1500 feet to a Monument at the N.W corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona. Entitled an act to Revise and Codify the Laws of the territory of Arizona", Approved March 16 1901

Dated and posted on the ground this 1st day of January 1906

Mrs Jennie H Clark

By James O'Connell

Mar 2	A. D. 19406, at 9 Octoo
_A M., Book 75 of Mines,	pages 355
Records of Yavapai County, Arizona.	man control manipa
{ SEAL }	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
By_D_H	Cargill
	Deputy Recorder.

STATE OF ARIZONA, COUNTY OF YAVAPAI.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of New Haven Lode Claim

filed for record on Mar 2 A.D. 1906

record in my office in Book 75 of Mines

at pages 355 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 2nd day of March, A. D. 192

County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,	
	July 10,	, 1912 .
I, U. S. Surveyor General for	Arizona	·
do hereby certify that the foregoing	transcript of the Field Notes,	return and approval
of the Survey of the mining claim of	of	
Jer	nnie H. Clark	
, known as the		
	, situate in Hassayamp	a
Mining District,		
Arizona ,		
Range No. 2 W.	•	- ,
No. 2980		
mining claim as will, if incorporated and that such reference is made ther will perpetuate and fix the <i>locus</i> there will perpetuate and fix the <i>locus</i> there are a further certify that five or improvements made upon said in that said improvements consist of the said improvements.	rein to natural objects or perma reof. hundred dollars' worth of labor nining claim by claimant or	nent monuments as r has been expended her grantors, and
\$545.00		
	•	
and that no portion of said labor or expenditures upon any other claim.	improvements has been includ	ed in the estimate of
I further certify that the plat th	ereof, filed in the U.S. Land Offed in conformity with the forego	•
	Frank S. Ing	alls,
United Stat	es Surveyor General for A	rizona.

o 6---168

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix, Arizona,
	*	July 10, 1912.
I, U. S. Surveyo	or-General for Arizona	•
do hereby certify the	at the foregoing and hereto attache	ed Field Notes and Return of the Survey of the
Mining Claim of		
	Jennie H. Clarl	
		, known as the
***************************************	New Haven	
situate in	Hassayampa	mining district,
Yavap	ai County,	Arizona
in Section S 25 &	, Township No	3 N , Range No. 2 W.
	, designated as Survey No29	980
executed by	Herbert C. Shotwe	U.S. Depoky Mineral
Surveyor,	April 8-16, 1912	, 190, under my instructions dated
March	9, 1912 , 190 , have b	peen critically examined and the necessary cor-
rections and explana	tions made, and the said Field No	otes and Return, and the Survey they describe,
are hereby approved	. A true copy of the copy of the	location certificate filed by the applicant. for
survey is included in	the field notes.	
	dinun	Al Sugares
	TI S	Surveyor-Congral for Arizons.

4115b5m6-02