

Mar 14

(4-683.)

Mineral Survey No. 2988

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Marble Co.

KNOWN AS THE

Lamartine placer

Dos Cabezas Mining District,

Cochise County, Arizona

Section 28-33 ^{partly unsurveyed} Township 14S, Range 28E

Surveyed under instructions dated Feb. 4, 1913

by John A. Rockwell
U. S. Deputy Mineral Surveyor.

Claim located See Location Notice 1

Survey commenced Feb. 21, 1913

Survey completed Feb. 28, 1913

o 6-100

~~Address of claimant~~
~~John G. Kerr Vice President~~
~~Barrie Arizona~~
Claimant's Attorneys
Morrison & De Soto
Denver, Colo.

Beginning at Cor. No. 1, identical with location, a porphyry rock 14 X 10 ins., 36 ins. above ground, in a mound of stone 5 ft. base, chiseled a cross (X) at exact point, and 1-2988 L.

Whence:

The closing corner between Secs. 28-33, Tp. 14 S. R 28 E, on the west boundary of the Camp Bowie

Abandoned military reservation bears east 22.5 ft.

X B R 1-2988 chiseled on a porphyry rock 36 X 20 ins., 10 ins. above ground, bears west 8.4 ft.

Thence south. Va. 14° 10' E.

648.8 Cor. of location, a marked rock. Witnessed by a monument of stone.

656.17 To Cor. No. 2, set a quartz rock 12 X 8 ins. 28 ins. long, 14 ins. in the ground, chiseled a cross (X) at exact point, and 2-2988 L. Witnessed by a monument alongside.

Whence:

X B R 2-2988 chiseled on a porphyry rock 24 X 24 ins., 15 ins. above ground bears N. 41° 46' W. 25.45 ft.

X B R 2-2988 chiseled on a quartzite rock 24 X 6 X 2 ins. bears S. 75° 50' W. 13.65 ft.

Cor. of location mentioned bears north 7.37 ft.

Thence S. 89° 50' E. Va. 13° 40' E.

21.16 Intersect west boundary Camp Bowie abandoned Military Reservation at S. 00° 07' W. 656.24 ft. from closing corner between Secs. 28-33 and N0° 07' E., 1962.36 ft. from the 22 mile corner, whence the closing corner between Secs. 4-33 on the west boundary of Camp Bowie abandoned Military Reservation bears S. 0° 24' E. 2631.3 ft., and from said closing corner ~~the~~ the closing corner between Secs. 28-33 mentioned, bears N. 0° 08' 30" W. 5249.9 ft.

590.00 Enter wash 30 ft. wide, course E. N. easterly; thence along the wash and flats on south side.

Feet

1310.34 To Cor. No. 3 on the line between Secs. 33-34, Tp. 14 S., R. 28 E. set a marble rock 10 X 5 ins., 28 ins. long, 14 ins. in the ground, chiseled a cross (X) at exact point, and 3-2988 L. Witnessed by a monument of stone alongside.

Whence:

The ~~the~~ corner of Secs. 27-28-~~33~~-34 bears N. 0° 11' W. 656.83 ft.

And the cor. of Secs. 33-34 on S. boundary of Township bears S. 0° 11' E. 4597.77 ft.

Note: The ~~4~~ Sec. Cor. between Secs. 33-34 has disappeared. The corner of location was a temporary stake in the wash of canyon and disappeared. This corner re-established bears N. 41° 15' E. 14.6 ft.

The witness corner to said corner of location a rock, chiseled a cross, and ~~was~~ witnessed by a monument of stone, bears N. 82° 11' W. 81.0 ft.

X B R 3-2988 chiseled on limestone 12 X 8 X 4 ins., bears S. 70° 07' E. 41.2 ft.

X B R 3-2988 chiseled on conglomerate rock, 14 X 12 ins., 14 ins. above ground bears N. 82° 11' W. 81.0 ft.

The center of mouth of cut bears N. 43° 33' W. 137 ft.

Nearby is a monument containing notice of location of "Blue Goose No. 3" lode claim, unsurveyed, located March 13, 1909, by J. D. Prewitt et al. Mr. Prewitt states that work has not been kept up and claim has expired.

A stone monument, the westerly of two, bears N. 44° 00' E. 124.0 ft.

Thence: S. 00° 11' E. Va. 13° 20' E.

1313.65 To Cor. No. 4, ^{on line between Secs. 33 & 34} set a limestone 9 X 5 ins., 26 ins. long, 13 ins. in the ground, chiseled a cross (X) at exact

point, and 4-2988 L. Witnessed by a monument of stone alongside.

Whence:

X B R 4-2988 chiseled on limestone face 10 X 8 ins. bears S. $20^{\circ} 17' E.$ 23.0 ft.

X B R 4-2988 chiseled on a limestone face 12 X 4 ins., bears N. $23^{\circ} 52' W.$ 10.45 ft.

Cor. of location a stone monument bears S. $73^{\circ} E.$ 6.5 ft.

The Cor. of Secs. 33-34 on south boundary of township bears $50^{\circ} 11' E.$ 3284.12 ft.

Thence N. $89^{\circ} 47' W.$ Va. $13^{\circ} 25' E.$

1296.07 Intersect west boundary Camp Bowie abandoned Military Reservation at S. $0^{\circ} 07' W.$ - 1968.71 ft. from closing Cor. between Secs. 28-33, Tp. 14 S., R. 28 E. ^{and $N 0^{\circ} 07' E$} 649.89 ft. from the 22 mile Cor.

1314.55 To Cor. No. 5, set a porphyry rock 10 X 8 ins., 28 ins. long, 14 ins. in the ground, chiseled a cross (X) at exact point, and 5-2988 L. Witnessed by a monument alongside.

Whence:

The corner of location, a stone monument, bears south 10.0 ft.

X B R 5-2988 chiseled on a porphyry rock 24 X 20 X 4 ins., bears N. $85^{\circ} 41' W.$, 35.93 ft.

X B R 5-2988, chiseled on porphyry outcrop 24 X 14 X 16 ins., bears N. $68^{\circ} 37' E.$, 98.6 ft.

Thence north Va. $13^{\circ} 50' E.$

648.62 To Cor. No. 6, identical with location, a porphyry rock, 12 X 10 ins., 12 ins. above ground, chiseled a cross (X) at exact point, and 6-2988 L. Witnessed by a monument alongside.

Whence:

X B R 6-2988, chiseled on porphyry rock irregular, exposing approximately 12 X 12 X 3 ins., bears S. $83^{\circ} 43' E.$ 11.7 ft.

X B R 6-2988, chiseled on porphyry outcrop, 36 X 24 X 24 ins., bears N. 3° 57' E., 18.1 ft.

Thence West Va. 13° 40' E.

437.00 Center of gulch 15 ft. wide, course N. N. E.

1320.00 To Cor. No. 7, identical with location, a quartzite rock 10 X 6 ins., 12 ins. above ground, chiseled a cross (X) at exact point, and 7-2988 L, witnessed by a monument alongside.

Whence:

X B R 7-2988 chiseled on a limestone reef 30 X 30 X 12 ins., bears N. 35° 42' E., 9.0 ft.

X B R 7-2988 chiseled on a porphyry outcrop 30 X 24 X 6 ins., bears N. 73° 12' W., 12.93 ft.

Thence North Va. 13° 45' E.

660.00 To Cor. No. 8, identical with location, a conglomerate rock 12 X 10 ins., 12 ins. above ground, chiseled a cross (X) at exact point, and 8-2988 L.

Whence:

X B R 8-2988, chiseled on conglomerate rock, 30 X 24 X 10 ins., bears S. 22° 10' W., 15.85 ft.

X B R 8-2988, chiseled on a limestone bedrock, exposing 36 X 20 ins., bears N. 61° 37' W., 24.45 feet.

A small spring of water emerging from marble bears N. 48° E., 116 ft. At spring is a monument containing notices of lode locations as follows:

1st. Lone Jack lode, F. Thompson et al locators, dated Aug. 20, 1905.

2nd. Marble Spring lode, Jack Wick locator, dated April 27, 1907.

Thence west Va. 13° 40' E.

2430.00 Gulch 6 ft. wide, course E. S. E.

2640.00 To Cor. No. 9, identical with location and with Cor. No. 2 Lorraine placer ~~XXXX~~, Sur. No. 2991, and No. 3046, a porphyry rock, 10 X 5 ins., 12 ins. above ground, chiseled a cross (X) at exact point, and 9-2988L. Witnessed by a

monument alongside.

Whence:

X B R 9-2988, chiseled on a porphyry rock, 12 X 12 X 6 ins., bears N. 71° 30' W., 22.8 ft.

X B R (not smooth space for more) chiseled on a limestone rock 20 X 12 X 10 ins., bears S. 28° 40' E., 8.75 ft.

Thence north Va. 14° 00' E.

264.2 Center of gulch 5 ft. wide, course S. E.

879.2 To Cor. No. 10, identical with location, and with Cor. No. 1 Lorraine placé Sur. No. 2991, and 3046, a marble stone 12 X 12 ins., 15 ins. above ground, chiseled a cross (X) at exact point, and 10-2988 L, Witnessed by a monument alongside.

Whence:

X B R 10-2988 chiseled on limestone bedrock, exposing 50 X 24 ins. bears S. 14° 04' W., 23.65 ft.

X B R 10-2988 chiseled on limestone bedrock exposing 36 X 36 ins. bears S. 86° 23' W., 15.1 ft.

Thence east Va. 13° 35' E.

400.00 To Cor. No. 11, identical with location, a porphyry rock 8 X 6 ins., 15 ins. above ground, chiseled a cross (X) at exact point, and 11-2988 L. Witnessed by a monument of stone alongside.

Whence:

X B R 11-2988 chiseled on limestone outcrop, 14 X 16 X 2 ins., bears S. 19° 59' W., 24.8 ft.

X B R 11-2988, chiseled on a porphyry rock, 24 X 12 ins., 10 ins. above ground, bears N. 74° 19' W., 46.05 ft.

Thence north Va. 13° 35' E.

440.8 To Cor. No. 12, identical with location, a porphyry rock, 12 X 8 ins., 14 ins. above ground, chiseled a cross (X) at exact point, and 12-2988 L. Witnessed by a monument of stone alongside.

Whence:

X B R 12-2988 chiseled on a porphyry face 16 X 14 ins., bears S. 2° 00' E., 4.8 ft.

X B R 12-2988, chiseled on porphyry outcrop 10 X 5 X 8 ft., bears N. 82° 59' E., 25.7 ft.

~~XX~~
~~XX~~

Note: This exclusion was made to avoid conflict with the Hard Luck lode claim, unsurveyed, located January 9, 1911, by J. H. Lawhon and W. H. Smith. The lines follow approximately the change in geological formation, between the marble bearing formation and that of the lode claim, and were approved by Mr. Lawhon, one of the claimants of the lode claim.

Thence east Va. 13° 35' E.

- 35.0 Center of wash in gulch, 6 ft. wide. Course S. E.
- 855.0 Center of wash in gulch 6 ft. wide. Course south.
- 971.8 To Cor, No. 13, identical with location, on S. side Blue Goose No. 1 lode claim, unsurveyed, a porphyry rock 12 X 10 ins., 15 ins. above ground, chiseled a cross (X) at exact point, and 13-2988 L. Witnessed by monument of stone alongside.

Whence:

X B R 13-2988, chiseled on a porphyry rock, 18 X 15 ins., 6 ins. above ground, bears N. 17° 00' W. 6.60 ft.

X B R 13-2988, chiseled on a porphyry rock, 24 X 24 X 15 ins., bears N. 87° 20' E., 7.55 ft.

Thence S. 70° 57' E. Va. 13° 40' E.

- 954.7 S. E. Cor. Blue Goose No. 1 and south west Cor. Blue Goose No. 2 lodes, unsurveyed, a stone monument.
- 1341.8 To Cor. No. 14, identical with location, a limestone 7 X 6 ins., 13 ins. above ground, chiseled a cross (X) at exact point, and 1429 L. Witnessed by a monument of stone alongside.

Whence:

X B R 14-2988, chiseled on limestone outcrop, exposing 36 X 24 X 24 ins., bears N. 58° 04' E., 11.65 ft.

X B R 14-2988, chiseled on limestone outcrop, exposing 24 X 14 X 10 ins., bears N. 43° 31' W. 15.5 ft.

Thence south Va. 13° 35' E.

222.00 To Cor. No. 15, identical with location, a marble stone 10 X 6 ins., 12 ins. above ground, chiseled a cross (X) at exact point, and 15-2988 L. Witnessed by a monument alongside.

Whence:

X B R 15-2988 chiseled on porphyry bedrock, exposing 12 X 10 ins., bears S. 52° 07' E., 6.3 ft.

X B R 15-2988 chiseled on limestone outcrop, 48 X 24 X 10 ins. bears N. 87° 00' E., 28.4 ft.

X B R 15-2988 chiseled on limestone outcrop 10 X 6 X 3 ins., bears N. 37° 00' E. 0.7 ft.

Thence east Va. 13° 30' E.

1320.0 To Cor. No. 1, the place of beginning.

A R E A.

149.142 acres.

L O C A T I O N.

This claim is located in Tp. 14 S., R. 28 E., in Secs. 28 & 33 partly unsurveyed, Cochise County, Arizona. Mining District, Dos Cabezas.

A D J O I N I N G C L A I M S.

On the North:

HardLuck lode claim, unsurveyed, J. H. Lawhon &

W. H. Smith claimants:

Blue Goose No. 1 and Blue Goose No. 2 lode claims,
unsurveyed; J. D. Prewitt et al claimants.

On the East:

Brocatelle marble placer claim, described by legal
subdivisions; Arizona Marble Company claimant.

On the West: Lorraine Placer, Sur. No. 2991 and 3046.

EXPENDITURE OF \$500.

Note: In calculating the value of work the basis
is this:

1st. Clearing away surface, trees, brush, earth
and rock, estimate for each particular case.

2nd. Marble removed by blasting, without great
care being exercised as to size of pieces; 20 cts. per
cu. ft.

3rd. Marble removed "in form" by "plugging and
feathering"; 50 cts. to \$1.00 per cu. ft.

I certify that the value of labor and improvements
made upon this claim, by the claimant or its grantors,
is not less than five hundred dollars, and the said im-
provements consist of marble quarries as follows:

No. 1 Dis. Marble Quarry.

From a point on line 6-7 at west 583.9 ft.
from Cor. No. 6, N. 9° 54' W., 597.4 ft. to a cross (X)
chiseled on bedrock. Said cross is close to N. E. Cor.
of quarry at face. Width of quarry 50 ft. W. S. W.,
very irregular.

Value of 700 ^{cu.} /ft. of marble removed	\$140.
--	--------

No. 2 Marble Quarry:

From Cor. No. 8, the S. E. Cor. of this quarry
bears N. 9° 20' E., 222.00 ft., width 21 ft. W. S. W.,
very irregular.

Value scalping and cleaning	\$15.00
-----------------------------	---------

1000 cu. ft. marble removed	200.00
-----------------------------	--------

Total	\$215.
-------	--------

From a point on line 8-9 at west 1052.8 ft. from Cor.
No. 8,

No. 3) Marble Quarry the S. E. Cor. of which bears
N. 39° 00' E., 299.7 ft., width of quarry 34 ft. W. S. W.,
irregular.

Value of work, 385 cu. ft. of marble removed 77.

No. 4) Marble Quarry, the N. W. Cor. of which bears
N. 20° 35' E., 304.2 ft. Width northerly and southerly
15 ft.

Value, 345 cu. ft. of marble removed, 69.

No. 5) Marble Quarry, the center of west end of which
bears N. 4° 16' W., 454 ft. Width E. N. E., 18.0 ft.

Value, 300 cu. ft. marble removed, 60.

Total value of work \$561.

OTHER IMPROVEMENTS.

From point on line 6-7 at west 583.9 ft. from Cor.
No. 6, a shaft, the center of which bears N. 48° 45' E.,
577.0 ft. Shaft 6 X 3 1/2 ft., 6 ft. deep, old work;
claimant unknown.

INSTRUMENT.

This survey was made with a Young & Sons Mountain
Transit No. 6855, provided with a Smith Solar Attachment.
The courses were deflected from true meridian as obtained
by direct solar observations.

The measurements were made with 50 ft. and 500 ft.
steel tapes.

REPORT.

The closing corner between Secs. 28-33, Tp. 14 S.,
R. 28 E., on the west boundary of the Camp Bowie Abandoned

Military Reservation, is a porphyry rock 8 X 4 ins., 13 ins. above ground, chiseled C C. on the east, one notch on the south and P. L. on the west.

It is witnessed by a monument of stone on the east.

The Cor. of Secs. 27-28-33-34, Tp. 14 S., R. 28 E., is a rock 8 X 6 ins., 12 ins. above ground, marked with three notches on the east and one notch on the south.

Witnessed by a monument on the west.


The Cor. of Secs. 33-34 on the south boundary of Tp. 14 S., R. 28 E., is a granite rock, 7 X 6 ins., 14 ins. above ground, in a circle of stones, marked with 3 notches on the east and 3 notches on the west edges.

The 22 mile corner on the west boundary of Camp Bowie Abandoned Military Reservation is a porphyry rock 14 X 8 ins., 14 ins. above ground, marked 22 M., also C.B.A.M.R. on the east, and P. L. on the west.

The closing corner between Secs. 4-33 on west boundary of Camp Bowie Abandoned Military Reservation is a granite rock 10 X 6 ins., 20 ins. above ground, in a circle of stones chiseled C C on the east and P. L. on the west, 6 notches on the south.

Tombstone, Arizona,

March 5, 1913.


U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

John A. Rockefeller

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Arizona Marble Co.

known as the

Lamartine Placer

and showing the respective capacities in which they acted.

W. H. O'Connor, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, *W. H. O'Connor*

and

....., do solemnly swear that we assisted

John A. Rockefeller

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

The Arizona

Marble Co.

known as the

Lamartine Placer

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

W. H. O'Connor, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this *28*

day of *February*, 19*03*

John A. Rockefeller

There being no ^{known} notary public within eight miles by the nearest wagon road; to avoid loss of time, expense and incommence the above oath was administered by me at Schabro Ranch, *John A. Rockefeller*

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A. Rockfellow, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb 4, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Arizona Marble Co., known as the Lamartine Placer, situate in Doz Cabezas Mining District, Cochise County, Arizona, in Sections 28 and 33 partly unsurveyed, Township No. 14 S, Range No. 28 E, and designated as Survey No. 2988, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Deputy Mineral Surveyor, before me Flora A. Rockfellow
this 5th
day of March, 1913,

Flora A. Rockfellow
Notary Public

My Commission expires Apr 25 1915

Supplemental Report.

Survey No. 2966, Lamertine Placer.

Survey No. 506 Somet lode was made many years ago in the vicinity of this survey. As nearly as can be ascertained it occupied the ground now claimed as the Blue Goose No. 1 lode unsurveyed. The records do not evidence that Somet lode survey No. 506 has been patented and the above mentioned Blue Goose No. 1 claim has been held and worked by present claimants several years. There are no evidences now on this ground of Survey No. 506, no monuments that appear to have been erected by surveyors.

Tombstone, Ariz.

April 28, 1913.

John A. Rockefeller
U.S. Min. Surveyor

Sworn and subscribed to before me this 29 day of April 1913.

My Commission expires Apr 28 1915 Flora A. Rockefeller.

Notary Public

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the Lamartine Placer

claimed by The Arizona Marble Co.

situate in Das Cabezas Mining District,
Cochise County, Arizona, embracing
149.142 Acres

in Secs. 28-33 partly ^{unsurveyed} Town. 14 S . Range 28 E.

Examination made Feb 22-28 . 1913

By John A. Rockefeller
U. S. Deputy Mineral Surveyor.

DESCRIPTIVE REPORT,
PLACER
LAMARTINE SURVEY No. 2982.

a) This claim follows the general course of a zone of marble which extends with well defined boundaries from 100 to 300 feet apart, for a distance of four miles or more.

The region is rough and mountainous. The soil is meagre, the weathering of limestone, porphyry and quartzite,- conglomerate. The steep slopes are generally bare producing cacti, some brush, and on north slopes and in gulches, small cedars and scrub oak.

b) There are no living streams, but dry washes, down which the flood waters of the rainy season pass.

c) The quarry workings are described under the head of Improvements.

d) The nearest railroad town is Bowie, a junction point on the main line of the Southern Pacific R. R., about twelve miles distant on an easy down grade from this claim. A wagon road ends about two miles below the claim. There are no serious obstacles to continuing the road to the quarries on the claim.

e) There are two or three individual lode claims in the vicinity but not now being worked. The gold and Copper mines of Dos Cabezas District are situated about six miles in a westerly direction, and the gold mines of old Camp Bowie are about three miles southerly.

f) The claim is well situated for quarrying. There is one spring of water near Cor. No. 8, sufficient for camp purposes.

g) See description under head "Five Hundred Dollars Improvements."

h) There are no mines, salt licks, salt springs, or millseats on the claim so far as known.

Tombstone, Arizona,

March 5, 1913.


U. S. Mineral Surveyor.

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

State of Arizona }
COUNTY OF Cochise } ss:

John H. Ferguson and W. H. Connor
being first duly sworn, severally depose and say that he is personally and well acquainted with the

placer-mining claim of The Arizona Marble Co
known as the Lamarine Placer, situate in

Los Cabezas Mining District,
Cochise County, Arizona, embracing 149.142

acres in both the surveyed and unsurveyed portions

of, in Township No. 14 S
Range No. 28 E; and also with the character of all the land included

in said claim, and has been so acquainted for three years and eight days respectively
past; that his knowledge of said claim and land is derived from passing

back and forth over the ground and is such as to enable

him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of John A. Rockfellow, U. S. ~~Deputy~~ Mineral Surveyor, and
that to his own personal knowledge said report is in all respects true and accurate.

John H. Ferguson
W. H. Connor

Subscribed and sworn to by the above-named persons before me
this 28 day of February, 1903

John A. Rockfellow
U. S. Mineral Surveyor

4116b3m6-02

There being no known notary public within
eight miles by the nearest wagon road;
to avoid loss of time, expense and incon-
venience the above oaths were ad-
ministered by me at Chaparral Ranch
John A. Rockfellow
U. S. Mineral Surveyor

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, John A. Rockfellow, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U. S. Surveyor
General for Arizona, dated Feb 4, 1913

I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of The Arizona Marble Co.

known as the Lamartine Placer
situate in Dos Cabezas Mining District,
Cochise County, Arizona, embracing
149.142 Acres

in Township No. 14 S, Range No. 28 E partly surveyed, and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Mineral Surveyor,

before me Flora A. Rockfellow
this 5th day of March, 1913

*My Commission expires
Apr 25 1915*

Flora A. Rockfellow
Notary Public

FEB 4 - 1913

AMENDED LOCATION NOTICE OF THE
L A M A R T I N E
PLACER MINING CLAIM

TO ALL WHOM IT MAY CONCERN: This is an amended notice of location of the **Lamartine** Placer Mining Claim, located on the 23rd day of May, 1907 by Walter Thomson, John G. Kerr, J. H. Mouat, M. Thomson, William McPherson, Harry Higgins, Thomas Shepard and H. A. Rohe, all citizens of the United States of America, being a form of valuable mineral deposit other than veins or lodes of quartz or other rock in place, and was entered upon for the purpose of exploration and purchase, the original notice being recorded in Book 40, page 69 Record of Mines, on June 19, 1907.

The undersigned, without waiver of any rights accruing under said original location notice, claims 160 acres for said Placer Claim, and has marked the same as follows:

Beginning at Cor. No. 1, whence the closing corner between Sections 28-33 on West boundary of Camp Bowie abandoned Military Reservation bears East 22.5 feet; thence South 660 feet to Cor. No. 2; thence East 1320 ft. to Cor No. 3; thence South 1320 ft. to Cor. No. 4; thence West 1320 ft. to Cor No. 5; thence North 660 ft. to Cor No. 6; thence West 1320 ft. to Cor No. 7; thence North 660 ft. to Cor. No. 8; thence West 2640 ft. to Cor No. 9; thence North 879.2 ft. to Cor No. 10; thence East 400 ft. to Cor. No. 11; thence North 440.8 ft. to Cor. No. 12; thence East 971.8 ft. to Cor. No. 13; thence S. 70° 57' E. 1341.8 ft. to Cor No. 14; thence South 222 ft. to Cor No. 15; thence East 1320 ft. to Cor. No. 1 the place of beginning and forming a portion of Township 14, South, Range 28 E.

A copy of this notice is placed in a mound of stones at Corner No. 1. All in the County of Cochise, State of Arizona, Mining District Unknown.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and an act of the General Assembly of Arizona, "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16th, 1901.

Date of Amended Location Notice, November 27th, A.D. 1912.

THE ARIZONA MARBLE COMPANY

By John G. Kerr,

Vice President

Present Owner

Filed and recorded at request of Arizona Marble Co., Nov. 30, 1912, at 10:45 A.M. and recorded in Book 47 Record of Mines at page 480.

STATE OF ARIZONA,)
) : SS.
 County of Cochise.)

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the original amended location notice of the **LAMARTINE** Placer Mining Claim, filed for record in my office on the 30th day of November, A. D. 1912 at 10:45 A.M., and recorded in Book 47 Records of Mines at page 480, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 22nd day of January, A. D. 1913.

Owen E. Murphy,

County Recorder

By Jos. A. Luey Deputy.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 12, 1913. -190-

I, U. S. Surveyor-General for Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THE ARIZONA MARBLE CO.

known as the LAMARTINE PLACER

situate in DOS CABEZAS

Mining District, COCHISE County, ARIZONA

in Section 28-33, partly uns., Township No. 14 S., Range No. 28 E., and

designated as Survey No. 2988, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 5 quarries, total value \$561.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

June 12, 1913, 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

THE ARIZONA MARBLE CO.

known as the

LAMARTINE PLACER

situate in DOS CABEZAS mining district,

COCHISE

County,

ARIZONA.

in Sections 28-33 partly ^{uns.} Township No. 14 S., Range No. 28 E.,

designated as Survey No. 2988

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, Feb. 21-28, 1913, 190, under my instructions dated

Feb. 4, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.