(4—683.)

Mineral Survey No. 2990

Lot No.

Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
A W Dorl
KNOWN AS THE
Exper Glance
Cohre Basin Mining District,
Garapai County, Frynn
Section Copper 21, Township 13 N., Range 3 Dr. June
Surveyed under instructions dated may 2, 19/7.
by William Holland, U. S. Deputy Mineral Surveyor
Claim located Su Locato Nous , 1
Survey commenced hay 4
Survey completed Bray 4 . 19/2
. 6 100
Goldresso, Claiman
All. Brok
Prescott Anzona

Feet	Beginning at Cor. No. 1 Identical with the los. and with cor.
_	No.6 Triangle lode Sur. No. 518, on line 5-6 Cross lode, Lot No. 43.
V	Granite stone 8X8X26 ins.set 13 ins.in the ground with
	mound of stones chiseled 1-C-G-2990. Whence:-
	U.S.MM No.1 brs.N 512E 916 feet.No bearings available.
	Loc.cor, mound of stones with stake 4X4 ins.X 4 ft.
	Thence's 300'W
	lode, unsurveyed J.J. dackhol. Latrant, and on the Feb. 3
214.44	1. CHO - Print Code cod do to the code of the code
	421.14 ft.from cor.No.5
320	Cross wash lo ft.wide course S. 42% DA GLOSE Joge Jot.
728.55	Intersect line 576 Fine Jay lode Lot No.37 identical with
	line 6-5 Pine Hollow lode Lot.No.38 at S 529E 294.88 ft from
	from cor.No.5 Blue Jay and Cor. No. 6 Pine Hollow lodes,
1461	Intersect line 2-3 Pine Holiew lode lot No.38 at S 52%E
1500	715.01 ft.from Cor.No.2, Cor.No.6 said lode is N. 38°E. 600 ft. from Cor. No. 2 thereof. To CoR.No.2.
800	Identical with the loc. and with cor No.5 Triangle lode Sur
	Nosla.
200	Granite stone 6X6X24 ins. set 12 ins. in the ground with
	mound of stones chimeled 2-C-G-2990, whence:-
	An Oak tree 7 ins.diam.scribed X-B-T-2-C-G-2990 brs.
	Loc. cor . Dant 4 to M. 88.30 B. 4 Leef . of the party
	An Oak tree 8 ins.diam.scribed X-B-T-2-C-G-2990, brs.
	West 27.2 feet. Loc.cor.post 4X4 ins.X 4 ft.in mound.
	characte Mo.Els and with cor. work arbunole lode lot Mo. 44.
	Identical with the locand with con, No. 3 Triangle lote
L-342-	Zo Gor No. A. Va. 148E
2143	Cross wash 10 ft wide sourse S 20 E.
300	S.C.E. identical with the loc. a mound of stones 2X2 ft.
520 JL	Gross road course S67°E & N 67°W
600	To Cor. No. 3. LAGUAGE HE MOLE AN INCH
	Identical with the loc.and with cor.No.3 Triangle lode
	sur. No. 818 and with oor. No. 5 Carbunele lode lot No. 44.
	3000 Mo + 3300 (S)

A porphyry stone icxizx26 ins. set 14 ins. in the ground with mound of stones chisolod 3-0-d-2990, No bearings available Loc.cor.post 4X4ins.X 4 ft.in mound. Thence N 3°E va.14°E

15 Cress road course S 67°E & N 67°W Cross wash 10 ft wide course S 51°E 290 Cor No. 2 Pine Hollow lode lot No. 38. 320 To Cor. No. 4. 1500 Va. 14°m Identical with the loc. and with cor. No. 2 Triangle lede Survey No.518 and with cor.No.6 Carbuncle lede lot No.44, On line 5-6 Cross lode, Lot No. 43, Quartz stone 3x8x24 ins.set 12 ins.in the ground with mound of stones chiseled 4-0-6-2990 No bearings available Loc.cor.post 4X4 ins.X 4 ft. in mound of stones. Alone there's 74050 Bersel-8-6-6-886 1981 downed of stones of the 146 B-d-0-2890 give our -N.C.E. identical with the Icc.a post 4X4 ins.X 4 ft.in mound 300 of stones. To Cor. No. 1 the place of beginning, do 2 Trisucle Inte Sur 600 TO COR, MO.P. THEC AREA. Area in conflict with Triangle lede sur, 518,20,171 acres. IVEL Pine Hollow lode lot No.38,6.955 acres. THE C- BING HOLTON BILL Jay 1000 10t No.37 8 391.425 54 B.O. Enterwort WDIGINING CRAIMS or Lode Lot Wo. 57 identical with 728 . S. This claim is bounded on the North by Cross lode let. No. 43. 280 on the East by U.S. Land and Blue Jay lode lot. No. 37 and Pine Hollow lode lot No. 38.0n the South by Cambridge 314,44 lode, unsurveyed J.J. Jackson claimant and on the West by Carbunole lode los No.44 hoc. nor, nound of globes with stake 4x4 ins. X 4 ft. The ledge on this claim brs. S 30W 1500 ft.from the THITH. C. End to the S.C. End. GLOUITE STONE AND AND STONE OF THE APPRIX SECRITE MIN This claim is located on unsurveyed land in T.13 N.R.3.W Copper Basin Mining District, Yavapai County, Arizona, in the Prescott Leer National Forest

BINGLE BUTTON V BLS O VINE I'M

(3)

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of:-

No.1 Dis.out which is on the lode line 10 ft.from the N.C.E.4X15X10 ft. value.......\$50.00

No.2 shaft which bra.from cor.No.4 S 69°E 270 ft.
4X6X40 ft. timbered value......\$600.00

No.3 tunnel which brs.from cor.No.3 N 15°E 230 ft.

4X6X30 ft.course S 16°W value \$180.00 OTHER IMPROVEMENTS, (See * below) INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

REPORT.

Cor.No.2 Triangle lode sur.No.518 and No.6 Carbuncle lode lot.No.44, is an oak post 4X4 ins.X 3 ft.in mound of stones scribed T.No.2.C-No.6.

- Cor.No.3 Triangle lode and cor.No.5, Carbuncle lode is an oak post 4X4 ins.X 3 ft.in mound scribed T.No.3. C.No.5.
- Cor.No.5 Triangle lede sur.No.518, is an eak post 4X4 ins.X 3 ft.in mound scribed T.No.5.
- Cor.No.6 Triangle lode sur.No.518 is an eak pest 4X4 ins. X 3 ft.in mound scribed T No.6
- Cor.No.2 Pine Hellew lode lot No.38 is an oak post 4X4 ins. X 3 ft.in mound scribed P-H.No.2
- Cor.No.6 Pine Hollow lode lot No.38 and Cor.No5 Blue Jay lode lot No.37 is an eak post 4X4 ins.X 3 ft in mound scribed P-H-No.6.B-J-No.5
- Cor.No.3 Blue Jay lode is a Juniper pest 5X5 ins.X 3 ft.in mound scribed B-J-No.3.

* A cut which brs. S. 3° W. 20 or 25 ft. from N.C.E., is practically filled with the dump made by sinking No. 2 shaft.

The difference of the distances of the intersections of the lines of the conflicting limit for claims, with those given us. Mineral Surveyor. in Sur. No. 518 are due to errors in Sur. No. 518.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of t	he individuals emplo	yed by Willian	m of M	ent
United States Deputy Mine	eral Surveyor, to assi	ist in running, measuring	, and marking the	e lines, corners, and
boundaries described in the		w .	g claim of	
· ·	AU	Bush		******
known as the	Copp	u Glam	<u>'</u>	
and showing the respective	capacities in which the	hey acted.		
				Chainman.
		Gensell		·
•		gury y	y www.	, Chainman.
				, Axman.
		*		, Flagman.
	•			, ,
	=			
FI	NAL OATH	HS OF ASSIS	TANTS.	
\mathcal{A}	0	1. 4		
We	george N.	due nutt, do solemnly swear the	1	
and	***************************************	do solemnly swear the	at we assisted	Villen H
Merrit	United States V	Deputy Mineral Surveyor,	in marking the co	rners and surveying
011				
the boundaries of the minin	g claim of	W Broth		
		0.6		<u>*</u>
known as the	Cohh	2 Glair	el	
				and under his
represented in the foregoing	field notes as having	g been surveyed by said de	puty mineral surv	veyor and under his
direction; and that said sur	rvey has been in all r	respects, to the best of our	knowledge and	belief, faithfully and
correctly executed, and the	corner and boundary	y monuments established a	according to law	and the instructions
furnished by the United Sta	ites Surveyor-Genera	of for		
*		gle Mes	rill	, Chainman.
				, Chainman.
				Arman
				, Hamore.
				, Flagman.
Su	bscribed and sworn to	o by the above-named per	sons before me th	8/L
	day of M		2_	
	uay or	, 199	15p	118
		V	Hotany O	2 1.
			Votary O	utlu
17287b5m3-05	<u>.</u>	_	1	

my Commission Expers. Fet 16-1916.

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, William of Murutt, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
may $2-/9/2$,, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of A, ON Book
known as the
Copper Glance,
situate in Cohher Basin Mining District,
Garasai County, Anne, in Section
21 , Township No. 13 Oz. , Range No. 3 Oz. , Quan.
and designated as Survey No. 2990 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William & Ment
U. S. Deputy-Mineral Surveyor.
Subscribed and sworn to by the said William H humb
U.S. Deputy Mineral Surveyor, before me J. Mussell, a this 8 th
Notary Ouble this 8th
day of May - 1912,
a firm
my Communion Exprise Feb-16-1916
Notory Oubli
my Communion Experie Fat-16-1916

To All Whom It May Concern:

This Mining Claim, the name of which is the "Copper Glance" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Herman Boehm and John R.Edwards both citizens of the United States the undersigned, on the 3rd day of October, 1905.

The length of this claim is Fifteen hundred (1500) feet, and we claim fifteen hundred (1500) feet, in a southerly direction, and ...feet in a direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly.

and located

The claim is situated in the Copper Basin Mining District, in Yavapai County, in the Territory of Arizona, about 300 yds. in a westerly direction from U.S. mineral monument No.1 and adjoins the Carbuncle claim (patented) on the West side line and the Cross claim (patented) on the north and is cut into on the East by the Pine Hollow, and Blue Jay Claims (patented) which make it a fractional claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument and stake at which this notice is posted thence three hundred (300) ft. in a westerly direction from the discovery shaft (at which this notice is posted), being north west corner of said claim; thence southerly 1500 feet to a monument and stake, being the South west corner of said claim; thence easterly 300 feet to a monument & stake, being at the south center of said claim; thence easterly 300 feet to a monument and stake being the south east corner of said claim; thence northerly 1500 feet to a monument & stake, being at the North east corner of said claim; thence westerly 300 feet to Place of beginning at the corner of said claim; thence feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona. entitled: An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 3rd day of October 1905

John R.Edwards Herman Boehm

Filed and recorded at request of John R.Edwards Oct.16" A,D.1905 at 2:40 o'clock P.M., Book 75 of Mines, Page 33, Records of Yavapai County, Arizona.

(SEAL) Roland Mosher County Recorder.

By L.S.Colwell Deputy Recorder.

		A. D. 191 , at peloe
M., Book		
Records of Yavapai Count	u Arizona	pages
	y, vir books.	
	SEAL {	L. S. COLWELL,
		County Recorder,
	Ву	
		Deputy Recorder.
		- 0
TATE OF ARIZONA, OUNTY OF YAVAPAI.	00	
OUNTY OF YAVAPAI.		
	I, L. S. Colwell, County Records	er in and for the County of Yavapai, State of
rizona, and custodian of t		by certify that I have compared the foregoin
		of Notice of mining location
	ce" Mining Claim	o) no size of mining location
or opper oran	ce mining traim	The Mark to the second
led for record on Oat 1	6 A D 1005 -4 0:40	C. Alexandra
		clock P.M. and as the same appears of
pages 33 and	k 75 of Mines	
7		
The state of the s	INWIT	NESS WHEREOF, I have hereunto set m.
		d affixed my Official Seal this lst day
	hand and	7 00: 7
	hand and	d affixed my Official Seal this lstda

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona	9 -255-5
	July 1	1 , 1 912.
I, U. S. Surveyor General for	Arizona	·····,
do hereby certify that the foregoin	ng transcript of the Field No	tes, return and approval
of the Survey of the mining claim	ı of	**************************************
	A. W. Bork	
, known as the	Copper Glar	1C e
	, situate in Copper	Basin
Mining District	, Yavapai	County,
Arizona	, in Section Approx. 21	, Township No. 13 N,
Range No. 3 W., Uns.	, a	and designated as Survey
mining claim as will, if incorporate and that such reference is made the will perpetuate and fix the locus the And I further certify that fix or improvements made upon said that said improvements consist of value \$830.00	herein to natural objects or pareneof. The hundred dollars' worth of mining claim by claimant for 1 cut, 1 shaft and	ermanent monuments as labor has been expended or his grantors, and 1 tunnel, total
and that no portion of said labor of expenditures upon any other claim. I further certify that the plat. Arizona is correct a	or improvements has been in m. thereof, filed in the U.S.Lan and in conformity with the fo	cluded in the estimate of d Office at Phoenix oregoing Field Notes.
United S	tates Surveyor General for	Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix, Arizona,
		July 11 , 19 12.
I, U. S. Surveyor	-General for Arizona	
do hereby certify tha	t the foregoing and hereto attached F	ield Notes and Return of the Survey of the
Mining Claim of		
***************************************		, known as the
Name	COPPER GLANCE	
situate in	COPPER BASIN	mining district,
Yavapai	County,	Arizona
in Section Approx	. 21 , Township No. 13 N.,	, Range No. 3 W., Uns.
	designated as Survey No. 29	90
executed by	William H. Merritt	, U. S. Deputy Mineral
Surveyor,	May 4, 1912	, 190, under my instructions dated
May 2,	1912 , 190, have been	critically examined and the necessary cor-
rections and explanat	ions made, and the said Field Notes	and Return, and the Survey they describe,
are hereby approved.	A true copy of the copy of the loca	ation certificate filed by the applicant. for
survey is included in	the field notes. Chank	I on galls
	77 S S	prever General for Arizona.