(4-683.)

Mineral Survey No. 2999.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Julius Goldbaum	
*	MARKET 21
KNOWN AS THE	
Rooster Mine	
Old Hat	Mining D <mark>ist</mark> rict,
	, Date 100,
Final County, Ariz	na.
Section 26 Township 8 S.,	Range 16 E.
Surveyed under instructions dated May 28,	1912.
	the state of the s
by Edgar C.	Dietrich.
	U. S. Deputy Mineral Surveyor
Claim located See location notice.	, 1
Survey commenced June 24, 1912.	
Survey completed June 25, 1912.	
o 6—11 ⁽¹⁾	

Address of claimant's Atty.

M. E. Leverich & Co.
F. O. Box 984,
Fhoenix, Arizona.

ROOSTER MINE

Beginning at Cor. No. 1 identical with the location which is a redwood post 4" x 4" x 4'-0" set 2 feet in the ground and surrounded by a mound of stone. I mark same R-1-2999 on its southeasterly face. No bearing trees or bearing rocks available. On line 2-3 Mammoth lode, Sur. No. 802, at S. 45° E. 14.6 ft. from Cor. No. 3, also on line 5-6 Remnant lode, From this corner the 1,4 corner between secs. 26 - 27,

T. 8 S., R. 16 E., G. & S. R. B. & M. bears S. 87° - 25' W. 1075.1 feet dist. THIS KINTS IN USA

Thence N. 75 - 35' E. grantes

Over ascending ground.

Top of ridge bears north and south, begin descent. 200

212.7 Intersect line 6-1, Remnant Lode, Survey, 807, at N.45° E. 183.1ft. from Cor. No. 6. Northerly end center, identical with the location which 300 is a redwood post 4" x 4" x 4'-0" set in a mound of

stone. it would be to the second of and area as

To Cor. No. 2, identical with the location, which is a redwood post 4" x 4" x 4'-0" set 2 feet in the ground and surrounded by a mound of stone. I mark same R-2-2999 on its southwesterly face. No bearing trees or bearing rocks available.

> Thence S. 45 - 00' E. Var. 13 -00' E.

> > 323

Over ascending ground.

Top of spur, course northeasterly, begin descent.

Wash 5 ft. wide, course northeasterly, begin ascent.

725 Top of spur, course northeasterly, begin descent.

Wash, 5 ft. wide, course northeasterly, begin ascent. 860

Top of spur, course northeasterly, begin descent. 930

Wash, 30 ft. wide, course northeasterly, begin ascent. 1200

Top of spur, course northerly, begin descent. 1310

Wash, 8 ft. wide, course northerly begin ascent.

To Cor. No. 3, identical with the location, which is a redwood post 4" x 4" x 4'-0" set 2 feet in the ground

600

550

95

1400

1500

us'II

and surrounded by a mound of stone. I mark same R-3-2999, on its northwesterly face. No bearing trees or bearing rocks available.

Thence S. 75 - 35 W.

a quied Vary 13:- 00 to E: has I more end

Over descending ground.

Wash, 8 rt. wide, course northerly, begin ascent. 25

95 Top of spur, course northerly, begin descent.

175 Wash, 12 ft. wide, course northerly, begin ascent

270 Top of spur, course northerly, begin descent.

dentical with the location, 300 Southerly end centre monument, which is a redwood

post 4" x 4" x 4'-0" set in a mound of stone.

320 Wash, 30 ft. wide, course northeasterly, begin Tascent. The second state of the second

Top of spur, course southerly, begin descent. 490

508. Intersect line 2-3 of the Mohawk Lode, Sur. No.

1157, at S. 15° 59' E. 54.2 ft. from Cor. No. 2.

600 To Oor. No. 4, identical with the location and

with Jor. No. 2 of the Mammoth Lode, Sur Nov. 802

I mark same R-4-2999 on its northesterly face.

This corner is a redwood post, set in the ground

and surrounded by a mound of stone.

No bearing trees or bearing rocks available

On line 1-2 Mohawk lode Eur. No. 1157, S. 44.40 W.

105.5 ft. from Cor. No. 2. Thence N. 45° 00' W. Var. 13° 00' E.

Over slightly rising ground.

225 Frame house, 14 x 20, 20 feet to right of line.

480 Foot of hill, begin ascent along side hill.

1150 Top of ridge, course northerly, begin descent a-

· Johng side hill de tased me THE PROPERTY.

1391.8 Cor. No. 6 Remnant Lode, Survey 807, which is a

redwood post 6" x6" set in a mound of stone.

To. Cor. No. 1 the place of beginning. . .

Along line 6-5 Remnant lode, Sur. No. 807.

The thoraction of them blenblesh with the transitions wellow this

The second and the second secon

7.85

ŠES, E

AREA.

Total Gress Area of the Rooster Mine lode 17.787 Acres

Area in conflict with the Mohawk Lode

0.057 Acres

15-484

Area in conflict with the Remnant Lode

0.227 Acres

15-207 Acres

LOCATION.

This claim is located in section 26, T. 8 S., R. 16 E., G. & S. R. B. & M., in the Old Hat Mining District, Final County. Arizona.

ADJOINING CLAIMS.

The Rooster Lode is bounded on its westerly side by the Mammoth the Lode, Sur No. 802 on its northerly side by the Remnant Lode Survey No. 807, on its easterly side by unclaimpod lands and on its southerly side by the New Year Lode unsurveyed, owned by Fran k Schultz, and the Mohawk Lode, Sur. No. 1157

PRESUMED COURSE OF VEIN.

The presumed course of vein on the Rooster Mine is from the southerly end center N. 45'-00' W., 1500 feet to the northerly end center.

EXPENDITURE OF EIVE HUNDRED DOLLARS.

I hereby certify that the value of the improve ents upon this lode placed thereon by the claimant is not less than \$500 and that the said improvement consists of the following.

From the southerly end center.

No. 1, Discovery Shaft 4x6x17 bears N. 45-00' W.

440 feet distant

Value

\$170

FromCor. No. 3.

No. 2, Tunnel and Open Cut 5x7x183 feet bears

N. 69°-00' W., 420 feet distant.

Value

\$1830

Fromthe northerly end center.

No. 3, Shaft 4x6x10 feet bears S. 58°-45' W...

85 feet distant

Value

\$100

Total value of improvements

\$2100

OTHER IMPROVEMENTS

From Cor. No. 4.

Frame house 14x20 feet bears N. 39°-00' W., 225

feet distant.

5

รท์ส์ ปุส

4.

INSTRUMENT

This survey was made with a Gurley Light Mountain

Transit reading to single minutes on the horizontal limb.

we enve den latou

All courses were deflected from the true meridian as determined by a Folaris observation.

All distances were measured with a 100 foot steel tape graduated to hundredths.

Atl2h 24m A.M. 1.m. t. June 24, 1912, I observe Folaris at eastern elongation, and mark the line thus established by driving an iron pin in the ground 300 feet north of my station which is Cor. No. 4 of the Rooster Lode. At 7:30 fthe same date I deflect from the line previously marked 1°-24' to the west and from the meridian thus established all courses of this survey are deflected.

Report*

. JAME THE

U. S. Mineral Surveyor.

* I find the following errors in former approved surveys; The tie from the Mammoth lode, Sur.No. 8C2, is N. 60° 18' W. 736.1 ft., rather than N. 60° 15'W. 738 ft., the tie from the Remnant lode, Sur.No.807, is S. 82° 16' W. 1375.1 ft. rather than S. 80° 15' W. 1345 ft., the tie from the Mohawk lode, Sur. No. 1157 is N. 52° 41' W. 2241.7 ft. rather than N. 52° 48' W. 2232.1 ft., and the side line of the Mammoth lode, (line 2-3) is N. 45° W. 1514.6 ft. rather than N. 45° W. 1500 ft.

.im./2// 102 38 .. / 151.

No. : . Tunnel and Joh Jut 5x7z7 3 Ivot bear

: "Stelle in the property that I bear of the control of

Januar Ha do-

atmenos, and the emiss late

FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of..... known as the and showing the respective capacities in which they acted. FINAL OATHS OF ASSISTANTS. eorge Kello do solemnly swear that we assisted day as C., United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Thine represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ..., Flagman. Subscribed and sworn to by the above-named persons before me this-24. G. Power notary Public my commission Febry 29th, 19 17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edgar C. Die Lick, U. S. Deputy Mineral
Surveyor, do spennly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Julius Hololbann
Moseter nine, known as the
situate in Allow Hat Mining District,
situate in Mining District,
Gounty, County, in Section
26 , Township No. 85, Range No. 186,
and designated as Survey No. 2999, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, lócation and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Edgar C. Dielno,
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Edgar 6. Districh U.S. Deputy Mineral Surveyor, before me W. G. Powyr a Notary Public
U.S. Deputy Mineral Surveyor, before me W. J. Cowy a
notary Public this 8th
day of July, 1912
of the co
M. G. Power notary Public
notary Public
mul carrenge and a series
My commission Expires Febry 29 th 1916

LOCATION NOTICE.

Notice is hereby given that the undersigned in compliance with the requirements of the mining acts of Congress approved May 10th, 1872, has this day located and claims Fifteen Hundred linear feet along the course of the lead, lode or vein of mineral bearing quartz, and three hundred feet in width on each side of the middle of said lead, lode or vein, situated in a district not named in the County of Pinal, Territory of Arizona, and more particularly described as follows, to-wit:

Commencing at this monument of stones, being the center of the South end of this claim, and in which this notice is placed, thence westerly 300 feet to a monument of stones being also the east corner pf the south end of the Mammoth Mine, thence northerly 1500 feet along the east side line of the Mammoth Mine to a monument of stones being also the east corner of the North end of the Mammoth Mine, thence easterly 300 feet to a monument of stones being the north end center of this claim, thence easterly 300 feet to a monument of stones, thence southerly 1500 feet to a monument of stones, thence westerly 300 feet to the place of beginning.

This claim adjions the Mammoth Mine, and is a re-location of the Northern Belle Claim, on which the assessment work for the year 1884, has not been done as required by law.

This claim shall be known as the ROOSTER MINE. Located January 1st, 1885, by Julius Goldbaum and Witnessed by H. Collins and Louis Ezekiels-

This notice is made and posted for the sole purpose of correcting certain errors hereinafter named in the location notice of this mining claim which was made and posted on the 1st day of January 1885, and recorded on the 1lth day of January 1885 in Book 9 at page 191 of Mining Records of Pinal County, Arizona Territory, and in which said notice the said name of this mining claim was by mistake omitted, and said location notice was by mistake erroniously dated January 1st, 1884 instead of the true date thereof viz Jan'ry 1st, 1885, which said last named date is the true date

of said location and the posting of the said notice thereof.

Dated July 1887.

Witnesses

Julius Goldman.

Harry Pateman

Chas. Little.

Filed and recorded at request of Julius Goldman July 16 1887 at 4.30 P. M.

Bo. J. Whiteside, Recorder.

State of Arizona,)
) ss.
County of Pinal.)

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of Location Notice of the "ROOSTER" Mine as it appears in Book No. 10 of Records of Mines, Pages 575 and 576.

Given under my hand and seal of office, this 23rd day of May, A. D., 1912.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona.			•	
			Octobe	er 2,	12
I, U. S. Surveyor-Ger	neral forAr	izona			
do hereby certify that the	foregoing transc	ript of the Fiel	d Notes, retur	n and approval of the sur	vev
					•
known as the	nown as theROOSTER MINE				
situate in		OLD HAT			
Mining District,	PINAL		County,	ARIZONA	
in Section 26	., Township No	8 S.,	, Range No	16 E. ,	and
designated as Survey No.	2999	, has been o	correctly copied	d from the originals on file	e in
this office; that said Field					
incorporated into a patent	, serve fully to ide	entify the prem	ises, and that s	such reference is made ther	ein
to natural objects or perm	anent monuments	s as will perpet	uate and fix th	e locus thereof.	
And I further certify	that five hundre	ed dollars' wor	th of labor ha	s been expended or impro	ve-
ments made upon said m	ining claim by cla	aimantorh	is grantors,	and that said improveme	nts
consist of 2 shafts	and 1 cut s	nd_tunnel	, total v	alue \$2100.00.	
	·				
1					
and that no portion of sai	d labor or impro	vements has be	en included in	the estimate of expenditu	res
upon any other claim.	-				
I further certify that	the plat thereof, f	alled in the U.S	S. Land Office a	at Phoenix,	
				egoing Field Notes.	
				7	
			S. Ingal	ls.,	
	United S	states Surveyor-G	eneral for	Arizona.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoen	ix, Arizona,			
		October 2 , 19 12.			
I, U. S. Surveyor-General for	Arizona				
do hereby certify that the foregoin	ng and hereto attached Field Note	es and Return of the Survey of the			
Mining Claim of					
	Julius Goldbau	vra.			
		, known as the			
	ROOSTER MIN	Œ			
situate in	OLD HAT	Mining District,			
PINAL	County,	ARIZONA			
in Section26, 7	Township No. 8.5.,	., Range No. 16 E.,			
, designated a	s Survey No. 2999				
executed byEx	igar C. Dietrich	, U. S. Deputy Mineral			
Surveyor, June 24	4-25, 1912 , 1	190, under my instructions dated			
May 28, 1912 , 190 , have been critically examined and the necessary cor-					
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,					
are hereby approved. A true cop	by of the copy of the location cen	rtificate filed by the applicant for			
survey is included in the field not	es. Quant for	lyalli:			
	U. S. Surveyor-Ge	neral for Arizona.			

7360b5m3-03