

JUN 20 1912

4-683.

MINERAL SURVEY No. 3005

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

L. D. Godshall and Estelle B. Godshall

KNOWN AS THE

FORTUNATUS LOBE

Wallapai

Mining District,

Mohave

County,

Arizona,

Sections 29 and 32, Township 23 N., Range 17 W., unsurveyed

Surveyed under instructions dated June 11 th., 1912

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located see location notice, 19

Survey commenced June 14 th., 19 12

Survey completed June 15 th., 19 12

6-322

Address, L. D. Godshall,
Kingman, Arizona.

SURVEY No.3005.

FORTUNATUS LOBE.

Beginning at Cor. No.1.

A granite rock in place, showing 2.5 X 4 ft. 2.5 ft. above the ground, chiseled 1-3005, cross (X) at corner point, whence

A cross (X) and B. R. 1-3005, chiseled on a granite rock 4 ft. above the ground, bears S. 52° 10' E. 15.23 ft., and a cross and B. R. 1-3005, chiseled on a granite rock 2 ft. above the ground, bears N. 20° 21' E. 10.7 ft. Cor. to sec.s 4, 5, 32, 33, Tps. 22 & 23 N., R. 17 W., bears S. 34° 27' E. 5413.94 ft.

Thence S. 55° 14' W.

Ft.

Va. 15° 30' E.

8.75 Cor. No.2, Summit lode, Lot No.47.

300 To south end center, identical with north end center Summit lode, Lot No.47.

A granite stone, 8 X 12 X 16 ins. set 6 ins. in the ground, mound of stone, chiseled S. E. C. 3005 F.

600 To Cor. No.2.

Identical with Cor. No.3 Summit lode, Lot No.47.

A redwood post, 4 ins. square, set in a mound of stone, scribed 2-3005 F.

No bearing objects available.

Thence N. 25° 56' W.

Va. 15° 40' E.

738 West side center monument, monument of stone, 3 ft. high, 3 ft. base.

1454.3 To Cor. No.3.

A granite stone, 4 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3005 F. cross (X) at corner point, whence

A cross (X) and B. R. 3-3005, chiseled on a granite rock 3 ft. above the ground, bears S. 56° 54' W. 36.34

SURVEY No.3005 - Continued.

Ft.

FORTUNATUS LODE - Continued.

ft., and a pinestree, 4 ins. in diam. blazed and scribed

B. T. 3-3005 F. bears S. 59° 34' E. 14.1 ft.

Thence N. 55° 14' E.

Va. 16° 20' E.

300 To north end center.

A granite stone in place, showing 1 X 3 X 1 ft. above the ground, mound of stone, chiseled N. E. C. 3005 F.

600 To Cor. No.4.

A granite stone, 6 X 18 X 36 ins., set 12 ins. in the ground, mound of stone, chiseled 4-3005 F., cross (X) at corner point, whence

A cross (X) and B. R. 4-3005 chiseled on a granite rock 3 ft. above the ground, bears S. 85° 21' W. 53.7 ft. and a pine tree 4 ins.diam. blazed and scribed 4-3005 B. T. bears N. 17° 54' E. 19.6 ft..

Thence S. 25° 56' E.

Va. 15° 40' E.

725 To east side center monument, monument of stone 3 ft.high, 3 ft. base.

1454.3 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the vein of this location extends as follows from the point of discovery, 260 ft. S. 25° 56' E. and 1194.3 ft. N. 25° 56' W.

AREA.

Area = 19.794 Acres.

Ft.

SURVEY No.3005 - Continued.

FORTUNATUS LODE - Continued.

This survey is identical with the location as monumented upon the ground.

LOCATION.

This survey is located-approximately in Sec's 29 and 32, T. 23 N., R. 17 W., G. & S. R. B. & M., unsurveyed, in the Wallapai Mining District, Mohave County, Arizona.

ADJOINING CLAIMS.

The adjoining claim on the S. E. end is the Summit lode, Lot No.47, James Bone, claimant. There are no other adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor done and improvements made upon this mining claim by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery shaft, on the center line 260 ft. from the center of line 1-2, 4 X 6 ft., 28 ft. deep.

Value, \$280

No.2. A shaft, which bears from Cor. No.1 N. 82° 16' W. 311 ft., 4 X 6 ft., 10 ft. deep.

Value, \$80

No.3. A tunnel, the mouth of which bears from Cor. No.1, N. 54° 43' W. 682 ft., 4 X 6 ft. running N. 30° 30' W. 40 ft.

Value, \$400

No.4. A tunnel, the mouth of which bears from Cor. No.1, N. 57° 05' W. 665 ft., 4 X 6 ft., running N. 31° 40' W. 49 ft.

Value, \$490

(2)

SURVEY No.3005 - Continued.
FORTUNATUS LODE - Continued.

No.5. A shaft, which bears from Cor. No.3, S. 51° 06' E. 473 ft., 4 X 6 ft., 27 ft. deep.

Value, \$270

No.6. A shaft, which bears from Cor. No.4, S. 22° 47' W. 310 ft., 4 X 6 ft., 20 ft. deep.

Value, \$200

INSTRUMENT.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of this location was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

Note - I find the following errors in former approved surveys, line 2-3 ~~Lot~~ No.47, Summit lode, is

S. 55° 14' W. 591.25 ft. instead of S. 55° 30' W. 600 ft. Line 1-2 is N. 34° 04' W. 1490.5 ft.; line 3-4 is S. 34° 25' E. 1487.2 ft., line 4-1 is N. 55° 33' E. 290.07 ft. to south end center and 582.13 ft. to Cor. No. 1. The tie line from south end center to corner to Secs. 4, 5, 32 and 33, Tps. 22 and 23 N., R. 17 W. is S. 38° 58' E. 3935.6 ft.

All cors. of the Summit lode, Lot No. 47 are 4 x 4 in. square redwood posts, the north end center is a monument of stone, the south end center is a 4 x 4 in. square redwood post, all posts and end centers are properly scribed and marked with the end centers and cor. Nos.

The Cor. to Secs. 4, 5, 32 and 33 is a 2 in. square pine stick set in a monument of stone, properly scribed with the secs. and Tps. on the respective faces.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of L. D. Godshall
and Estelle B. Godshall
 known as the Fortunatus lode
 and showing the respective capacities in which they acted.

C. R. Van Marter, Chainman.
 _____, Chainman.
James Bone, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, C. R. Van Marter and James Bone
 and _____, do solemnly swear that we assisted Peter Mc Cardell
 _____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of L. D. Godshall and Estelle B. Godshall

 known as the Fortunatus lode
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

C. R. Van Marter, Chainman.
 _____, Chainman.
James Bone, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 15 th.

day of June, A. D. 1912, ~~1911~~.

Peter Mc Cardell

O.K.
E.F.

U. S. Mineral Surveyor.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Peter Mc Cardell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 11 th. 1912., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of L. D. Godshall and Estelle B. Godshall, known as the Fortunatus lode, situate in Wallapai Mining District, Mohave County, Arizona, approx., in Section 's 29 & 32, Township No. 23 N, Range No. 17 W., unsurveyed. and designated as Survey No. 3005, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell
 U. S. ~~Deputy~~ Mineral Surveyor, before me Anson H. Smith, U. S.
Commissioner this 18 th.
 day of June, A. D. 1912.

Anson H. Smith
 U. S. Commissioner.

NOTICE OF MINING LOCATION

QUARTZ CLAIM

JUN 11. 1912

To whom it may Concern:

This mining claim the name of which is the "Fortunatus" Mining Claim situate on lands belonging to the United States of America, and in which there are valuable Mineral deposits was entered upon and located for the purpose of exploration and purchase by Peter Cafery and Foster S. Dennis both of Mohave County Arizona, the undersigned on the seventeenth day of March, 1898.

The length of this claim is fifteen hundred feet and we claim the fifteen hundred feet in a North Westerly direction from the North West end line of the "Summit" Mine " lengthwise of the claim, together with three hundred feet in width on each side of the center of claim.

The general course of the lode deposit and premises is from the South East of the North West.

The claim is situated and located in the Wallepai Mining District in Mohave County in the Territory of Arizona about three fourth mile in a Northerly direction from "Layne Springs" and is the North West extension of the "Summit Mine" (patented)

The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a monument of stone at a point which is the center of the North West end line of said Summit Mine thence North Easterly 300 feet to a monument of stone being the East corner of said claim, thence North Westerly 750 feet to a monument of stone at the center of the North East side line of said claim, thence North Westerly 750 feet to a monument of stone being at North corner of said claim, thence South Westerly 300 feet to a monument of stone at the center of the North West end of said claim; thence South Westerly 300 feet to a monument of stone being at the West corner of said claim; thence South Easterly 750 feet to a monument of stone being at the center of the South West side line of said claim; thence South Easterly 750 feet to a monument of stone at the South corner of said claim; thence North Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled, "An Act Concerning Mines" approved March 20. 1895.

Dated on the ground this seventeenth day of March, 1898.

Peter Cafery
Foster S. Dennis.

Recorded at request of Foster S. Dennis June 15th. A.D. 1898, at 9 o'clock A.M. Book N, Page 404.


A. Lefever
County Recorder

RECORDER'S CERTIFICATE

STATE OF ARIZONA,)
) :-SS.
County of Mohave.)

I, J. W. MORGAN, County Recorder of the County of Mohave, State of Arizona, do hereby certify that I have compared the foregoing copy of NOTICE OF MINING LOCATION of the "FORTUNATUS" Mining Claim, situated and located in the WALLAPAI Mining District, Mohave County, Arizona; and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

W I T N E S S my hand and seal of said office, this 8th., day of June, A.D. 1912.



J. W. Morgan.

County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

August 16, 1912.

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

L. D. Godshall and Estelle B. Godshall

, known as the Fortunatus

, situate in Wallapai

Mining District, Mohave County,

Arizona, in Sections 29 & 32, Township No. 23 N.,

Range No. 17 W., Unsur., and designated as Survey

No. 3005, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or their grantors, and
that said improvements consist of 4 shafts and 2 tunnels, total value
\$1720.00.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

August 16,, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

L. D. Godshall and Estelle B. Godshall

....., known as the

Fortunatus

situate in Wallapai mining district,

Mohave

County,

Arizona.

in Sections 29 and 32, Township No. 23 N., Range No. 17 W., Unsur.

....., designated as Survey No. 3005

executed by Peter McCardell, U. S. ~~Deputy~~ Mineral

Surveyor, June 14-15, 1912, 190...., under my instructions dated

..... June 11, 1912, 190...., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

David L. S. [Signature]

U. S. Surveyor-General for Arizona.