Copied Aug. 17,1912, A L H JUL 2 2 1912

MINERAL SURVEY No. 3008

LOT No.

4-683.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Patrick Rose

KNOWN AS THE

MOONSHINE

Globe Mining District,

A second second second second	Gi	la	County	Arizona				
	24				14	E	Unsur.	80
Section 5	19 ,	Township	<u> 1 N</u>	, Range		1	5 E	

Surveyed under instructions dated June 24 th, 19 12

by Howard T. Wayne U. S. Mineral Surveyor.

Claim located	See location No.	otice
Survey commenced	June 25th	
Survey completed	June 25th,	, 19 12

Alderman & Elliott, Attorneys.

Globe, Arizona.

6-822

1

SURVEY NO. 3008.

MOONSHINE LODE MINING CHAIM.

Beginning at corner.No.1, the S. W. corner, identical with location, and with corner No.2 Survey No. 2627, Geneva lode, and corner No.4 Survey No. 2497, Dadeville lode, and on line 1-2 Survey No. 2497, January lode, at S 74° 09' W 390.3 ft. from corner No. 1 (apine.post 4 inches square scribed 1-2497-J.L.), a nail, in a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stone and scribed 1-3008-M.L., whence the west one quarter corner of section 19, T. 1 N, R 15 E, G & S R B & M bears S 47° 35' E 780.2 ft. No available witnesses.

THENCE N 7° 04' E.

- 300.1
- 600.7

to W. E. C., identical with location, a nail, in a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 3008 M.L. to corner No.2, the N.W. corner, identical with location, a nail, in a pine post 4 feet long, 4 inches square set 18 inches in the ground in a mound of stone and scribed 2-3008-M.L., whence a cedar tree blazed and scribed B R-x-3008 bears N 13° 54'E 77.7 ft.

THENCE S 77° 57' E

- to intersect line 4-1, Survey No.2497, January lode
 at N 10° 47' W 451.1 ft. from corner No.1.
 513.4 to intersect range line 14 E, at N 1015.2 ft. from
- 513.4 to intersect range line 14 E, at N 1015.2 ft. from west one quarter corner section 19, and at S 1624.8 ft. from the N. W. corner-of-section 19.____
- 1493.1 to corner No.3, the N. E. corner, identical with location, a nail, in a pine post 4 feet long 4 inches square set 18 inches in the ground in a mound of stone and scribed 3-3008-M.L. No available witnesses.

THENCE. S 7° 04' W

to E.E.C., identical with location, a nail, in a

300.9

pine post 4 feet long, 4 inches square set 18 inches

3

FEET

	in the ground in a mound of stone and scribed 3008 M.L.
-602.0	to corner No.4, the S.E. corner, identical with locat-
	ion and with corner No.3, Survey No. 2627, Geneva Lode
	and with corner No.2, Survey No. 2841, Wild Air lode.
	No available witnesses.
	THENCE N 77° 54! W
	-coincident with line 2-3, Survey No.2627, Geneva lode
904.1	to intersect range line 14 E at N 402.8 ft. from the
	west one quarter section 19, and at 8 2237.2 ft. from
	the N.W. corner of section 19
1493.2	to corner No.1, the point of beginning.(1493.5 ft. by
.entr	Survey No.2627 being in error)
	s loc (m. P. somer.
1 4	Variation 13° 45' to 14° E at all corners.
	LEDGE. The presumed course of the vein on this claim is from
Sec. 600	the E.E.C. of location N 77° 56' W 1493.1 ft.
- mini	the L.E.V. OI IOCALION N // 50 W INSOLL 10.
	Acres Acres
	Total area Moonshine lode 20.535
10.01	AIGA IN COMPLECT WITH
	Survey No.2497, January lode 3.540
	LOCATION.
	This claim is located in the Crook National Forest,
inor	in the Globe Mining District, Gila County, Arizona in
20.450	section 24, T.I N, R 14 E, unsurveyed and in section
	19, T.1 N, R 15 E, G & S R B & M.
i, i di	ADJOINING CLAIMS.
N	Tie Up lode, Warrior Copper. Company, owners (unsurveyed)
E	Legal Tender lode, unsurveyed, owner unknown.
s •	Geneva lode, Survey No 2627, United Globe Mines, owner
W	January lode, Survey No. 2497, Warrior Copper Co. owner
7.8	THE EXPENDITURE OF FIVE HUNDRED DOLLARS.
Korkall	I do hereby certify that the value of labor and

SURVEY NO. 3008 con.

improvements made upon and for the benefit of this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of the following:-

No.1. A discovery shaft, 4 x 7 - 22' bears from the E.E.C., N 77° 56' W 76.0ft.

Value of shaft \$135.00 No.2. An open cut, 4 x 20 - 10' together with a tunnel 3 x 6 - 30'. Center of cut bears from E.E.C. S 74° 45' W 86.0 ft. Course of tunnel is west.

Value of cut and tunnel \$175.00 No.3. A shaft 4 x 6 - 23' bears from the E.E.C. N 20° 40' W 101 ft.

> Value of shaft \$115.00

No.4. A shaft, 4 x 6 - 22' bears from corner No.1, N 74° 15' E 680.0 ft.

> Value of shaft \$110.00

No.5. A shaft, 4 x 6 -6' (caved leaving this much open) bears from the W.E.C. N 89° 10' E 395.0 ft.

INSTRUMENT.

This survey was made with a W. & L.E. Gurley Mining transit fitted with a Burt Solar by which the true meridian was obtained and checked upon previously determined courses. Measurements were made with a 300 foot steel tape.

Remarks.

The northwest corner of section 19 is not in, hence only theoretical intersections are given with range line 14 E. Slight discrepancies between field notes and location notice are due to errors in the latter.

Harme

U. S. Mineral Surveyor.

Globe, Arizona. July, 18 1912.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	A list of the names of the individuals employed by Howard T Wayne.
	United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
	boundaries described in the foregoing field notes of the survey of the mining claim of
	Patrick Rose
	known as the MOON SHINE
	and showing the respective capacities in which they acted.
	Percy Bell, Chainman.
2	, Chainman.
	, Axman.
	, Flagman.
	FINAL OATHS OF ASSISTANTS.
	Wx I, Percy Bell
	and, do solemnly swear that wexassisted
	Howard T. Wayne, United States Deputy Mineral Surveyor, in marking the corners and surveying
	the boundaries of the mining claim of
	known as the MOONSHINE
	represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
	direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
	correctly executed, and the corner and boundary monuments established according to law and the instructions
	furnished by the United States Surveyor-General for Arizona.
	, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	Subscribed and sworn to by the above-named persons before me this 16%
	day of July 1982
	ma " Bullen A. Little
	My commission expires Bullen a. Little March 13, 1916 Notary Public
	17287b5m3-05

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Howard T. Wayne , U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona dated June 24th, 1912. , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Patrick Rose , known as the MOONSHINE situate in _____ Mining District, Gila County, Arizona , in Section s 24 1 N 14 E Unsur. & 24 24 2 1 N 14 E Unsur. & 24 24 2 1 N 14 E Unsur. & 24 24 2 1 N 14 E Unsur. & and designated as Survey No._____3008_____, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or ______His _____ grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Subscribed and sworn to by the said <u>Woward</u>. <u>A hayne</u> U.S. Deputy Mineral Surveyor, before me <u>Ho No Pratt</u> hotary Public this 20 th day of July, 1912, . My Commission Expires Feb. 29th, 1916 hilary Public

o <u>8</u>_154

6

AMENDED Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the MOONSHINE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and

	1
purchased by Standish Mills and J.F.Russell	
citizens of the U.S. (Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citiz	
	en of the United States.")
the undersigned, on the 1 st day of Jan 1901.	
The length of this claim is -1494-	
and I claim -1414-	
in a N 77° 54! W direction and	-80
feet in a <u>S 77° 54 ¹ E</u>	direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of th	e claim, together
with 300 feet in width of the surface	e grounds, on each
side of the center of said claim. The general course of the lode deposit and pre	
East to the West,	
The claim is situated and located in the Globe	
Gila County, in the Territory of Arizona, about 1/2	
in a Southeasterly direction from the Warrior post offi	
This lode is bounded by the Geneva lode on the south	
the Tie Up lode on the North lying between and runnin	
to these two lodes.	
The surface boundaries of the claim are marked upon the ground as follow	
4 x 4 pine post	
at a point in a S 77° 54 E direction 80	feet from
the discovery shaft (at which this notice is posted), being in the center of the	istern
end line of said claim; thence S 7° 05' W 300.5 feet to a 4 x 4	red top pos
, being theS. Ecorner of	said claim; thence
N 77° 54 W 1494 feet to a 4 x 4 red top post	, being at the
S. W. corner of said claim; thence N 7° 05 [†] E	
to a 4 x 4 red top postat the center of the Western	
thence same course 301.0 feet to a 4 x 4 red top pos N.W. corner of said claim; thence S 77° 54' E	
feet to a 4 x 4 red top post at the N.E. cor	
thence 301.0 feet to the place of beginning.	
All done under the provisions of Chapter Six, of Title XXXII, of the Re the United States, and of an Act of the General Assembly of Arizona, entitled, "An Codify the Laws of the Territory of Arizona," approved March 16, 1901.	vised <mark>Statutes</mark> of Act to Revise and
This is an Amended Location Notice of the Moonshine	

Mining Claim, located by	y Stand	lish Mills	and J.H	P.Russel	.1		
			0	n the	l st	day o	f
January	1901,	and recorded in	Book	7	of Records	of Mines. a	t

1-09-2m

page333, in the office of the County Recorder of the aforesaid County of <u>Gila</u> to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. 1909.

18thSeptember Dated and posted on the ground this day of

mess

TERRITORY OF ARIZONA, SS. County of Gila. Ε. T. Stewart County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at. 3:40. o'clock. P. M., A.D. 19.09 and duly recorded in Book No.13 7th October on this...day of Mines 38 GilaCounty, Arizona, at pages. Records of cf. WITNESS my hand and official seal the day and year first above written. E. T. Stewart Belli Maldona County Recorder. Deputy Recorder. Ву A. D. 19.09. P. M. tice of Location. Book 12, Records of Mines. Deputy Recorder. The H. H. McNeil Co., Printers, Phoenix, Arizona County Recorder. naldonado Filed and Recorded at request of 19. 3:40 o'clock 11586 Patrick Rose T. Stewart LODE CLAIM. AMENDED October 7. 362 2191-12-MUL EI. 22 Pages .. Dated By . at This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commerce description of claim at a center end monument, giving its dis-tance and direction. In descrip-tion be careful to state locality of claim in either direction. In descrip-tion be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. Monument Corner Corner Corner 300 ft. End Monument End 500 feet 20 Discovery Shaft Discovery Monument 1000 1661 300 ft. Monument Monument

4-000.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 23, , 1 912.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of <u>4 shafts and 1 cut and tunnel, total</u>

value \$535.00.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

0 6-168

Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 23, , 1912.

lining Claim of		
	Patrick Rose	
		, known as the
	MOONSHINE	
ituate iu	GLOBE	Mining District,
GILA	County,	ARIZONA
24 1 Section ^s 19, 7	l N., Cownship NoN.,	14 E., Unsur , Range No. 15 E
, designated as	Survey No. 3008	
xecuted byHo	ward T. Wayne	, U. S. 355 XXX M ineral
urveyor, June 25,	1912 , 1	190, under my instructions dated
June 24, 1912	, 190, have been cri	itically examined and the necessary
		Return, and the Survey they describe,

dand Ingalling

U. S. Surveyor-General for_____ Arizona

21811b3m2-06