4-683.

MINERAL SURVEY No. 5010

LOT No.

ARIZONA. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

***************************************	Alic	oe Wald	ron,			
		KNOV	VN AS THE			
Bear	North Star, Co	arrie Z.	,Kitty,Goo	Hope,	and Keystone	Ly
*******************	Pine G	cove			Mining Di	strict,
Yav	apai	(County,	Ariz	ona.	
P	prox. 4 , 7 rescott Nation ed under instru	nal Fore	st,			ns
No.			by Willia	am H.Mer	ritt,	areas .
					U.S. Mineral Su	rveyor.
	Claim located	See loc	etion not	ices	, 19	
	Survey commen	ced July	6th.191	3	, 19	
6822	Survey completed Address of (loth.19	12	, 19	*

Henry T. Andrews, Atty.,

Prescott, Arizona.

Feet

Beginning at Cor. No. 1

Identical with the loc. and with cor. No. 4 North Star lode and the contract of this sur.

Granite stone 8X12X24 ins. set 12 ins. in the ground with mound of stones chiseled 1-C-Z.4-N-S-3010, Whence:-U.S.M. M.No.1 brs.S 31000 E 5223.57 feet.

An Oak tree 24 ins.diam.scribed X-B-T-1-C-Z.4-N-S-3010 brs.S. 30°W 6.9 feet.No other bearings available.Loc.cor. mound of stones 3X3 ft. Cor. No. 3 Casis lode sur. No. 2055 brs. S 14°10'W 121 ft.

Thence N 55°57'W spatter of

S.C. End identical with the loc. and with the N.C. E. of 300 North Star lode of this sur. a mound of stones 3X3 ft. The R. onl. with the factions it has

To Cor. No. 2. 600

> Identical with the loc. and with cor. No. 3 North Star lode of this sur.

A granite stone 4X12 X 30 ins. set 15 ins. in the ground with mound of stones chiseled 2-C-Z.3-N-S-3010, Whence:-A Pine tree 24 ins.diam.scribed X-B-T-2-C-Z.3-N-S-3010 brs.N 53°E 23.4 ft.An Oak tree 10 ins.dian.scribed X-B-T-2-0-2.3-N-9-3010 bears N 61°W 39.3 feet.

> Thence N 3403'E va.14%E Manne, and, onl

1500

To Cor No.3.

Identical with the loc.

A granite stone 6X7Z30 ins. set 15 ins. in the ground with mound of stones chiseled 3-C-Z-3010. Whence::

An Oak tree 6 ins.diam. scribed X-B-Y-O-Z-3-3010 brs. 3 350 30'E 12.5 ft.a Pine tree 24ins.diam.scribed X-B-T-3-C-Z-3010 Mily Canfirmle W. S. F. brs.N 712E 26.5 feet.

> Thence S 55°57'E va. 14%E

N.C.E. identical with the loc.a mound of stones 3X3 ft. 300 is annial are not one at the apart of

600 To Cor. No.4.

Identical with the loc.

A granite stone 3X12X30 ins.set 15 ins.in the ground with mound of stones chiseled 4-C-Z-3010 No bearings available Loc.cor.mound of stones 3X3 ft.

	Feet	
		Thence S 84.03 W
		2 direct a of the section of the street leading
	1500	To Cor. No. 1 the place of beginning.
	CHES.	MORTH STAR LODE:
	-	Beginning at cor.No.1
		Identical with the loc. and with cor. le
	-30.16	A granite stone 6x8x30 ins.set 15 ins.in the ground with
	. mon. no	mound of stones chiseled 1-N-S-3010. Whence:-
B.	of order.	U.S.MM.No.1 brs.S 47.80 % 4787.84 ft.
		A Spruce tree scribed X-B-T-N-S-3010.brs.N 39:40 W 10.1 ft.
		No other bearings available.Loc.cor.mound of stones 3X3 ft.
	197	Value of the contract of the c
	300	Cor.No.4 Keystone lode of this sur. S.C.E. Edentical with the loc.a mound of stones 3X3 ft.
	497	N.C.E. Keystone lode of this sur.
	600	To Or. No.2.
	400	. 111
	Engreen o	Identical with the loc. A granite stone 3X10X24 ins.set 12 ins.in the ground, with
	-:mage	mound of stones chiseled 2-N-S-3010. Whence:-
	4,[4],-	A pine tree 16 ins.diam.scribed X-B-T-2-N-S-3010 brs.
	7-7-1	S 45°50 E 11.296
		A pine tree 14 ins.diam.scribed X-B-T-2-N-S-3010 brs. N 55:12'W 19.3 feet.
		Loc.cor.mound of stones 3X3 ft.
		Thence N 34°03°E
		va.14°E
	1500	To Cor. No. 3.
ed.		Identical with the loc.and with cor.No.2 Carrie Z. lode
	65 B.81	
02		Thence S 55°57'E ve.14°E
	300	N.C.E. identical with the loc.and with the s.c.e. of
		Cerrie Z lode of this sur hereinbefore described.
	600	To Cor. No. 4. Edentical with the loc. and with cor. No. 1 Carrie
		Z. lode of this sur hereinbefore described.
		Thence S 34°Q3'W va.14°E
	1500	To dr. No. 1 the place of beginning.

north of atomica of will end to bearings available

Feet. Beginning at Cor. No. 1.

Identical with the loc.

A Porphyry stone 8X12X24 ins.set 12 ins.in the ground with mound of stones chiseled 1-K-3010.Whence:-

U.S.M.M.No.1 brs.S 65.08 E 4521.66 ft.

An Oak tree 12 ins.diam.scribed X-B-T-1-K-3010 brs.S40°E

20.9 ft.No other bearings available.Loc.cor.mound of stones
3X3 ft.

Thence N 55°57'W va.14°E

300 S.C.E. identical with the loc.a mound of stones 313 ft.

The property

379.9 Intersect line 4-1 Kitty lode of this sur.at South 766.27 feet from cor.No.4.

600 To Cor. No. 2.

Identical with the loc.

A Schist stone 14X16X24 ins.set 12 ins.in the ground with mound of stones chiseled 2-K-3010 .whence: An oak tree 12 ins.diam.scribed X-B-T-2-K-3010 brs.N 80°W 17.4 ft. No other bearings available.Loc.cor.mound of stones 3X3 ft.

hod sor a cine

Thence N 15°50'É va.14°.E

668.4 W.C.S. Identical with the loc.and with cor.No.1 Bear and No.

4 Kitty lodes of this sur.a mound of stones 3X3 ft.

1500 To Co. No. 3. Pay man, and allegit and government of

Identical with the ?loc.

A granite stone 6x10x28 ins.set 14 ins.in the ground with mound of stones chiseled 3-K-3010.No bearings available.

Loc.cor.mound of stones 3x3 ft.

Thence S 55°57'E

197 Cor. No. 2 North Star lode of this sur.

300 N.C.E. Identical with the loc.a mound of stones 3X3 ft.

497. SC.E Keystone lode of this sur.

600 To Cor. No.4.

Butter will

Identical with the loc.

A schist stone 8X15X22 ins.set 12 ins.in the ground with mound of stones chiseled 4-K-3010.No bearings available.

Lpc.cor.mound of stones 3X3 ft.

Thence S 15°50'W va.14°E

simple to notice al

A DI TO CT

Survey No. 3010 continued . (8) Feet. E.C.S. Identical with the loc. a mound of stones 3X3 ft. 750 To Cor. No. 1 the place of beginning. 1500 and the tag and betteft a open in the BEAR LODE. Beginning at Cor.No.1. Identical with the loc. and with cor. No. 4 Kitty lode of this sur. of store A Granite stone 10X10X24 ins. set 12 ins. in the ground with mound of stones chiseled 1-B.4-K-3010. Whence:-U.S.M.No.1 brs.S 56°53'E 5273.91 ft. . . . An Oak tree 26 ins.ddam.scrib ed X-E-T-1-B.4-K-3010 brs. S 24°E 3.5 ft. An Oak tree 10 ins.diam.scribed X-E-T-1-E,4-K-3010 brs. N 35°W12.5 ft. Los cor.a pine post 4X4 ins.X 4 ft.in mound of stones. Thence 74°10 W 3 10 W va. 140E the of tangante, 010%. S.C.E. identical with the loc. and with the N.C.E. Kitty 300 lode of this sur. an oak post 5X4 ins.X 5 ft.in mound of stones. To Cor. No. 2. 600 Identical with the loc. and with tor. No. 3. Kitty lode of this sur. A granite stone 10x12x24 ins. set .12 ins. in the ground with mound of stones Shiseled 2-B.3.K-3010. No bearings available. Loc.cor mound of stones 3X3 ft. Thence N 15°50'E 1498 ft. To Com No. 7 1493 ft. To Cor. No. 3. Ofor-Was beforese Identical with the los.

A granite stone 4X12X26 ins. set 13 ins. in the ground with mound of stones chiseled 3-B-3010. No bearings available. Loc.cor. mound of stones 3X3 ft.

Thence S 74:10 E.

idention with the Lon.

va. 14°E N.C.E. identical with the loc. a pine post 4X4. ins. X 4 ft. in mound of stones.

600 To Cor No.4.

300

delle

Identical with the los.

X-4-B-3010 chiseled on granite bluff 6 ft. above the ground with mound of stones, whence a pine tree 14 ins.diam. scribed X-B-T-4-B-3010 brs. N 15°E 12.9 ft.

-		
	Feet.	No other bearings available.Loc.cor.mound of stones 3X3ft.
	VASSE V	there are the man the terminal and the second of the second of
	×	Thence S15°50'W
	661.4	Cor. No. 3. Keystone lode of this sur.
	1493	To cor. No.1 the place of beginning.
		KITTY LODE.
		Beginning at cor. No. 1 identical with the log. and with cor.
7	111 30	No.1 Good Hope lode of this sur.
		X-1-K.1-G-H-3010 chiseled on granite bluff lo ft.above the
		A-1-1, 1-0-11-3010 On Brantoc plant to 10, above one
		ground, with mound of stones. Whehee:-
ı	* 1	U.S.M.M.No.1 brs.S 72.38'E 4628.22 ft.
1	5	No bearings available.Loc.cor.mound of stones 3X3 ft;
	East.	The large of the second with the second second
	20	Thence N 74210 W
		Va. 14° E
9	300	S.C.E. identical with the loc. and with the N.C.E. of Good
	.5	Hope lode of this sur. a mound of stones 3X3 ft.
	600	To Cor. Ho. 2.
1		Identical with the loc.and with cor.No.2 Good Hope lode
١		of this sur.
1	tia pun	A granite stone 10%, 10%26 ins. set 13 ins. in the ground with
-	Salfara	mound of stones chiseled 2-K.2-G-H-3010.whence:-
۱		Pine tree 12 ins.diam scribed X-B-T-2-B.2-G-H-3010 brs.
1	185	. S 67°25 W 48.6 ft.
1	1.01	A pine tree lo insidiam soribed X-B-T-2-B.2-G-H-3010
4		brs.N 3.22 E 28.2 ft. Loc.cor.pine post 4X4 ins.by5ft.in mound of stones.
1		
1		Thence North. va.14°E
1	1500	To Cor. No. 3 identical with the los and with cor. No. 2 Bear
	.55	lode of this sur hereinbefore described.
		Thence S 74°10°E va.14°E
	30 0	N.C.E. identical with the loc. and with the S.C.E. of Bear
		lode of this sur hereinbefore described.
	600	To Cor.No.4.
		Identical with the loc.and with cor.No.1 of Bear lode of this
		sur.hereinbefore described.
1		

	Feet	Thence South. va.14°E
	766.27	Intersect line 1-2 Keystone lode of this sur.at S 55.57 E
		220.1 ft.from.cor.No.2
	1500	To Cor. No. 1 the place of beginning.
		GOOD HOPE SODE.
		Beginning at cor. No. 1.
	O Hara	Identical with the loc. and with cor. 1 Kitty lode of this
		sur.hereinbefore described .Whence U.S.M.M.No.1
	t avada	brs. S 72°38'E 4628.22 ft.
		Thene N.74°10'W va .14°E
	300	N.C.E. identical with the loc. and with the s.c.e of Kitty
		lode of this sur hereinbefore described.
	600	To Cor.No.2. OLON M SECTION
	0000 TO	Identical with the loc. and with cor. No. 2 Kitty lode of
		this sur hereanbefore described.
		Thence S 13:08 E va. 14:E
	417	of Too Cor. No. 3 - no data and not out differ ford time!
		Identical with the loc.
j	Prototo	A granite stone 6112130 ins. set 15 ins. in the ground with
		mound of stones chiseled 3-C-H-3010 No bearings available.
	perci TO	Loc.cor, mound of stones 3X3 ft, and stones 3X3 ft,
		Thence \$ 74:10E va.14:E
		-S.C.E. identical with the los, a mound of stones 3X3 ft.
	600.	Too Cor. No. 4. 13 . Pand, and 10 a snow enter too
		Identical with the los.
-	wit sol	A granite stone 8X12X 30 ins. set 15 ins.in the ground
	1 14	with mound of stones chiseled 4-G-H-3010. No bearings.
	17/1	available. Loc.cor, mound of stones 3X3 ft.
	es no. E.	Thence/15:08'W va.14'E
	417	To cor. No. 1 the place of the beginning.
	3 8	BCC To dom, No. 4

Tour lead with the located with cor. No. 1 of Rear loca

nor remaindered quantities,

AREA.

Carrie Z lode Total area20.661 North Star 20.661

19.626 Keystone

erea in conflict with Kitty lode of this sur 1,603 acres.

min far

Bear lode total area 20.564 Kitty "19.877

Good Hope 5.025

ADJOINING CLAIMS.

This claim is bounded on the North by Little Bear lode unsurveyed, claimed by J.P Waldron, and U.S. Land; on the East by Hill Top lode, unsurveyed, Geo. Brown claimant, and U.S.Land, on the South by U.S.Land and on the West by Pauline, Alice, Surprise and Freddie lodes all unsurveyed claimed by J.P Waldron.

* LOCATION.

Approx. Sec. 4, This claim is located on unsurveyed land in T. 10 N.R.1 W. Pine Crove Mining District Yavapai County Arizona, in the Prescott National Forest.

LEDGES! This of wath we

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective end centers.

Carrie Z.lode N 34°03'E 1500 ft.from S.C.E. to the N.C.E.

North Star " N 34203'E 1500 " " S.C.E. to " N.C.E.

Keystone " N 15°50'E 1500 " S.C.E. to the N.C.E.

" N 15°50'E 1493 " " S.C.E. to the N.C.E.

Kitty. " North 1500 " " S.C.E. to the N.C.E.

Good Hope " N 13.08'W 417. " " S.C.E. to the N.C.E.

IMPROVEMENTS.

I certify that the value of the labor and improvements made upon, or for the benefit of , each of the locations embraced in this claim by the claimant or her grantors is not less than five hundred dollars, and that said improvements consist of:

Carrie Z.lode.

No.1 dis.shaft which is on the lode line 90 ft.from the S.C.E. 4X6X20 value. \$200.00 No.2 shaft which brs. from the S.C.E. N 83°E 40 ft. 4X6X25 ft value \$230.00

No. 3, 95 ft. of tunnel No. 2 on the North Star lode of this survey, which is on this claim, \$760.00 (7)

North Star lode.

No.1 dis shaft which is on the lode line 400 ft.from the

N.C.E. 4X6X 70 ft. value \$700.00.

No.2 tunnel which brs.from cor.No.4 N 62.45 W 154 ft.

4X6X120 course N. 7.W 25 ft.of this tunnel is on this lode value\$200.00 and 95 ft.is on Carrie Z.lode and is credited to said lode value \$760.00

Keystone lode.

No.1 dis.shaft which is on the lode line distance 750 from the N.CE.4X6X10 ft.value \$75.00.1/4 the work in No.1 tunnel Bear lode, \$1500.00, is credited to this lode

Bear iede

No.1 dis.tunnel which is on the lode line distance 613 ft.
from the N.C.E. 5X7X750 ft.course S 15°W value \$6000.00
1/4 of this work is credited to the Keystone, Kitty,
and Good Hope lodes, and \(\frac{1}{4} \) is credited to this
lode. Value \(\frac{1}{4} \) interest \$1500.

No.2. tunnel which brs. from cor. No. 4 S45°45; W 486 ft.
4X6X80 ft.course S 24°W value \$640.00

Kitty lode a man. a. I we state out in burs . Tills

No.1 dis. shaft which is on the lode line distance 428 ft. from the S.C.E. 4X6X10 ft. value \$75.00 No.2 shaft which brs.from cor.No.2 N 30°45'E 713 ft. 4X6X20 ft.value \$200.00 1/4 of the work in No.1 tunnel Bear lode, \$1500.00is credited to this lode.

no potenti di minio di il

Good Hope lode .

the proportion of the dealth between the both and aver

nier clean . strati No.1 dis.tunnel which is on the lode line distance 151 ft. from the S.C.E.4X6X80 ft.course N 2°E value \$640.00 1/4 of the work in No.1 tunnel Bear lode, \$1500.00, is credited to this lode.

INSTRUMENT. This survey was made with a Curley Solar Transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with loo-ft. and 500-ft. steel tapes.

From the common improvement No.1 tunnel on Bear lode the surface rises to the South and East, by continuing this tunnel and by crosscuts and lateral drifts, the surface ore can be extracted from the Kitty, Good Hope and Keystone lodes as well as this lode.

Cor.No.3 sur.No.2055 Oasis lode is a granite stone8X10X12 ins chiseled 0-3-2055.

When I numbered the corners of Good Hope lode I thought the N.E.cor.was the nearestor to the M.M but after working my notes up I find that the S.E.Cor.is the nearest, this fact I did not learn until after leaving the field.

n in on the done line SC ft. Communic Williamof Merrott
U.S. Mineral Surveyor.

Central C. Lade.

the dalenes

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	ls employed by W1111am H. Merritt,
United States Dapaty Mineral Surveyor	r, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	ld notes of the survey of the mining claim of
Alice	e Waldron,
known as the Bear North Star,	Carrie Z. Kitty, Good Hope, and Keystone,
and showing the respective capacities in	which they acted
and showing the respective capacities in	
	, Chainman.
	Geo. N. Merritt, , Chainman.
	, Axman.
	Flagman.
TAINIAI	ATHS OF ASSISTANTS.
FINAL O.	ATTIS OF ASSISTANTS.
₩X I Geo.N.	.Morritt,
360XX	, do solemnly swear that we assisted William H.
	States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Alige Waldron
known as the Bear, North Star,	Carrie Z, Kitty, Good Hope, and Keystone
represented in the foregoing field notes as	s having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been	in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and bo	oundary monuments established according to law and the instructions
	-General forArizona.
Turnished by the Officed States Surveyor	
	, Chainman.
	Geo M. Merritt ", Chainman.
	, Axman.
	, Flagman.
Subscribed and s	sworn to by the above-named persons before me this.
//	
day of My Communion Expires Dec. 2, 1914	103
and commerced majories areas as were	J. C. Bradbury Motory Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, William H. Merritt,		, U. S. Deputy Mineral
•	Surveyor, do solemnly swear that, in pur		
	States Surveyor General for	Arizona	, dated
	July 5th.1912		
	United States, the official regulations an	d instructions thereu	nder, and the instructions
	of said Surveyor General, faithfully and	d correctly executed	the survey of the Mining
	Claim of Alice		
B	ear, North Star, Carrie Z., Kitty	y,Good Hope	Keystone.
	situate in Pine Grove	~-·	Mining District,
	Yavapai	County,	, in Section
	Approx. 4, Township No. 10 N., H		
	and designated as Survey No. 3010		, as represented
	in the foregoing field notes, which accur-	ately show the bound	aries of said mining claim
	as distinctly marked by monuments on t	the ground, and descr	ribed in the attached copy
	of the location certificate, which was re-	eceived by me from the	he Surveyor General with
	said instructions, and that all the corner	s of said survey have	been established and per-
	petuated in strict accordance with the la	aw, official regulation	s and instructions there-
	under; and I do further solemnly swear	r that the foregoing	are the true and original
	field notes of said survey and my repo	ort therein, and that	the labor expended and
	improvements made upon said mining cl		
	are as therein fully stated, and that the		
	thereof are specified therein with partic		
	said labor or improvements so credited to		-
	of expenditures upon any other claim.		
		Wil	liam of Menut U.S. Deputy Mineral Surveyor.
			U.S. Deputy Mineral Surveyor.
	Carlo and had a large of the state of the st	or Bridaliam II Ma	
	Subscribed and sworn to by the sai	1	DITTO,
	U.S. Deputy Mineral Surveyor,		madving
		t t	this // Me)
	day of Justy 1912		
	U U	1.0.1	nadhum
		1 11.7	PID
	e 8—154	/ Wor	my viver.

My Commission Earth : Drc. 2, 1916

AMENDED NOTICE OF MINING LOCATION LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Bear Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Rudolph Zweifel a citizen of the United States the undersigned, on the 18 day of March 1898.

The length of this claim is fifteen hundred feet, and we claim 880 feet, in a Southerly direction and 620 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pine Grove Mining District in Yavapai County, in the Territory of Arizona, about 4000 feet in a Westerly direction from U.S.M.M.No.l Pine Grove Mine District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a Southerly direction 880 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument, being the S.W.corner of said claim; thence Northerly 1500 feet to a Monument, being at the N.W.corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument, being at the N.E.corner of said claim; thence Southerly 1500 feet to a Monument at the S.E.XERER corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled" An Act to Revise and Codify the Laws of the Territory of Arozona, approved March 16, 1901.

This is an Amended Location Notice of the Bear, Mining Claim, located by Rudolph Sweifel on the 18 day of March 1898 190 ,and recorded in Book 50 of Records of Mines, at page 176, in the office of the

County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of March 1911

Rudolph Zweifel 3/4

J.P.Waldron 1/4

Filed and recorded at request of J.P.Waldron, March 18, A.D. 1911, at 9:58 o'clock A.M., Book 86 of Mines, page 203, Records of Yavapai County, Arizona.

(SEAL)

J.C.Bradbury,

County Recorder.

By G.H. Bishop,

16 D 7	A. D. 191 , at	clock
M., Book		
ecords of Yavapai County, Arizona.		
SEAL }	L. S. COLWELL	 /9
· · · · · · · · · · · · · · · · · · ·	County I	Recorder,
Ву		
	Deputy Reco	rder.
$\left. \begin{array}{c} STATE \ OF \ ARIZONA, \\ OUNTY \ OF \ YAVAPAI. \end{array} \right\} ss.$		
I, L. S. Colwell, County R	Pecorder in and for the County of Yava	apai, State of
	nereby certify that I have compared i	the for e aoina
rizona, and custodian of the records of such office, do		
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct		
rizona, and custodian of the records of such office, do		
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim	t copy of Amended Notice of	Location
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5	t copy of Amended Notice of	Location
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5 cord in my office in Book 86 of Mines	t copy of Amended Notice of	Location
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5 cord in my office in Book 86 of Mines pagex 203 and of the whole thereof.	t copy of Amended Notice of Section 1. Secti	Location
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5 cord in my office in Book 86 of Mines pagex 203 and of the whole thereof. IN	topy of Amended Notice of 58 o'clock A.M. and as the san WITNESS WHEREOF, I have her	Location ne appears of reunto set my
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5 cord in my office in Book 86 of Mines pagex 203 and of the whole thereof. IN	topy of Amended Notice of 58 o'clock A.M. and as the sam WITNESS WHEREOF, I have her and and affixed my Official Seal this 2	Location ne appears of reunto set my
rizona, and custodian of the records of such office, do py with, and that the same is a full, true and correct f the Bear Mining Claim led for record on March 18, A.D. 1911, at 9:5 cord in my office in Book 86 of Mines pagex 203 and of the whole thereof. IN	topy of Amended Notice of 58 o'clock A.M. and as the san WITNESS WHEREOF, I have her	Location ne appears of reunto set my

AMENDED NOTICE OF MINING LOCATION _LODE CLAIM___

To All Whom It May Concern:

This Mining Claim, the name of which is the North Star Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Rudolph Zweifel a Citizen of the United Statesthe undersigned, on the 25 day of October 1899

The length of this claim is Fifteen hundred feet, and we claim 415 feet, in a Northerly direction and 1085 feet in a Southerly direction from the center of the discovery shaft, at which this notice is nosted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 3500 feet in a Westerly direction from U.S.M.M.No.l Pine Grove Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a Northerly direction 415 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a Monument, being the N.E.corner of said claim; thence Southerly 1500 feet to a Monument, being at the S.E.corner of said Claim; thence Westerly 300 feet to a Monument at the center of the South end of said claim; thence Westerly 300 feet to a Monument, being at the S.W.corner of said claim; thence Northerly 1500 feet to a Monument at the N.W. corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Size, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901.

This is an Amended Location Notice of the North Star Mining Claim, located by Rudolph Zweifel on the 25 day of October 1899, and recorded

in Book 52 of Records of Mines, at page 570, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 15 day of March, 1911

Rudolph Zweifel 3

3/4

J.P. Waldron

1/4

Filed and recorded at request of J.P.Waldron, March 18, A.D. 1911, at 9:58 o'clock A.M., Book 86 of Mines, page 205, Records of Yavapai County, Arizona.

(SEAL)

J.C. Bradbury,

County Recorder.

By G.H.Bishop,

		A. D. 191 , at cle
M., Book		
		pages
Records of Yavapai County	y, Arizona.	
	SEAL	L. S. COLWELL,
	()	,
	T)	County Recorder,
	By	D (D)
		Deputy Recorder.
STATE OF ARIZONA, COUNTY OF YAVAPAI.	22	
OUNTY OF YAVAPAI.		
	I, L. S. Colwell, County Recorde	er in and for the County of Yavapai, State
Arizona, and custodian of t		er in and for the County of Yavapai, State by certify that I have compared the foreact
	he records of such office, do hereb	y certify that I have compared the foregoing
opy with, and that the same	the records of such office, do hereb e is a full, true and correct copy	
	the records of such office, do hereb e is a full, true and correct copy	y certify that I have compared the foregoing
opy with, and that the same	the records of such office, do herebe is a full, true and correct copy ining Claim	y certify that I have compared the foregon of Amended Notice of Locati
of North Star Mi	the records of such office, do herebe is a full, true and correct copy ining Claim	y certify that I have compared the foregoing
of North Star Miled for record of March I	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A,D,1911,at 9:58 of Mines,	y certify that I have compared the foregon of Amended Notice of Locati
opy with, and that the same of North Star M: iled for record omarch ecord in my office in Boo	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A,D,1911,at 9:58 of Mines,	y certify that I have compared the foregon of Amended Notice of Locati
of North Star Mi	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A.D.1911, at 9:58 of Mines, to the whole thereof.	y certify that I have compared the foregon of Amended Notice of Locati
opy with, and that the same of North Star M: iled for record omarch ecord in my office in Book t pages 205 and	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A.D.1911, at 9:58 of Mines, to the whole thereof.	of Amended Notice of Locati clock A.M. and as the same appears NESS WHEREOF, I have hereunto set n
opy with, and that the same of North Star M: iled for record omarch ecord in my office in Book t pages 205 and	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A.D.1911, at 9:58 of Mines, to the whole thereof.	of Amended Notice of Location of Amended Notice of Location of Clock A.M. and as the same appears were with the MESS WHEREOF, I have hereunto set in affixed my Official Seal this2nd_d.
opy with, and that the same of North Star M: iled for record omarch ecord in my office in Book t pages 205 and	the records of such office, do herebe is a full, true and correct copy ining Claim 18,A.D.1911,at 9:58 of Mines, of the whole thereof. IN WIT. hand and	of Amended Notice of Locati clock A.M. and as the same appears NESS WHEREOF, I have hereunto set notice affixed my Official Seal this2nd_d

NOTICE OF MINING LOCATION LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Carrie Z Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Rudolph Zweifel a citizen of the United States the undersigned, on the 15 day of November, 1901

The length of this claim is Fifteen hundred feet, and we claim 90 feet, in a Southerly direction and 1410 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 3500 feet in a Westerly direction from U.S.M.M.No.l Pine Grove Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monumentat a point in a Southerly direction 90 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line ofsaid claim; thence Westerly 300 feet to a Monument, being the S.W.corner of said Claim; thence Northerly 1500 feet to a Monument, being at the N.W.corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument, being the N.E. corner of said claim; thence Southerly 1500 feet to a Monument at the S.E.corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, "approved March 16, 1901.

This is an Amended Location Notice of the Carrie Z Mining Claim,

located by Rudolph Zweifel on the 15 day of November 1901, and recorded in Book 60 of Records of Mines, at page 376, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 15 day of March, 1911.

Rudolph Zweifel 3/4

J.P.Waldron 1/4

Filed and recorded at request of J.P.Waldron, March 18, A.D. 1911, at 9:58
o'clock A.M., Book 86 of Mines, page 206, Records of Yavapai County, Arizona.

(SEAL)

J.C. Bradbury,

County Recorder.

By G.H.Bishop,

Jakes otto		A. D. 191 , at	clock
M., Book	1	pages	
Records of Yavapai	County, Arizona.		
	SEAL	L. S. COLWELL,	
	,	County Rec	order,
	B_{ϵ}	y	
		Deputy Records	er.
	-	-	
STATE OF ARIZO	$\left.\begin{array}{c} ONA, \\ APAI. \end{array}\right\} ss.$		
	I, L. S. Colwell, Cou	nty Recorder in and for the County of Yavapa	i, State of
Arizona, and custodi	an of the records of such offi	ce, do hereby certify that I have compared the	foregoing
copy with, and that t	he same is a full, true and c	orrect copy of Amended Notice of In	ocatio
of Carrie Z	Mining Claim		
filed for record on M	arch 18,A.D.1911,a	t 9:58 o'clock A.M. and as the same of	appears of
	in Book 86 of M	ines	
	and of the whole thereof.		
		IN WITNESS WHEREOF, I have hereun	nto set my
AAAAAA		hand and affixed my Official Seal this _2x	ndday
SOUL.	2	of July , A. D. 1912	
N. John	The same of the sa	L. S. Colwel	0
	The same of the sa	County Recorder	

Amended NOTICE OF MINING LOCATION LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Kitty Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Rudolph Zweifel a citizen of the United States the undersigned, on the 11 day of April, 1904

The length of this claim is fifteen hundred feet, and we claim 428 feet, in a Southerly direction and 1072 feet in a Northerly direction from the center of the discovery shaft, at which this notice is is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 4000 feet in a Westerly direction from U.S.M.M.No.l Pine Grove Mining District.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument at a point in a Southerly direction

428 feet from the discovery shaft (at which this notice is posted),
being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument, being the S.W.corner of said claim; thence
Mortherly 1500 feet to a Monument, being at the N.W.corner of said claim;
thence Easterly 300 feet to a Monument at the center of the North end
of said claim; thence Easterly 300 feet to a Monument, being at the
N.E.corner of said claim; thence Southerly 1500 feet to a Monument
at the S.E.corner of said claim; thence 300 feet to the place of
beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, "approved March 16, 1901.

This is an Amended Location Notice of the Kitty Mining Claim, located by Rudolph Zweifel on the 11th day of April, 1904, and recorded

in Book 72 of Records of Mines, at page 27, in the office of the County Recorder of the aforesaid County of Yavapaie to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 14 day of March ,1911

Rudolph Zweifel

3/4

J.P.Waldron

1/4

Filed and recorded at request of J.P.Waldron, March 18, A.D. 1911, at 9:58

o'clock A.M., Book 86 of Mines, page 204, Records of Yavapai County, Arizona.

(SEAL)

J.C. Bradbury,

County Recorder.

By G.H.Bishop,

Filed and recorded at request of	
	A. D. 191 , at cloc
M., Book	pages
Records of Yavapai County, Arizona.	
SEAL	L. S. COLWELL,
	County Recorder,
	By
	Deputy Recorder.
E. B. Williams	
STATE OF ARIZONA, ss.	
COUNTY OF YAVAPAI.	
I, L. S. Colwell, Co	ounty Recorder in and for the County of Yavapai, State
rizona, and custodian of the records of such o	ffice, do hereby certify that I have compared the foregoin
	correct copy of Amended Notice of Location
of Kitty Mining Claim	correct copy of
THE PARTY OF THE P	
A.D.	
	58 o'clock A.M. and as the same appears of
ecord in my office in Book 86of	
t pages 204 and of the whole thereo	f.
	IN WITNESS WHEREOF, I have hereunto set m
	hand and affixed my Official Seal this 2nd da
	of July , A.D. 1912

County Recorder.

AMENDED NOTICE OF MINING LOCATION LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Good Hope Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Rudolph Zweifel a Citizen of the U.S. the undersigned, on the 20th day of February 1905

The length of this claim is 417 feet, and we claim 266 feet, in a Nly direction and 151 feet in a Sly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 4000 ft in a Wly direction from U.S.M.M.No.l, Pine Grove Mining District

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument of Stone at a point in a N ly direction 266 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence E ly 300 feet to a Monument, being the N.E. corner of said claim; thence S ly 417 feet to a Monument, being at the S.E. corner of said claim; thence W ly 300 feet to a Monument at the center of the South end of said claim; thence W ly 300 feet to a Monument, being at the S.W. corner of said claim; thence N ly 417 feet to a Monument at the N.W. corner of said claim; thence E ly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16,1901.

This is an Amended Location Notice of the Good Hope Mining Claim, located by Rudolph Zweifel on the 20th day of February 1905, and recorded in Book 72 of Records of Mines, at page 616, in the office of the County Recorder of the aforesaid County of Yavapai to which reference

is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 15th day of March, 1911

Rudolph Zweifel 3/4

J.P. Waldron

1/4

Filed and recorded at request of J.P.Waldron, March 18, A.D. 1911, at 9:58
o'clock A.M., Book 86 of Mines, page 207, Records of Yavapai County, Arizona.

(SEAL)

J.C. Bradbury,

County Recorder.

By G.H. Bishop,

		A. D. 191 , at	clack
M., Book			0.00K
		pages	
Records of Yavapai County, Arizona	E**** 1000*		11.10
	SEAL {	L. S. COLWELL,	
	A de la companya de l	County Re	ecorder,
	By		
		Deputy Record	der.
STATE OF ARIZONA, COUNTY OF YAVAPAI.			1.018
COUNTY OF YAVAPAI.			
I, L. S. e	Colwell, County Recorder i	in and for the County of Yavap	ai, State of
Arizona, and custodian of the records	s of such office, do hereby o	vertify that I have compared th	e foregoing
copy with, and that the same is a ful			Service of the servic
of Good Hope Mining Cla			
filed for record on March 18,A	D.1911,at 9:58 o	clock A. Mand as the same	appears of
record in my office in Book 86		and the second	**************************************
ut pagex 207 and of the w		4	1
	IN WITNE	ESS WHEREOF, I have heren	unto set mu

County Recorder.

Certificate of Mining Location.

Quartz Claim.

Bear Group

This Certifies, That the Keystone Mining Claim was located by the undersigned,... on the 12 day of July 1907 That said mining claim is 1500 Fifteen Hundred feet in length, and 300 Three Hundred feet on each side of the center of the discovery shaft, lengthwise of the claim, is claimed by the locators, that the general course of the lode and premises is is from the Northly to the Southerly; that said claim is situated and located in Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 800 feet in a North Eastly direction from Del Pasco Peak That the undersigned discoverer of said mining claim located the same on the 12 day of July 1907, by posting at the point of discovery on the surface a plain notice, of which the following is a copy:

To All Whom It May Concern:

This miming claim, the name of which is the Keystone Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by R. Zweifel the undersigned, on the 12 day of July, 1907.

The length of this claim is fifteen hundred 1500 feet, and I claim 700 feet, in a notrhly direction and 800 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northly to the Southly The claim is situated and located in Pine Grove Mining District, in Yavapai County, in the Territory of Arizona, about 800 feet in a North East direction from Del Pasco Peak. The surface boundaries of the claim are marked upon the ground as follows: Beginning at this is one of the Bear Group at a point in a Northly direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to a stake being the North East corner of said claim; thence 750 feet to a stake at the center of the East side line of said claim; thence 750 feet to a stake

being at the South Eastly corner of said claim; thence thence 300 feet to a stake at the center of the Southly end of said claim; thence 300 feet to a stake being at the South west corner of said claim; thence 750 feet to a stake being at the center of the Westly side line of said claim; thence 750 feet to a stake at the North west corner of said claim; thence 750 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 12 day of July 1907

R.Zweifel

Filed and recorded at request of

R.Zweifel, July 16, A.D.A.D. 1907, at 9:10 o'clock A.M., Book 77 of Mines, Pages 512 to 514, Records of Yavapai County, Arizona.

J.C. Bradbury,

(SEAL)

County Recorder.

By C.W.Bennett,

	and the second	A. D. 191, at c	lock
M., Book	PARTIE CONTRACTOR	pages	
Records of Yavapai County, A	1rizona.	Charles Shared Charles (April 2012)	
	SEAL }	L. S. COLWELL,	
	T. Diegrade	County Recorder,	
	By	,	
		Deputy Recorder.	
STATE OF ARIZONA,	\$8.		
OUNTY OF YAVAPAI.			
I,	L. S. Colwell, County Recorde	r in and for the County of Yavapai, Stat	e of
rizona, and custodian of the	records of such office, do hereb	certify that I have compared the forego	oing
		Certificate of Mining	
of the Keystone Mir			
led for record on July 16,	1907, at 9:10 o'cloc	k A.M. and as the same appear.	s of
cord in my office in Book _			37,6
pages 512 to 514 and of	the whole thereof.	A STATE OF THE STA	

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this ____22nd_day

of June

County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,
September 13, , 1912.
I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
Alice Waldron
, known as the BEAR, NORTH STAR, CARRIE Z, KITTY, GOOD HOPE,
KEYSTONE , situate in PINE GROVE
Mining District, YAVAPIA County,
ARIZONA , in Section Approx. 4 , Township No. 11 N.,
Range No. 1 W., Uns. , and designated as Survey
No3010
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim. I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes. Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix, Arizona,		
		September 13, 1912.	
I, U. S. Surveyor-General for	Arizona		
do hereby certify that the foregoing	and hereto attached Fie	eld Notes and Return of the Survey of the	
Mining Claim of	*****	-41-5-4	
Alice Waldron			
		, known as the	
		OOD HOPE, KEYSTONE.	
situate in	PINE GROVE	mining district,	
YAVAPAI	County,	ARIZONA	
in Section Approx. 4 , Tov	vnship No. 11 N	, Range No. 1 W., Uns.	
, designated as S	urvey No. 3010		
executed by Willia	am H. Merritt,	, U. S. KOKPUKSK Mineral	
Surveyor, July 6-10, 19)12	, 190, under my instructions dated	
July 5, 1912	, 190, have been o	critically examined and the necessary cor-	
rections and explanations made, and	the said Field Notes a	nd Return, and the Survey they describe,	
are hereby approved. A true copy of		tion certificate filed by the applicant. for	
survey is included in the field notes.	Chank	Sugalla eyor-General for Arizona.	
4115\b5m6-02	U. S. Surv	eyor-General for AFIZOHA.	

SURVEY Mo. 3010.

SUPPLEMENTAL REPORT as to DEVELOPMENT WORK.

Survey of Tunnel No.2 Bear lode.

Beginning at a point in said tunnel 22 feet from its mouth, thence: S 50;00 *W 50 feet, thence S 35;00 *W 287 feet to face, 4.5.X 7 feet high, value \$2022.00, This work has been performen since I made the Official Survey, July 6.1912, and 260 feet of this of work value of \$1560.00, was performed before July 1,1913. the date of expiration of the period of publication.

From the mouth of this tunnel the surface rises to the south to near the south end of the Kitty, then descends and from the tunnel the surface rises to the east, the North end of the Keystone is over loo ft.higher than the mouth of this tunnel, and by croscutting from the face of this tunnel to the Keystone lode then drifting on said lode all the ground above this tunnel could be developed, and if the tunnel was continued southerly through the Bear, Kitty, and Good Hope it would develop them also, but as the Bear, Kitty, and Good Hope lodes at the time of the survey had sufficient work to their credit to comply with the requirements of the Land Office the above work was performed for the Keystone lode.

Surveyed June 26th.1914.

William & Menny V.S. Mineral Surveyor.

Subscribed and sworn to before me, this 11th.day of July A.D.1914

my com expires Japr. 4-1916.

Anna M. Caspari'
Notary Public.

CERTIFICATE OF U. S. SURVEYOR GENERAL
AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

DEPARTMENT OF THE INTERIOR,

Office of U.S. Surveyor-General,

Phoenix, Arizona,

July 18, 1914.

I, U. S. Surveyor-General for Arizona, do hereby certify that since the survey of the claims embraced in Mineral Survey No. 3010 and before July 1, 1913, the date of expiration of the poriod of publication, \$1560 worth of work has been performed in tunnel No. 2 on the Bear lode of said survey. Further, that said tunnel is so situated topographically that it may develop the Keystone. Kitty and Good Hope lodes, of said Survey 3010, as well as the Bear lode, and an undivided 1 interest in the value of said tunnel in its entirety, at the date of expiration of the period of publication, \$2200, (\$640 reported at time of survey, plus \$1560 performed subsequent to survey and prior to the expiration of the period of publication), is properly credited to each of the four said claims, \$550 being apportioned to each, under authority in 36 L. D. 551.

A copy of the report of William H. Merritt, U. S. Mineral Surveyor, dated July 11, 1914, is hereto attached.

Surveyor-General for Arizona.