SEP.3- 1912

4-683

## MINERAL SURVEY No. 3014

LOT No.

Arizona Land District.

#### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Emma J. Murphy

KNOWN AS THE

Emma J.

Emma b.

Vulture Mining District,

Marcopa County, Grizona

Sections 1682/Uns.

Surveyed under instructions dated Aug. 7, 19/2

by John Mills

U. S. Mineral Surveyor.

Claim located See location notice, 19 %
Survey commenced August 17th, 19/2
Survey completed August 19 14, 19/2

Address F. B. Jacobs, Atty., Fickenburg, Arizona When going over the lade line of the Hazel Kirk included in order for this survey. I found con't of the Constante Craig where a lava rock is set in the ground chiseled C. C. 4.

2060 and a mound of stone; built along - side

From the corner of ran N.30. 19' E
1499. 9 ft to corner 3 of constant and
survey 2060. marked with a quark stone
set in ground - but now the stone
markey corner is broken off about
2" above ground, I found a piece of the
same rock daid about 2' from corner
chiseled 2060. but the other parts of
Could not find. a mound of olomer.
has evidently witnessed the corner but that
is now destroyed

Then I ran S89° 15' E 428 ft be Cor 2 marked with a Lava slove chiseled C.C.2 2060 showing 8" above ground. a mound of stones have been built alongside but this is now destroyed

Arow this it is proven that the discovery and the improvements of original and the amended location of the Hazel Kirk Lode of this survey are within the boundary of the Constante Grang of Survey , 2060

The improvements count of 2 Shafts and 1 Turnel at the North East end of Claim

Survey no 3014 Continued Emma S. Lode

Teet

Beginning at Cor 1. on line 3-4. Constance Craig Codervey 2060 a lava rook 32" × 15" × 8" chiseled E. I. 1- 3014 sel 14" in ground and a mound of stones 3' high and 3'in diameter built alongside Corner, 3 of Constance orang Lode survey 2060 bears N3º 19'E 324.1 ft The section corner 21/22 of T 6 N R 4 W bear 580° 27 E 3158/1 Corner of and Location bean: 5.80° 41' E 4.5 ft, a mound of stones 2.5' high, 2.4' in diameter at base,

Thence N80°41'W

To corner 2 a lava stone 24" × 12" × 8 chiseled EI. 2-3014 set 14" in ground and a mound of stones 2'9" high and 3" in diameter at lair built along side Corner identical with corner of amended location

300, Hertend Center identical with location, a mound of stones 3.1' high and 2.6' diameter it base of guilde 15 wide bean 5.70°E

600 be Corner 13

a Lava stone 30" × 12" × 5" chiseled E.I. 3. 30/4 set 15" in ground and a mound of slones 3'm diameter and 2'8" high bull along side

a mound of stones 2.6' high and 2.6 in diameter at back

L

Teet 1095.2 Thence S. 80° 41'E To Cor 14.

A hornblende schist stone 20"× 10"×8"

chiseled E I- 4-3014 set 13" in ground

and a monument of sloner built alongide

Line 3-4. of Emma I: lode of this

survey intersects line 3-4 Constance

(raightervey 120 60 at cor 14. of this survey

Cor of amended location beam 0.76°E3;

a mound of stones 2.4 high and 2.5 in diameter at base.

300. 341 East end center, a mound of stones 3' high and 3' in diameter. To senter of guld 21' wide hearing N65°E to Cor. I and place of leginning, containing 15.003 acres.

at base from which east end center of the location bears East 3, a monument of stones 2.5 high 2.4 diameter, at base

From Cov, 3. Emma I lode of

this survey

Shaft, I and discovery bears N 45° 40'E-368'

Shaft, 2 bears N 43° 30'E - 381'

Shaft, 3 bears N 38° 55'E 326'

from center of Shafts

Variation at all Corner 14°36'E no bearing objects available at corners.

The courses N 82° W and N 18° E given in the armended location as courses of lode, side and end lines am in error, and also the distance of 960 ft for lode and side lines from the east and west end lines as marked on the ground are were

Lode hime as near as can be determined from deverpments the lade line of the Emma d. lode is 580°41'E 845.2' and N 80° 41'W refrom senter of Shaft . The discovery Roy of this survey is situated in Secs. 16 & 21, 1. 6 R., County, arigona, mining District, maricopa Expenditure of Two hundred Dollars I certify that the value of the labor and improvements made upon the claim by Claimant or her grantors consist of. The discovery shaft N45° 40'E 368' from Par 3. a perpendecular shaft Collar Timbered 4×7×31.3' deep \$ 250. 40 bean N 43°30'E 381 from no 2 Cor 3., an incline Shaft of 38° from horizontal (dipping \$181.20 east) 4 x 6 x 30. 2' deep Value bears. N38°55' E326 from Oor N3. no 3 an moline shaft of 390 from horizontal (dipping east) \$178.80 4 × 6 × 29.8' deep \$ 610.401

Fro cation Monument of the Emma I lode of this survey is a mound of stones 3.5' high, 3' in diameter at the last of monument and where the original and amended Location notices are posted

Adjoining Claims
The adjoining slaims are To the East
Constance Craig Survey, 2060, on the other
sides no visibly sign of improvements

Survey no 3014 Instrument.

The survey was made with a Queen full Enginee's Transil A 1495

The sourser were deflected from the true meridian as determinated by observing Tolaris at its eastern Engage on august 17th at 10h 16mp. M & mountain time Yandun 14°36'E, The distances were measured with a 300 ft steel tape graduated for every fort

The lode line of this location was run directly upon the ground and. The corners established by means of offsets from the lode line, all the lines were run directly upon the ground the postion of the location on each side of ledge and extens lines closed within the allowed limit of error

The Section Corner. on Stank of Hanayampa River is about down. stone marked. 3 nother on the South and East edge.

The discrepancy between this survey and our. 90.2060, Constance Craig lode is due to error in the latter survey.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

	arveyor, to assist in running, measuring, and marking the lines, corners, and
	ing field notes of the survey of the mining claim of
Enn	na & murphy
known as the	na & Thurphy Eming Clair
	/
and showing the respective capacit	
	Ra Roberts -, Chainman.
A TOTAL	, Chainman.
4	Annuan
	, his P
	+ Doning Bar gnez, Flagman.
× 1	mark
****	
FINAL	L OATHS OF ASSISTANTS.
$W_{\theta}$ $\mathcal{R}$ $\alpha$	Roberts
and	do solemnly swear that we assisted
miller, T	United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim	of Emma & Murphy
	8 "
known as the 6 22	ma V Missey Harry
represented in the foregoing field 1	notes as having been surveyed by said deputy mineral surveyor and under his
	as been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner	and boundary monuments established according to law and the instructions
furnished by the United States Su	rveyor-General for and
	, Chainman.
	12 Add of G
	Chainman.
	, Axman.
2 19	Donnigs Barques, Flagman.
	0.10
Subscribe	and sworn to by the above-named persons before me this 2/2/- of August, 1962  General Montany Public
day	of linguist, 1962
	Genevieve M. Muphy
	Witten Palet
17287b5m3-05	Sirving y rate w
1	and Telegrate 1811

### FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

	I, John Miller , U. S	S Denuty Minoral
	Surveyor, do solemnly swear that, in pursuance of instructions received	
	States Surveyor General for Angona	
	August 7th 1912, I have, in strict conformity	, dated
	United States, the official regulations and instructions thereunder, an	
	of said Surveyor General, faithfully and correctly executed the sur	vey of the Mining
	Claim of Cmma d. Thurphy	
	Claim of Emma d. Murphy	known as the
	-6mma J	,
D)	situate in Vulture	Mining District,
	markeopa County, Crizona	, in Sections
	Markeopa County, Origona  1692, Township No. 6 N, Range No. 4 W	·,
	and designated as Survey No. 3014	, as represented
	in the foregoing field notes, which accurately show the boundaries of	said mining claim
	as distinctly marked by monuments on the ground, and described in	
	of the location certificate, which was received by me from the Surv	
	said instructions, and that all the corners of said survey have been est	
	petuated in strict accordance with the law, official regulations and in	_
	under; and I do further solemnly swear that the foregoing are the	_
	field notes of said survey and my report therein, and that the lab	h
	improvements made upon said mining claim by claimant or	· ·
	are as therein fully stated, and that the character, extent, location a	
	thereof are specified therein with particularity and full detail, and t	hat no portion of
	said labor or improvements so credited to this claim has been include	ed in the estimate
	of expenditures upon any other claim.	
		·
	1 of	milla
	U.S. Dep	Miller uty Mineral Surveyor.
	Subscribed and sworn to by the said when Mee	
		rev
	o. b. beputy mineral bullyeyor, before me 4. 4. 40 co	2 con
	this	28
	day of august 1912	
	- Strain	
		0.
-	In 1 0 8-154 Molenn	where
1	My Commence a fores 26 1913	
2	They Jany 26 1913	

#### AMENDED

## Motice of Mining Location



LODE CLAIM To All Whom It May Concern: This Mining Claim, the name of which is the "Emma I" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Emma I. Murphy, a citizen of the United States (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 18 day of June 19 12. The length of this claim is nine hundred sixty feet, and I claim two hundred fifty feet, feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north eighty two degrees west and south eighty two degrees east The claim is situated and located in the ...... State Hassayampa ....... Mining District, in County, in the Territory of Arizona, about three miles in a westerly direction from Morristown approximately in the S. E. 1/4 Sec 16 T 6 N R 4 W., G & S R B & M and adjoins the west side line of the Hazel Kirk lode. The surface boundaries of the claim are marked upon the ground as follows: a monument of stone J. at a point-in-a- N 82° W ---direction 250 feet from the discovery shaft (at which this notice is posted,) being in the center of the .We.St. end line of said claim; thence N 18° E 300 feet to a monument of stone corner of said claim; thence S 82° E 960 feet to a monument of stone , being at the north east corner of said claim; thence S 18° W 300 feet to a monument of stone at the center of the east end of said claim; thence same course 300 feet to a monument of stone, being at the south east corner of said claim; thence N 82° W 960 feet to a monument of stone at the South west corner of said claim; thence N. 18° E. 300 feet to the place of the begining. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Emma I Mining Claim, located by Emma I Murphy & children on the 2 day of January 1910, and recorded in Book # 20 of Records of Mines, at page 36.7..., in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Without waiver of any previous rights. Dated and posted on the ground this 18 day of June 19.12. Attest: Emma I. Murphy. A. J. Kent.

Rotice of Location.

Corner Monument

AMENDED

LODE CLAIM.

Emma I

STATE		
TERRITORY (	OF ARIZONA Sss.	
County of	1 '	
<i>I</i> <sub>1</sub>		, County Recorder in and for the County and
State  Territory aforesaid, of	do hereby certify that the within instr	ument was filed for record ato'clock,M,
on this	day of	191 , and duly recorded in Book No.
of	Records of	County, Arizona, at pages
	WITNESS my hand and official se	eal the day and year first above written.
A STATE OF THE STA		4.0
		County Recorder.

A. D. 191

Jul 5, 1912

Corner Monument  $\mathbb{X}$ 

Book 21 Mines

at 10:30

, 191 2.

Dated June 18

Filed and Recorded at request of

B. Jacobs

Œ

Monument

Discovery Monument

The Discovery Monument

Emma I. Murphy

This diagram is to give locator ageneral idea of plan of location under the new law. The Discovery, Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Pages...

Vernon L. Vaughn. County Recorder.

Deputy Recorder.

By

The McNeil Co., Phoenix, Arizona

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	October 4,	19 12
I, U. S. Surveyor-General	for Arizona.	
do hereby certify that the foreg	oing transcript of the Field Notes, return and approval	of the survey
of the mining claim of		
	Fmma I Wurphy	
known as the	EMMA I	
situate in	VULTURE	
Mining District,	Maricopa County, Ariz	zona
IInc	vnship No. 6 N., Range No. 4 W.	
	14 , has been correctly copied from the original	
	es furnish such an accurate description of said mining cl	
	e fully to identify the premises, and that such reference is	
to natural objects or permanent	monuments as will perpetuate and fix the <i>locus</i> thereof.	
	five hundred dollars' worth of labor has been expende	ed or improve-
ments made upon said mining	claim by claimant or her grantors, and that said	improvements
	tal value \$610.40.	_
· · · · · · · · · · · · · · · · · · ·		=
	~	
		*
and that no portion of said lab	or or improvements has been included in the estimate of	expenditures
upon any other claim.		
I further certify that the pla	at thereof, filed in the U.S. Land Office at Phoeni	Х,
Arizona	is correct and in conformity with the foregoing Field No	otes.
	Frank S. Ingalls,	
6.	United States Summeron Consuel for Amir Cons	

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix,	Arizona,
	2	October 4, , 1912.
I, U. S. Surveyor-Gener	ral for Arizona	
do hereby certify that the fo	oregoing and hereto attached Field Notes ar	nd Return of the Survey of the
Mining Claim of	,	
	Emma I Murphy	
		, known as the
	EMMA I	
situate in	VULTURE	Mining District,
MARICOPA	County,	ARIZONA
in Section s 16 & 21 U	ns, Township No. 6 N., R	ange No. 4 W.
, designa	ated as Survey No. 3014	
executed by	John Miller	, U. S. <del>Deputy</del> Mineral
Surveyor, Aug	. 17-19, 1912 , 190	., under my instructions dated
Aug. 7, 1912	, 190, have been critically ex	amined and the necessary cor-
rections and explanations ma	ade, and the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A tru	ne copy of the copy of the location certifica	ate filed by the applicant. for
survey is included in the field	d notes.	
	U. S. Surveyor-General	all
	U. S. Surveyor-General	for Arizona.