151.5-1912

4-683.

MINERAL SURVEY No. 3021

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

CONS	OLIDATED ARIZO	NA SMELTING O	COMPANY		

2		KNOWN AS THE			
	BL	UE LIME PLAC	ER		
***************************************		DEL RIO		Mining	District,
	PAI				
Section 34	, Town	ship 18 N.	, Ra	nge 2 W.	
Surveyed	under instruction	s dated Sept	14,	, 1912	
		hu J	.WILLIAM	WAARA	
		9		U. S. Mineral	
Cla	im located See	Location Noti	ice	, 19	
Sur	vey commenced	Sept. 16,		, 1912	
Sur	vey completed	Sept. 17	*************	, 1912	
Attorneys					S4.

Anderson & Lamson

Prescott Arizona.

Survey No.3021

BLUE LIME PRACER

Beginning at Cor. No.1, a lime stone 6-12-18 inches long set 12 inches in the ground with a substantial mound of stone alongside: chiseled B L-1-3021 on SW face with cross on top for exact corner point, from which point

The point for N 1/4 corner of Sec. 34 T.18 N.R. 2 W. of the Gila and Salt River Base and Meridian, bears NORTH 630.0 feet.

No other bearings available.

Thence WEST

169.0 Cross old road course SW to NE.

206.0 Cross small dry wash course north and south.

252.3 cross road to Valley station, course north and south.

660.0 Cor.No.2 Blue Lime Placer.

A limestone 4-12-18 inches long set 12 inches in the ground, with a substantial mound of stone alongside; chiseled B L-2-3021 on SE face with cross on top for exact corner point.

No bearings available.

Thence SOUTH

790.0 Cross road Valley atation to Chino Valley, course NE toSW. 1320.0 Cor.No.3 Blue Lime Placer.

A limestone 8-12-20 inches long set 12 inches in the ground, with a substantial mound of stone alongside; chiseled B L-3-3021 on NE face with cross on top for exact corner point.

No bearings available.

The south Corner to Sections 33-34 T.18 N.R.2 W. brs. S.30-59/50"W. 3848.4 feet

mhence EAST

150.0 Cross old road course North and South,

361.0 gross small dry wash, course north and south

- 411.6 Center of Santa Fe Prescott & Phoenix Railroad track course S.15-47'W., being also point of tangency of old spur to Quarry.
- 660.0 To cor. No. 4, Blue Lime Placer.

limestone 5-15-27 inches long, set 14 inches in the ground, with a substantial mound of stone alongside; chiseled B L-4-3021 on NW face with cross on top for exact corner point.

No beraing available.

whence NORTH

- 878.45 Center of Santa He Prescott & Phoenix R.R. track, on bridge No.49.
- 897.0 Cross small dry wash, course NE to SW.
- 1020.0 North end of Quarry.
- 1226.0 Cross small dry wash, course NW to SE.
- 1320.0 To place of beginning.

All corners are identical with their respective locations. Variation at all corners 14-30'E.

AREA

Total area Blue Lime placer -----20.00 Cacres.

LOCATION

This survey is located in the NW 1/4 sec. 34, T.18 N.

Yavapai County, Arizona
R.2 W.; in the Del Bio Mining District, and about 1/8 th

mile southerly from Valley station, on the Santa Fe

Prescott and Phoenix R.R.

EXPENDITURE OF FIVE HUNDRED DOLLARS

improvements made upon, or for the benefit of the labor and the locations embraced in said mining claims by the claimant or its grantors is not less than five hundred dollars and that said improvements consists of;

No.1 An open quarry, which begins at a point south 300.0 feet from Cor. No.1 Blue Lime Placer, and extends as follows, (courses taken along rim of face of quarry) from pt.No.1, S.67-47'W. //R feet, thence S.50-05'W. 106ft. to pt. No.3, thence S.26°-01' W. 110 ft. to point No.4, thence S.50 05 W. 53ft. to pt.No.5, thence S.11°-44 E. -88 ft. to pt. No.6, the end of quarry. The quarry extends southeasterly and paralell with face on course pt. No. 6 to Pt. No. 1. It avarages 15 to 17 feet high along its entire face.

Value #10,000.00

OTHER IMPROVEMENTS

A spur from the main line of the railroad was run at the time of working of this quarry, but at present it has been abandoned and the rails taken up.

ADJOINING CLAIMS

None

INSTRUMENT

This survey was made with a Lietz Light Mountain transcittheodolite No.13. The courses were deflected from the true meridian as determined by direct observation by use of the Saegmuller Solar Attachment. The distances were measured with a 150ft. and 300 ft. steel tape.

REPORT

The nearest corner of the public survey that was found standing was the corner to sections 33-34-3-4 on township line between T.17 and 18 N.R. 2 W. of the Gila and Salt River Base and weridian, from which corner the point for North & corner Sec. 34 was established. This corner was properly set and marked.

J William Waara

I was unable to find the 1/4 Cor. between Secs.33 & 34, the Cor. to secs. 27-28-33-34, the 1/4 cor. between Secs. 34-35, the cor. to secs. 26-27-34-35, or the S.1/4 Cor. of Sec. 34, all of which are nearer than the corner to which Cor. No. 3 of this survey is tied. All of the above named corners with the exception of the S.1/4 Cor. of Section 34, were posts, and they have probably decayed or been obliterated in some other manner.

The point for the North 1/4 corner of Sec. 34, was established by running North, variation 14-30'E. as per Saegmuller Solar observation, 80.00 chains, thence east variation 14-30'E. 40.00 chains, where the point for N.1/4 cor. fell, from which point, Cor. No.1 Blue Lime placer, brs. south 660.0 ft. The above was run with the aid of field notes of the original public survey. As the the country west of this section is apen valley land, and corners must necessarily have been postsas it is remote from stone or timber, these corners are in most cases obliterated, and the re-establishment of the above mentioned 1/4 cor. from the corner on the township line is without doubt the most accurate way available to do it. The country is open and very flat so the possibilities of error in chaining in the original survey are very remote.

J. William Waara

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	yed by J. WILLIAM WAAPA			
United States Deputy Mineral Surveyor, to assi	sist in running, measuring, and marking the l	ines, corners, and		
boundaries described in the foregoing field notes	of the survey of the mining claim of CONSC	LIDATED		
ARIZONA SMELTING COMPANY				
known as the BLUF LIME PLACER	to an extra an extraordictivity and a second second			
and showing the respective capacities in which the	shey acted.			
,	H.F. Armitage	, Chainman.		
		, Chainman.		
	# # 19 #	Axman.		
		, Flagman.		
FINAL OATH	HS OF ASSISTANTS.			
and				
, United States I				
the boundaries of the mining claim of	SOLIDATED ARIZONA SIGNETING CO.	MPANT		
known as the BLHE LIM PLACEH				
represented in the foregoing field notes as having				
direction; and that said survey has been in all re-	respects, to the best of our knowledge and be	lief, faithfully and		
correctly executed, and the corner and boundary monuments established according to law and the instructions				
furnished by the United States Surveyor-General for ARIZONA				
	H. E. Cruata	, Chainman.		
	•	, Axman.		
	222222222222222222222222222222222222222	, Flagman.		
Subscribed and sworn to	o by the above-named persons before me this.	17th.		
	, 1962			
12 F	Line and	nm		
		1		

17287b5m3-05

My commission expires February 18th, 1916

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. WILLIAM WAARA , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for ARIZONA. , dated
Sept. 14, 1912 , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Consolidated Arizona Smelting Company
, known as the
BLUE LIME PLACER.
situate in Mining District,
Yavapai County, Arizona, in Section
, Township No. 18 N., Range No. 2 W. G.& S.R. R.& M.
and designated as Survey No. 3021 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its. grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William Chaara
William Waasa U.S. Doputy Mineral Surveyor.
Subscribed and sworn to by the said J.WILLIAM WAARA
U.S. Deputy Mineral Surveyor, before me Likon kudu h
9 notary Public this 17th.
day of September 1912
C.C. Vi
Likon hudur tu molan Rusero
molain Proper

My commission expires

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

			ed June 24, 1899, upon 1	the Placer Mining Claim
		,		
cons			LTING COMPANY	
situate in			DEL RIO	Mining District,
				, embracing
The S.E.	of N.H.	of N.W. + and	i H.E. of S.E.	of N.W. + of
		,	ield notes Mine	eral Survey No.
in Sec.			. Range	7.
Examination made	Sept. 16	, 190.2		
		Ву	J. WILLIAM WAA	
1501951500-7-1900			U. S . i	Deputy Mineral Surveyor.

DESCRIPTIVE REPORT ON PLACER CLAIM CONSOLIDATED ARIZONA SMELTING COMPANY KNOWN AS THE BLUE LIME-MINERAL SURVEY NO. 3021

- The soil is a shallow alluvial deposit overlying the limestone. In the southeast corner of the claim a volcanic capping occurs, and extends easterly. A few scattered cedar trees are standing but generally speaking, the claim is timberless and vegetation is
- (b) See back of page two (2). (coffingment here place) The surface workings consist of an open quarry for limestone, having an average face of 15 to 17 feet in height. The quarry extends, from a point on the east boundary south 300 feet from the Cor. No. 1, in a southwesterly direction for 400 feet and being about 70 feet wide, parallel with the face.
- The Santa Fe Prescott and Phoenix Railroad passes through this claim. The nearest center of trade and residence is the City of Frescott, Yavapai County Arizona being 27.8 miles south. Humboldt is 38.5 miles southeasterly and is the location of the reduction works of the Consolidated Arizona Smelting Co., users of the limestone from this quarry.
- There are no lode deposits or individual lodes of any consequence nearer than Jerome Arizona, being 35 miles in a southeasterly direction.
- The claim is only adaptable for the limestone quarrying, and as water is only necessary for domestic purposes, a sufficient amount can be procured for that purpose.
- Approximately 10000 cubic yards of quarrying, valued at about \$10,000.00 , has been done by the claimant or its grantors for the development of the claim, which works may be described to be located as (1)

follows;

An open quarry, the face of which begins at a point south 300,0 feet from Cor.No.l Blue Lime Placer, and extends as follows along rim of quarry, from initial point.No.l, S.67-47'W.112 feet to No.2, thence S.50-05'W. 106 feet to No.3, thence S.26-01'W. 110 feet to No.4, thence S.50-05'W. 53 feet to No.5, thence S.11-44'E. 88 feet to No.6 the end of the quarry.

(h) There are no mines, salt licks, salt springs, or mill seats on this claim except as mentioned above.

FINAL OATHS FOR DESCRIPTIVE REPORT ON PLACER CLAIM.

We, J. William Waara and H. E. Armitage, do solemnly swear that we have been on the Blue Lime Placer Claim Eineral Survey No. 3021, and have examined said claim as to requirements by General Land Office circular, approved May 21, 1907, paragraph 60 for descriptive report on placer claims, and that the above report does in all respects, to the best of our knowledge and belief, faithfully and correctly describes the conditions as exists on said Blue Lime Placer Glaim, Mineral Survey No. 3021, Consolidated Arizona Smelting Company, Claimant.

Corroborated by H. E. aruitage

Subscribed and sworn to by the above-named persons before me this # day of September 1912.

Motary Public

My commission expires

A-18-19h — (2)

(b) A small dry wash about fifteen ft. in width passes through the N.E. corner of the claim and again enters from the east side about 330 feet south of where it first passed out of the claim. It flows only during rains and from winter flood waters. There are no other matters that can be mentioned as appearing on the surface of the claim,

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I,, U. S. Mineral Su	rveyor,		
do solemnly swear that in pursuance of an order received from the U S. Su	ırveyor		
General for ARIZONA , dated Sept. 14 ,	19_13		
I have made, under the provisions of paragraph 60, General Mining Circular, ap	proved		
May 21, 1907, a personal and thorough examination, upon the premises, of the placer			
mining claim of Consolidated Arizona Smelting Company	-		
known as the Blue Lime Placer			
situate in Del Rio Mining I	istrict,		
Yavapai County, Arizona , emb	racing		
S.E. + of N.E. + of N.W. + and NE + of S.E. + of N.W. + Sec	, 34		
as described in the field notes Mineral Survey No. 303	1		
20 ares,			
in Township No. 18 N., Range No. 2 W., and that my	report		
of such examination, hereto attached, is specific and in detail, and is a full an	d true		
statement of the facts upon all the points specified in the paragraph referred to.			
U. S. Mineral Su	a		
U. S. Mineral Sur	veyor.		
Subscribed and sworn to by the said			
J. WILLIAM WAARA U. S. Mineral Su	veyor,		
before me Arthury Tuble	<u> </u>		
this 8th day of October, 1	12		
2 E Daniel			
31805h5mg-07 0-2 0-2	-7		
31905h5m9-07	mu		

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

STATE OF ARIZONA
COUNTY OF YAVAPAI \} ss:
H.E. Armitage and
being first duly sworn, severally depose and say that he is personally and well acquainted with the
placer-mining claim ofConsolidated Arizona Smelting Company
, known as the Blue Lime placer
, situate in
Del Rio Mining District,
the S.E. d of N.E, d of N.W. d and N.E. d of S.E. d of N.W.
of Sec. 34, as described in the field notes Mineral Survey
No. 3021, 20 agres)
, in Township No. 18 N.
Range No. ; and also with the character of all the land included
in said claim, and has been so acquainted for
past; that his knowledge of said claim and land is derived from inspection
prior to foregoing report, in company with J. William Waara, who instructed hum as to the requirements for a full examination in connection with making Descriptive Report and is such as to enable
him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of
that to his own personal knowledge said report is in all respects true and accurate.
H. E. aruntage
Subscribed and sworn to by the above-named persons before me
this 8th day of October, 1902
Me commission of the Commissio
this D day of Cutory, 199 L My Commission Expires Tebruary 18th, 1916 The Relley Rolling Freblic

Amended Notice of Mining Location Placer Claim

SEP. 14.1912

To All Whom It May Concern:

This Placer Mining Claim, the name of which is the Blue Lime Placer Mining Claim, the name of which is the blue lime Placer Mining Claim, situate on lands belonging to the United States of America, and being a form of valuable mineral deposit other than in veins or lodes of quartz or other rock in place, was entered upon and located for the purposes of exploration and purchase by the Consolidated Arizona Smelting Company, a Maine corporation doing business in Arizona, the undersigned, on the 23rd day of May 1912.

We claim 20 acres thereof, and have marked the same on the ground

as follows:

Beginning at a point from which the N 1/4 corner of sec. 34 T.18 N. R.2 W. of the Gila and Salt River Base and Meridian bears North 660.0 feet said point being a stake in mound of stone where this notice is posted; thence South 1320.0 feet to a stake in mound of stone, thence West 660.0 feet to a stake in mound of stone, thence North 1320.0 feet to a stake in mound of stone, thence East 660.0 feet to the place of beginning, containing 20.0 acres, all in Del Rio Mining District, in the County of Yavapai, in the State of Arizona, about one eight miles in a southerly direction from Valley Station on the S.F.P.& P. R.R. This is an Amended Location Notice of the Blue Lime placer mining claim located by J.K.Mason on the 1st day of Jan 1906 and recorded in Book 68 of Records of Mines at page 330, in the office of the County Recorder of Yavapai County.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 23rd day of May 1912

Witness J William Waara

Consolidated Arizona Smelting Co. R T Walker Agent

Filed and recorded at request of Anderson & Lamson May 24 A.D. 1912 at 9:30 o'clock A.M., Book 90 of Mines, page 644, Records of Yavapai County, Arizona.

(SEAL)

L.S.Colwell

County Recorder.

By Benj Powers Deputy Recorder.

Filed and recorded at request of	A. D. 191 , at cloc	
M., Book	pages	
Records of Yavapai County, Arizona.	pageo	
SEAL }	L. S. QOLWELL,	
	County Recorder,	
By		
	Deputy Recorder.	
meets.		

STATE OF ARIZONA, COUNTY OF YAVAPAI.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Amended Notice of Mining Location of Blue Lime Placer Mining Claim

Wasser Company

filed for record on May 24 A.D.1912 at 9:30 O'clock A.M. and as the same appears of record in my office in Book 90 of Miges at pages 644 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this __lth_day

of September

A D 1012

County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,	
December 28, , 19	12.
I, U. S. Surveyor General for Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and appro	
of the Survey of the mining claim of	
CONSOLIDATED ARIZONA SMELTING COMPANY	
, known as the BLUE LIME PLACER	
, situate in	
Mining District, YAVAPAI Cour	nty,
ARIZONA, in Section 34, Township No. 18	N.
Range No. 2 W. , and designated as Sur	
No. 3021 , has been correctly copied from the originals	
file in this office; that said Field Notes furnish such an accurate description of s	
mining claim as will, if incorporated into a patent, serve fully to identify the premis	
and that such reference is made therein to natural objects or permanent monuments	s as
will perpetuate and fix the <i>locus</i> thereof.	, 45
And I further certify that five hundred dollars' worth of labor has been expend	ded
or improvements made upon said mining claim by claimant or its grantors, a	
that said improvements consist of 1 quarry, value \$10,000.00	

and that we will be a continue of the continue	
and that no portion of said labor or improvements has been included in the estimate expenditures upon any other claim.	of
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.	
Frank S. Ingalls,	
United States Surreyor General for Arizona	

o 6—168

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

,	Phoenix, Arizona,	
	Door	ember 28, 1912.
		, 1012.
I, U. S. Surveyor-General fo	Arizona	
do hereby certify that the forego	ing and hereto attached Field N	otes and Return of the Survey of the
Mining Claim of		
CONSOLIDA'	TED ARIZONA SMELTING	COMPANY
		, known as the
	BLUE LIME PLACER	
situate in	DEL RIO	mining district,
YAVAPAI	County,	ARIZONA
in Section 34,	Township No. 18 N.,	Range No.2 W.
executed by	William Waara	, United States Mineral
Surveyor, Sept	. 16-17, 1912	, 190, under my instructions dated
Sept. 14 1912	, 190, have been critica	ally examined and the necessary cor-
rections and explanations made,	and the said Field Notes and R	eturn, and the Survey they describe,
are hereby approved. A true co	py of the copy of the location co	ertificate filed by the applicant for
survey is included in the field no	tes.	
	Thank &	General for Arizona.
	U. S. Surveyor-	General for Arizona.

TRANSCRIBED COPY OF ORIGINAL FIELD NOTES

411.6 Center of Santa Fe Prescott & Phoenix Railroad track course S.15.47'W., being also point of tangency of old spur to Quarry.

660.0 To cor. No.4, Blue Lime Placer.

A limestone 5-15-27 inches long, set 14 inches in the ground, with a substantial mound of stone alongside; chiseled B L-4-3021 on NW face with cross on top for exact corner point.

No beraing available.

Thence NORTH

878.45 Center of Santa Te Prescott & Phoenix R.R. track, on bridge No.49.

897.0 Cross small dry wash, course NE to SW.

1020.0 North end of Quarry.

1226.0 Cross small dry wash, course NW to SE.

1320.0 To place of beginning.

ij.

All corners are identical with their respective locations. Variation at all corners 14-30'E.

AREA

Total area Blue Lime placer ----- 20.000acres.

LUCATION

This survey is located in the NW 1/4 sec. 34, T.18 N.
Yavapai County, Arizona
R.2 W.; in the Del Rio Mining District/, and about 1/8 th
mile southerly from Valley Station, on the Santa Fe
Prescott and Phoenix R.R.

EXPENDITURE OF FIVE HUNDRED DOLLARS

improvements made upon, are fairly that the value of the labor and improvements made upon, are fairly by the claimant or its grantors is not less than five hundred dollars and that said improvements consists of;

(2)⁽¹⁾