

DEC 14 1912

1

APR 9 1913

(4-683.)

Mineral Survey No. 3024.

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
High Jinks Gold Mining Company.

KNOWN AS THE

High Jinks #1

Old Hat Mining District,

Pinal County, Arizona

Section 7 - 8 & 17, Township 10 South, Range 16 East

Surveyed under instructions dated Oct. 15, 1912, 1,

by Edgar C. Dietrich,
U. S. Deputy Mineral Surveyor.

Claim located See location notice attached 1

Survey commenced Nov. 6, 1912. 1

Survey completed Nov. 7, 1912. 1

o 6-100 Address of claimant's Attorney:-

Francis M. Hartman,

Tucson, Arizona.

1.

Feet.

SURVEY No. 3024.

HIGH JINKS #1

Beginning at Cor. No. 1, iden. with the location, which is a stake in a mound of stone, I set a pine post 4"x4"x4' long, ~~set~~ 2' in the ground, surrounded by a mound of stone. I mark same 1-HJ#1-3024 on its north-easterly face. An oak tree, 10" in diam., brs. S.64°W., 52' dist. marked 1-HJ#1-3024-BT.

Cor. to secs. 7-8-17-18, T.10 S., R.16 E., brs. N.41°-20'W., 575' dist., being a quartzite stone 10"x10"x6" above grd. marked with 4 notches on S. and 5 notches on E. edges.

An oak tree, 25" diam., bears N.19 $\frac{1}{4}$ °E., 60' dist.

An oak tree, 10" diam., bears N.39 $\frac{1}{2}$ °W., 60' dist.

An oak tree, 10" diam., bears S.61°W., 35' dist.

An oak tree, 8" diam., bears S.54 $\frac{1}{2}$ °E., 60' dist.

From this sec. cor. I run N.0°-10'W., 2629' to the $\frac{1}{4}$ cor. bet. secs. 7 and 8, which is a x on a granite boulder 4'x

6'x1' above ground, ^{marked $\frac{1}{4}$} and I also run S.89°-50'E., 2644' to

$\frac{1}{4}$ cor. bet. secs. 8 and 17, which is a granite stone, 6"x

8"x4" above ground, with a mound of stone 3' base, 1 $\frac{1}{2}$ '

high N. of cor. and return to Cor. No. 1 of this survey.

Thence N. 25°-50' W.

Var. 13°-00' E.

Over ascending ground.

479.1 Intersect line bet. secs. 8-17 at a point S.89°-50'E., 171' from the cor. to secs. 7-8-17-18 (as described heretofore) and from which the $\frac{1}{4}$ cor. bet. secs. 8-17 (as described heretofore) bears S.89°-50'E., 2473' dist.

570 Top of spur easterly and descend.

873.9 Intersect line bet. secs. 7-8 at a point N.0°-10'W., 354.8' from the cor. to secs. 7-8-17-18 (as described heretofore) and from which the $\frac{1}{4}$ cor. bet. secs. 7-8 bears N.0°-10'W., 2274.2' dist., said cor. being heretofore described.

1195 Wash, 5 ft. wide, course northerly and ascend.

1394 To Cor. No. 2, iden. with the loc., which is a stake in a md. of stone. I set a pine post 4"x4"x4' long ~~set~~ 2' in the ground and sur. by a md. of stone. I mark same 2-HJ#1-

3024 on its south-easterly face.

An oak tree, 4" in diam. brs. S. $69\frac{1}{2}^{\circ}$ E., 10.5 ft. dist.

An oak tree, 6" in diam. brs. S. 9° W., 4.8 ft. dist.

Both of these trees I mark 2-HJ#1-3024-BT.

Thence N. 64° -12' E.

Var. 13° -00' E.

Over descending ground.

20.4 To northerly end center monument, identical with the location, which is a stake in a mound of stone.

195 Wash, 5 feet wide, course northerly and ascend.

249.9 Intersect line bet. secs. 7-8 at a point N. 0° -10'W., 931.7' from the cor. to secs. 7-8-17-18 (as heretofore described) and from which the $\frac{1}{4}$ cor. bet. secs. 7-8 (as heretofore described) bears N. 0° -10'W., 1697.3 ft. dist.

320.4 To Cor. No. 3, iden. with the loc., which is a stake in a md. of stone. I set a pine post 4"x4"x4' long set 2' in the grd. and sur. by a md. of stone. I mark same 3-HJ#1-3024 on its south-westerly face. An oak tree, 10" in diam. bears N. $69\frac{1}{4}^{\circ}$ E., 15.6' dist. marked 3-HJ#1-3024-BT.

Thence S. 25° -48' E.

Var. 13° -00'E.

Over ascending ground along side-hill.

790 Top of ridge easterly and westerly and descend.

1070.7 Intersect line between secs. 8-17 at a point S. 89° -50'E., 526.8' from the cor. to secs. 7-8-17-18 (as heretofore described), and from which the $\frac{1}{4}$ cor. bet secs. 8-17 (as heretofore described) brs. S. 89° -50'E., 2117.2' dist.

1394 TO Cor. No. 4, iden. with the loc., which is a stake in a mound of stone. I set a pine post 4"x4"x4' long set 2' in the ground and surrounded by a mound of stone. I mark same 4-HJ#1-3024 on its north-westerly face.

An oak tree 6" in diam. brs. N. $36\frac{1}{4}^{\circ}$ E., 30' dist.

an oak tree, 20" in diam., brs. N. $84\frac{1}{2}^{\circ}$ W., 11.7' dist.

I mark both these trees 4-HJ#1-3024-BT.

Thence S. 64° -12' W.

Var. 13° -00'E.

Over ascending ground.

300 To southerly end center monument, iden. with the loca-
tion, which is a stake in a mound of stone.

305 Top of rise and descend.

319.6 To Cor. No. 1 the place of beginning.

AREA.

Total area of High Jinks #1 Lode. 10.241 acres.

LOCATION.

This claim is located in T.10 S., R.16 E., in secs. 7-8-17,
G. & S. R. B. & M., in the Old Hat Mining District, Pinal Co.,
Arizona, within the boundaries of the Coronado National
Forest Reserve.

ADJOINING CLAIMS.

This claim is bounded on the north by the Last Chance
Lode, unsurveyed, High Jinks Gold Mining Company claimant,
on the East by the Minnetonka Lode, unsurveyed, same claim-
ant, on the west by the Consolation Lode, unsurveyed,
same claimant, and by the San Antonio Lode, unsurveyed,
Pedro Charleau, claimant, and on the south by the Angelus
Lode, unsurveyed, Pedro Charleau, claimant.

PRESUMED COURSE OF VEIN.

The presumed course of vein of the High Jinks #1 Lode is
from the southerly end center monument N. 25°-48'W., 1394
feet to the northerly end center monument.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I hereby certify that the value of the labor and improve-
on this claim
ments, placed thereon by the claimants and their grantors
is not less than five hundred dollars, and that said im-
provements consist of:-

From the southerly end center monument,
No. 1, Dis. Shaft, 4x6x65 ft., brs. N. 25°-48'W., 110' dist.
No. 2, Shaft, 4x6x85 ft., brs. N. 30°W., 130' dist.
No. 1 ----- Value \$800
No. 2 ----- Value 1000
Total value of improvements. \$1800


INSTRUMENT.

This survey was made with a Gurley Light Mountain Transit and the courses were deflected from the true meridian as determined by a Polaris Observation. The distances were measured with a 300 foot steel tape.

POLARIS OBSERVATION.

At Cor. NO. 1, of the High Jinks #1 Lode, on Nov. 6, 1912, at 4h 23m A.M. l.m.t. I observe Polaris at western elongation. I mark the line thus established by an iron pin 12" long driven in the ground 400 ft. north of the cor. On Nov. 7, 1912 at 7h 35m A.M. l.m.t., I deflect the azimuth of Polaris 1°-23' to the east and from the true meridian thus established I deflect the courses of the lines of this survey.

The oaths of the assistants on this survey were administered by me as this survey was finished late in the day and if I had not done so it would ^{have} required my remaining at the place of survey until the next day and then taking these men to Oracle and afterward bringing them back to Campo Bonito, with the expense incident thereto, which would have been very considerable as I had an automobile waiting to convey me back to Tucson.


U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edgar C. Dietrich
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of.....
~~The High Tinks Gold Mining Company~~
 known as the High Tinks #1
 and showing the respective capacities in which they acted.

J. J. Mazon, Chairman.
William J. Gorman, Chairman. Howard S. Castro
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, J. J. Mazon
 and S. Castro, do solemnly swear that we assisted
Edgar C. Dietrich, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of.....
The High Tinks Gold Mining Company
 known as the High Tinks #1
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

J. J. Mazon, Chairman.
William J. Gorman, Chairman. Howard S. Castro
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 7th
 day of November, 1912
Edgar C. Dietrich
 U.S. Min. SUR.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edgar C. Dietrich, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Oct. 15, 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of High Jinks Gold Mining Company, known as the High Jinks #1, situate in Old Hat Mining District, Pinal County, Arizona, in Sections 7 - 8 & 17, Township No. 10 S., Range No. 16 E. and designated as Survey No. 3024, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edgar C. Dietrich
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edgar C. Dietrich
U. S. Deputy Mineral Surveyor, before me James D. Seneath
U.S. Commissioner this 11th
day of December - 1912,

James D. Seneath
U.S. Commissioner

AMENDED

Notice of Mining Location

LODE CLAIM

OCT. 15 1912

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the HIGH JINKS #1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Col. Wm. F. Cody, J. W. Garden and Carl P. Georgi, citizens of the United States, assignors of

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States." the undersigned, on the Fourteenth day of April 1912.

The length of this claim is 1396 feet, and we claim 96 feet in a South Easterly direction and 1300 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, the Easterly vein and 19 feet on the Westerly side of said vein. The general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in the OLD HAT Mining District, in Pinal County, in the STATE of Arizona, about Five miles in a Southerly direction from Oracle, and about 6800 feet northerly from U. S. Mineral Monument No. 4.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a 2 x 4 post in monument of stone

at a point in a South Easterly direction about 96 feet from the discovery shaft (at which this notice is posted) being in the center of the South Easterly end line of said claim; thence North 32° East 300 feet to a 2 x 4 post in monument of stone being the South East corner of said claim; thence North 31° West 1396 feet to a 2 x 4 post in monument of stone being at the North East corner of said claim; thence South 32° West 300 feet to a 2x4 post in monument of stone at the center of the North Westerly end of said claim thence South 32° West 19 feet to a 2x4 post in monument of stone being at the North West corner of said claim; thence South 31° East 1396 feet to a 2x4 post in mound of stone at the South West corner of said claim; thence North 32° E. 19 feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the HIGH JINKS NO. 1 Mining Claim, located by Col. Wm. F. Cody, J. W. Garden and Carl P. Georgi on the 14th day of April 1912, and iredorded in Book "F" of Records of Mines, at page 309, in the office of the County Recorder of the aforesaid county of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this Fifth day of October 1912.

HIGH JINKS GOLD MINING COMPANY, Present Owner, By Francis M. Hartman, Attorney in Fact. Filed and recorded at request of Francis M. Hartman, October 7th, 1912, at 1 P. M. G. F. Watson, County Recorder.

Recorded in Book No. 1 of Mines Amended, Page 464.

STATE OF ARIZONA,)
 : ss
County of Pinal.)

I, G. F. WATSON, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true, and correct copy of Amended Notice of Mining Location of HIGH JINKS #1 Mining Claim, as the same appears of record in my office in Book No. 1 of Mines Amended at page 464; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 7th day of October, A. D. 1912.

G. F. Watson

County Recorder.

By

D. J. Conway
Deputy Recorder



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 27, 1913.

I, U. S. Surveyor General for : Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

HIGH JINKS GOLD MINING COMPANY

, known as the HIGH JINKS #1

, situate in OLD HAT

Mining District, PINAL County,

ARIZONA, in Section s. 7, 8 & 17, Township No. 10 S.,

Range No. 16 E., and designated as Survey

No. 3024, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or its grantors, and
that said improvements consist of 2 shafts, total value \$1800.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

May 27., 1913

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

HIGH JINKS GOLD MINING COMPANY

, known as the

HIGH JINKS #1

situate in OLD HAT Mining District,

PINAL County, ARIZONA

in Sections 7, 8 & 17, Township No. 10 S., Range No. 16 E.

, designated as Survey No. 3024

executed by Edgar C. Dietrich, U. S. ~~Deputy~~ Mineral

Surveyor, Nov. 6-7, 1912, 190, under my instructions dated

Oct. 15, 1912, 190, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Galloway

U. S. Surveyor-General for Arizona