

DEC. 10. 1912

4-683.

MINERAL SURVEY No. 3029

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. F. Luthy

KNOWN AS THE

Fawn Mining Claim

Salt Spring Mining District,

Mohave County, Arizona, approximately in

Section Secs. 8 & 9, Township 30 N., Range 19 W., unsurveyed

Surveyed under instructions dated October 18 th., 1912

by Peter McCardell U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced November 1 st., 1912

Survey completed November 2 nd., 1912

6-822

Address of claimants attorney, H. H. Watkins, Kingman, Arizona.

## SURVEY No.3029.

## FAWN LODE.

Beginning at Cor. No.1.

A granite stone, 6 X 8 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 1-3029 F., cross (X) at corner point, whence

A cross (X) and B. R. 1-3029, chiseled on a schist rock 1 ft. above the ground, bears N. 58° 42' E. 26.05 ft., corner of the location bears N. 51° 29' E. 19.2 ft.

U. S. M. M. No.3027, Salt Spring Mining District, bears N. 51° 46' E. 2158.1 ft., no other bearing objects available.

---

Thence S. 25° 17' E.

Feet.

Va. 16° 07' E.

1500 To Cor. No.2.

A schist stone, 3 X 12 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled 2-3029 F., cross (X) at corner point, whence

Corner of the location bears S. 27° E. 3 ft., no other bearing objects available.

---

Thence S. 64° 43' W.

Va. 16° 04' E.

300 To the S. E. end center.

A schist stone, 8 X 7 X 18 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. E. C. 3029 F., cross at line point, whence

Location end center monument bears S. 25° 17' E. 12 ft.

600 To Cor. No.3.

A granite stone, 8 X 14 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3029 F., cross (X) at corner point, whence

A corner of the location bears S. 8° W. 14 ft., no other bearing objects available.

SURVEY No.3029 - Continued.

Thence N. 25° 17' W.

Feet: Va. 16° 08' E.

1500 To Cor. No.4.

A granite stone, 12 X 20 X 30 ins., set 16 ins. in the ground, mound of stone, chiseled 4-3029 F., cross (X) at corner point, whence

A corner of the location bears N. 35° W. 12 ft., no other bearing objects available.

Thence N. 64° 43' E.

Va. 16° 04' E.

300 To N. W. end center.

A schist stone, 3 X 8 X 23 ins., set 12 ins. in the ground, mound of stone, chiseled N. W. E. C. 3029 F., cross (X) at line point, whence

The N. W. end center monument of the location bears N. 25° 17' W. 16 ft.

600 To Cor.No.1, the place of beginning.

PRESUMED COURSE OF THE LODE LINE.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point: 728 ft. N. 25° 17' W., and 772 ft. S. 25° 17' E.

AREA.

Area = .....20.661 Acres.

LOCATION.

This survey is located approximately in <sup>Secs. 8 & 9,</sup> T. 30 N., R. 19 W. <sup>1/4</sup> <sub>4</sub> <sup>1/4</sup> <sub>4</sub> G. & S. R. B. & M., Salt Spring Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.



SURVEY No.3029 - Continued.

I certify that the value of the labor and improvements made upon this claim, by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery cut, the mouth of which being the discovery point is on the center line 728 ft. from the center of line 1-4, 4 ft. wide, 10 ft. face, running N. 25° W. 14 ft.

Value, \$40

No.2. A cut, the face of which is on the center line 663 ft. from the center of line 2-3, 4 ft. wide, 8 ft. face, running N. 80° E. 14 ft.

Value, \$40

No.3. A shaft, on the center line 569 ft. from the center of line 1-4, 4 X 6 ft., 15 ft. deep.

Value, \$135

No.4. A shaft, on the center line 520 ft. from the center of line 1-4, 4 X 6 ft., 20 ft. deep.

Value, \$180

No.5. A shaft, on the center line 483 ft. from the center of line 1-4, 4 X 6 ft., 10 ft. deep.

Value, \$80

No.6. A tunnel, the mouth of which is on the center line 410 ft. from the center of line 1-4, 4 X 6 ft., running S. 21° 30' E. 24 ft.

Value, \$192

---

OTHER IMPROVEMENTS.

A cut, the face of which bears from Cor. No.1, S. 10° 42' W. 426.4 ft., 4 ft. wide, 8 ft. face, running S. 10° W. 12 ft.

A shaft, which bears from Cor. No.4, S. 64° 20' E. 464.5 ft., 4 X 6 ft., 10 ft. deep.

Both shaft and cut done by former locators.

---

ADJOINING CLAIMS.

## SURVEY. No. 3029 - Continued.

There are no adjoining claims.

---

INSTRUMENT.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined from observation Polaris. The distances were measured with a 100-ft. and 500-ft. steel tapes.

---

REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

All the location monuments are of stone, 3 ft. high.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Peter McCardell  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
J. F. Luthy  
 known as the Fawn  
 and showing the respective capacities in which they acted.

Louie M. Van Marter, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, L. M. Van Marter  
 and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_  
Peter McCardell, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of J. F. Luthy  
 known as the Fawn  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of ~~our~~<sup>my</sup> knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona

Louie M Van Marter, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman

Subscribed and sworn to by the above-named persons before me this 9<sup>th</sup>  
 day of December, 19 12

*my Commission Expires*  
February 21<sup>st</sup> 1916

Charles McCardell  
 Notary Public

# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter McCardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 18 th. 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. F. Luthy, known as the Fawn, situate in Salt Spring Mining District, Mohave County, Arizona, approximately ~~Section~~ Secs. 8 & 9 Township No. 30 N., Range No. 19 W., G. & S. R. B. & M. Unsurveyed and designated as Survey No. 3029, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter McCardell  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter McCardell  
U. S. Mineral Surveyor, before me a Notary Public  
this 9<sup>th</sup>  
day of December, 1912

My Commission Expires  
February 21<sup>st</sup> 1914

Charles Metcalf  
Notary Public



# Notice of Mining Location

## LODE CLAIM

### To All Whom It May Concern:

This Mining Claim, the name of which is the Fawn  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. F. Luthy A Citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of January 1911

The length of this claim is 1500 feet,  
and I claim 800 feet,  
in a Northerly direction and 700  
feet in a Southerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Salt Springs Mining District, in Mohave County, in the Territory of Arizona, about one mile in a Southerly direction from Salt Spring and about 1 mile Southerly from the location monument of the Golconda & Golden Harvest Mining Claims. This is a relocation of the Fawn Located Jan 1 1909.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of stone

at a point in a Northerly direction 800 feet from the location monument ~~discovery shaft~~ (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stone, being the Northeast corner of said claim; thence southerly 1500 feet to a monument of stone, being at the Southeast corner of said claim; thence Westerly 300 feet to a Monument of stone at the center of the South end of said claim; thence Westerly 300 feet to a monument of stone, being at the South West corner of said claim; thence Northerly 1500 feet to a Monument of stone at the North West corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of January 1911

Witness

R.L. Laurence

J.F. Luthy, Locator

Filed and recorded at request of J.F. Luthy Feby 14, A.D. 1911 at 3:10 o'clock P.M., in Book G.G. at Page 166

J.W. Morgan, County Recorder

By I. J. Whitney, Deputy Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

February 25, 1913.

I, U. S. Surveyor General for Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

J. F. LUTHY

, known as the FAWN

, situate in SALT SPRING

Mining District, MOHAVE County,

ARIZONA Approx., in Sections 8 & 9, Township No. 30 N.,

Range No. 19 W., Uns., and designated as Survey

No. 3029, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or his grantors, and  
that said improvements consist of 2 cuts, 3 shafts and 1 tunnel, total  
value \$667.00.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

February 25, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

J. F. LUTHY

, known as the

FAWN

situate in SALT SPRING Mining District,

MOHAVE County, ARIZONA

Approx. s 8 & 9 in Section, Township No. 30 N., Range No. 19 W., Uns.

, designated as Survey No. 3029

executed by Peter Mc Cardell, U.S. Deputy Mineral

Surveyor, November 1-2, 1912, 190, under my instructions dated

October 18, 1912, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Sigall

U. S. Surveyor-General for Arizona.