UUL 25, 197;

(4-683.)

Mineral Survey No. 3053

(3047 0) · 3042 d

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

OF THE SOUVER OF THE MINING CLAIM	OF CONTRACTOR OF THE PROPERTY OF
Oro Monarca Mining Com	pany
KNOWN AS THE	
MONARCH	
Oro Blanco	Mining District,
Santa Cruz County, Ar	izona
Section 20 , Township 23 S.	Range 11 E. G. & S.R.W.
Surveyed under instructions dated March IIth.	
by Paul E.Fernald	
	U. S. Deputy Mineral Surveyor.
Claim located See location notice	, 1894.
Survey commenced April 7th.	1 913
Survey completed April 8th.	, 1913.
o 6—180	

P.O. Address of Atty.for Claimant - E.E. Haskell Ruby, Ariz.

U.S.MINERAL SURVEY NO. 3053. MONARCH Beginning at Cor.No.I, identical with Cor.No.4, Monster Lode, Survey No.3042. A I in galv. iron pipe 5 ft.long set Iz ft.in ground, with mound of stones. on ". bank stamped 3053, MON. 1. of small guleh, pipe set in drill expanded WHENCE:- U.S. Mineral Monument No.5, Oro Blanco Mining District, bears N 74°22°E, 2547.49 ft.

Thence N 63°30°W To N. End Center and discovery point - monument of stones 300.00 bears if 7 53*7, 444.10 ft. 3 ft.high. Crosses center of small gulch, running North. 432.00 448.00 600.00 To Cor.No.2, identical with Cor.No.3 - Monster Lode, Cor. io or No.2 - Canada Lode, and point I336.46 - line 4-I, Tres Amigos

A I in galv.iron pipe 5 ft.long

Lode, all of Survey No.3042. set I ft.in ground. Brass cap

stamped U.S.Min.Sur.3053, MON.2.

Whence: - Cor.No.2, Monster Lode, Survey No.3042, bears

N I6° O'E. I400.00 ft. N 16°0'E, 1400.00 ft. Cor.No.I, Canada Lode, Survey No.3042, bears N 22° 52 E, 600,00 fter - Stemmon lie to molicitat .oldel Cor. No. I, Tres Amigos, Survey No. 3042, bears se noise St 30 27 B, 163.54 ft., along line 4-1.0 yours out Thence S 16.0 We out now bodges 231.20 Intersects line I-2, Tres Amigos Lode, Survey No.3042, at a point S 61°0'W - 167.62 ft.from Cor.No.I the voin of this Lonetton extends i is O'm 290.00 Crosses small gulch running East. 1194.00 Crosses road from Warsaw, running East. .enbel to 1500.00 To Cor.No.3 A I in galv. iron pipe 5 ft. long, set I ft. in ground with yevrus a mound of stones ... Brass cap stamped U.S. Mineral Survey on the north end, and the Canada Lac Mon agran edd no ont of guitt . S.oll comThence S. 63.30 Et of no aconcor 244.00 Crosses center of road to Kelly Camp, running south. 300.00 South end center - monument of stones 3 ft. high.

. To To M sonftiffrom the Mix Corner, No. 20:11 . vovus alds . 2 167.62 ft., thence H 30 27 w - 163.54 4:0M. roll offe 00.0001n.

541.90 Intersects time 223 min of Two Republic Lode, SuraNo.

.oll. to Just 1 1 14 E, 414.07

```
". S. PINNEAL SURVEY NO. 308S. HOMANDE POR
             A I in galv iron pipe 5 ft long, set I ft in rock with
      Tonicher
                               Brass cap stamped U.S. Mineral Survey
            mound of stones.
                                               Konding Fonor
    200 C.42
                            This Corner is set in bed rock on W.bank
            No. 3053 MON. 4. This C
       s ann
             of small gulch, pipe set in drill hole with bottom expanded.
             by wedge, so that permanency is assured.
        animi
             Whence: - N.E.Cor.(No.I) of Two Republic Lode, Sur: No. 3047
             bears N 49°58'E, 703.89 ft.
                     N.W.Cor.(No.2) of Two Republic Lode, Sur.No.3047,
     comment of stones
             bears N. 7°53'W, 444. IO ft.
                                                 3 ft.high.
              S.W.Cor.(No.3) of Two Republic Lode, Sur.No.3047,
             bears S I' 33'W, 1060.13 ft.
                           Thence N. 16 0'E
                                     COO. CO To Cor. No. 2, identical
    Cor. No. 3 - Monater Lode, Cor.
             Crosses small gulch running South.
at point N. 88°46'E - 188.26 ft.from the M. Cor. (No.2).
            To Cor.No.I, the place of beginning.
             Variation at all corners - IS 35 E. 000 . 3 23 98 M
         No suitable natural bearing objects available.
             The survey of this claim is identical with the location as
             marked upon the ground I somen's
    231.20 Intersects line I-2, Tres Anigos Lode, Survey No. 3042, et
                  As near as can be determined from present development
      LODE LINE: -
             the vein of this location extends S. I6°0'W, I500.ft. from
             the Discovery Point at the North End Center, on outcrop
                           Crosses road from dersey, running
             of ledge.
                                               ISOC.00 To Cor. Mass
    ADJOINING OR CONFLICTING CLAIMS: - ogiq gord. virg. al 11 A
      The Monster Lode, Survey No. 3042, adjoins this survey
             on the north end, and the Canada Lode, Survey No. 3042,
             corners on to this survey at Corner No.2, lying to the
         244.00 drosses center of road to Kelly Camp. teew Harowath.
             The Tres Amigos Lode, Survey No. 3042, conflicts with
      - this survey at the north west corner, forming a three-c
    sided area in conflict, as follows: - beginning at Cor. No.
             2, this survey, thence S I6°0'W - 231.20 ft, thence N 61°0'E,
```

I67.62 ft., thence N 30°27 W - I63.54 ft. to place of begin.

```
U.S.MINERAL SURVEY NO. 3053, Continued.
```

```
sand doing The Two Republic Lode, Sur No. 3047, conflicts with this
        survey at the south east corner, as follows: - beginning at
   00.00 Cor.No.4, this survey, thence N 16'0'E - 461.85 ft., thence
W'01 II M S 86° 46'W - 188.26 ft., thence S 1° 14'E - 414.07 ft., thence
   - Vxl oS 65° 30'E - 58. TO ft., to place of beginning . TTV
                                .ninof gainer .gaol. 17.89 20.315 acres.
    AREAS: - Monarch lode -
     area do Conflict with Tres Amigos lode of palary
               Sur. No. 3042
      Conflict with Two Republic lode
              Sur. No. 3047
     00.00
   LOCATION: - - This survey is located in the Oro Blanco Mining District,
          Santa Cruz County, Arizona, in Section 20, T 23 S, R 11 E,
     00.0 G.& S.R.W. Unsurveyed, and lies within the Coronado National
      No.10. Out running west, the center of mouth of .desgo Deeps
   00.000 -I certify that the value of labor and improvements made
 mon't . . . upon or for the benefit of this claim by the claimant or its
          grantors, is not less than Rive Hundred Pollars, and that
     00.0 Tsuch improvements are as follows: - - outsv
          The discovery point, at North End Center, on outcrop of
   No.I.
    fig tunnel mentioned in Location Motice, tispheiter of
   No.2, A tunnel, the center of mouth of which bears N 66°2'W -
          54.ft. from the north end center, is 4x6 - 30.ft.long, run-
          ning south.
   This survey was made with Saff & Buff Transit No.
                                                  -- $300.00
           A tunnel, the center of mouth of which bears N 84° I5'E
  the true meridian as
          5.ft. from point 1276, line 4-I, is 4x6 - I70.ft.long, run-
          ning West.
 00.00718: The lines of this survey sere run-daulay upon the ground.
          Old open cut and stopes, the north end of which bears
  .S s al SJ56 0 W - 262 ft from Cor. No. I, is 173 ft long, extending
beining .bSv-nS.EvoAverageowidth: 42 ft. Depth Loto 60 ft.:
  .M.B.T bequesa Yeluengal Jest Sieresis-ni-affay-bes bea -$2500.00
   No. 5. Tunnel in N.E., the center of mouth of which bears N I'16'E
awarban. 3.305. ft. from Cor. No. 4. is 4x6 - 17 ft. long, with cut at mouth
 4x19 to 12 ft.face.
                                           Claimint, ere
                                                         -$ 300.00
                Value -
```

```
U.S. MIHIRAL SURVEY NO. 3055, Continued.
```

```
No.6. Out & tunnel in S.E., the center of mouth of which bears
   s 8'4'W, 519.ft.from Cor.No.2, is 4x6 - 25 ft.long.
  00.002 relod, this curvey, thence held of sulav. Do ft., thence
   No.7, Cut & tunnel, the center of mouth of which bears N II IO W.
            717.ft.from Cor.No.4, is 4x8 to II ft.face, thence 4x7 -
            23.ft.long, running North.
     aorea.
           Cut running North, the center of mouth of which bears
            N 2°15'W, 656.ft.from Cor.No.4, is 4x12 to 8 ft.face.
                                                          $40.00
                 Value -
No.9. Shaft, the center of which bears N 28° 50' W - 430.ft.from
   III A Cor.No.4, is 4x6 - 23 ft.deep. vinuod auto sinal
  Innoised observatue width sall bus begarward. 11.1. 4 6230.00
     No. IO. Cut running west, the center of mouth of which bears
            N 46°48'W - 315.ft.from Cor.No.4, is 5x15 to 8 ft.face.
 about the the walue of Lober surprovements sade
 No. II. Shaft, the center of which bears N 56° 13'W - 348.ft. from
    and but corner No.4, is 4x6 - 17 ft.deep. on al another
                 Value - - wavelich as one almomovorqui dou$170.00
     OTHER IMPROVEMENTS: Dall direct to dated wasvessib off
             Old tunnel mentioned in Location Notice, the center of
     - T'S mouth of which bears S 7°35'E - 353.ft.from Cor.No.2, is
  -mr .gmo! 4x6 02 183.ft. long, running S.B.on odd morl .fl.43
                                                 ning south.
      INSTRUMENT: - This survey was made with Buff & Buff Transit No.
                     Courses were deflected from the true meridian as
     - X*81 48
            determined by direct solar observations. Distant
                                                      Distances were
  .long. run-
            measured with IOO. and 300.ft.steel tapes.
                                                  ning Took.
   OP REPORT. The lines of this survey were run-direct upon the ground.
       Tiedlines run direct upon the ground o mago bio
   U.S.Mineral Monument No.5, Ore Blanco-District, is a 2.
             in galv. iron pipe, projecting 10 ft. above ground, painted
   op. 00d2 red and white in alternate feet from top, stamped U.S.M.
  M.No.5. O.B.D., surrounded by large monument of stones.
 dive to the Two Republic Lode, Sur No. 3047, J.S. Andrews,
             Claimant, are 11 in galv iron pipes with brass caps stamped
   with survey and corner numbers.
                                            Talue -
```

U.S.MINERAL SURVEY NO.3053. Continued.

All corners of Survey No.3042 are I in.galv.iron pipes, with brass caps stamped with Survey No. and claim corner number

Paul E. Fernald.

U.S. Mineral Surveyor.

Tucson, Ariz. July 21st. 1913.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employe	ed by Paul E.Fernald	
United States Deputy Mineral Surveyor, to assis	t in running, measuring, and marking the	lines, corners, and
boundaries described in the foregoing field notes of	f the survey of the mining claim of)ro Monarca
Mining Company		
known as the MONARCH		
and showing the respective capacities in which the	ey acted.	
	Fred J.Trudeau	, Chainman.
	Lauro Cordero	, Chainman.
	area and Warrach Commission Commi	Axman.
	(about or a called the control of the called	, Flagman.
FINAL OATH	S OF ASSISTANTS.	
We, Fred J. Trudeau		
and Lauro Cordero	, do solemnly swear that we assisted Pau	l E.Fernald
United States De		
the boundaries of the mining claim ofO	ro Monarca Mining Company	
known as the MONARCH		
represented in the foregoing field notes as having	been surveyed by said deputy mineral surve	yor and under his
direction; and that said survey has been in all res	spects, to the best of our knowledge and be	elief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law an	d the instructions
furnished by the United States Surveyor-General	for Arizona	
	Fred & Trudeau Laron Condero	, Chainman.
	Larde Gordero	, Chainman.
•		, Axman.
		, Flagman.
Subscribed and sworn to	by the above-named persons before me this	34-
the state of the s		
mey lom, 5,	199-3 140- Oyas. 19-1916	
17287b5m3-05	notory On	blis

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Paul E.Fernald	, U. S. Xequity Mineral
Surveyor, do solemnly swear that, in pur	rsuance of instructions received from the United
States Surveyor General for Arizon	ia, dated
March 11th. 1913,	, I have, in strict conformity to the laws of the
United States, the official regulations an	d instructions thereunder, and the instructions
of said Surveyor General, faithfully and	d correctly executed the survey of the Mining
Claim of Oro Monarca Minin	g Company
	, known as the
MONARCH	·,
situate in	Oro Blanco Mining District,
and designated as Survey No. 305 in the foregoing field notes, which accur as distinctly marked by monuments on of the location certificate, which was resaid instructions, and that all the corner petuated in strict accordance with the launder; and I do further solemnly sweatfield notes of said survey and my report	County, Arizona, in Section Range No. II E. G.& S.R. (Unsurveyed) , as represented ately show the boundaries of said mining claim the ground, and described in the attached copy eccived by me from the Surveyor General with s of said survey have been established and peraw, official regulations and instructions there r that the foregoing are the true and original ort therein, and that the labor expended and laim by claimant or the granters of the same of the granters.
are as therein fully stated, and that the thereof are specified therein with partic	laim by claimant or its grantors e character, extent, location and itemized value cularity and full detail, and that no portion of o this claim has been included in the estimate
U.S. Deputy Mineral Surveyor,	Paul & Fernald. U.S. Deputy Mineral Surveyor. id Paul E. Fernal & before me Dw Jure all we this 24- 1913 Ofar. 19-1916
o 3—154	Mo Purill

MONARCH MINE.

Location Notice. We claim for mining purposes 600 feet wide and 1500 feet long in the form of a parallelogram, monuments of stones at each corner, and at the center of each end. This notice is placed in the -monument of the --end of claim. General direction and situated in the Oro Blanco mining district, and lays about one mile S.E. of the Warsaw Mill, about one mile S.W. of J.B. McClanahands Ranch, or what is generally called old Oro Blanco, in the Warsaw gulch near old Oro Blanco Creek and more fully marked by an old Tunnell that is on said claim, which is run in about 175 ft. to cut ledge, which was done about 8 years ago by a St. Louis Company, and abandoned by them and relocated 2 years ago by Al Sheldenbrand and E. Hyde and shall be known as the Monarch Mine. Located at 1 minute past 12 A.M. Jany. 18t1894.

Al Sheldenbrand

Locators:

R. Wetherill

Filed and recorded at request of R.Wetherill, Jany. 2, A.D. 1894 at 5 P.M.

Chas. A. Shibell, County Recorder

Book.X Record of Mines, page 757.

STATE OF ARIZONA,

COUNTY OF PIMA

I, P.E. Howell	County Recorder in and for the
County of Pima, do hereby certify that the above and foreg	oing is a full, true and correct copy of the
Monarch Mine situated in the	Oro Blanco Mining District,
in Pima County, Arizona, located	Jany.lst 1894,
*	
as appears of record now in my office in Book X Reco	rd of Mines Pages 757.
JN 1	WITNESS WHEREOF, I have hereunto set my
	hand and affixed my official seal, at my office
	in Tucson, this_5thday of
	, A. D. 191_3
	Vertonicle
	County Recorder of Pima County,
	Arizona,

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	January 9 , 1914.
I, U. S. Surveyor-Gener	ral for District of Arizona
do hereby certify that the fo	regoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	
	Oro Monarca Mining Company
known as the	MONARCH
situate in	Oro Blanco
Mining District,	Santa Cruz County, Arizona
in Section 20,	Fownship No. 23 S , Range No. 11 E., Unsur, and
designated as Survey No	3053 , has been correctly copied from the originals on file in
this office; that said Field I	Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, s	erve fully to identify the premises, and that such reference is made therein
to natural objects or perman	ent monuments as will perpetuate and fix the locus thereof.
And I further certify t	hat five hundred dollars' worth of labor has been expended or improve-
_	ng claim by claimant or its grantors, and that said improvements 6 cuts and 2 shafts, total value \$57.60.00
and that no portion of said upon any other claim.	labor or improvements has been included in the estimate of expenditures
I further certify that the	e plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona	is correct and in conformity with the foregoing Field Notes.
	Frank S. Ingalls,
	United States Surveyor-General for Arizona.

7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General, Phoenix, Arizona, January 9, , 19 14. I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Oro Monarca Mining Company known as the MONARCH situate in Oro Blanco mining district, Santa Cruz County, Arizona in Section 20 Township No. 23 S. Range No. 11 E., Unsur. executed by Paul E. Fernald , U. S. Deputy Mineral Surveyor, April 7 - 8, 1913 , under my instructions dated March 11, 1913, 190, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes. dant Ingalle

U. S. Surveyor-General for Arizona.

4115\b5m6-02