

JUL 17 1913

(4-683.)

Mineral Survey No. 3060

Lot No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mary M. Costello

KNOWN AS THE

Portland No 1 - Portland No 2

Turquoise Mining District,

Cochise County, Arizona

Sections 32-33, Township 19S, Range 25E

Surveyed under instructions dated Mar 24, 1913

by John A. Rockefeller  
U. S. Deputy Mineral Surveyor.

Claim located See Notices, 1

Survey commenced May 7, 1913

Survey completed May 10, 1913

o 6-100

Address of claimant's Attorney  
Lee O. Woolery  
Tombstone  
Ariz.

~~Note: These locations were included in a preliminary survey made in 1912, at that time posts were set in place of the original stone monuments and surrounded by mounds of stone. The scribing was left to an assistant who remained after the survey was complete. He made a mistake by considering Portland No. 1 as Portland No. 2 and scribed the posts accordingly. Before beginning this survey I corrected the scribing being advised by one of the former owners of these claims.~~

Beginning at Cor. No. 1 the N.E. Cor. of location, a pine post 4 ins. square, 3 ft. above ground in a mound of stone, scribed N.E.C. - P.1. add 1 - 3060.

Whence:

The Cor. of Secs. 28-29-32-33 bears  $N6^{\circ} 57'E - 588.1ft.$

X.B.R. 1-3060 chiseled on a limestone exposing 40x12x5 ins. bears  $S75^{\circ} 45'W - 10.25 ft.$

X.B.R. 1-3060 chiseled on a limestone triangular in shape, 10x10 ins., 2 ins. high, bears  $S31^{\circ} 50'E - 13.05 ft.$

Thence  $S13^{\circ} 20'E$  Va.  $13^{\circ} 20'E$

300.0 East Center End, identical with location, a pine post 4 ins. square, 3 ft. above ground in a mound of stone, scribed E.C.E. - P.1. add 3060

Whence:

X.B.R. (not room for more) chiseled on a limestone exposing 10x7x4 ins. bears  $S1^{\circ} 35'W - 7.4 ft.$

307.45 Intersect line between Secs. 32-33 Tpl9S, R25E at  $S0^{\circ} 01'W$  883.0 ft. from Cor. of Secs. 28-29-32-33 and  $N0^{\circ} 01'E - 1770 ft.$  from  $\frac{1}{4}$  cor.

554.9 To Cor. No. 2, identical with location, and on line 1-4 Portland No. 2 lode of this survey, a pine post 4 ins. square,  $3\frac{1}{2}$  ft. above ground, in a mound of stone, scribed S.E.C. - P.1. add 2 - 3060 also scribed S.W.C. - N.S. 2 for North Star No. 2 lode, unsurveyed.

No rock or tree bearings available.

Thence  $S89^{\circ} 36'W$  Va.  $13^{\circ} 15'E$

- 57.2 Intersect line between Secs. 32-33 Tp 19S, R25E at  
from Cor. of Secs. 28-29-32-33  
S0° 01'W - 1124.2 ft., and N0° 01'E - 1528.8 ft. from  
¼ Sec. Cor.
- 882.95 Intersect line 2-3 Sadie lode Sur. No. 2405 and line 3-4  
Portland No. 2 lode of this survey at S16° 55'E - 118.1 ft.  
from Cor. No. 2 Sadie and 33.9 ft from Cor. No. 4 Portland  
No. 2 lodes.
- 1409.7 To Cor. No. 3, identical with location and with Cor. No. 1  
Sadie lode Sur. No. 2405 and on line 2-3 Sadie No. 2 lode  
Survey No. 2405. A pine post 4 ins. square, 3½ ft. above  
ground in a mound of stone scribed S.W.C. - P.1. add 3-  
3060 also scribed N.W.C. - S 1 - 2405.  
Whence:  
Cor. No. 2 Sadie lode Sur. No. 2405 bears N76° 40'E -  
506.0 ft.  
X.B.R. 3-3060 chiseled on a limestone 36x12 ins. 24ins.  
high, bears N21° 57'W - 10.9 ft.  
X.B.R. 3 - 3060 chiseled on a limestone 30x24 ins. 24ins  
high bears N55° 00'E - 36.1 ft.  
Thence N13° 20'W Va. 13° 20'E
- 254.9 West Center End, identical with location and with Cor.  
No. 2 Sadie No. 2 lode Sur. No. 2405, a pine post 4 ins.  
square, 3½ ft. above ground in a mound of stone scribed  
W.C.E. - P.1. add 3060 also scribed N.E.C. - S.2-2- 2405.
- 493.3 To Cor. No. 4, identical with location, a pine post 4 ins.  
square, 3½ ft. above ground in a mound of stone, scribed  
N.W.C. - P. 1 add 4 - 3060.  
Whence:  
U.S. Mineral Monument No. 1 of Turquoise District,  
bears N55° 04'W - 3933.75 ft.  
X.B.R. 4 - 3060 chiseled on a limestone 30x24x15 ins. bears  
S54° 40'E - 14.9 ft.  
X.B.R. 4 - 3060 chiseled on a limestone 30x24x10 ins.  
bears N7° 30'E - 10.4 ft.  
A post scribed S.W.C. - NH bears N89° 01'E - 141.6 ft.  
A post scribed S.W.C. - P bears N29° 03'W 209.7 ft.  
Thence N87° 08'E Va. 13° 15'E

- 100.27 Intersect line 4-5 Bunker Hill lode Sur. No. 2743 at  
N46° 11'W - 36.51 ft. from Cor. No. 4.
- 145.68 Intersect line 3-4 Bunker Hill lode Sur. No. 2743 at  
N34° 37'E - 33.47 ft. from cor. No. 4.
- 1191.6 Intersect West side North Star No. 2 lode, unsurveyed at  
N32° 11'W - 625.8 ft. from the S.W. Cor.
- 1397.2 To Cor. No. 1, the place of beginning.

-----  
Portland No. 2

Beginning at Cor. No. 1, the N.E. Cor. of location  
within the boundaries of the Frenchman lode Sur. No. 2636  
a pine post, 4 ins. square, 3½ ft. above ground, in a  
mound of stone, scribed N.E.C. - P.2 add 1-3060

Whence:

The Cor. of Secs. 28-29-32-33 Tpl9S, R25E, bears  
N25° 27'W - 1260.4 ft.

X.B.R. 1-3060 chiseled on a limestone 12x12x10 ins.  
bears N51° 24'E - 20.45 ft.

X.B.R. 1-3060 chiseled on a limestone 12x8x6 ins.  
bears S48° 03'W - 32.55 ft.

Thence S16° 55'E Va. 13° 10'E.

- 316.00 East Center End, identical with location, a pine post  
4 ins. square, 3½ ft. above ground in a mound of stone  
scribed E.C.E. - P.2 add 3060.
- 439.2 Cor. 4 Frenchman lode Sur. No. 2636 a cross (X) and  
S.W. Cor. F.- 4 - 2636 chiseled on limestone bedrock  
with a monument alongside. Intersect line 1-2 Crown Point  
lode Sur. No. 1618 at S55° 57' W - 920.8 ft. from Cor.  
No. 2 Cor..No. 1 of Crown Point lode has disappeared.
- 627.00 Witness Cor. to Cor. No. 2, which falls in a shaft,  
identical with location. A pine post 4 ins. square, 3½ ft.  
above ground in a mound of stone scribed W.C. S.E.C.-P 2  
Add 2 - 3060.
- Whence:
- X.B.R. 2-3060 chiseled on a limestone 9x8 ins. bears  
N61° 37'E - 29.3 ft.
- X.B.R. 2-3060 chiseled on limestone bedrock exposing  
24x12 ins. bears S26° 55'E - 30.52 ft.

- 632.00 True Cor. in shaft 9 ft. deep. W.C. heretofore described  
brs. N.  $16^{\circ} 55' W$ . 5 ft.  
Thence  $N88^{\circ} 19' W$  Va.  $13^{\circ} 18' E$
- 315.50 Intersect side 1-2 Crown Point lode Sur. No. 1618 at  
 $S55^{\circ} 57' W$  - 1233.7 ft. from Cor. No. 2. whence  $N55^{\circ} 37' E$   
3.8 ft. ~~XXXX~~ stone monument N.E. Cor. New Years Gift  
lode  
No. 2, unsurveyed.
- 692.6 Center of track Arizona and Colorado R.R. at tangent  
 $S26^{\circ} 35' W$  and  $N26^{\circ} 35' E$
- 726.4 Intersect line between Secs. 32-33 at  $S0^{\circ} 01' W$  - 1721.3 ft  
from Cor. Secs. 28-29-32-33 and  $N0^{\circ} 01' E$  - 931.7 ft.  
from  $\frac{1}{4}$  Sec. Cor.
- 1378.3 To Cor. No. 3, identical with location and on side 2-3  
Sadie lode Sur. No. 2405 . A pine post 4 ins. square,  
3 ft. above ground, in a mound of stone, scribed S.W.C. -  
P 2 Add 3-3060.  
Whence:  
X.B.R. 3-3060 chiseled on a limestone 8x6x6 ins. bears  
 $N58^{\circ} 25' W$  - 18.5 ft.  
X.B.R. 3-3060 chiseled on a ~~limestone~~ porphyry rock  
14x14x6 ins. bears  $S48^{\circ} 21' W$  - 46.2 ft.  
Thence  $N16^{\circ} 55' W$  Va  $13^{\circ} 20' E$
- 316.0 West Center End, identical with location, a pine post  
4 ins. square,  $3\frac{1}{2}$  ft. above ground in a mound of stone,  
scribed W.C.E. - P.2 add 3060
- 598.1 Intersect side 2-3 Portland No. 1 lode at  $S89^{\circ} 36' W$  882.95  
ft. from Cor. No. 2.
- 632.0 To Cor. No. 4, identical with location, a pine post 4 ins.  
square,  $3\frac{1}{2}$  ft. above ground in a mound of stone, scribed  
N.W.C. - P.2 add 4-3060  
Whence: 4704.8 ft.  
U.S.M.M. No. 1 bears  $N55^{\circ} 02' W$  - ~~4704.8 ft.~~  
X.B.R. 4-3060 chiseled on iron outcrop 24x12 ins. bears  
 $S67^{\circ} 10' W$  - 9.8 ft.  
X.B.R. 4-3060 chiseled on iron outcrop 24x7 ins. bears  
 $N50^{\circ} 00' E$  12,45 ft.  
Cor. No. 2 Sadie lode Sur. No. 2405. bears  $N16^{\circ} 55' W$ -  
84.2 ft.  
Thence  $S88^{\circ} 19' E$  Va.  $13^{\circ} 20' E$

- 836.00 Intersect the line between Secs. 32-33 Tpl9S, R25E, at  
 30° 01'W - 1122.1 ft. from COR. of Secs 28-29-32-33  
 and N0° 01'E-1530.9 ft. from the ¼ Cor. between Secs. 32-33
- 893.2 Cor. No. 2 Portland No. 1 lode of this survey. ~~XXXXXX~~
- 1153.4 Center of track of Arizona and Colorado R.R. bears N22°05'E  
 and S22° 05'W.
- 1357.8 Intersect side 4-1 Frenchman lode Sur. No. 2636 at N19°25'  
 W - 446.2 ft. from Cor. No. 4.
- 1378.3 To Cor. No. 1 the place of beginning.

A R E A .

	Acres
Total area Portland No. 1 lode	16.531
Total area Portland No. 2 lode	18.953 ✓
Areas in conflict.	
Portland No. 1 - Portland No. 2	0.329 ✓
Portland No. 1 - Sadie Survey No. 2405	0.684 ✓
Portland No. 1 - Bunker Hill Sur. No. 2743	0.014 ✓
Portland No. 1 - North Star No. 2, unsurveyed	1.288 ✓
Portland No. 2 - Frenchman Sur. No. 2636	0.098 ✓
Portland No. 2 - Crown Point, Sur. No. 1618	0.662 ✓

L O C A T I O N .

This claim is located in Secs. 32-33 Tpl9S, R25E,  
 Turquoise Mining District, Cochise County, Arizona.

VEINS

The presumed courses of the veins are as follows:

- Portland No. 1: From West Center End N89° 36'E - to East  
 Center End 1409.7 ft.
- Portland No. 2 : From East Center End N88° 19'W to West  
 Center End 1378.3 ft.

A D J O I N I N G C L A I M S .

On the North: Bunker Hill lode Sur. No. 2743

Warnekros and Cowan Claimants.

Unknown lode unsurveyed

Claimant unknown

North Star No. 2 lode, unsurveyed.

Thos. Cowan Jr. Claimant.

~~XX XX XX~~

On the East: Frenchman lode Sur. No. 2636.  
 Estate Martin Costello Claimant.

On the South: Crown Point lode Sur. No. 1618  
 Estate Martin Costello Claimant.

New Years Gift No. 2 lode, unsurveyed  
 Thomas P. Cowan Claimant.

On the West: Sadie and Sadie No. 2 lodes Sur. No. 2405.  
 Thomas P. Cowan claimant.

-----  
 EXPENDITURE OF \$ 5 0 0 .

I certify that the value of labor and improvements made upon or for the benefit of each of the locations embraced in said mining claims by the Claimant or her grantors is not less than five hundred dollars, and said improvements consist of:

- On Portland No. 1 lode. From West Center End.  
 No. 1 Discovery shaft, the center of the North side of which bears N89° 36'E - 268.0 ft.  
 Shaft. 6x4 ft. , 10 ft. deep.  
 Value \$100.00
- No. 2 Shaft, the center of which bears S88° 20'E - 238.0 ft  
 Shaft 6x4½ ft., 9½ ft. deep.  
 Value \$90.00
- No. 3 Shaft, the center of which bears N87° 50'E - 292.5ft  
 Shaft 6x4 ft., 9 ft. deep.  
 Value \$75.00
- No. 4 Shaft, the center of which bears S78° 16'E - 754.6 ft. Shaft 6x4½ ft., 19 ft. deep.  
 Value at \$10. per foot. \$190.00
- No. 5 Shaft, the center of which bears N89° 36'E - 598.4ft  
 Shaft 6x4½ ft., 18½ ft. deep.  
 Value at \$10 per foot \$185.00
- On the Portland No. 2 lode. From East Center End.  
 No. 1 Discovery Cut and Shaft, the center of the mouth of which bears N88° 19'W - 160.5 ft. Cut 3½ ft. wide easterly 10 ft. thence. Shaft 4x10 ft., 4½ ft. deep at front, 10 ft. deep at face.  
 Value \$100.00

From a point on lode line at  $N88^{\circ} 19'W-165.7$  ft.,  
from East Center End.

No. 2 Cut and incline shaft, the mouth of which bears  
 $N2^{\circ} 00'W - 39$  ft. Cut easterly <sup>10 ft.</sup> to face, 4 to 6 ft.  
ft. wide, 10 ft. face, work in bottom of cut at face  $5 \times 6$  ft.,  
height from bottom of work to surface 10 ft.  
Value \$100.00

No. 3 An incline shaft, the center of foot wall of which  
bears  $S20^{\circ} 00'E - 27$  ft. Incline  $6 \times 5$  ft., 26 ft. deep  
A cut from shaft has been filled up.  
Value of shaft at \$10 per foot \$260.00

From a point on line 2-3 at  $N88^{\circ} 19'W-315.5$  ft.  
from Cor. No. 2

No. 4 Shaft, the center of which bears  $N17^{\circ} 40'W - 145.5$   
ft. Shaft  $6 \times 4$  ,  $8\frac{1}{2}$  ft. deep in cement and rock.  
Value \$30.00

No. 5 A shaft which bears  $N38^{\circ} 03'E - 200.5$  ft. Shaft  
 $4\frac{1}{2} \times 4$  ft., 6 ft. deep.  
Value \$30.00

From a point on line 2-3 at  $N88^{\circ} 19'W - 692.6$  ft. from Cor. No. 2

No. 6 A shaft, the center of which bears  $N-58^{\circ} 41'W -$   
241 ft. Shaft  $6 \times 4$  ft., 9 ft. deep.  
Value \$75.00

#### OTHER IMPROVEMENTS .

Portland No. 2 lode.

At Cor. No. 2 a shaft  $6 \times 4$  ft., 9 ft. deep.

From a point

on line 2-3 at  $N88^{\circ} 19'W - 37$  ft. from Cor No. 2,  
the center of a shaft bears  $N2^{\circ} E - 9$  ft. Shaft  $6 \times 4$  ft.,  
9 ft. deep.

Both of these shafts claimed by the Crown Point lode  
owners.

#### INSTRUMENT .

This Survey was made with a Young & Sons Mountain  
Transit (No. 6855) provided with a Smith Solar Attachment.  
The Courses were deflected from the true meridian



69

as determined by direct solar observations.

The distances were measured with 500 and 50 ft. steel tapes.

*(Amend Report next page)*

*John A. Rockefeller*  
U.S. Mineral Surveyor

Tombstone, Arizona

June 30, 1913

## Report.

SEP. 17. 1913

Cor. No. 1 of Crown Point lode Sur. No. 1618, has disappeared. Cor. No. 4 of Frenchman lode Sur. No. 2636 was found upon line 1-2 Crown Point lode when Sur. No. 2636 was made.

Hence to reestablish line 2-1 I connect Cor. No. 2, Crown Point with Cor. No. 4 Frenchman and extend this line to the intersection with line 2-3 Portland No. 2 lode.

Cor. No. 2 Sadie lode Sur. No. 2405, is a post 4 ins. square,  $3\frac{1}{2}$  ft. high in a mound of stone, scribed N E C - S 2-2405

Cor. No. 5 said Sadie lode is a post 4x6 ins., 4 ft. high, in a mound of stone, scribed S E C - S 3-2405.

Cor. No. 3 Sadie No. 2 lode, Survey No. 2405 is a post 4 ins. square,  $3\frac{1}{2}$  ft. high, in a mound of stone, scribed S E C - S 2 3-2405 also scribed N E C - C 2-2405 for Cor. No. 2 of Grenadier lode of same survey.

Cor. no. 3 Bunker Hill lode Survey no. 2743 is a post, 4 ins. square, 3 ft. high in a mound of stone, scribed N E C - B H 3-2743.

Cor. No. 4 said Bunker Hill lode is a post 4 ins. square, 3 ft. high, in a mound of stone, scribed S E C - B H 4-2743.

Cor. No. 5 said Bunker Hill lode is a post 4 ins. square, 3 ft. high, in a mound of stone, scribed B H 5-2743.

Cor. No. 2, Crown Point lode Survey No. 1618, is a post, 4 ins. square, 3 ft. high, in a mound of stone, scribed N E C - C P 2 - 1618.

U.S. Mineral Monument No. 1, is a post, 6 ins. square, about 8 ft. high, in a mound of stone, scribed U S M M No. 1.

The Cor. of Secs. 28-29-32-33 to which this Survey is tied is an iron pipe about  $1\frac{1}{2}$  ft. high, surmounted by a metal cap, stamped with a cross and the numbers 28-29-32-33.

The  $\frac{1}{4}$  Cor. between Secs. 32-33 is an iron pipe about  $1\frac{1}{2}$  ft. high surmounted by a metal cap stamped with a cross and the numbers 32-33.

John A. Rockwell  
U.S. Mineral Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow  
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

known as the Mary M. Costello  
Portland No. 1, Portland No. 2

and showing the respective capacities in which they acted.

M. H. O'Connor, Chairman.

\_\_\_\_\_, Chairman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, M. H. O'Connor

and \_\_\_\_\_, do solemnly swear that we assisted John A

Rockfellow, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mary M Costello

known as the Portland No. 1, Portland No. 2

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
correctly executed, and the corner and boundary monuments established according to law and the instructions  
furnished by the United States Surveyor-General for Arizona

\_\_\_\_\_, Chairman.

M. H. O'Connor, Chairman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 30th

day of June, 1903.

Sieling Rielaguer  
Notary Public

My commission expires March 13 1906

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockfellow, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Mar 24 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mary M Costello, known as the Portland No 1, Portland No 2, situate in Yuma Mining District, Cochise County, Ariz, in Sections 32-33, Township No. 19S, Range No. 25E, and designated as Survey No. 3060, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow  
U. S. Deputy Mineral Surveyor, before me

this 30  
day of June 1913,

My Commission John A. Rockfellow  
exp. Apr 25 1915 Notary Public.

MAR. 24. 1913

## NOTICE OF MINING LOCATION      LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the **Portland No. 1** Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. Bravin. ----- the undersigned, on the 16th day of January 1905.

The length of this claim is 1500 feet and I claim 1200 feet in a Easterly direction and 300 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim, The general course of the lode deposit and premises is from the west to the east

The claim is situated and located in the Turquoise Mining District in Cochise County, in the Territory of Arizona, about three fourths mile in a southeasterly direction from the United States Mineral Mon., and is bounded on the east end line by the Queen of the Hill mining claim and on the South by the Portland No. 2.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument being the center of the west end line at a point inna westerly direction 300 feet from the discovery shaft (at which this notice is posted). being the center of the west end line of said claim; thence north 300 feet to a stone monument, being the northwest corner of said claim; thence easterly 1500 feet to a stone monument, being at the N. E. corner of said claim; thence south 300 feet to a stone monument at the center of the east end of said claim; thence south 300 feet to a stone monument , being at the S? E. corner of said claim; thence westerly 1500 feet to a stone monument at the S. W. corner of said claim; thence north 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General

Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 16th day of January 1905.

Geo. Bravin

This is a relocation of the whole of an abandoned mining claim known as the "Bryan No 1", forfeited by reason of failure to perform assessment work.

Filed and recorded at request of A. R. English Apr 15 1905 at 4:15 P.M. and recorded in Book 33 Record of Mines at page 483.

STATE OF ARIZONA, )  
  : SS.  
County of Cochise. )

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the original Location Notice of the **Portland No.1** Mining Claim, filed for record in my office on the 15th day of April A. D. 1905 at 4:15 P.M., and recorded in Book 33 Records of Mines at page 483, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office this the 17th day of March, A. D. 1913.

Owen E. Murphy,

County Recorder

By Joseph J. [Signature] Deputy.



MAR. 24. 1913

## NOTICE OF MINING LOCATION    LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the **Portland No 2.** Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo Bravin----- the undersigned, on the 16th day of January 1905.

The length of this claim is 1500 feet and I claim 1200 feet in a westerly direction, and 300 feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 3/4 of a mile in a southeasterly direction from the United States Mineral Monument, and is bounded on the south side line by the Crown Point and on the west end line by the Sadie.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument being the center of the east end line at a point in a easterly direction 300 feet from the discovery shaft (at which this notice is posted), being the center of the east end line of said claim; thence north 300 feet to a stone monument, being the north east corner of said claim; thence west 1500 feet to a stone monument, being at the northwest corner of said claim; thence south 300 feet to a stone monument at the center of the west end of said claim; thence south 300 feet to a stone monument, being at the southwest corner of said claim; thence easterly 1500 feet to a stone monument at the S. E. corner of said claim; thence north 300 feet to the place of beginning;

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Law of

the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 16th day of January 1905.

Geo. Bravin.

This is a relocation of the whole of an abandoned mining claim known as the "Bryan No 2" forfeited by reason of failure to perform assessment work.

Filed and recorded at request of A. R. English Apr. 15 1905 at 4:15 P.M. and recorded in Book 33 Record of Mines at page 484.

STATE OF ARIZONA, )  
                                  )SS.  
County of Cochise. )

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the original Location Notice of the **Portland No.2** Mining Claim, filed for record in my office on the 15th day of April, A. D. 1905 at 4:15 P.M., and recorded in Book 33 Records of Mines at page 484, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 17th day of March, A. D. 1913.

Owen E. Murphy,

County Recorder

By *Joseph A. [Signature]* Deputy.





U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 18, 1913.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Mary M. Costello

known as the PORTLAND NO. 1, PORTLAND NO. 2

situate in Turquoise

Mining District, Cochise County, Arizona

in Section 32, 33, Township No. 19 S, Range No. 25 E, and

designated as Survey No. 3060, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or her grantors, and that said improvements consist of 11 shafts and 2 cuts, total value \$1235.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

September 18, 1913.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Mary M. Costello

, known as the

PORTLAND NO. 1, PORTLAND NO. 2

situate in Turquoise mining district,

Cochise County, Arizona

in Section S 32, 33, Township No. 19 S., Range No. 25 E.

, designated as Survey No. 3060

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, May 7-10, 1913, under my instructions dated

March 24, 1913, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lynde

U. S. Surveyor-General for Arizona.