

MA. 31. 1913

Platted

(4-683.)

Mineral Survey No. 3066.

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizota Mining Company,

KNOWN AS THE

Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2,

Nevin No. 3, Harcuvar Mining District,

Yuma County, Arizona,

Approx.

Sections 27 & 34, Township 7 N., Range 14 W., G.S.R.M.,
Unsurveyed.

Surveyed under instructions dated April 9, 1913,

by C. C. Thompson,
U. S. Deputy Mineral Surveyor.

Claim located (See Location Notices.) 1

Survey commenced April 15, 1913.

Survey completed April 22, 1913.

Address of Claimant's Atty, -

Chambers Kellar,
Lead City,
South Dakota.

Claim.	Located.	Amended.
Bullock,	October 19, 1909.	March 21, 1910.
Bullock No. 1,	October 19, 1909.	March 21, 1910.
Bullock No. 2,	November 15, 1909.	March 24, 1910.
Bullock No. 3,	November 15, 1909.	March 24, 1910.
Nevin No. 2,	August 7, 1909.	March 23, 1910.
Nevin No. 3,	August 7, 1909.	March 23, 1910.

SURVEY NO. 3066.

BULLOCK

Beginning at Cor. No. 1.

Identical with Cor. No. 1, Nevin No. 2 lode, Cor. No. 4, Nevin No. 3 lode, and Cor. No. 4, Bullock No. 1 lode, all of this survey.

A stone 8 x 12 x 26 ins., set 14 ins. in the ground, with mound of stone, chiseled a cross at corner point and 1B, 1N2, 4N3, 4B1, 3066, whence,

U. S. M. M. No. 2927 bears S. 40° 42' 50" E. 3570.28 ft.

No other bearings available.

Feet.

Thence N. 55° 55' E.

300 To south end center.

590 Middle of a dry drain 15 ft. wide. Drains northwesterly.

600 To Cor. No. 2.

Identical with Cor. No. 3 Bullock No. 1 lode and on line 4-1 Bullock No. 3 lode, both of this survey.

A rock in place 10 x 20 ft. x 3 ft. above ground, with mound of stone, chiseled a cross at corner point and 2B, 3B1, 3066.

No bearings available.

Thence N. 34° 05' W.

20 Enter a dry wash. Drains northwesterly.

267 Leave the dry wash.

377.5 Cor. No. 1 Bullock No. 2 lode and Cor. No. 4 Bullock No. 3 lode, both of this survey, on line.

1500 To Cor. No. 3.

On line 4-1 Bullock No. 2 lode of this survey and identical with the S. E. Cor. Kellar No. 4 lode, unsurveyed. Claimant herein,

A stone 6 x 10 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled a cross at corner point and 3B-3066.

No bearing objects available.

SURVEY NO. 3066.

Feet. Thence S. 55° 55' W.

300 To north end center.

430 Middle of a dry drain 20 ft. wide. Drains northwesterly.

600 To Cor. No. 4.

Identical with Cor. No. 4 Nevin No. 2 lode of this survey, the S. E. Cor. Kellar lode and the S. W. Cor. Kellar No. 4 lode, both unsurveyed. Claimant herein.

A stone 10 x 12 x 28 ins., set 14 ins. in the ground, with mound of stone, chiseled a cross at corner point and 4B, 4N2, 3066.

No bearings available.

Thence S. 34° 05' E.

1500 To Cor. No. 1, the place of beginning.

BULLOCK NO. 1

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Nevin No. 3 lode of this survey, the N. E. Cor. Hardwick No. 4 lode and the N. W. Cor. Copper Glance No. 3 lode, both unsurveyed. Claimant herein.

A stone 6 x 8 x 30 ins., set 15 ins. in the ground, with mound of stone, chiseled 1B, 1N3, 3066, and a cross at corner point,

whence,

U. S. M. M. No. 2927 bears S. 45° 28' 30" E. 2087.57 ft.

No other bearings available.

Thence N. 55° 55' E.

290 Middle of dry drain 20 ft. wide. Drains northerly.

300 To south end center.

600 To Cor. No. 2.

Identical with the N. E. Cor. Copper Glance No. 3 lode, unsurveyed, and on the west side line Lucky Bob lode, unsurveyed. Claimant herein.

A stone 7 x 10 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled a cross at corner point

SURVEY NO. 3066.

Feet. and 2B1-3066.

No bearings available.

Thence N. 34° 05' W.

60 Middle of dry drain 10 ft. wide. Drains northwesterly.

377.3 Cor. No. 1 Bullock No. 3 lode of this survey and the N. W. Cor. Lucky Bob lode, unsurveyed, on line.

1500 To Cor. No. 3.

Identical with Cor. No. 2 Bullock lode, previously described, and on line 4-1 Bullock No. 3 lode, both of this survey.

Thence S. 55° 55' W.

10 Middle of dry drain 15 ft. wide. Drains northwesterly.

300 To north end center.

600 To Cor. No. 4.

Identical with Cor. No. 1 Bullock lode, Cor. No. 1 Nevin No. 2 lode and Cor. No. 4 Nevin No. 3 lode, all of this survey, previously described.

Thence S. 34° 05' E.

1500 To Cor. No. 1, the place of beginning.

BULLOCK NO. 2

Beginning at Cor. No. 1.

Identical with Cor. No. 4 Bullock No. 3 lode and on line 2-3 Bullock lode, both of this survey.

A stone 7 x 10 x 26 ins., set 14 ins. in the ground, with mound of stone, chiseled 1B2, 4B3, 3066, and a cross at corner point,

whence,

U. S. M. M. No. 2927 bears S. 31° 20' 40" E. 3928.22 ft.

No other bearings available.

Thence N. 55° 55' E.

300 To south end center.

SURVEY NO. 3066.

Feet.
600

To Cor. No. 2.

Identical with Cor. No. 3 Bullock No. 3 lode of this survey, the S. W. Cor. Bullock No. 4 lode and the N. W. Cor. Bullock No. 5 lode, both unsurveyed. Claimant herein.

A stone 6 x 10 x 24 ins., set 12 ins. in the ground, with mound of stone, Chiseled a cross at corner point and 2B2, 3B3, 3066.

No bearings available.

Thence N. 34° 05' W.

1500

To Cor. No. 3.

Identical with the N. W. Cor. Bullock No. 4 lode, unsurveyed.

A stone 8 x 10 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled a cross at corner point and 3B2-3066.

No Bearings available.

Thence S. 55° 55' W.

300

To north end center.

600

To Cor. No. 4. On east side line Kellar No. 4 lode, unsurveyed.

A stone 6 x 8 x 26 ins., set 14 ins. in the ground, with mound of stone, chiseled 4B2-3066.

No bearings available.

Thence S. 34° 05' E.

377.3

Cor. No. 3 Bullock lode of this survey and the S. E. Cor. Kellar No. 4 lode, unsurveyed, on line.

1500

To Cor. No. 1, the place of beginning.

BULLOCK NO. 3

Beginning at Cor. No. 1.

On line 2-3 Bullock No. 1 lode of this survey and identical with the N. W. Cor. Lucky Bob lode, unsurveyed.

A stone 6 x 12 x 26 ins., set 14 ins. in the ground, with mound of stone, chiseled 1B3-3066 and a cross at

Feet.	corner point, whence, U. S. M. M. No. 2927 bears S. 29° 39' 20" E. 2431.00 ft. No other bearings available.

	Thence N. 55° 55' E.
300	To south end center.
600	To Cor. No. 2. Identical with the N. E. Cor. Lucky Bob lode and the S. W. Cor. Bullock No. 5 lode, both unsurveyed. A stone 10 x 12 x 26 ins., set 14 ins. in the ground, with mound of stone, chiseled a cross at corner point and 2B3-3066. No bearings available.

	Thence N. 34° 05' W.
1080	Middle of a dry wash 60 ft. wide. Drains westerly.
1500	To Cor. No. 3. Identical with Cor. No. 2 Bullock No. 2 lode of this survey, the S. W. Cor. Bullock No. 4 and the N. W. Cor. Bullock No. 5 lodes, both unsurveyed, previously described.

	Thence S. 55° 55' W.
300	to north end center.
600	To Cor. No. 4. Identical with Cor. No. 1 Bullock No. 2 lode and on line 2-3 Bullock lode, both of this survey, previous- ly described.

	Thence S. 34° 05' E.
110.3	Enter dry wash. Drains northwesterly.
357.3	Leave the dry wash.
377.3	Cor. No. 2 Bullock lode and Cor. No. 3 Bullock No. 1 lode, both of this survey, on line.
1500	To Cor. No. 1, the place of beginning.

SURVEY NO. 3066.

Feet.

NEVIN NO. 2

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Bullock lode, Cor. No. 4 Bullock No. 1 lode and Cor. No. 4 Nevin No. 3 lode, All of this survey, previously described, whence,

U. S. M. M. No. 2927 bears S. 40° 42' 50" E. 3570.28 ft.

Thence S. 55° 55' W.

300 To south end center.

600 To Cor. No. 2.

Identical with Cor. No. 3 Nevin No. 3 lode of this survey, Cor. No. 4 Nevin No. 5 lode Sur. No. 2982 and the S. E. Cor. Nevin No. 4 lode, unsurveyed. Claimant herein.

A stone showing 10 x 12 x 12 ins. above ground, with mound of stone, chiseled 2N2-3N3-3066 and 4N5-2982.

No bearings available.

Thence N. 34° 05' W.

1500 To Cor. No. 3.

Identical with the N. E. Cor. Nevin No. 4 lode and the S. W. Cor. Kellar lode, both unsurveyed.

A stone 8 x 14 x 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3N2-3066.

No bearings available.

Thence N. 55° 55' E.

300 To north end center.

600 To Cor. No. 4.

Identical with Cor. No. 4 Bullock lode of this survey and the S. E. Cor. Kellar lode and the S. W. Cor. Kellar No. 4 lode, both unsurveyed, previously described.

Thence S. 34° 05' E.

1500 To Cor. No. 1, the place of beginning.

SURVEY NO. 3066.

Feet.

NEVIN NO. 3

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Bullock No. 1 lode of this survey, the N. W. Cor. Copper Gance No. 3 lode and the N. E. Cor. Hardwick No. 4 lode, both unsurveyed, previously described,

whence,

U. S. M. M. No. 2927 bears S. 45° 28' 30" E. 2087.57 ft.

No other bearings available.

Thence S. 55° 55' W.

300 To south end center.

600 To Cor. No. 2.

Identical with Cor. No. 1 Nevin No. 5 lode Sur. No. 2982 and the N. W. Cor. Hardwick No. 4 lode, unsurveyed.

A stone showing 8 x 12 x 12 ins. above ground, with mound of stone, chiseled a cross at corner point and 2N3-3066, 1N5-2982.

No bearings available.

Thence N. 34° 05' W.

1500 To Cor. No. 3.

Identical with Cor. No. 2 Nevin No. 2 lode of this survey, Cor. No. 4 Nevin No. 5 lode Sur. No. 2982, and the S. E. Cor. Nevin No. 4 lode, unsurveyed, previously described.

Thence N. 55° 55' E.

300 To north end center.

600 To Cor. No. 4.

Identical with Cor. No. 1 Nevin No. 2 lode, Cor. No. 1 Bullock lode, and Cor. No. 4 Bullock No. 1 lode, all of this survey, previously described.

Thence S. 34° 05' E.

1500 To Cor. No. 1, the place of beginning.

SURVEY NO. 3066.

All corners of this survey are identical with the corners of the locations, the end centers consisting of stone monuments.

Variation at all corners of this survey 14° E.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:-

Bullock lode, 20 ft. S. $34^{\circ} 05'$ E. and 1480 ft.
N. $34^{\circ} 05'$ W.

Bullock No. 1 lode, 20 ft. N. $34^{\circ} 05'$ W. and 1480 ft. S. $34^{\circ} 05'$ E.

Bullock No. 2 lode, 70 ft. S. $34^{\circ} 05'$ E. and 1430 ft. N. $34^{\circ} 05'$ W.

Bullock No. 3 lode, 100 ft. N. $34^{\circ} 05'$ W. and 1400 ft. S. $34^{\circ} 05'$ E.

Nevin No. 2 lode, 65 ft. S. $34^{\circ} 05'$ E. and 1435 ft. N. $34^{\circ} 05'$ W.

Nevin No. 3 lode, 100 ft. N. $34^{\circ} 05'$ W. and 1400 ft. S. $34^{\circ} 05'$ E.

AREAS.

Total area Bullock lode	20.661 Acres.
Total area Bullock No. 1 lode	20.661 "
Total area Bullock No. 2 lode	20.661 "
Total area Bullock No. 3 lode	20.661 "
Total area Nevin No. 2 lode	20.661 "
Total area Nevin No. 3 lode	20.661 "
Total area lode claim	123.966 Acres.

LOCATION.

This claim is located approximately in Secs. 27 & 34 T.7 N., R. 14 W., G. & S. R. M., unsurveyed, Harcuvar Mining District, Yuma County, Arizona.

SURVEY NO. 3066.

ADJOINING CLAIMS.

This survey is joined on the west by Nevin No. 5 lode Sur. No. 2982 and Nevin No. 4 lode, unsurveyed. On the north by Kellar and Kellar No. 4 lodes, unsurveyed. On the east by Bullock No. 4 and Bullock No. 5 lodes, unsurveyed, and on the south by Lucky Bob, Copper Glance No. 3 and Hardwick No. 4 lodes, unsurveyed. All properties of claimant herein.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-

BULLOCK.

No. 1 The discovery cut of the Bullock lode, the face of which being the discovery point, is on the center line 20 ft. from the center of line 1-2, 10 ft. face, 4 ft. wide, running N. 56° E. 20 ft.

Value \$100.00

No. 2 A shaft which from the south end center Bullock lode bears N. 4° 30' E. 57 ft., 5 x 7 ft. x 69 ft. deep, solidly timbered and containing boarded manway. From a point in the shaft 40 ft. from the surface a 55° incline shaft 6 x 7 ft. runs N. 50° E. 45 ft.

Value \$2850.00

This improvement is being made for the development of the entire claim, the purpose being to sink to greater depth and at appropriate points drive crosscuts and drifts into each lode location of this claim.

The central location of this improvement recommends itself and its purpose can be accomplished, with one plant of machinery, in a manner most minerlike and most economical.

An undivided one sixth interest in this improvement is credited to each lode location of this claim.

Value one-sixth interest credited to this claim, \$475.00

SURVEY NO. 3066.

- BULLOCK NO. 1
- No. 1 The discovery out of the Bullock No. 1 lode, the face of which being the discovery point, is on the center line 30 ft. from the center of line 3-4, 7 ft. face, 7 ft. wide, running N. 56° E. 23 ft. Value \$100.00
An undivided 1/6 interest in shaft No. 2 on the Bullock lode credited to this lode, Value \$475.00
- No. 1 The discovery shaft of the Bullock No. 2 lode is on the center line 70 ft. from the center of line 1-2, 4 x 6 ft. x 8 ft. deep.
Value \$70.00
- No. 2 A shaft which bears from Cor. No. 2 Bullock No. 2 lode, N. 64° W. 295 ft., 4 x 6 ft. x 7 ft. deep. Value, \$60.00
An undivided 1/6 interest in shaft No. 2 on the Bullock lode is credited to this lode, Value, \$475.00
- No. 1 The discovery shaft of the Bullock No. 3 lode is on the center line 100 ft. from the center of line 3-4, 4 x 6 ft. x 8 ft. deep.
Value \$70.00
- No. 2 A cut the face of which bears from Cor. No. 3 Bullock No. 3 lode, S. 13° W. 215 ft., 10 ft. face, 6 ft. wide, running S. 30° E. 15 ft. Value, \$100.00
An undivided 1/6 interest in shaft No. 2 on the Bullock lode is credited to this lode, Value \$475.00
- NEVIN NO. 2.
- No. 1 The discovery shaft of the Nevin No. 2 lode is on the center line 65 ft. from the center of line 1-3, 4½ x 6 ft. x 7 ft. deep.
Value \$60.00
- No. 2 A cut the face of which bears from the south end center Nevin No. 2 lode, N. 88° W. 67 ft., 8 ft. face, 4 ft. wide, running N. 30° W. 20 ft. Value, \$80.00
An undivided 1/6 interest in shaft No. 2 on the Bullock lode is credited to this lode, Value \$475.00
- NEVIN NO. 3
- No. 1 The discovery shaft of the Nevin No. 3 lode is on the center line 100 ft. from the center of line 3-4, 4 x 6 ft. x 8 ft. deep.
Value \$70.00
- No. 2 A shaft which bears from the north end center Nevin No. 3 lode, S. 28° E. 590 ft., 4 x 6 ft. x 6 ft. deep.
Value \$50.00

SURVEY NO. 3066.

No.3 A out the face of which bears from the south end center Nevin No. 3 lode, N. 62° W. 139 ft., 8 ft. face, 4 ft. wide, running N. 55° E. 30 ft.

Value \$70.00

No.4 A shaft which bears from the south end center Nevin No. 3 lode, N. 57° W. 155 ft., 4 x 6 ft. x 8 ft. deep.

Value \$70.00

No.5 A shaft which bears from the south end center Nevin No. 3 lode, N. 54° W. 172 ft., 4 x 6 ft. x 8 ft. deep.

Value \$70.00

An undivided 1/6 interest in shaft No. 2 on the Bullock lode is credited to this lode, Value, \$475.00

OTHER IMPROVEMENTS.

From the north end center Bullock No. 1 lode the S. E. Cor. of a frame house bears N. 81° W. 130 ft. Size of house 12 x 14 ft. Course of long side N. 30° W. Claimant herein.

From the north end center Bullock No. 1 lode the S. E. Cor. of a boarding house 14 x 35 ft., bears N. 62° W. 200 ft. Course of long side N. 30° W. Claimant herein.

From the north end center Bullock No. 1 lode the S. E. Cor. of a bunk house bears N. 28° 30' W. 186 ft. Size of house 16 x 20 ft. Course of long side N. 30° W. Claimant herein.

INSTRUMENT.

This Survey was made with a C. L. Berger & Sons No. 4 transit. The courses were deflected from a true meridian established from observing Polaris at elongation in connection with my Survey No. 2927. The distances were measured with a 660 ft. Lufkin steel tape.

REPORT.

U. S. M. M. No. 2927 is a rock in place 3 x 5 ft. showing 2 ft. above ground, with mound of stone, chiseled a cross and U. S. M. M. No. 2927.

Note: The disagreement between these field notes and
the location notices is due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by C. C. Thompson,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Arizota Mining Company,
 known as the Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2,
Nevin No. 3,
 and showing the respective capacities in which they acted.

_____ S. J. Snapp _____, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We,~~ _____ I, S. J. Snapp, _____
 and _____, do solemnly swear ^{that I} ~~that we~~ assisted _____
C. C. Thompson _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Arizota Mining Company, _____


 known as the Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2,
Nevin No. 3,
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona. _____

_____ S. J. Snapp _____, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 30th.
 day of May. _____, 1913

_____ *[Signature]*


My commission expires Feb. 20, 1916. _____ Notary Public.



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, C. C. Thompson, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 9, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Arizota Mining Company, known as the Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2, Nevin No. 3, situate in Harcuvar Mining District, Yuma County, Arizona, approx., in Section 27 & 34, Township No. 7 N., Range No. 14 W., G.S.B.M., Unsurveyed, and designated as Survey No. 3066, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.



C. C. Thompson
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said C. C. Thompson.
U. S. Deputy Mineral Surveyor, before me R. O. Worley
Notary Public, this 30th,
day of May, 1913.

R. O. Worley
Notary Public
My Commission expires Feb. 20, 1914.

2267

NOTICE OF MINING LOCATION

LODE CLAIM

APR 8- 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bullock Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Arizona Mining Company by Harry Nevin, Agent, a citizen of the United States, the undersigned, on the 21 day of March, 1910.

The length of this claim is 1500 feet and we claim 15 feet in a S 34° E. direction and 1485 feet in a N. 34° W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly.

The claim is situated and located in the Ellsworth Mining District in Yuma County, in the Territory of Arizona, about 1 mile in a Northwesterly direction from Cottonwood Springs. Its N.W. Cor. is identical with the S.E. Cor. Kellar Lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a S. 34° E. direction 15 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence S 56° W. 300 feet to a Monument, being the S.W. corner of said claim; thence N. 34° W. 1500 feet to a Monument, being at the N.W. corner of said claim; thence N. 56° E. 300 feet to a Monument at the center of the North end of said claim; thence N. 56° E. 300 feet to a Monument, being at the N.E. corner of said claim; thence S. 34° E. 1500 feet to a Monument at the S.E. corner of said claim; thence S. 56° W. 300 feet to the place of beginning. Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Bullock Mining Claim, located by Seth Bullock on the 19 day of October, 1909, and recorded in Book 3 of Records of Mines at page 496 in the office of the County Recorder of the aforesaid County of Yuma, which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 21 day of March, 1910.

Arizota Mining Company,
by Harry Nevin Agent.

Filed and recorded at the request of Chambers Kellar June 23,
A.D. 1910, at 9:50 o'clock A.M.

J.M. Polhamus,
County Recorder.

STATE OF ARIZONA,)
) (SS.
COUNTY OF YUMA.)

I, James T. Hodges, COUNTY RECORDER in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true, full and correct copy of the Bullock Mining Claim, as filed for record in my office on the 23 day of June, A.D. 1910. and as appears of record in Book 6, of Mines, Page 165, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and seal of office this 24 day of March, 1913.

James T. Hodges
County Recorder, Yuma County, State of Arizona.



2268

NOTICE OF MINING LOCATION
LODE CLAIM

APR 8-1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bullock No. 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable Mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Arizota Mining Company by Harry Nevin, Agent. a citizen of the United States the undersigned, on the 21 day of March, 1910.

The length of this claim is 1500 feet ^{and we claim 25 feet} in a N. 34° W. direction and 1475 feet in a S. 34° E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 3/4 mile in a Northwesterly direction from Cottonwood Springs. Its N.W. Cor. is identical with the N.E. Cor. Nevin No. 3 lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a N. 34° W. direction 25 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N. 56° E. 300 feet to a Monument, being the N.E. corner of said claim; thence S. 34° E. 1500 feet to a Monument, being at the S.E. corner of said claim; thence S. 56° W 300 feet to a Monument at the center of the South end of said claim; thence S. 56° W. 300 feet to a Monument, being at the S.W. corner of said claim; thence N. 34° W. 1500 feet to a monument at the N.W. corner of said claim; thence N 56° E. 300 feet to the place of beginning. Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII. of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bullock No. 1 Mining Claim located by Seth Bullock on the 19 day of October, 1909, and recorded in Book 3 of Records of Mines at Page 497 in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made and this Amended Location Notice is made and posted to correct error in the description in the said original Location Notice.

Dated and posted on the ground this 21 day of March, 1910.

Arizota Mining Company
by Harry Nevin, Agent.

Filed and recorded at the request of Chambers Kellar, June 23, A.D. 1910, at 9:52 o'clock A.M.

J.M. Polhamus,
County Recorder.

STATE OF ARIZONA,)
 (SS.
COUNTY OF YUMA.)

I, JAMES T. HODGES, COUNTY RECORDER in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true, full and correct copy of The Bullock No. 1 Mining Claim, as filed for record in my office on the 23 day of June A.D. 1910, and as appears of record in Book 6, of Mines, Page 166, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of March, A.D. 1913.

James T. Hodges

County Recorder, Yuma County, State of Arizona.



2269

NOTICE OF MINING LOCATION

APR 8- 1913

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the Bullock No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by the Arizona Mining Company by Harry Nevin, Agent, a citizen of the United States, the undersigned, on the 24 day of March, 1910.

The length of this claim is 1500 feet and we claim 70 feet in a S. 34° E. direction and 1430 feet in a N. 34° W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 1 Mile in a Northwesterly direction from Cottonwood Springs. From its S.W. Cor. the S.E. Cor. Bullock lode bears S. 34° E. 373 feet.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a S. 34° E. direction 70 feet from the discovery shaft (at which this notice is posted) being in the center of the South end line of said claim; thence S. 56° W. 300 feet to a monument Being the S.W. Corner of said claim; thence N. 34° W. 1500 feet to a monument, being at the N.W. corner of said claim; thence N. 56° E 300 feet to a monument at the center of the North end of said claim; thence N. 56° E. 300 feet to a monument, being at the N.E. corner of said claim; thence S. 34° E. 1500 feet to a monument, at the S.E. corner of said claim; thence S 56° W. 300 feet to the place of beginning. Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII. of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bullock No.2 Mining Claim, Located by Seth Bullock on the 15 day of November, 1909 and recorded in Book 3 of Records of Mines Page 630 in the office of the County Recorder, of the aforesaid County of Yuma, to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24 day of March, 1910.

Arizota Mining Company,
by Harry Nevin, Agent.

Filed and recorded at the request of Chambers Kellar June
- 23, A.D. 1910, at 9:53 o'clock A.M.

J.M. Polhamus,
County Recorder.

STATE OF ARIZONA,)
 (SS.
COUNTY OF YUMA.)

I, JAMES T. HODGES, COUNTY RECORDER in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true, full and correct copy of The Bullock No. 2 Mining Claim as filed for record in my office on the 23 day of June A.D. 1910, and as appears of record in Book 6, of Mines, page 167 et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of March A.D. 1913.

James T. Hodges

County Recorder, Yuma County, State of Arizona.



2270

NOTICE OF MINING LOCATION
LODE CLAIM.

APR 8- 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bullock No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Arizona Mining Company by Harry Nevin, Agent, a citizen of the United States, the undersigned, on the 24 day of March, 1910.

The length of this claim is 1500 feet and we claim 100 feet in a N. 34° W. direction and 1400 feet in a S. 34° E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 3/4 Mile in a Northerly direction from Cottonwood Springs. Its N.W. corner is identical with the S.W. cor. Bullock No. 2 lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a N. 34° W. direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence N 56° E. 300 feet to a Monument being the N.E. corner of said claim; thence S., 34° E. 1500 feet to a monument being at the S.E. corner of said claim; thence S. 56° W. 300 feet to a monument at the center of the South end of said claim; thence S 56° W 300 feet to a monument being at the S.W. corner of said claim; thence N. 34° W. 1500 feet to a monument at the N.W. cor-

ner of said claim; thence N. 56° E. 300 feet to the place of beginning. Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII. of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bullock No. 3 Mining Claim located by Seth Bullock on the 15 day of November 1909, and recorded in Book 3, of Records of Mines at Page 631 in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24 day of March, 1910.

Arizota Mining Company,
by Harry Nevin, Agent.

Filed and recorded at the request of Chambers Kellar June 23, A.D. 1910, at 9:54 o'clock A.M.

J.M. Polhamus,
County Recorder.

STATE OF ARIZONA,)
(SS.
COUNTY OF YUMA.)

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a true, full and correct copy of The Bullock No. 3 Mining Claim, as filed for record in my office on the 23 day of June, A.D. 1910, and as appears of record in Book 6, of Mines, Page 168, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of March, A.D. 1913.

James T. Hodges

County Recorder, Yuma County, State of Arizona.



2253

NOTICE OF MINING LOCATION

LODE CLAIM.

APR 8-1911

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Nevin No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Arizota Mining Company the undersigned, on the 23rd day of March, 1910.

The length of this claim is 1500 feet and claim 65 feet in a S. 34° E. direction and 1435 feet in a N. 34° W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeasterly to the Northwesterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 1 mile in a Northwesterly direction from Cottonwood Springs. Its S.E. Cor. is identical with the S.W. Cor. Bullock lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a S. 34° E. direction 65 feet from the discovery shaft, (at which this notice is posted), being in the center of the South end line of said claim; thence S. 56° W. feet to a monument, being the S.W. corner of said claim; thence N. 34° W. 1500 feet to a monument, being at the N.W. corner of said claim; thence N. 56° E. 300 feet to a monument at the center of the North end of said claim; thence N. 56° E. 300 feet to a monument, being at the N.E. corner of said claim; thence S. 34° E. 1500 feet to a monument at the S.E. corner of said claim; thence S. 56° W. 300 feet to the place of beginning.

Variation 14° E.

All done under the provisions of Chapter Six, of Title XXXII. of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Nevia No. 2 Mining Claim, Located by Harry Nevin on the 7 day of August, 1909, and Recorded in Book 3 of Records of Mines at page 334 in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made, and this Amended Location Notice is made and posted to correct error in the description in the said original Location Notice.

Dated and posted on the ground this 23rd day of March, 1910.

Arizota Mining Company
by Chambers Kellar,
Secretary.

Filed and recorded at the request of Chambers Kellar
June 23, A.D. 1910, at 9:36 o'clock A.M.

J. M. Polhamus
County Recorder.

State of Arizona)
County of Yuma.) ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Nevin No.2 Mining Claim as filed for record on the 23rd of June A.D. 1910 and which appears of record in Book 6 of Mines at Page 151 et seq., Records of County and State aforesaid.

In Witness Whereof, I have hereunto set my hand and affixed my official Seal this 24th day of March, A.D. 1913.

James T. Hodges

County Recorder Yuma County
State of Arizona.



2254

NOTICE OF MINING LOCATION

APR 8-1913

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the Nevin No.3 Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by Arizota Mining Company the undersigned, on the 23rd day of March, 1910.

The length of this claim is 1500 feet and claim 100 feet in a N 34° W direction and 1400 feet in a S 34° E direction from the center of the discovery shaft, at which the notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim, The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly.

The claim is situated and located in the Ellsworth Mining District, in Yuma County, in the Territory of Arizona, about 3/4 mile in a Northwesterly direction from Cottonwood Springs. Its N:E. cor. is identical with the S.W. cor. Bullock lode.

The surface boundaries of the claim are marked upon the grounds as follows: Beginning at a Monument at a point in a N. 34° W. direction 100 feet from the discovery shaft, (at which this notice is posted), being in the center of the North end line of said claim; thence N. 56° E. 300 feet to a monument, being the N.E. corner of said claim; thence S. 34° E. 1500 feet to a monument, being at the S.E. corner of said claim; thence S. 56° W. 300 feet to a monument at the center of the South end of said claim; thence S 56 W. 300 feet to a monument being at the S.W. corner of said claim; thence N. 34° W. 1500 feet to a monument at the N.W. corner of said claim; thence N. 56° E 300 feet to the place of beginning. Variation 14° E.

All done under the provisions of Chapter Six, of Title XXIII. of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Nevin No. 3 Mining Claim Located by Harry Nevin on the 7 day of August, 1909, and recorded in Book 3 of Records of Mines at page 335 in the office of the County Recorder of the aforesaid County of Yuma, to which reference is hereby made and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 23rd day of March, 1910.

Arizona Mining Company
by Chambers Kellar
Secretary.

Filed and recorded at the request of Chambers Kellar June 23, A.D. 1910, at 9:37 o'clock A.M.

J.M. Polhamus,
County Recorder.

STATE OF ARIZONA,)
) SS.
COUNTY OF YUMA.)

I , JAMES T. HODGES, COUNTY RECORDER in and for the county of Yuma, State of Arizona, do hereby certify that the foregoing is a true, full and correct copy of The Nevin No. 3 Mining Claim, as filed for record in my office on the 23 day of June, A.D. 1910. and as appears of record in Book 6, of Mines, Page 152, et seq., Records of Yuma County aforesaid.

In Witness Whereof I have hereunto set my hand and affixed my seal of office this 24 day of March, A.D. 1913.

James T. Hodges

County Recorder, Yuma County, State of Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 30, 1913.

I, U. S. Surveyor-General for Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ARIZOTA MINING COMPANY

known as the Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2, Nevin No. 3.

situate in Harcuvar

Mining District, Yuma County, Arizona.

in Section Approx. 27 & 34, Township No. 7 N., Range No. 14 W. Unsur., and

designated as Survey No. 3066, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 5 cuts and 9 shafts, total value \$3820.00. Shaft No.

2 on the Bullock lode being a common improvement for the benefit and development of the six claims in this group, an undivided one-sixth interest therein, value \$475.00, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

July 30, 1913.

I, U. S. Surveyor-General for Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

ARIZOTA MINING COMPANY

known as the Bullock, Bullock No. 1, Bullock No. 2, Bullock No. 3, Nevin No. 2, Nevin No. 3.

situate in Harcuvar mining district, Yuma County, Arizona.

in Section Approx. 27&34, Township No. 7 N., Range No. 14 W., Unsur. designated as Survey No. 3066

executed by C. C. Thompson, U. S. Deputy Mineral Surveyor, April 15-22, 1913.

April 9, 1913, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Handwritten signature of Frank S. Sigall

U. S. Surveyor-General for Arizona.