

APR 26 1913

(4-683.)

Mineral Survey No. 3067

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

James Uncapher

KNOWN AS THE

East Ithaca

Wallapai Mining District,

Mohave County, Arizona

Section 19, Township 23 N., Range 17 W., unsurveyed

Surveyed under instructions dated April 21 st., 1913

by Peter Mc. Cardell, U. S. Deputy Mineral Surveyor.

Claim located see location notice, 1

Survey commenced April 23rd., 1913

Survey completed April 24th., 1913

o 6-100

Address

James Uncapher, Kingman, Arizona.

SURVEY No. 3067.

EAST ITHACA

Beginning at Cor. No. 1.

A redwood post, 4 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, mound of earth and stone, scribed 1-3067 E.I. whence

A cross (X) and B. R. 1-3067 chiseled on a porphyry rock 1 ft. above the ground, bears N. 68° 55' W. 32.43 ft., a cedar 5 ins. diam.; blazed and scribed 1-3067 B. T. bears N. 5° 11' W. 37.6 ft. Cor. to sec's 13, 24, 18, 19, T. 23 N., Rs. 17 and 18 W., bears N. 31° 19' W. 4336.5 ft.

Thence N. 75° 05' E.

Va. 16° 27' E.

Ft.

1027

To Cor. No. 2.

A pine post, 4 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, mound of earth and stone, scribed 2-3067 E. I., whence

A cedar, 5 ins. diam., blazed and scribed B. T. 2-3067 bears S. 21° 16' E. 27.4 ft. and a cedar, 6 ins. diam., blazed and scribed B. T. 2-3067, bears S. 65° 44' W. 48.45 ft. S. E. corner of house bears S. 68° 18' W. 444 ft.

Thence S. 20° 00' W.

Va. 15° 39' E.

300

To N. E. end center.

A granite stone, 8 X 10 X 14 ins., set 10 ins. in the ground, monument of stone alongside, chiseled N. E. E. C. 3067 E. I.

600

To Cor. No. 3.

A schist stone, 6 X 10 X 23 ins., set 12 ins. in the ground, mound of stone alongside, chiseled 3-3067 E. I., cross at corner point, whence

A pine, 3 ins. diam., blazed and scribed B. T. 3-3067

SURVEY No.3067- Continued.

bears N. 39° 45' E. 7.55 ft. No other bearing objects available.

Thence S. 75° 05' W.

Va. 16° 21' E.

Ft.

1027 To Cor. No.4.

On line I-II, Ithaca lode, Lot No.37 A, at S. 20° W. 246.6 ft. from Cor. I, and N. 20° E. 53.4 ft. from Cor. No.II.

A redwood post, 4 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, mound of earth and stone, scribed 4-3067 E. I., whence

A cross (X) and B. R. 4-3067, chiseled on a quartz rock 3 ft. above the ground, bears N. 15° 25' W. 31.77 ft., and a cross (X) and B. R. 4-3067, chiseled on a quartz rock 2 ft. above the ground, bears S. 19° 39' E. 11.35 ft.

Thence N. 20° 00' E.

Va. 16° 25' E.

246.6 Cor. I, Ithaca lode, Lot No.37 A.

300 To S. W. end center.

A redwood post, 4 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, mound of earth and stone, scribed S. W. E. C., 3067 E. I.

546.6 Cor. No.VI, Ithaca lode, Lot No.37 A.

600 To Cor. No.1, the place of beginning.

LODE LINE.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point, 76.8 ft. S. 75° 05' W. and 950.2 ft. N. 75° 05' E.

SURVEY No.3067 - Continued.

AREA.

Area =11.600 Acres. ✓

This survey is identical with the location, the corners of which are as follows: The N. W. corner is a redwood post, 4 1/2 ft. long, 4 ins. square. The N. E. corner is a pine post, 4 1/2 ft. long, 4 ins. square. The N. E. end center is a monument of stone, 3 ft. base, 3 ft. high. The S. E. corner, is a monument of stone, 3 ft. base, 3 ft. high. The S. W. corner is a redwood post, 4 1/2 ft. long, 4 ins. square. The S.W.End center is a redwood post 4x4ins., 4 1/2 ft. long, mound of earth and stone.

LOCATION

This survey is located ~~approximately~~ in sec. 19, T. 23 N., R. 17 W., G. & S. R. B. & M., unsurveyed, in Wallspai Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant, is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery cut, the face of which being the point of discovery, is on the lode line 76.8 ft. from the center of line 1-4, 4 ft. wide, 10 ft. face, running S. 10° W. 15 ft. to mouth.

Value, \$40

No.2. A tunnel, the mouth of which bears from Cor. No.4, N. 31° 25' E. 316.5 ft., 3 1/2 x 6 ft., running S. 73° 45' W. 75 ft.

Value, \$650

OTHER IMPROVEMENTS.

(See * next page.)

ADJOINING CLAIMS.

The adjoining claim on the southwest is the Ithaca lode, Lot No.37 A. There are no other adjoining claims.

INSTRUMENT.

SURVEY No.3967 - Continued.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

 REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground.

Note- I find the following errors in former approved surveys: Line V-VI, Ithaca lode, Lot No.37 A. to be S. 71° 52' E. 1498.6 ft, Tie line from Cor. V to cor to Sec's 13, 24, 18, 19, T. 23 N., Rs. 17 and 18 W, is N. 13° 52' W. 3386.6 ft. instead of S. 70° E. 22.72 chains and N.14° 30' W. 49.43 chains respectively.

* OTHER IMPROVEMENTS.

A house, as described at Cor. No. 2, a one-story building, 20 x 40 ft., course of long side N. 14° 25' W., which bears from Cor. No. 2, S. 68° 18' W. 444 ft.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc. Cardell
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
James Uncapher
 known as the East Ithaca
 and showing the respective capacities in which they acted.

Joseph Pickering, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~ I, Joseph Pickering
~~and~~ _____, do solemnly swear that ~~we~~ ^I assisted
Peter Mc. Cardell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of James Uncapher
 known as the East Ithaca
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Joseph Pickering, *Chainman.*
 _____, *Chainman.*
 _____, *Arman.*
 _____, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 25 th.

day of April 1913, ~~190~~

Wm. H. Smith
 U.S. Commissioner


FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Peter Mc Cardell, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 21 st. 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of James Uncapher, known as the East Ithaca, situate in Wallapai Mining District, Mohave County, Arizona, in Section 19, Township No. 23 N., Range No. 17 W., Unsurveyed, and designated as Survey No. 3067, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his partners are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc. Cardell
U. S. Deputy Mineral Surveyor, before me
this 25 th.
day of April 1913

Wm H Smith
U. S. Commissioner



My commission expires

July 1913

3067

Amended Location Certificate

APR 21 1913

KNOW ALL MEN BY THESE PRESENTS, That James Uncapher

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai Mining District, hereby make and file this his amended location of the East Ithaca Lode, claiming by right of discovery, location, primal appropriation and possession 1027 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and silver and other valuable minerals, with all dips, variations and angles, the same being 76.8 feet along the ledge in a S. 75° 05' W. direction from the discovery stake and 950.2 feet along the ledge in a N. 75° 05' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, ~~on~~ on unsurveyed lands and more particularly described as follows, to-wit:

Beginning at the discovery of the claim, where a location monument is established and this notice posted. Thence S. 75° 05' W. 63 feet to the S. W. end center post. on line I-VI Ithaca lode, thence N. 20° E. along line I-VI Ithaca lode, 300 feet to the N.W. corner post. Thence N. 75° 05' E. 1027 feet to the N.E. corner post. Thence S. 20° W. 300 feet to the N.E. end center monument, 600 feet to the S.E. corner monument. Thence S. 75° 05' W. 1027 feet to the S.W. corner post. Thence N. 20° E. 300 ft. to the S.W. end center post the place of beginning. This mining claim adjoins the Ithaca lode, patented, on the southeast end.

THIS AMENDED LOCATION is made in conformity with the original location, made September 25th 1908, recorded September 28th 1908, in Book "A.A.", Page 492, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery September 25th. A. D. 1 908

Date of Amended Location April 15th. A. D. 1913

Attest:

James Uncapher

Recorded at the request of James Uncapher at 9 o'clock A.M., April 18th, 1913 in Book DD of Mining Claims, page 725-726 Records of Mohave County,

Arizona.

J. W. Morgan, County Recorder.

By I. J. Whitney, Deputy.

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,)
 :SS.
County of Mohave.)

I, J. W. MORGAN, Recorder of the County of Mohave, State of Arizona, do hereby certify that I have compared the foregoing copy of Amended Location Certificate of the EAST ITHACA Lode Mining Claim, Located April 15th. 1913 by James Uncapher, and of the endorsement thereupon with the original records of the same on file in this office, and that the same is a correct transcript therefrom and of the whole of said original record.



WITNESS my hand and the seal of said office,
this 18th. day of April, A. D. 1913.

J. W. Morgan

Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 25, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

James Uncapher

known as the East Ithaca

situate in Wallapai

Mining District, Mohave County, Arizona

in Section 19, Township No. 23 N., Range No. 17 W., Uns., and

designated as Survey No. 3067, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 cut and 1 tunnel, total value \$690.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

August 25, 1913.

I, U. S. Surveyor-General for Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

James Uncapher

, known as the

East Ithaca

situate in Wallapai Mining District,

Mohave County, Arizona.

in Section 19, Township No. 23 N., Range No. 17 W., Uns.

, designated as Survey No. 3067

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, April 23-24, 1913, under my instructions dated

April 21, 1913, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.