

SEP 8-1913

(4-683.)

Mineral Survey No. 3068

Lot No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs Fannie Sewell

KNOWN AS THE

Boston Belle, and Kentucky Belle  
California Mining District,

Cochise County, Arizona

Section 13, Township 17S, Range 30E unassigned

Surveyed under instructions dated April 18, 1913

by John A. Rockfellow  
U. S. ~~Deputy~~ Mineral Surveyor.

Claim located See Location Notes, 1

Survey commenced May 14, 1913

Survey completed May 20, 1913

o 6-160

Address of claimant's Attorney  
W. G. Gilmore  
Box 8, Tombstone  
Ariz.

## Boston Belle

Beginning at Cor. No. 1 the N.E. Cor. of claim, set an oak post 5 ins. in diameter, 4 ft. long, 6 ins. in ground to bed-rock in a mound of stone, scribed N.E.C.-B.B.1-3068

## Whence:

The Cor. of location, a monument of stone, the top stone of which is marked E E C B B bears  $N11^{\circ}59'E$  226.3 ft.

Boundary post No. 32 of the Chirichua Forest reserve bears  $N34^{\circ}17'30"E$  - 1324.25 ft.

Note: Said boundary post is a witness Cor. for Secs. 7-12-13-18 Tpl7S, R30 and 31E, and is an iron pipe with cap stamped "R30E S12 S13 Tpl7S, S7 R31E S18 U.S. 1909 Forest Reserve W.C. Boundary Post No. 32".

X B R 1-3068 chiseled on a limestone reef, bears  $S11^{\circ}59'W$  - 16.45 ft.

Thence  $S11^{\circ}59'W$  - Va.  $13^{\circ}20'E$ .

143.3 East Center End of location, a post in a mound of stone, scribed E E C T B B (abandoned).

169.0 Center of wagon road to mine bears W.S. W. and E.N.E.

218.0 Center of gulch, 8-ft. wide, Course E.N.E.

301.0 EAST Center End, set a pine post, 5 ins. in diameter, 4 ft. long, 10 ins. in ground to bed-rock in a mound of stone, scribed E C E - B B 3068.

Whence: E.E.C. of location, heretofore described, bears  $N.11^{\circ}59'E$  157.7 ft.

The Initial Monument at location work bears

$N84^{\circ}16'W$  - 406.2 ft. and this is the general course of the lode, or vein.

489.6 To Cor. No. 2, identical with Cor. No. 1 of Kentucky Belle lode of this Survey. Set a pine post 6 ins. in diameter, 4 ft. long, 4 ins. in ground to bed-rock in a mound of stone, scribed S E C - B B N.E.C - K B 2-1-3068.

## Whence:

X B R 2-1-3068 chiseled on limestone bed-rock bears  $S17^{\circ}30'W$  - 5.01 ft.

X B R ~~chiseled~~ 2-1-3068 chiseled on limestone bed-rock, bears  $S88^{\circ}02'W$  - 6.3 ft.

U.S. Mineral Monument No. 1 California District, on Maxon Peak, bears  $S72^{\circ} 31'E - 4914.0$  ft.

Cor. of location a double stone monument bears  $S84^{\circ} 54'E - 15.5$  ft.

Thence  $N84^{\circ} 54'W$  Va.  $13^{\circ} 05'E$

1141.15 To Cor. No. 3, chisel cross (X) and B B on small projecting portion of limestone bedrock, on a very steep hill slope, not room at immediate point for ~~more~~ but 2 ft. Northerly on bed-rock add 3-3068.

Whence:

Cor. of location a stone monument, bears  $S55^{\circ} 12'W - 67.8$  ft.

X B R 3-3068 chiseled on a porphyry ~~xxxx~~ reef, bears  $N38^{\circ} 18'W - 9.1$  ft.

X B T 3-3068 chiseled on a blaze on a pine tree, 8 ins. in diam., bears  $S19^{\circ} 20'E - 5.5$  ft.

Thence  $N11^{\circ} 59'E$  Va.  $13^{\circ} 15'E$

763.8 Intersect line 6-1 Kentucky Belle lode, this survey,  $N. 76^{\circ} 39'W. 1133.25$  ft. from Cor. No. 1.  
201.4 West Center End, set an oak post, 5 ins. in diam., 4 ft. long, 6 ins. in ground to bed-rock, in a mound of stone, scribed W C E - B B 3068

Whence:

I.M. at discovery bears  $S84^{\circ} 16'E - 733.5$  ft.

West Center End of location, a post in a mound of stone scribed W E C T B B bears  $N11^{\circ} 59'E - 96.2$  ft.

297.6 West Center End of location, described above (abandoned).

465.5 To Cor. No. 4, set a pine post 5 ins. in diam, 4 ft. long, 6 ins. in ground to bed-rock, in a mound of stone, scribed N W C - B B 4 - 3068.

Whence:

Cor. of location a stake in a mound of stone, bears  $N86^{\circ} 06'W - 57.5$  ft.

X B R 4-3068 chiseled on limestone reef, (south face) bears  $S89^{\circ} 31'W - 11.1$  ft.

X B R 4-3068 chiseled on limestone bed-rock 48x16 ins. bears  $N0^{\circ} 53'W$ .

Thence  $S86^{\circ} 06'E$  Va.  $13^{\circ} 25'E$

1144.3 To Cor. No. 1, the place of beginning.

## Kentucky Belle

Beginning at COR. No. 1, identical with Cor. No. 2, Boston Belle lode of this Survey, previously described, Whence: Cor. No. 3, said Boston Belle lode brs. N. 84° 54' W., 1141.15 ft.

The Cor. of location, a double stone monument, bears S 76° 39' E - 19.5 ft.

Boundary post No. 32 of Chiricahua Forest Reserve bears N 28° 19' E - 1786.9 ft.

U.S.M.M. No. 1, bears S 72° 31' E - 4914.0 ft.

Thence S 21° 48' W Va. 13° 05' E.

133.9 To Cor. No. 2, set a pitch pine post, 6 ins. in diam., 4 ft. long, 4 ins. in ground to bed-rock, in a mound of stone, scribed E C E - K B 2-3068.

Whence:

X B R 2-3068 chiseled on limestone bed-rock 28x34 ins. bears S 1° 35' E - 3.4 ft.

X B R 2-3068 chiseled on limestone bed-rock 18x18 ins. bears S 86° 33' W - 10.9 ft.

Cor. of location, a pine post in a mound of stone, E E C T K B bears scribed S 21° 48' W - 113.7 ft.

Thence S 26° 58' W Va. 13° 45' E

318.0 To Cor. No. 3, set a pine post, 6 ins. in diam, 4 ft. long, 6 ins. in ground to bed-rock, in a mound of stone, scribed S E C - K B 3-3068.

Whence:

Cor. of location, a pine stump, 8 ins. in diam., 5 ft. above ground, in a mound of stone, bears S 26° 58' W - 71.0 ft.

X B R 3-3068 chiseled on a porphyry rock 14x12x3 ins. bears S 8° 35' W - 3.4 ft.

X B R (not space for more) chiseled on a porphyry rock 19x8x6 ins. bears S 26° 07' W - 7.1 ft.

Thence N 78° 56' 30" W Va. 13° 20' E

300.4 Point whence South Center Side Monument of location, a monument of stone bears S 48° 37' W - 32.0 ft.

1223.25 To Cor. No. 4, identical with location, a pine post stump 9 ins. in diam., 4 ft. high, blazed in a mound of stone, scribe same S W C - K B 4-3068

Whence:

X B R 4-3068 chiseled on limestone bedrock, bears  
S1° 14'W - 9.35 ft.

X B T 4-3068 scribed on a blaze on a pine tree,  
10 ins. in diam. bears N84° 30'E - 9.4 ft.

Thence N17° 20' 30"E Va. 13° 20'E

226.3 To Cor. No. 5, identical with location, a pine stump,  
4 ins. in diam., 3½ ft. high, scribed W E C T K B , as  
stump not firm, set in its place a pine post 5 ins. in  
diam., 4 ft. long, 8 ins. in ground to immovable boulders.  
scribed W C E - K B 5-3068

Whence:

X B R 5-3068 , chiseled on limestone face 30x24 ins.  
bears S19° 50'W - 11.3 ft.

X B R 5-3068, chiseled on a limestone reef, bears  
N78° 55'W - 7.1 ft.

Thence N21° 48'E Va. 13° 05'E

267.55 To Cor. No. 6, set a pine post, 5 in s. in diam.,  
4 ft. long, <sup>2</sup> ~~3~~ ins. in ground, to bed-rock, in a mound of  
stone, scribed N W C - K B 6-3068

Whence:

Cor. of location, a post, in a mound of stone,  
scribed N W C - K B bears N11° 38'E - 102.0 ft.

X B R 6-3068, chiseled on a limestone reef, bears  
S34° 30'W - 3.3 ft.

X B R 6-3068 chiseled on a limestone, 14x12x4 ins. &  
bears N63° 15'W - 4.2 ft.

Thence S76° 39'E Va. 13° 20'E

128.45 Intersect line 3-4 Boston Belle lode of this Survey,  
at N11° 59'E - 163.8 ft. from Cor. No. 3.

636.2 North Center Side, identical with location, a pine  
post, 4 ins. in diam., 3½ ft. high, in a mound of stone  
scribe same N C S - K B 3068.

1261.7 To Cor. No. 1, the place of beginning.

	Area.	Acres.
Boston Belle lode		12.420
Kentucky Belle lode		13.347

Area in Conflict, Boston Belle	Acres
and Kentucky Belle lodes	2.129

---

Location

This claim is located in California Mining District, Cochise County, Arizona, in Sec. 13, Tpl7S, R30E, unsurveyed. It is within the Chiricahua National Forest.

VEINS--

The presumed courses of the veins are as follows:  
Boston Belle: From E.C.E. N84°16'W-1139.7 ft. to W.C.E.  
Kentucky Belle: From Cor. No.2 N82° 32' 30"W-1288.2 ft. to Cor. No.5.

Adjoining Claims.

On the East

Silver Bell lode, unsurveyed

James Hancock Claimant.

On the West

Neptune lode, unsurveyed

John A. Duncan Claimant.

Expenditure of \$500.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim, by the Claimant, or her grantors, is not less than five hundred dollars, for each claim, and that said improvements consist of:

1. Boston Belle

From Initial Monument on lode line at N84° 16'W - 406.2 from E.C.E.

No. 1, Discovery Cut and Tunnel, the mouth of which bears S18° 15'W - 18.0 ft. Cut 9 ft. wide, 12 ft.

Course N10° E to a 9½ ft. face thence tunnel, same course 6½x4½ ft. 18 ft. to face.

Value of cut	\$100.00
Value of tunnel at \$10. per foot	180.00
Total value	280.00

At point on lode line N84° 16'W - 229. ft. from E.C.E.

No. 2, A Cut or face, in ledge matter, extending easterly 3 feet, 4 ft. wide, 10 foot face.

Value	\$10.00
-------	---------

From a point on lode line at N84° 16'W - 985.6 ft.  
 No. 3 A cut, the mouth of which bears S35° 16'E - 26.0 ft.  
 Cut 6 ft. wide, course Northerly, 32 ft. to face,  
 19 ft. high at face is a winze 6x6 ft., 31 ft. deep.  
 A portion of this work done by parties unknown.  
 Claimant claims more than ten feet.

Value of 10 ft. at \$10. per foot \$100.00

From Cor. No. 4

No. 4 Cut, the mouth of which bears S28° 55'E - 121. ft.  
 Cut 4½ ft. wide, course N.W. 19 ft. to face ~~19~~10 ft.,  
 thence tunnel 6½x4½ ft., 4 ft. to face.

Value of Cut. \$100.00

Value of tunnel at \$10. per foot 40.00

Kentucky Belle

From a point on lode line at N82° 32' 30"W -  
 675.5 ft. from Cor. No. 2.

No. 1 Discovery work carried on in an old cut or open  
 stope, a "blow out" of ore 60 ft. in width extend-  
 ing both sides of lode line: Said cut extends from ~~the~~  
 point mentioned on lode line N82° 32' 30"W - 32.5 ft.  
 to mouth of tunnel: the surface rises rapidly west-  
 ward and tunnels extend from face of cut in that dir-  
 ection. From bottom of cut also, ore has been stoped  
 and shafts sunk. One particular shaft sunk by  
 Claimant, bears N51° 20'W - 30 ft. Shaft approximately  
 6x4 ft. 10 ft. deep.

Value \$100.00

No. 2 A cut, the mouth of which, bears S26° 30'W - 103. ft  
 Cut 6 to 16 ft. wide extending Westerly 18 ft. to a  
 face of 15 ft. At S.W. Cor. a tunnel 6x4 ft. has  
 been started Westward 4 ft.

Total value of Cut and tunnel \$200.00

No. 3 Work in tunnel the mouth of which bears N85° 46'E -  
 178.5 ft. Tunnel 6½ x4½ ft. westerly 232 ft. to  
 connection with upraise, opening into discovery cut,  
 thence southerly 96 ft. to <sup>a</sup>face. At 210 ft. from

portal is a winze of unknown depth not safe for exploration.

This tunnel was run by former ~~locators~~ <sup>locators</sup> ~~locations~~ excepting the last six feet in the southerly branch. Also at point 191 ft. from portal is a double side drift extending southerly 17 ft. and southeasterly 10 ft.

Twenty feet of this work is claimed by Claimant

Value of 26 ft. tunnel at \$10. per foot. \$260.00

Note: This claim was worked extensively thirty years, or more ago by former locators, was allowed to run and was relocated. The Claimant (a woman) was present at time of survey and claims that much more work has been done, at her expense, than enumerated above, but that as it has been in the nature of exploration, and ore extraction, in the old workings and done by employees, that it is very difficult, if not impossible to designate it separately.

#### Other Improvements.

##### On Boston Belle

From a point on lode line at  $N84^{\circ} 16' W$  - 985.6 ft. ~~from~~  
from E.C.E.

- A. A cut the mouth of which bears  $S8^{\circ} 30' E$  - 22 ft. Cut North westerly 4.5 ft. to face of 10 ft. thence same course tunnel 10.5 ft to face, tunnel  $6\frac{1}{2} \times 4\frac{1}{2}$  ft. From Initial Monument, previously described.
- B. A tunnel, the mouth of which bears  $S43^{\circ} 35' W$  - 79 ft. Tunnel  $6\frac{1}{2} \times 4\frac{1}{2}$  ft. Course Southwesterly, quite extensive but unsafe to explore.

Claimant of these improvements unknown.

##### On the Kentucky Belle

From point on lode line at  $N82^{\circ} 32\frac{1}{2}' W$  - 675.5 ft. from Cor. No. 2.

- A. A tunnel extending from Discovery Cut, the mouth of which bears  $N82^{\circ} 32\frac{1}{2}' W$  32.5 ft. Tunnel  $7 \times 5$  ft., 7 ft. to face.
- B. A Double tunnel the mouth of which bears  $N49^{\circ} 45' W$  - 59 ft. Tunnels  $6\frac{1}{2} \times 4\frac{1}{2}$  ft. One branch extends westerly indefinitely, not safe to explore: one branch northerly about 20 feet.
- C. A shaft, the center of which bears  $N39^{\circ} 35' W$  - 68 ft. Shaft very deep, not safe to explore.



D. A shaft, the center of which bears N34° 45'W - 54.5ft.  
Shaft very deep, not safe to explore.

E. A cut and tunnel the mouth of which bear S43° 45'W -  
161.5 ft. Cut Southwesterly 24 ft. 8 ft. wide to a face  
of 12 ft.: thence westerly a tunnel of great length not  
safe to explore,

F. A shaft, the center of which bears S79° 20'W - 130.4 ft.  
Shaft 6x4 ft., 15 feet deep.

G. A cut the mouth of which bears S57° 45'E - 194. ft.  
Cut 5 ft. wide Course Southeasterly, 17 ft. to face  
10 ft.

Claimants of all above work unknown.

---

Instrument.


This Survey was made with a Young & Sons Mountain  
Transit, with Smith Solar attachment (No. 6855).

The courses were deflected from true meridian, as  
determined by direct solar observation.

The distances were measured with <sup>50</sup>~~100~~ ft. and 500 ft.  
steel tapes.

Tombstone, Arizona

Sept. 4, 1913.

  
U.S. Mineral Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Mrs. Fannie Sewell  
 known as the Boston Belle and Kentucky Belle  
 and showing the respective capacities in which they acted.

Samuel L. Sanford, Chainman.  
Grover C. Reed, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Samuel L. Sanford  
 and Grover C. Reed, do solemnly swear that we assisted John A. Rockefeller, United States Deputy Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of \_\_\_\_\_

Mrs. Fannie Sewell  
 known as the Boston Belle and Kentucky Belle  
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona

Samuel L. Sanford, Chainman.  
Grover C. Reed, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 20th  
 day of May, 1913

John A. Rockefeller  
 U.S. Mineral Surveyor

The above assistants reside at Paradise in the two miles of said claim. There is no known Notary Public here or within many miles of here at this date, when I leave for Tombstone. Hence to avoid delay, expense and inconvenience, I administer above oath. John A. Rockefeller

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 18 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mrs Fannie Sewell, known as the Boston Belle and Kentucky Belle situate in California Mining District, Cochise County, Arizona, in Section 13, Township No. 17S, Range No. 30E unsurveyed and designated as Survey No. 3068, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller  
U. S. Deputy Mineral Surveyor, before me Flora A. Rockefeller  
this 5<sup>th</sup>  
day of September 1913,

My commission expires Flora A. Rockefeller  
Apr 25 1915  
Notary Public

Relocation of Hard Tac Claim.

## NOTICE OF MINING LOCATION

## LODE CLAIM

APR 18 1913

To All Whom it May Concern:

This Mining Claim, the name of which is the Boston Belle, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Minta Wainwright Moore, citizen of the United States, the undersigned, on the 1st day of January 1908.

The length of this claim is 1500 feet, and I claim 750 feet, in a Westernly direction and 750 feet in a Easternly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the California Mining District, in Cochise County, in the Territory of Arizona, about  $1\frac{1}{2}$  miles in a northerly direction from the town of Paradise, and joins the Kentucky Belle on the north end.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a point in a west direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a Monument of stone, being the S.W. corner of said claim; thence 1500 feet to a Monument of Stone, being at the S.E. corner of said claim; thence 300 feet to a Monument of Stone at the center of the East end of said claim; thence 300 feet to a Monument of Stone, being at the N.E. corner of said claim; thence 1500 feet to a Monument of Stone at the N.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of January 1908.

Witness  
R. D. Hall  
C. T. Hall

Minta Wainwright Moore

Filed and recorded at request of Minta Wainwright Moore  
Feb 12 1908 at 9 A.M. and recorded in Book 41 Rec of Mines  
at page 271.

Filed and recorded at request of Minta Wainwright Moore,  
Feb. 12, 1908 at 9:00 A.M., in Book 41 Records of Mines at page 271.

STATE OF ARIZONA,     )  
                                  : SS.  
County of Cochise     )

I, Owen E. Murphy, County Recorder in and for  
the County and State aforesaid, D O H E R E B Y C E R T I F Y  
that I have compared the annexed and foregoing copy with the original  
Notice of Mining Location of the **BOSTON BELLE** Mining Claim, filed  
for record in my office on the 12th day of February, A. D. 1908 at  
9:00 A.M., and recorded in Book 41 Records of Mines at page 271,  
and that the same is a full, true and correct copy of said original  
and of the whole thereof,

Given under my hand and seal of office, this the 15th day of  
April, A. D. 1913.

Owen E. Murphy,

County Recorder

By Josa Lunt Deputy.



## NOTICE OF MINING LOCATION.

APR 18 1913

## QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Kentucky Belle Mining Claim, situate on lands belonging to the United States of America, and which there are valuable deposits, was entered upon and located for the purpose of exploration and purchase by

MINTA FERVANT

the undersigned, on the 14th day of May, 1900.

The length of this claim is 1500 fifteen hundred feet and I claim 750 Seven hundred and fifty feet in a Northwesterly direction and 750 Seven hundred and fifty feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeast to the Northwest.

The claim is situated and located in the California Mining District, in Cochise County, in the Territory of Arizona, about 1 mile in a easterly direction from U.S.M.M. No. 1, Maxson Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument of Stones at a point in a Northwesterly direction 750 Seven hundred and fifty feet from the discovery shaft (at which this notice is posted), being in the center of the Northwest end line of said claim; thence Northeasterly 300 feet to a Monument of Stones being the Northwest corner of said claim; thence Southeasterly 750 feet to a Monument of Stones at the center of the North side line of said claim; thence Southeasterly 750 feet to a Monument being at the Northeast corner of said claim; thence Southwesterly 300 feet to a Monument of Stones (at the center of the Southeast end of said claim; thence Southwesterly 300 feet to a Monument of Stones, being at the Southeast corner of said claim; thence Northwesterly 750 feet to a Monument of Stones being at the center of the South side line of said claim; thence Northwesterly 750 feet to a Monument of Stones at the Southwest corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this 14th day of May, 1900.

Witness:  
G. A. Walker  
George Myers.

Locator  
Minta Fervant

Filed and recorded at request of M Fervant Aug 14 AD1900  
at 9 A.M. and recorded in Book 18 Records of Mines at  
Page 193

Filed and recorded at request of M. Fervant, Aug.14, 1900  
at 9:00 A.M., in Book 18 of Records of Mines at page 193.

STATE OF ARIZONA, )  
                          : SS.  
County of Cochise. )

I, Owen E. Murphy, County Recorder in and for  
the County and State aforesaid, D O H E R E B Y C E R T I F Y  
that I have compared the annexed and foregoing copy with the original  
Notice of Mining Location of the **KENTUCKY BELLE** Mining Claim, filed  
for record in my office on the 14th day of April, A. D. 1900 at  
9:00 A., and recorded in Book 18 of Records of Mines at page 193,  
and that the same is a full, true and correct copy of said original  
and of the whole thereof.

Given under my hand and seal of office on this the 15th day of  
April, A. D. 1913.

Owen E. Murphy,

County Recorder

By Jesse J. Jumper Deputy.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 12, 1914.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

Mrs. Fannie Sewell

, known as the BOSTON BELIE, KENTUCKY BELIE.

, situate in CALIFORNIA

Mining District, COCHISE County,

Arizona, in Section 13, Township No. 17 S,

Range No. 30 E., Unsur., and designated as Survey

No. 3068, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon <sup>each of</sup> said mining claim by claimant or her grantors, and that said improvements consist of 6 cuts, 4 tunnels, 1 winze, 1 shaft and 2 drifts, value \$1090.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.



4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior.**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona,

January 12, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

Mrs. Fannie Sewell

, known as the

BOSTON BELLE, KENTUCKY BELLE.

situate in CALIFORNIA mining district,

COCHISE County, ARIZONA.

in Section 13, Township No. 17 S., Range No. 30 E., Unsur.

, designated as Survey No. 3068

executed by John A. Rockfellow, U. S. ~~Deputy~~ Mineral

Surveyor, May 14-20, 1913, 190, under my instructions dated

April 18, 1913., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor-General for Arizona.