

JUL 7-1913

MAY 24 1913

(4-683.)

Mineral Survey No. 3073

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Annie Dryden

KNOWN AS THE

Altata, Cinco de Mayo, Little Giant.

Wallapai

Mining District,

Mohave

County,

Arizona

Sections 2, 3, 10, 11, Township 23 N., Range 18 W.

Surveyed under instructions dated May 10th., 1913.

by Peter McCardell

U. S. Deputy Mineral Surveyor

Claim located see location notices 1

Survey commenced May 13 th. 1913.

Survey completed May 16 th. 1913.

o 6-177

Address of claimants Attorney,

Anson H. Smith, Kingman, Arizona.

SURVEY No. 3073.

ALTATA

Beginning at Cor. No. 1.

Identical with Cor. No. 1, Cinco de Mayo lode, of this survey, and identical with the location monuments of same, which are a pine post, 2 X 4 ins. square, 4 1/2 ft. long, and a pine post, 2 X 6 ins. square, 4 1/2 ft. long respectively, each set in a mound of stone.

A granite stone, 5 X 10 X 25 ins., set 12 ins. in the ground, mound of stone, chiseled 1-3073 A and 1-3073 C. M. on the respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 1-1-3073, chiseled on a granite rock 3 ft. above the ground, bears S. 84° 37' W. 57 ft., and a cross (X) and B. R. 1-1-3073, chiseled on a granite rock 3 ft. above the ground, bears N. 24° 30' W. 10.3 ft.

Corner to sections 2, 3, 10, 11, T. 23 N., R. 18 W. bears N. 19° 25' W. 449.6 ft. Cor. No. 1, survey No. 2203, Silver Age lode, bears N. 42° 27' W. 558.9 ft.

Thence S. 38° 30' W.

Ft. Va. 15° 48' E.

239.24 Intersect line between Sec's 10 and 11, T. 23 N., R. 18 W., at S. 0° 03' E. 611.27 ft. from corner to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and N. 0° 03' W. 2018.83 ft. from 1/4 corner between sec's 10 and 11, T. 23 N., R. 18 W.

300 To east end center.

Identical with the west end center of the Cinco de Mayo lode of this survey, and identical with the location end centers of the Altata and Cinco de Mayo lodes which are pine posts, 4 ins. square, 4 1/2 ft. long and 2 X 6 ins. square, 4 1/2 ft. long respectively.

A pine post, 4 ins. square, 4 1/2 ft. long, set in a mound of stone, scribed E. E. C. 3073 A and W. E. C. 3073 C. M. on the respective faces.

600 To Cor. No. 2.

SURVEY No.3073 - Continued.

Ft.

ALTATA LODE - Continued.

Identical with Cor. No.4, Cinco de Mayo lode, of this survey, and identical with the corners of the location of same, which are pine posts 4 ins. square, 4 1/2 ft. long and 2 X 6 ins. square, 4 1/2 ft. long, respectively.

A pine post, 4 ins. square, 4 1/2 ft. long, set 10 ins. to bedrock, mound of stone, scribed 2-3073 A, and 4-3073 C. M. on their respective faces, whence

-A cross (X) and B. R. 2-4-3073, chiseled on a granite rock 1 1/2 ft. above the ground, bears N. 26° 25' W. 52 ft. and a cross (X) and B.-R..2-4-3073, chiseled on a granite rock 2 1/2 ft. above the ground, bears N. 39° 06' E. 99.65 ft.

Thence N. 49° 25' W.

Va. 15° 20' E.

993.08 To Cor. No.3.

Identical with the location, which is a pine post, 2 X 4 ins. square, set in a mound of stone.

A granite stone, 6 X 13 X 26 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3073 A. cross (X) at corner point. No bearing objects available.

Thence N. 35° 25' E.

Va. 15° 30' E.

300 To Cor. No.4.

Identical with the corner of the location and with Cor. No.4, survey No.2203, Silver Age lode,

A pine post, 4 ins. square, set 18 ins. in the ground, mound of stone, scribed 4-3073 A. No bearing objects available.

Thence N. 38° 30' E.

Va. 15° 37' E.

3.49 Intersect line between sec's 3 and 10, T. 23 N., R. 18 W. at West 802.28 ft. from Cor. to sec's 2, 3, 10, 11, T.

SURVEY No.3073 - Continued.

Ft.

ALTATA LODE - Continued.

23 N., R. 18 W. and East 1882.42 ft. from 1/4 corner between sec's 3 and 10, T. 23 N., R. 18 W.

287.3 To Cor. No.5.

Identical with Cor. No.2, Little Giant lode of this survey.

A schist stone, 6 X 12 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled 5-3073 A and 2-3073 L. G. on the respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 2-5-3073, chiseled on a schist rock 3 ft. above the ground, bears S. 73° 30' W. 89.6 ft., no other bearing objects available. Corners of the location of this claim and the Little Giant lode, of this survey, bears N. 50° 11' W. 19.2 ft., each are pine posts, 2 X 4 ins. square, 4 ft. long, set in a mound of stone.

Thence S. 50° 11' E.
Va. 15° 37' E.

Along line 2-1 Little Giant lode, of this survey.

346.87 Intersect line between sec's 3 and 10, T. 23 N., R. 18 W. at West 359.17 ft. from corner to sec's 2, 3, 10, 11, T. 23 N., R. 18 W., and East 2325.53 ft. from 1/4 corner between sec's 3 and 10, T. 23 N., R. 18 W.

362.14 Intersect line 1-4, Survey No.2203, Silver Age lode, at N. 89° 07' W. 114.6 ft. from Cor. No.1, and S. 89° 07' E. 457.06 ft. from Cor. No.4.

814.61 Intersect line between sec's 10 and 11, T. 23 N., R. 18 W., at S. 0° 03' E. 299.65 ft. from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W., and N. 0° 03' W. 2330.45 ft. from 1/4 Cor. between sec's 10 and 11, T. 23 N., R. 18 W.

1008.86 To Cor. No.1, the place of beginning.

CINCO de MAYO

Beginning at Cor. No.1.

Identical with Cor. No.1, Altata lode, of this survey, and heretofore described, whence

Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W., bears N. 19° 25' W. 449.6 ft.

SURVEY No. 3073 - Continued.

CINCO de MAYO LODE - Continued.

Thence S. 46° 54' E.

Ft.

Va. 15° 48' E.

306.76 Intersect the West side line of New Year lode, unsurveyed, at N. 16° 01' W. 663.14 ft. from the S. W. Cor. and S. 16° 01' E. 908.86 ft. from the N. W. Cor.

472 Gulch, course west.

612.78 To Cor. No. 2.

A granite stone, 10 X 14 X 36 ins., set 14 ins. in the ground, mound of stone, chiseled 2-3073 C. M., cross (X) at corner point, whence

A cross (X) and B. R. 2-3073, chiseled on a granite rock 2 ft. above the ground, bears S. 56° 23' W. 81.1 ft. and a cross (X) and B. R. 2-3073, chiseled on a granite rock 3 ft. above the ground, bears N. 81° 46' W. 124 ft., corner of the location bears S. 50° 09' E. 14 ft., a pine post 1 X 6 ins. square, 5 ft. long, set in a mound of stone.

Thence S. 38° 30' W.

Va. 15° 32' E.

192.9 Intersect the west side line of New Year lode, unsurveyed, at N. 16° 01' W. 288.54 ft. from the S. W. Cor. and S. 16° 01' E. 1283.46 ft. from the N. W. Cor.

280.1 To the East end center. Identical with the East end center of the location, which is a pine post, 6 ft. long, 1 X 6 ins. square, set in a mound of stone.

A schist stone, 3 X 6 X 14 ins., set in a mound of stone, chiseled E. E. C. 3073 C. M.

554.3 To Cor. No. 3.

A granite stone, 12 X 14 X 36 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3073 C. M., cross (X) at corner point, whence

A cross (X) and B. R. 3-3073, chiseled on a granite rock 2 ft. above the ground, bears S. 74° 17' E. 36 ft. Cor. of

SURVEY No.3073 - Continued.

Ft.

CINCO de MAYO LODE - Continued.

the location bears S. $51^{\circ} 10'$ E. 5.8 ft., a pine post, 1 X 6 ins., 4 ft. long, set in a mound of stone, no other bearing objects available.

Thence N. $51^{\circ} 10'$ W.

Va. $15^{\circ} 22'$ E.

322.04 Intersect line between sec's 10 and 11, T. 23 N., R. 18 W. at S. $0^{\circ} 03'$ E. 1074.78 ft. from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and N. $0^{\circ} 03'$ W. 1555.32 ft. from 1/4 Cor. between sec's 10 and 11, T. 23 N., R. 18 W.

600 Gulch, drains S. 30° W.

610.79 To Cor. No.4.

Identical with Cor. No.2, Altata lode of this survey, and of the location corner, both heretofore described.

Thence N. $38^{\circ} 30'$ E.

Va. $15^{\circ} 20'$ E.

Along line 2-1 Altata lode of this survey.

300 To West end center, identical with location end center and East end center of Altata lode of this survey and heretofore described.

360.76 Intersect line between sec's 10 and 11, T. 23 N., R. 18 W. at S. $0^{\circ} 03'$ E. 611.27 ft. from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and N. $0^{\circ} 03'$ W. 2018.83 ft. from 1/4 Cor. between sec's 10 and 11, T. 23 N., R. 18 W.

600 To Cor. No.1, the place of beginning.

LITTLE GIANT

Beginning at Cor. No.1.

A pine post, 4 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, mound of stone, scribed 1-3073 L. G. whence A cross (X) and B. R. 1-3073, chiseled on a granite rock 1 ft. above the ground, bears N. $74^{\circ} 54'$ E. 27.4 ft. Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. bears N. $25^{\circ} 26'$ W. 549.37 ft. no other bearing objects available. This Cor. is identical with the cor. of the location, which is a pine post 4 1/2 ft. long, 4 ins. square, set in a mound of stone.

Thence N. $50^{\circ} 11'$ W.

Va. $15^{\circ} 53'$ E.

112.6 Cor. 1-1, Altata and Cinco de Mayo lodes, both of this survey. Thence along line 1-5 Altata lode of this survey.

306.85 Intersect line between sec's 10 and 11, T. 23 N., R. 18 W. at S. $0^{\circ} 03'$ E. 299.65 ft. from Cor. to sec's 2, 3, 10, 11,

SURVEY No.3073 - Continued.

Ft.

LITTLE GIANT LODE - Continued.

T. 23 N., R. 18 W. and N. 0° 03' W. 2330.45 ft. from 1/4 Cor. between sec's 10 and 11, T. 23 N., R. 18 W.

759.32 Intersect line 1-4, Survey No.2203, Silver Age lode, at at N. 89° 07' W. 114.6 ft. from Cor. No.1, and S. 89° 07' E. 457.06 ft. from Cor. No.4.

774.59 Intersect line between sec's 3 and 10, T. 23 N., R. 18 W. at West 359.17 ft. from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and East 2325.53 ft. from 1/4 Cor. between sec's 3 and 10, T. 23 N., R. 18 W.

1121.46 To Cor. No.2.

Identical with ~~the Cor. of the location and with Cor. No.5~~ Altata lode of this survey and heretofore described.

Thence N. 39° 49' E.

Va. 15° 37' E.

135.2 To West end center. Identical with the location end center which is a monument of stone 3 ft. high.

A schist stone, 18 X 10 X 22 ins., set 12 ins. in the ground, mound of stone alongside, chiseled W. E. C. 3073 L. G.

435.2 To Cor. No.3.

A schist stone 10 X 10 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3073 L. G., cross (X) at Cor. Point, whence

A cross (X) and B. R. 3-3073, chiseled on a schist rock 2 ft. above the ground, bears N. 38° 39' E. 10.5 ft., and a cross (X) and B. R. 3-3073, chiseled on a schist rock 1 ft. above the ground, bears N. 12° 47' W. 32.5 ft.

Corner of the location bears N. 18° 11' W. 10.4 ft., which is a monument of stone 3 ft. high.

Thence S. 50° 11' E.

Va. 15° 29' E.

168.13 Intersect line 1-2, Survey No.2203, Silver Age lode, at N. 1° 53' E. 460.53 ft. from Cor. No.1 and S. 1° 53' W.

1043.07 ft. from Cor. No.2.

466.98 Intersect line between sec's 2 and 3, T. 23 N., R. 18 W.,

SURVEY No.3073 - Continued.

- Ft. at N. LITTLE GIANT LODE - Continued.
- at N. $2^{\circ} 36'$ E. 257.63' from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and S. $2^{\circ} 36'$ W. 2355.37 ft. from 1/4 Cor. between sec's 2 and 3, T. 23 N., R. 18 W.
- 658.33 Intersect the West side line of New Year lode, unsurveyed, at N. $16^{\circ} 01'$ W. 1457.92 ft. from the S. W. Cor. and S. $16^{\circ} 01'$ E. 114.08 ft. from the N. W. corner.
- 870.62 Intersect line between sec's 2 and 11, T. 23 N., R. 18 W., at S. $89^{\circ} 46'$ E. 321.97 ft. from Cor. to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. and N. $89^{\circ} 46'$ W. 2312.03 ft. from 1/4 Cor. between sec's 2 and 11, T. 23 N., R. 18 W.
- 1121.46 To Cor. No.4.
- A schist stone, 8 X 16 X 36 ins., set 14 ins. in the ground, mound of stone, chiseled 4-3073 L. G., cross (X) at corner point, whence
- A cross (X) and B. R. 4-3073 chiseled on a granite rock 6 ft. above the ground, bears S. $0^{\circ} 40'$ E. 73.2 ft. and a cross (X) and B. R. 4-3073, chiseled on a schist rock 1 ft. above the ground, bears N. $89^{\circ} 23'$ E. 28.7 ft.
- Corner of the location bears N. $52^{\circ} 04'$ E. 15 ft., which is a monument of stone 3 ft. high.
-
- Thence S. $39^{\circ} 49'$ W.
- Va. $15^{\circ} 35'$ E.
- 300 To East end center.
- A cross (X) and E. E. C. 3073 L. G., chiseled on a quartzite rock showing 1 X 4 X 1 ft. above the ground. East end center of the location bears S. $50^{\circ} 11'$ E. 5 ft., which is a monument of stone 3 ft. high.
- 314.35 Intersect the west side line of New Year lode, unsurveyed, at S. $16^{\circ} 01'$ E. 673.82 ft. from the N. W. corner, and N. $16^{\circ} 01'$ W. 898.18 ft. from the S. W. corner.

SURVEY No.3073 - Continued.

Ft. LITTLE GIANT LODE - Continued.

435.2 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the veins of the locations embraced in this claim extend as follows their respective discovery points:

ALTATA LODE, 310 ft. S. 49° 28' E. and 699.2 ft. N. 49° 28' W.

CINCO de MAYO LODE, 113 ft. N. 48° 45' W. and 498.1 ft. S. 48° 45' E.

LITTLE GIANT LODE, 596.46 ft. N. 50° 11' W. and 525 ft. S. 50° 11' E.

AREAS.

Total area Altata lode.....13.721 Acres.

Area in conflict with-

Survey No.2203, Silver Age lode. 1.192

Total area Cinco de Mayo lode..... 8.094 "

Area in conflict with-

New Year lode, unsurveyed674...

Total area Little Giant lode..... 11.204 "

Area in conflict with-

Survey No.2203, Silver Age lode. 3.254

New Year lode, unsurveyed..... 1.671

LOCATION.

This survey is located in Wallapai Mining District, County of Mohave and State of Arizona, in sec's 2, 3, 10 and 11, T. 23 N., R. 18 W., G. & S. R. B. & M.

ADJOINING CLAIMS.

SURVEY No.3073 - Continued.

The adjoining claims are as follows:

On the North, the Silver Age, Survey No.2203; on the East, New Year lode, unsurveyed, claimant, F. W. Mitchell.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or her grantors is not less than five hundred dollars, and that said improvements consist of:

ALTATA LODE.

No.1. The discovery shaft, on the lode line 310 ft. from the center of line 1-2, 4 X 6 ft., 10 ft. deep.
Value, \$70

No.2. A shaft, which bears from Cor. No.2, N. 19° 19' W. 453 ft., 4 X 6 ft., 50 ft. deep.
Value, \$450

No.3. A tunnel, the mouth of which bears from Cor. No. 2, N. 12° 49' W. 382 ft., 3 X 6 ft., running N. 49° 10' W. 104 ft.
Value, \$832

No.4. A shaft, which bears from Cor. No.2, N. 10° 35' W. 360 ft., 4 X 9 ft., 300 ft. deep. Value, \$6,000

Note: A 1/3 interest in this shaft to be credited to this location.
Value, \$2,000

CINCO de MAYO LODE.

No.1. The discovery tunnel, the mouth of which being the discovery point, is on the lode line 113 ft. from the center of line 1-4, 3 X 6 ft., running S. 48° 50' E. 63 ft.
Value, \$480

No.2. A shaft, which bears from Cor. No.4, S. 88° 39' E. 241 ft., 4 X 6 ft., 30 ft. deep.
Value, \$240

No.3. A shaft, which bears from Cor. No.4, S. 82° 26' E. 248 ft., 4 X 6 ft., 20 ft. deep.
Value, \$160

SURVEY No.3073 - Continued.

No.4. A shaft, which bears from Cor. No.4, S. 85° 44' E. 343 ft., 4 X 6 ft., 40 ft. deep.

Value, \$320

Note- a 1/3 interest in shaft No.4, Altata lode of this survey, to be credited to this location.

Value, \$2,000

LITTLE GIANT

No.1. The discovery Shaft, on the lode line 525 ft. from a point on line 1-4 N. 39° 49' E. 135.2 ft. from Cor. No.1, 4 X 6 ft., 10 ft. deep.

Value, \$75

Note- a 1/3 interest in shaft No.4, Altata lode, of this survey, to be credited to this location.

Value, \$2,000

INSTRUMENT.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

The corner to sec's 2, 3, 10, 11, T. 23 N., R. 18 W. is a granite stone, chiseled two notches on the east and four notches on the south sides, there are no witness objects. All the 1/4 corners described in these notes are stones properly chiseled 1/4 on their respective faces.

SURVEY No.5073 - Continued.

Cor. Nos. 1, 2 and 4 of survey No.2203, Silver Age lode are pine posts, 4 ins. square properly scribed with Cor. and Survey No.

Note - I find the following errors in former approved surveys: Line 1-2 and line 4-1 of Survey No.2203, Silver Age lode, to be N. $1^{\circ} 53'$ E. 1503.6 ft. and S. $89^{\circ} 07'$ E. 571.66 ft. instead of N. $0^{\circ} 55'$ E. 1500 ft. and S. $89^{\circ} 05'$ E. respectively. The tie line from Cor. No.1, Survey No.2203, Silver Age lode is N. $87^{\circ} 08'$ E. 233 ft., instead of S. $81^{\circ} 22'$ E. as given.

Note - Owing to the position of shaft No.4, Altata lode, of this survey, and of its being located upon ground that is from 90 ft. to 150 ft. lower than the surface ground of the Cinco de Mayo and Little Giant lodes both of this survey, and ^{that it} was sunk with the view of extracting ores and ~~the~~ draining water from all the locations in this claim, such shaft is a common improvement, and the value of the same is equally distributed among all the locations in said claim.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Annie Dryden

known as the Altata, Cinco de Mayo, and Little Giant lode mining claims and showing the respective capacities in which they acted.

- Lonie M. Van Marter....., *Chainman.*
-, *Chainman.*
-, *Arman.*
-, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I, Lonie M. Van Marter

~~we~~....., do solemnly swear that ~~we~~ ^I assisted

Peter Mc Cardell....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Annie Dryden

known as the Altata, Cinco de Mayo and Little Giant lode mining claims

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- Lonie M. Van Marter....., *Chainman.*
-, *Chainman.*
-, *Arman.*
-, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 19 th.

day of May..... 1913, 190*

My commission expires
Feb 21, 1916

Shaver Metcalf
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Peter McCardell, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 10 th. 1913., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Annie Dryden, known as the Altata, Cinco de Mayo and Little Giant, situate in Wallapai Mining District, Mohave County, Arizona, in Sections 2, 3, 10, 11, Township No. 23 N., Range No. 18 W., G. & S. R. E. & M., and designated as Survey No. 3073, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter McCardell
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Peter McCardell
U. S. Deputy Mineral Surveyor, before me August Smith a
U. S. Commissioner Dist Arizona this 22 nd.
day of May 1913.

My commission expires
July 1913

August Smith
U. S. Commissioner

Altata

Wallapai Dist.

MAY 9- 1913

Notice of Location

The Undersigned hereby locate & claim one thousand feet along the course of this Copper & Silver bearing lode & 300 feet from each side of the centre of croppings for mining purposes. This mine was formerly known as the Antietam & is bounded as follows:-

Commencing at a monument in the Wash on the South end of the mine & extending Northeasterly 300 feet to a monument, thence North West 1000 feet to a monument, thence crossing the Lode at right angles 600 feet to a monument, thence Southeast & parallel to the lode 1000 feet to a monument thence at right angles to the lode 300 feet to first named monument, this Location is in a Wash 300 yards below the Connor Well and one mile East of Chloride in Wallapai Mining District, Mohave County, Arizona Territory.

April 2nd 1881.

W.M. Ewing

Saml. Chadwick

Recorded at the request of Saml Chadwick April 2nd A.D.1881 at 11 o'clock A.M. Book E, Page 402.

John K. MacKenzie
County Recorder.

NOTICE OF MINING LOCATION

MINERAL CLAIM

To All Whom It May Concern:

This mining claim, the name of which is the Cinco de Mayo
 Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable
 mining deposits, was entered upon and located for the purpose of exploration and purchase by
Annie Cross

the undersigned citizen, on the Eleventh day of August 1903

The length of this claim is six hundred & fifty (650) feet and 1

claim 100 feet in a Northerly direction and
550 feet in a Southerly direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three
 Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course
 of the lode deposit and premises is from the North to the South

The claim is situated and located in the Wallapai Mining District,
 in Mohave County, in the Territory of Arizona, about 1 3/4 Miles
 in a S. E. direction from the town of

Chloride and adjoins the Altata mine on the South end, the South
 Altata on the East Side line the Rough Rider & Little Giant on the
 East side lines.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument
 of stone at a point in a Northerly direction 100

feet from the discovery shaft (at which this notice is posted), being in the center of the North
 end line of said claim; thence West Three Hundred (300) feet

to a monument of stone, being the S. W corner of said claim; thence

~~the~~ six ~~Seven~~ Hundred and Fifty 650 feet to a monument of stone, at
~~the~~ S. W

~~Seven Hundred and Fifty (750) feet to a monument of stone,~~ being at the S. W
 corner of said claim; thence East Three Hundred (300) feet to a monument of stone

at the center of the South end of said claim; thence East
 Three Hundred (300) feet to a monument of stone, being at the S. E corner of said

claim; thence North six ~~Seven~~ Hundred and Fifty 650 feet to a monument of stone,
~~being at the center of the~~ being

~~Seven Hundred and Fifty (750) feet to a monument of stone,~~ at the
 corner of said claim; thence West Three Hundred (300) feet to
 the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
 and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899,
 and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 11th day of August 1903
Annie Cross

A.H. Dryden Witness

Filed and Recorded at request of Annie Cross this 22nd day
Sept. A. D. 1903, at 10 o'clock 40 minutes A.M.
Book U, Page 533. Jno. P. Feeny
 County Recorder.

NOTICE OF MINING LOCATION

MINERAL CLAIM

To All Whom It May Concern:

This mining claim, the name of which is the Little Giant
 Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable
 mining deposits, was entered upon and located for the purpose of exploration and purchase by
Annie Cross

the undersigned citizen, on the 11th day of August 1903

The length of this claim is Fifteen Hundred (1500) feet and I
 claim 750 feet in a Southerly direction and
750 feet in a Northerly direction
 from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three
 Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course
 of the lode deposit and premises is from the North to the South

The claim is situated and located in the Wallapai Mining District,
 in Mohave County, in the Territory of Arizona, about 1 3/4 miles
 in a N. E. direction from the town of
Chloride and adjoins the Altata Mine on the East Side line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument
 of stone at a point in a Southerly direction 750
 feet from the discovery shaft (at which this notice is posted), being in the center of the South
 end line of said claim; thence East Three Hundred (300) feet
 to a monument of stone, being the S.E. corner of said claim; thence
North Seven Hundred and Fifty (750) feet to a monument of stone, at
 the center of the East side line of said claim; thence North
 Seven Hundred and Fifty (750) feet to a monument of stone, being at the N.E.
 corner of said claim; thence West Three Hundred (300) feet to a monument of stone
 at the center of the North end of said claim; thence West
 Three Hundred (300) feet to a monument of stone, being at the N.W. corner of said
 claim; thence South Seven Hundred and Fifty (750) feet to a monument of stone,
 being at the center of the West side line of said claim; thence South
 Seven Hundred and Fifty (750) feet to a monument of stone at the S.W.
 corner of said claim; thence East Three Hundred (300) feet to
 the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
 and of an Act of the General Assembly of Arizona, entitled, "An Act Concerning Mines," approved March 2, 1899,
 and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 11th day of August 1903.

Witness Annie Cross
A. H. Dryden

Filed and Recorded at request of Annie Cross this 22nd day
Sept. A. D. 1903, at 10 o'clock 40 minutes A.M.
 Book U, Page 532. Jno. P. Feeny
 County Recorder.

RECORDER'S CERTIFICATE


STATE OF ARIZONA,)
) ss
County of Mohave.)

I, J. W. MORGAN, County Recorder in and for the County of Mohave, State of Arizona, do hereby certify that I have compared the foregoing and attached copies of Location Notices of the

"ALTATA" "LITTLE GIANT" and "CINCO DE MAYO"

Lode Mining Claims, located and situated in the Wallapai Mining District, Mohave County, Arizona, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office,
7th day of May, A. D. 1913.



J. W. Morgan

Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 3, 1913, 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ANNIE DRYDEN

known as the ALTATA, CINCO de MAYO, LITTLE GIANT.

situate in WALLAPAI

Mining District, MOHAVE County, ARIZONA.

in Sections 2, 3, 10, 11, Township No. 23 N., Range No. 18 W., and

designated as Survey No. 3073, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or her grantors, and that said improvements consist of 7 shafts and 2 tunnels, total value \$8627.00. Shaft No. 4 on the Altata lode being a common improvement for the benefit and development of all of the claims in this survey, an undivided one-third interest therein, value \$2000, is properly credited to each of said claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

September 3, 1913, 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

ANNIE DRYDEN

, known as the

ALTATA, CINCO de MAYO, LITTLE GIANT.

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA.

in Sections 2, 3, 10, 11, Township No. 23 N., Range No. 18 W.

, designated as Survey No. 3073

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, May 13-16, 1913, 190, under my instructions dated

May 10, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Sigall

U. S. Surveyor-General for Arizona.