JUL 19.1913

(4-683.)

Mineral	Survey	No. 3080

	·	
	Lot No.	
	Arizona	Land District.
-		
		- 9
	PIPI D. MOZI	30
	FIELD NOTE	ES
1.50		
	OF THE SURVEY OF THE MINING	CLAIM OF
	Louis Zeckendorf	
	LOGIS ZECROINOIT	
	KNOWN AS THE	
	CASHIER NO.3,	
	Owls	Head Mining District,
	Pinal County,	Arizona
Section 8 35 &	36 , Township 9 S	, Range 12 E., Unsu
	1 10 3.	., 12 E.,
Surveyed un	der instructions dated June 19	7th. , 1913.
	by Paul	E. Fernald
		U. S. <del>Deputy</del> Mineral Surveyor
Claim lo	cated see location no	otice, 1
Survey	commenced June 21st.	
Carmyon	ompleted June Stat	1.077
Survey		. 1 913.

P.O. Address of Claimant's Atty .- Frank H. Hereford, Tucson, Ariz.

```
FIELD NOTES - U.S.MINERAL SURVEY NO. 3080, CASHIER NO. 3 LODE.
      Treet: - Begin.at-Cor.No.I. - - - - minio aid corn ictor
                                                                   APEA.
 0105
               A galv.iron pipe I1 in.in diam.,5 ft.long, set 3 ft.in ground
      District.
                                   located in th
Pinal
               with mound of earth, with brass cap stamped U.S.Mineral
                                              County, Artsons,
               Survey No.3080, 1 Cash.3.
                                        G.S. C.R. M. Mauryayad.
    nglissed to
               Whence: - U.S.Mineral Monument No.3, Owls Head District, bears
    dete perteining
                N 68° 47'E, 863.57 ft.
                                              to this district.
                               Thence S 20° 28'E
       300.00 East End Center - Monument of stones 3 ft. high.
   shen600.00 avro Cor.No. 2 del ond to onlay ond land william I
To Jumple 10 and A galv. iron pipe 11 in in diam., 5 ft. long, set 22 ft. in ground
 jadj bas a with mound of stones and earth, with brass cap stamped U.S.
               Mineral Survey No.3080, 2 Cash. 3. 0 0 vougat doub
    mort.jt.007 .W'ss Gb S onlithence S 69.32'Wa yrevessib odf
                                                                  .T.OW
       750.00 To S. Side center monument - a 4 in. post 4 ft.long. in mound
      00.001 -of earth. - - - - -
      1500.00 To Con.No. 3 skdw to gaines edd . Jinda enklonk at
    of on A galv. iron pipe It in in diam., 5 ft.long, set 2 ft. in hard
      00.001 -ground with mound of earth, with brass cap stamped U.S.
        Mineral Survey No. 3080, 3 Cash. 3. odo onlind of
                    .OSEVER BITHERCE N 20'128'W. wid mort. 49 072
      fingline to S.
      300.00 -West end center -- 5 in. post, 4 ft. above ground, with mound
      Mo.4. A vertical chart, the camber of which being to 0 E. 265.
       600.00 To Cor.No.405mbm al . testame abia. I eds mort. St
      00.008 -A galv.iron pipe I in.in diam., 5 ft.long, set 3 ft.in ground
        with mound of earth, with brass cap stamped U.S.Mineral
               Survey No. 3080, 4 Cash. 3. obie. 7 odd down. 31 bg!
                            - - Thence N 69° 32 E. W.
      00.0088
       750.00 North side center, monument of stones 3 ft. high.
                                                                .0.01
      I500.00 To Cor.No.I, the place of beginning.
      00.0880
                                      Value - - - a
              All corners identical with respective corners of location.
        the center of which bears it 25 28'W.
                                             An incline chert,
              No suitable natural bearing objects available.
                                                                Variation
      at all corners - 13'45'E.
                                        Sperft.from the S. Ede
      8400.00
                                            w - outsy
           LINE: - As near as can be determined from present development
      LODE LINE: -
              the vein of this location extends N 69° 32°E, 700.ft. and
        the true meridien on determined by
                                           deflected from
              S 69° 32'W, 800.ft., from the discovery shaft.
```

direct solar observations.

Distances were measured with

ADJOINING OR CONFLICTING CLAIMS - None.

PURE MOTER - IL C. PURINGAL CHIPPING FOR MORROW CAMPTURE NO. S. TORGE.	
AREA. Total area this claim	es
LOCATION. This claim is located in the Owls Head Mining District, Pine	al
County, Arizona, in Secs. 35 & 36, T.9 S., R. 12 E., and	
Sec. 1, T. 10 9., R. 12 E.,	
impossible, due to almost complete look of data pertaining	
to this district.	
EXPENDITURE OF FIVE HUNDRED DOLLARS. 01 - 405mg and Jack 00.008	
I certify that the value of the labor and improvements made	
bowers at . 12 [upon on for the benefit of this mining claim by the claimant	01
.2.7 hogo fits grantors, is not less than five hundred dollars, and that	t
such improvements consist of: - of your levenil	
No.I. The discovery shaft, on center line S 69° 32'W, 700.ft.from	
brutom of . Inthe E. End Center, is -IOxI2x860 quinos obi2.2 of 00.037	
Value	i
No.2. An incline shaft, the center of which bears S 24 39 E, 3	
bred mi. J 297 ft. from the North Side Center, is 4x6x15. Incline to S.	
.c. # baquers que Value ditto de de la companie de la serona percupa #1.3.	,
No.3. An incline shaft, the center of which bears S 24° 39'E,	
279 ft.from the N.Side Center, is 5x7x50 . Incline to S.	
bound dits ,hours evaluate 5500.00	
No.4. A vertical shaft, the center of which bears S 8'0'E, 265.	
ft.from the N.side center, is 4x6x30 &. 00.000 of 00.000	
bounds of the grant of the factor of the state of the grant of the ground	
No.5. A vertical shaft, the center of which bears S 14° 36'E,	
194 ft.from the N.Side Center, is 4x6x30 ft.	
Value	
No.6. An incline shaft, the center of which bears N 31 44 W,	
299.ft.from the S.Side Center, is 5x6x25#. Incline to S.I	
Value	•
254.ft.from the S. Side Center, is 4x6x40# Incline to S.	
INSTRUMENT. This survey was made with Buff Transit No.7905. Course were deflected from the true meridian as determined by direct solar observations. Distances were measured with	s
ALTOITING OR COMPLICATING CLASSES + None.	

4

100. and 300.ft.steel tapes.

#### REPORT.

The lines of this survey were run directly upon the ground.

Tie line run direct upon the ground.

U.S.Mineral Monument No.3, Owls Head District, is an iron pipe  $2\frac{1}{2}$  in.in diam., $7\frac{1}{2}$  ft.above ground and surrounded by mound of stones. Pipe is stamped U.S.M.M.No.3. O.H.D. Located on top of small knoll in flat country.

Paul E. Fernald.

U.S.Mineral Surveyor.
Tucson, Ariz. July 14th. 1913.

Little from focus "Pr. 4 hispart; in 1 29, 1913,
given the from Con. Te. 9 + 10 5, in. 12 91: E. To Con. 3 + 4
Carlier evs. 1 8 2 Lun 30 81, also tied to 21, 2 mm m. no. 3.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names o	f the individuals employed by	Paul E. Fernald	
United States <del>Deputy</del> Mi	neral Surveyor, to assist in run	ning, measuring, and marking the line	es, corners, and
	ne foregoing field notes of the surv	vey of the mining claim ofLouis	
known as the Cashi			
and showing the respectiv	e capacities in which they acted.		
		E.E. Haskell	., Chainman.
			-, Chainman.
	-		-, Axman.
	-		., Flagman.
F	INAL OATHS OF	F ASSISTANTS.	
xxx I.	E.E.Haskell		
		emnly swear that we assisted	
		neral Surveyor, in marking the corners	
		endorf	
		veyed by said <del>deputy</del> mineral surveyor	and under his
		o the best of our knowledge and belief	
		nts established according to law and t	
furnished by the United S	tates Surveyor-General forA	rizona.	
		E. E. Hashell.	., Chainman.
		·	., Chainman.
			-, Axman.
2.41		PETER PERIOR COLUMN COLUMN	, Flagman.
-0.	Subscribed and sworn to by the a	bove-named persons before me this	24-
	my em, Exp. of		
	my em, Exp. of	^ 1	
14224b5m8-04		natury Rull	el
		natary Oulle	5

### FINAL OATH OF U. S. <del>DEPUTY</del> MINERAL SURVEYOR

I, Paul E. Fernald	, U. S. <del>Deputy-</del> Mineral
Surveyor, do solemnly swear that, in pursuance of instruction	
States Surveyor General forArizona	, dated
June 19th. 1913. , I have, in strict con	formity to the laws of the
United States, the official regulations and instructions thereu	nder, and the instructions
of said Surveyor General, faithfully and correctly executed	the survey of the Mining
Claim of Louis Zeckendorf	
	, known as the
CASHIER NO.3,	,
situate in Owls Head	
Pinal County, Arizon	, in Sections
35 & 36 Township No. 10 S, Range No. 12 E., 1	Unsur.
and designated as Survey No. 3080	
in the foregoing field notes, which accurately show the bound	
as distinctly marked by monuments on the ground, and descr	
of the location certificate, which was received by me from the	he Surveyor General with
said instructions, and that all the corners of said survey have	been established and per-
petuated in strict accordance with the law, official regulation	s and instructions there-
under; and I do further solemnly swear that the foregoing	are the true and original
field notes of said survey and my report therein, and that	the labor expended and
improvements made upon said mining claim by claimant or	his grantors
are as therein fully stated, and that the character, extent, lo	ocation and itemized value
thereof are specified therein with particularity and full detail	l, and that no portion of
said labor or improvements so credited to this claim has been	included in the estimate
of expenditures upon any other claim.	
5 6 M	A A
Paul E. F	eruald.
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Paul E. Ferne	
U.S. Deputy Mineral Surveyor, before me Auna	Colembery 4
Minny Public	this 14
day of July 1913 My Cumm	usion upines
	Eleveley any Ouplie
0 9-154	ary Juble

### NOTICE OF MINING LOCATION. QUARTZ CLAIM.

JUN 18 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the CASHIER No.3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by S. M. Franklin, the undersigned, on the First day of January 1898.

The length of this claim is 1500 feet, and I claim 800 feet in a Westerly direction and 700 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Easterly to the Westerly. The claim is situated and located in the Owl Head Mining District, in Pinal County, in the Territory of Arizona, about 4 miles in a Easterly direction from Owls Head Buttes and about 2 miles Southerly from Chief Butte.

The surface boundaries of the claim are marked upon the ground as gollows: Beginning at a point in a Westerly direction 800 feet from the discovery shaft, (at which this notice is posted) being in the center of the Westerly end line of said claim; thence 300 feet to a monument of stones, being the Southwesterly corner of said claim; thence 750 feet to a monument of stones at the center of the Southerly side line of said claim; thence 750 feet to a monument of stones, being at the Southeasterly corner of said claim; thence 300 feet to a monument of stones at the center of the Easterly end of said claim; thence 300 feet to a monument of stones, being at the Northeasterly corner of said claim; thence 750 feet to a mon-

ument of stones being at the center of the Northerly side line of said claim; thence 750 feet to a monument of stones, at the Northwesterly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895.

Dated and posted on the ground this FIRST day of January 1898.

S. M. Franklin.

Filed and recorded at request of L. Zeckendorf & Co., January 15", A. D. 1898. at 11 A. M.

F. A. Chamberlin, Recorder.

By G. G. Thurston, Deputy.

State of Arizona,)
( ss.
County of Pinal.)

I, G. F. Watson, County Recorder in andfor the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the CASHIER No.3 Mining Claim, as the same appears of record in my office in Book No.15 of Records of Mines, at Pages 124 and 125; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office this 1st day of June, A. D. 1913.

County Recorder.

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

#### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	September 11 , 1913.
I, U. S. Surveyor General for	Arizona,
	ng transcript of the Field Notes, return and approval
of the Survey of the mining claim	m of Louis Zeckendorf,
	CASHIER NO.3,
·	, situate in Owls Head
	t, Pinal County,
Range No. 12 E., Unsur, 12 E., No. 3080  file in this office; that said Field mining claim as will, if incorpora and that such reference is made t will perpetuate and fix the locus t And I further certify that fi or improvements made upon sai that said improvements consist of	, in Sections 35 & 36 , Township No. 9 S., and designated as Survey , has been correctly copied from the originals on land Notes furnish such an accurate description of said ated into a patent, serve fully to identify the premises, herein to natural objects or permanent monuments as hereof.  We hundred dollars' worth of labor has been expended in mining claim by claimant or his grantors, and for 7 shafts, total value \$1950.00
and that no portion of said labor expenditures upon any other clai	or improvements has been included in the estimate of m. thereof, filed in the U.S. Land Office at Phoenix, and in conformity with the foregoing Field Notes. Frank S. Ingalls,
United	States Surveyor General for Arizona.

## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

#### Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix, Arizona,	
		September 11 , 19·13
I, U. S. Surveyor-Gene	eral for Arizona,	
do hereby certify that the	foregoing and hereto attached F	field Notes and Return of the Survey of the
	•	f
		, known as the
	CASHIER NO.3,	
situate in	Owls Head	mining district,
Pinal		Arizona,
in Sections. 35 436	Township No. 9 5.,	Range No. 12 E. Unsur.
, design	nated as Survey No. 3080	
executed byPaul	E. Fernald,	, U. S. <del>Deputy</del> Mineral
Surveyor,June	21st,	, 1903, under my instructions dated
June 19th	, 19 <b>13</b> , have been	critically examined and the necessary cor-
rections and explanations n	nade, and the said Field Notes	and Return, and the Survey they describe,
are hereby approved. A t	rue copy of the copy of the loc	ation certificate filed by the applicant for
survey is included in the fie	eld notes.	
	Chaus	l & Ingath
	U. S. Sw	rveyor-General forArizona

4115b5m6-02

## UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3080 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The CASHIER No.3 lode, Mineral Survey No. 3080, located in sections 35 and 36, Township 9 South, Range 12 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"CASHIER No.3 lode M.S. 3080, was canceled July 21, 2010, by memo 9605 (956) M.S. 3080, which is now a part of the original field notes."  $\,$ 

<u>July 21, 2010</u> Date Acting Chief Cadastral Surveyor of Arizona