

Platted

(4-683.)

Mineral Survey No. 3095

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

THE CONSOLIDATED HOLDING & TRUST CO.

KNOWN AS THE

AJAX

PIONEER Mining District,

PINAL County, ARIZONA

Sections 11 and 12, Township 2 South, Range 12 East, G & S R B & M

Surveyed under instructions dated August 18th, 1913.

by Ralph L. Motz, U. S. Deputy Mineral Surveyor

Claim located See Location Notice, 1913.

Survey commenced December 27th, 1913.

Survey completed December 27th, 1913.

6-179

Postoffice Address of Claimant's Attorney,

Frank H. Hereford, Tucson, Arizona.

27-142-16-2-2

- Feet. Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 1, the S E Cor and Cor No. 1 of Survey No 3093 Annex lode, Indiana lode unsurveyed, and Lone Star lode, Survey No. 3096, respectively,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3095 A L,
- whence a granite rock in place stained red with iron, 21 x 19 x 12 ins high chiselled B R x 1-3095 brs N 72° 40' W 22.15 ft, a quartzite ledge with 36 x 24 x 13 ins high exposure with like chiselling brs N 72° 08' E 16.5 ft and the W 1/4 Cor of Sec 12, T. 2 S., R. 12 E. & S R B & M brs S 52° 58' E 598.5 ft.
- thence N 80° 54' E
- 300.0 to north end center, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed N E Ct A L,
- 533.42 same bearing intersect W line N W 1/4, Sec 12, T 2 S, R 12 E, at N 0° 22' E 554.88 ft from the west 1/4 corner, and S. 0° 22' W. 2107.22 ft. from the N.W. Cor. said Sec. 12.
- 600.0 same bearing to Corner No 2, the N E Cor, identical with location and with Cors Nos. 4, 1 and 1 of Survey No 3093 Annex lode, Survey No 3093 Apex lode, and Survey No 3094 Mountain View lode, respectively,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3095 A L,
- whence a quartzite ledge with 50 x 13 ins high, chiselled B R x 2-3095 brs N 70° 12' E 26.45 ft and a limestone ledge with 50 x 16 ins high exposure with like chiselling brs S 44° 02' W 23.45 ft.
- thence S 33° 29' E
- 881.1 intersect road to main shaft,
- 1319.8 same bearing, intersect road to main shaft,
- 1500.0 same bearing, to Cor No 3, the S E Cor, identical with location and with Cors Nos. 4, 2 and the N W Cor, of Sur No 3094, Mountain View lode, Survey No 2839 A, Delaware lode and Pacific No. 1 lode unsurveyed, respectively,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3095 A L,
- whence a quartzite rock in place 26 x 33 x 19 ins high chiselled B R x 3-3095 brs S 6° 54' W 9.6 ft and a second quartzite rock in place 17 x 17 x 7 ins high with like chiselling brs N 49° 22' W 26.2 ft.
- thence S 80° 54' W
- 300.0 to south end center, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed S E Ct A L,
- 600.0 same bearing to Cor No 4, the S W Cor, identical with location and with Cors Nos. 1, 2 and 2 ~~S E Cor~~ of Survey No 2839 A Delaware lode, Survey No 2839 A Eagle River lode and Lone Star lode, Survey No. 3096, respectively,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3095 A L,

whence a quartzite rock in place 14 x 24 x 20 ins high chiselled B.M. x 4-5095 brs N 35° 12' E 63.02 ft, and a second quartzite rock in place 11 x 19 x 11 ins high with like chiselling brs S 80° 54' W 46.85 ft.

thence N 33° 29' W

909.57 intersect west line of N W 1/4 Sec 12, T 2 S, R 12 E at N 0° 22' E 9.69 ft from the W 1/4 Cor Sec 12, and S. 0° 22' W. 2652.41 ft. from the N.W. Cor.

1500.0 same bearing, to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the north end center location S 33° 29' E 1500.0 ft.

Area.

Total and net area, - - - - - 18.818 A.

Improvements.

I hereby certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars for each location and that said improvements consist of:

- No.1 Discovery cut 4 x 9 x 8 ft high brg North, brs from S E C location N 33° 29' W 180 ft. Value - - - \$ 20.00
- No.2 Open Cut 4.5 x 9 x 10.5 ft long with tunnel 4.5 x 6 x 20 ft long brg East, mouth of open cut brs from Cor No 3, N 79° 19' W 372.9 ft. Value - 100.00
- No.3 Open cut 4 x 7 x 10 ft long with tunnel 4 x 6 x 12 ft long brg S 60° 40' E, mouth of open cut brs from Cor No 3, N 47° 45' W 706.7 ft. Value - 100.00
- No.4 Open cut 4 x 8 x 9 ft long with tunnel 4 x 6 x 29.5 ft long brg N 3° E, mouth of open cut brs from Cor No 2, S 7° 40' W 287.8 ft. Value - - 100.00
- No.5 Open cut 4 x 7 x 15 ft long with tunnel 4 x 6 x 29 ft long brg S 83° 30' E, mouth of open cut brs from Cor No 1, S 79° 50' E 504.4 ft. Value - - 100.00
- No.6 Road with rock cut on east side commencing at intersection with line 2-3 at N 33° 29' W 180.2 ft from Cor No 3, thence S 60° 15' W 3.3 ft, thence N 47° 31' W 235.6 ft, thence N 68° 50' W 277.0 ft, thence N 9° 28' W 52.4 ft, thence N 52° 10' E 89.8 ft, thence East 129.9 ft. Total length of road 788.0 ft at \$1.00 per foot Value - -788.00

Total improvements \$1208.00

Adjoining Claims.

- North Survey No 3093, Annex lode.
- East Survey No 3094, Mountain View lode.
- South Survey No 2839 A, Delaware lode.
- West Lone Star lode, Survey No. 3096, owned by the Consolidated Holding & Trust Company and John C Greenway.

Location.

This claim is situated in the Pioneer Mining District, Pinal County, Arizona, in Secs 11 and 12, T 2 S, R 12 E, G & S R, B & M., in the Crook National Forest.

Instrument.

This survey was made with a C L Berger No 6, Light Mountain transit, the courses were deflected from the true meridian as determined by a Solar observation. Distances were measured with a 300 foot steel tape. Magnetic variation 14° east at all corners.

REPORT.

Survey No 2839 A, Delaware lode.

Cor No 1 is a pine post scribed D-1-2839 A  
 Cor No 2 is a pine post scribed D-2-2839 A  
 I find line 1-2 to be correct in bearing and distance.

## Eagle River lode.

Cor No 2 is a pine post scribed ER-2-2839 A

W 1/4 Cor, Sec 12, T 2 S, R 12 E, G & S R B & M is a conglomerate rock set in the ground in a mound of stones and measures above ground 7 x 10 x 15 ins high, chiselled 1/4 on west face. A monument of rocks is near.

NW Cor Sec 12, T 2 S, R 12 E, G & S R B & M is a limestone rock 7 x 11 x 15 ins high with a small mound of stones around it. It is not set in the ground. Chiselled I on east face and IIIII on south face.

I find line W 1/4 Cor - NW Cor, Sec 12, T 2 S, R 12 E, G & S R B & M to be N 0° 22' E 2662.1 ft.

Dated At  
 Bisbee, Arizona,  
 January, 16th, 1914.

*Ralph L. Motz*  
 U.S. MINERAL SURVEYOR.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

CONSOLIDATED HOLDING & TRUST CO.

known as the AJAX

and showing the respective capacities in which they acted.

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, George Powell and W. C. Rice

and ....., do solemnly swear that we assisted

Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

CONSOLIDATED HOLDING & TRUST CO.

known as the AJAX

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 29

day of December, 1913

Lo Roy Yaff  
Notary Public

*My commission expires*

14224b5m8-04  
Oct 8 1917

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 18th, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Consolidated Holding & Trust Company, known as the Ajax, situate in Pioneer Mining District, Pinal County, Arizona, in Sections 11 and 12, Township No. 2 S, Range No. 12 E. G & S R B & M, and designated as Survey No. 5095, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz, U. S. Mineral Surveyor, before me John W. Ross, Notary Public this 16th day of January, 1914.

John W. Ross
Notary Public,
In and for the County of Cochise
State of Arizona.
My Commission expires February 21, 1916.

NOTICE OF MINING LOCATION.  
LODE CLAIM

APR 16 1909

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the AJAX Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by The Consolidated Holding and Trust Co., by H. R. Daggs its Vice President and lawful Agent, and who is a citizen of the United States the undersigned, on the 12th day of April 1909.

The length of this claim is fifteen hundred feet, and I claim thirteen hundred and twenty feet in a northerly direction, and one hundred and eighty feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim, The general course of the lode deposit and premises is from the north to the south.

This claim is situated and located in the Pioneer Mining District, in Pinal County, in the Territory of Arizona, about four . . . . in an easterly direction from Picket Post Butte, the most prominent natural object in this horizon, and about two miles south of the mouth of Queen Creek Canon, this claim adjoins the amended location of the Lone Star claim on the East.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a 4 x 4 post in a monument of stones at a point in a northerly direction 1320.0 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence N.80° 54'E.300.0 feet to a 4 x 4 post in stone monument, being the northeast corner of said claim; thence S.33° 29'E.1500.0 feet to a 4 x 4 post in stone mon., being at the southeast corner of said claim; thence S.80° 54'W.300.0 feet to a 4 x 4 post in stone mon. at the center of the south end of said claim; thence S.80° 54'W.300.0 feet to a 4 x 4 post in stone mon.,

being at the southwest corner of said claim; thence N.33° 29'W. 1500.0 feet to a 4 x 4 post in stone mon. at the northwest corner of said claim; thence N.80° 54'E. 300.0 feet to the place of beginning.

All done under the Provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 12th day of April 1909.

Witness: The Consolidated Holding and Trust Co.,  
E.F.Kellner Jr. by H. R. Daggs, its Vice President  
and lawful Agent.

Filed and recorded at request of P. H. Hayes, August 30th, 1909, at 9 A. M.

G. F. Watson, County Recorder.

State of Arizona, )  
( ss.  
County of Pinal. )

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the AJAX Mining Claim, as the same appears of record in my office in Book No. D of Records of Mines, at Page 124; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office, this 12th day of August, A. D. 1913.

G. F. Watson  
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

May 4, 1914.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

THE CONSOLIDATED HOLDING & TRUST CO.

, known as the AJAX

, situate in PIONEER

Mining District, PINAL County,

ARIZONA, in Sections 11 & 12, Township No. 2 S.,

Range No. 12 E., and designated as Survey

No. 3095, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that <sup>less than</sup> five hundred dollars' worth of labor has been expended  
or improvements made upon said mining claim by claimant or its grantors, and  
that said improvements, <sup>at time of survey</sup> consist of 5 cuts, and 4 tunnels, total value,  
\$420.00, No. 6. road with rock cut, value \$788, not being al-  
lowed as a proper mining improvement.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.**

**Department of the Interior.**

*Office of U. S. Surveyor-General,*

Phoenix, Arizona,

May 4, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

THE CONSOLIDATED HOLDING & TRUST CO.

, known as the

AJAX

situate in PIONEER mining district,

PINAL

County,

ARIZONA.

in Sections 11 & 12, Township No. 2 S., Range No. 12 E.

, designated as Survey No. 3095

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, December 27, 1913, 190, under my instructions dated

August 18, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank S. Ingalls*

U. S. Surveyor-General for Arizona.