

JAN 30 1914

(4-683.)

Mineral Survey No. 3106

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W. A. DAVIDSON.

KNOWN AS THE

DAVID HARUM, INTERLOPER, VIRGINIAN, TAFT.

PIONEER Mining District,

PINAL County, ARIZONA.

Section 2, Township 2 South, Range 12 East, G & S R B & M.

Surveyed under instructions dated November 26th, 1913.

by Ralph L. Motz, U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced December 23rd, 1913.

Survey completed December 24th, 1913.

6-179

Postoffice address of claimant's attorney, Frank H. Hereford, Tucson, Arizona.

Feet.	DAVID HARUM
	<p>Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 2 and the S E <sup>Cor</sup> of the Gold Crown lode Sur No 2860 and the Wedge lode unsurveyed, respectively, and on west side line Gold Crown No 2 lode, unsurveyed.</p> <p>a quartzite rock 9 x 5 x 9 ins above the ground and chiselled 1-DH-3106,</p> <p>whence west side center location of Gold Crown No 2 lode unsurveyed brs S 19° 12' E 985.0 ft, a quartzite rock in place 20 x 28 x 9 ins high chiselled BR x 1-3106 brs N 76° 36' E 5.15 ft and a second quartzite rock in place with like chiselling brs N 21° W 9.0 ft and the closing corner for Sec 36, Tp 1 S, R 12 E, G &amp; S R B &amp; M brs N 6° 29' W 1009.2 ft</p> <p>thence S 27° 29' E</p>
1398.3	<p>to Cor No 2, the S E Cor, identical with location and with the S W Cor of Gold Crown No 2 lode, unsurveyed,</p> <p>a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of rocks and scribed 2-DH-3106,</p> <p>whence the west side center location of Gold Crown No 2 lode, unsurveyed, brs N 46° 00' W 446.7 ft, a quartzite rock in place 10 x 32 x 21 ins high chiselled BR x 2-3106 brs S 30° 55' W 18.4 ft and a limestone ledge 9 x 17 ins exposure with like chiselling brs N 57° 11' W 21.7 ft</p> <p>thence S 81° 19' W</p>
187.8	<p>to location for south end center, being a quartzite rock 6 x 10 x 22 ins high set 12 ins in the ground, and identical with Cor No 2 Interloper lode of this survey, and with the N E Cor Ruby lode unsurveyed,</p>
487.8	<p>same bearing to Cor No 3, the S W Cor, identical with location,</p> <p>a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of rocks and scribed 3-DH-3106,</p> <p>whence a quartzite ledge with 46 x 90 ins exposure chiselled BR x 3-3106 brs S 88° 24' W 22.7 ft and a limestone ledge 28 x 18 ins high exposure brs N 70° E 52.35 ft.</p> <p>thence N 31° 43' W</p>
1240.46	<p>intersect south end line of Lot No 38, Surpriser No 2 lode at S 70° 54' W 217.8 ft from the S E Cor,</p>
1438.4	<p>same bearing to Cor No 4, the N W Cor, identical with location,</p> <p>a quartzite rock 5 x 6 x 19 ins high set 12 ins in the ground and chiselled x on top, on side 4-DH-3106,</p> <p>whence a quartzite rock in place 28 x 43 x 39 ins high chiselled BR x 4-3106 brs N 45° 14' W 20.2 ft and a second quartzite rock in place 29 x 48 x 29 ins high brs S 41° 29' W 267 ft.</p> <p>thence N 81° 19' E</p>
300.0	<p>to location for north end center being a mound of rocks 3 ft high with a 3 ft base,</p>
335.13	<p>same bearing to the S W Cor Wedge lode unsurveyed, and</p>

intersect line SE-NE Lot No 38 Surpriser<sup>No. 2</sup> lode at N 8° 15' E 149.25 ft from the SE Cor

600.0 same bearing to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the north end center S 31° 43' E 1438.4 ft.

#### INTERLOPER

Beginning at Cor No 1, the S W Cor, identical with location and with Cors 2 and 3 of the Virginian and Taft lodes of this survey, respectively, and the S E Cor of the Ruby lode unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in amount of stones, and scribed 1-I-3106,

whence a limestone ledge 32 x 24 x 29 ins high exposure chiselled BR x 1-3106 brs N 47° W 6.7 ft and a second limestone ledge with a 18 x 20 ins high exposure brs S 47° 16' E 6.7 ft, and the S 1/4 Cor of Sec 2, Tp 2 S, R 12 E, G & S R B & M brs S 5° 43' E 1685.7 ft.

thence N 33° 39' W

1160.8 Intersect gulch bearing S 80° W.  
1472.8 to Cor No 2, the N W Cor, identical with location and with the N E Cor of the Ruby lode unsurveyed and the south end center of the David Harum lode of this survey,

a quartzite rock 6 x 10 x 22 ins high set 12 ins in the ground chiselled 2-I-3106,

whence the surface of a quartzite ledge 30 x 33 ins high chiselled BR x 2-3106 brs N 39° 50' W 16.7 ft and the north face of a quartzite ledge 39 x 39 ins high with like chiselling brs S 62° 09' E 37.9 ft.

thence N 81° 19' E

187.8 to Cor No 2 of the David Harum lode of this survey,

301.7 same bearing to location for north end center, being a monument of rocks 3 ft high with a 3 ft base,

601.9 same bearing to Cor No 3, the N E Cor, identical with location and with the N W Cor of the Gold Crown No 1 lode unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in amount of rocks and scribed 3-I-3106,

whence a limestone rock in place 16 x 23 x 11 ins high chiselled BR x 3-3106 brs S 42° 18' W 10.3 ft, and a limestone ledge with 28 x 53 ins high exposure, brs S 50° 04' E 6.7 ft. (with like chiseling)

thence S 35° 19' E

138.0 Intersect gulch bearing S 65° W.  
1493.8 to Cor No 4, the S E Cor, identical with location and with Cor No 3, the S W Cor, and the N W Cor, respectively of the Virginian lode of this survey, the Gold Crown No 1 lode unsurveyed and the New York lode unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-I-3106,

Interloper Lode (Cont'd)

whence a limestone ledge with 33 x 15 ins exposure  
chiselled BR x 4-3106 brs S 47° 13' E 5.8 ft, and a second  
limestone ledge with 30 x 27 ins exposure with like chisel-  
ling brs S 37° 12' W 14.4 ft.

thence S 81° 19' W

325.0 to location for south end center, being a pine post 4 ft  
long 4 ins sq set 18 ins in the ground in a mound of rocks  
and scribed S E C I.

650.0 same bearing to Cor No 1, the place of the beginning.

Ledge.

The Presumed course of the vein on this claim is from  
the north end center location S 34° 28' E 1482.8 ft.

VIRGINIAL

Beginning at Cor No 1, the S W Cor, identical with  
location and with Cor No 4 Taft lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground  
in a mound of stones and scribed 1-V-3106,

whence a conglomerate rock in place 15 x 23 x 7 ins high  
chiselled BR x 1-3106 brs N 55° 15' W 18.7 ft, and a  
conglomerate ledge with a 36 x 39 in face with like  
chiselling brs N 37° 32' E 30.6 ft, and the S 1/4 Cor  
Sec 2, Tp 2 S, R 12 E, G & S R B & M, brs S 45° 45' W  
843.04 ft.

thence N 35° 19' W

1335.0 to Cor No 2, the N W Cor, identical with location and with  
Cors Nos. 1, 3 and the S E Cor respectively of the Interloper, and  
Taft lodes of this survey, and the Ruby lode unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground  
in a mound of stones and scribed 2-V-3106, bearings heretofore  
described.

thence N 81° 19' E

325.0 to location for north end center, being a pine post 4 ft long  
long 4 ins sq set 18 ins in the ground in a mound of stones  
and scribed N E C V.

650.0 same bearing to Cor No 3, the N E Cor, identical with  
location and with Cor No 4, the S W Cor and the N W Cor,  
respectively of the Interloper lode of this survey, the  
Gold Crown No 1 lode and the New York lode, both unsurvey-  
ed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground  
in a mound of stones and scribed 3-V-3106, bearings heretofore  
described.

thence S 35° 19' E

1247.8 to S W Cor of New York lode, unsurveyed,

1335.0 same bearing to Cor No 4, the S E Cor, identical with  
location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4 - V -3106,

whence a quartzite rock 17 x 37 x 9 ins high exposure chiselled BR x 4-3106 brs S 83° 36' E 21.6 ft, and a pine post with same scribing brs N 35° 19' W 87.2 ft.

thence S 81° 19' W

525.0 to location for south end center being a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed S E C V.

650.0 same bearing to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the north end center S 55° 19' E 1335.0 ft.

-----  
TAFT

Beginning at Cor No 1, the S W Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-T-3106,

whence a conglomerate rock in place 19 x 20 x 6 ins high chiselled BR x 1-3106 brs N 89° 05' W 56.0 ft, and a quartzite boulder, the south face of which is 144 x 48 ins high with like chiselling brs N 1° 27' W 140.5 ft and the S 1/4 Cor of Sec 2, T<sub>2</sub> S, R 12 E, C & S R B & M brs S 2° 52' E 491.3 ft.

thence N 35° 19' W

1335.0 to Cor No 2, the N W Cor, identical with location, and with the S W Cor of the Ruby lode unsurveyed,

a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 2-T-3106,

whence a limestone ledge with 30 x 41 ins exposure chiselled BR x 2-3106 brs S 14° 31' E 10.6 ft and a second limestone ledge 30 x 48 ins exposure with like chiselling brs S 69° 54' E 9.8 ft.

thence N 81° 19' E

320.9 to location for north end center, identical with south end center of Ruby lode unsurveyed, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed N E C T.

645.9 same bearing to Cor No. 3, the N E Cor, identical with location and with Cors No. 1, 2 and the S E<sup>Cor</sup>, respectively of Interloper, Virginian lodes of this survey and the Ruby lode unsurveyed.

additionally  
Corner heretofore described, scribed 3-T-3106,

thence S 35° 19' E

1335.0 to Cor No 4, the S E Cor, identical with location and with Cor No 1, Virginian lode of this survey,

additionally  
Corner heretofore described, scribed 4-T-3106,

Taft Lode (Cont'd)

thence S 81° 19' W

325.0 to location for south end center, being a pine post 4-ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed S E C T,

645.9 same bearing, to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the north end center location S 35° 19' E 1335.0 ft.

AREAS.

David Harum lode, total area - - - - - 16.528 A.  
 Conflict vs Gold Crown No 2  
 unsurveyed - - - - - 2.277  
 Conflict vs Surpriser No 2  
 Lot No. 38 - - - - - 1.032  
 Interloper lode, total and net area - - - - - 19.187 A.  
 Virginian lode, total and net area - - - - - 17.807 A.  
 Taft lode, total and net area - - - - - 17.695 A.

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements made upon each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of

DAVID HARUM.  
 No.1. Discovery cut 5 x 9 x 25 ft long, brs N 30° E, mouth of which brs from S E C location N 31° 43' W 41.8 ft. Value - - - - - \$ 75.00  
 No.2. Open cut 4 x 10 x 22 ft, with tunnel 4 x 6 x 10 ft long, brs N 30° E, mouth of open cut brs from Cor No 3, N 71° E 237.2 ft Value - - 100.00  
 No.3. Open cut 5 x 10 x 25 ft, with tunnel 4 x 6 x 10 ft long, brs N 41° E, mouth of open cut brs from Cor No 3, N 65° 36' E 260.4 ft. Value 100.00  
 No.4. Open cut 5 x 10 x 18 ft long, tunnel 5 x 6 x 60 ft long, crosscut 4 x 6 x 19 ft. Tunnel brs S 18° 20' E, mouth of open cut brs from Cor No 1, S 3° 55' E 283.4 ft. Value - - - - - 660.00  
 Total - - - - - \$935.00

INTERLOPER

No.1. Discovery cut 4 x 8 x 21 ft long brs N 54° E, mouth of which brs from N E C location S 34° 28' E 80.0 ft. Value - - - - - \$ 35.00  
 No.2. Incline shaft 7 x 7 x 76 ft deep, 60° dip, brs S 5° 30' E, mouth of which brs from Cor No 2, S 49° 23' E 824.0 ft, Value - \$960.00.  
 Note: 1/3 allotted to Virginian, Taft and Interloper.  
 Note: 1/3 of value of same to this claim - - - - - 320.00  
 No.3. Open cut 12 x 6 x 18 ft long, brs from Cor No 2, S 44° 46' E 761.8 ft. Value - - - - - 50.00  
 No.4. Shaft 4 x 6 x 48 ft deep, drift 4 x 6 x 28 ft long brg S 34° 20' E, shaft brs from Cor No 2 S 44° 46' E 775.8 ft. Value \$750.00  
 Note: 1/3 allotted to Virginian, Taft and Interloper.  
 Note: 1/3 of value of same to this claim - - - - - 250.00  
 No.5. Open cut 4 x 8 x 18 ft long, tunnel 4 x 6 x 39 ft long brg S 57° E, the mouth of open cut brs from Cor No 2, S 43° 12' E 778.7 ft. Value 200.00  
 No.6. Open cut 4 x 8 x 14 ft long, tunnel 4 x 6 x 19 ft long brg S 34° E, the mouth of open cut brs from Cor No 2, S 42° 45' E 783.8 ft. Value 100.00  
 No.7. Open Cut 8 x 10 x 17 ft long, brg N 78° 20' E brs from Cor No 4 N 69° 13' W 300.2 ft. Value 75.00  
 Total \$1030.00

VIRGINIAN

No.1.	Discovery cut 11 x 10 x 15 ft long brs from N E C location S 35° 19' E 355 ft. Value- - -	\$ 75.00
No.2.	Open cut 13 x 7 x 9 ft long, 37° incline shaft brg N 36° 10' E 4 x 6 x 26 ft deep. Open cut brs from Cor No 3 S 3° 02' W 168.4 ft Value- - -	295.00
No.3.	Open cut 4 x 10 x 16 ft long, tunnel 4 x 6 x 12 ft long brg S 12° E, the mouth of open cut brs from Cor No 3 S 24° 51' W 354.4 ft Value	100.00
No.4.	Open cut 4 x 8 x 17 ft long, tunnel 4 x 6 x 18 ft long brg N 16° W, the mouth of open cut brs from Cor No 1 N 22° 41' E 354.0 ft Value	100.00
Note:	1/3 interest in Interloper incline shaft No. 2 allotted to this claim- - - - -	320.00
Note:	1/3 interest in Interloper vertical shaft No. 4 allotted to this claim- - - - -	250.00
		<u>\$1140.00</u>

TAPT

No.1.	Discovery shaft 4 x 7 x 10 ft deep, brs from S E C location N 35° 19' W 200 ft Value- -	\$ 60.00
No.2.	Open cut 4 x 10 x 12 ft long brg N 66° W, brs from Cor No 4, N 54° 22' W 479.3 ft Value-	35.00
No.5.	Open Cut 5 x 10 x 14 ft long, tunnel 5 x 6 x 10 ft long brg N 65° E, the mouth of open cut brs from Cor No 3 S 18° 05' E 501.1 ft Value	100.00
No.4.	Open cut 4 x 8 x 6 ft long, tunnel 4 x 6 x 26 ft long brg N 71° E, the mouth of open cut brs from Cor No 1 N 4° 05' W 324.0 ft Value	100.00
Note:	1/3 interest in Interloper incline shaft No. 2 allotted to this claim- - - - -	320.00
Note:	1/3 interest in Interloper vertical shaft No. 4 allotted to this claim- - - - -	250.00
	Total	<u>\$865.00</u>

Total improvements on group \$3970.00

ADJOINING CLAIMS.

North. Lot No 38, Surpriser No 2 lode, owned by the Lake Superior & Arizona Mining & Smelting Co.  
Gold Crown No 2 lode, unsurveyed, owned by Wm. Winsor.  
Ruby lode, unsurveyed, owned by the claimant herein and J. E. Neary. Wedge lode, unsurveyed, owned by the claimant herein.

South Ruby lode, unsurveyed, owned by the claimant herein and J. E. Neary.  
San Juan lode, unsurveyed, owned by the Consolidated Holding & Trust Co.  
Leadville lode, unsurveyed, owned by the Consolidated Holding and Trust Company and Mary E Street.

East. Gold Crown Sur No 2860 owned by Lake Superior & Arizona Mining & Smelting Company.  
Gold Crown No 2 and Gold Crown No 1, unsurveyed, owned by Wm. Winsor.  
~~Wedge lode, unsurveyed, owned by the claimant herein.~~  
New Yor. lode, unsurveyed, owner unknown.

West. Lot No 38 Surpriser No 2 lode owned by the Lake Superior & Arizona Mining & Smelting Co.  
Fraction No 1, unsurveyed, owned by the claimant herein.  
Ruby lode, unsurveyed, owned by the claimant herein and J. E. Neary.

LOCATION.

This group of claims is located in the Pioneer Mining District, Pinal County, Arizona, in Sec 2, Tp 2 S, R 12 E, G & S R B & M., in the Crock National Forest.

INSTRUMENT.

This survey was made with a C L Berger & Sons No 6, Light Mountain transit, the courses were deflected from the true meridian as determined by a Solar observation. Distances were measured with a 300 foot steel tape. Magnetic variation 14° east at all corners.

REPORT.Surpriser No 2 lode Lot No 38.

N E Cor is a 4 x 4 pine post in monument of rocks and scribed N E S 2.

S E Cor is a pine post 4 x 4 in a monument of rocks and scribed S E S 2.

S W Cor is a 4 x 4 pine post in monument of rocks scribed S W S 2, also 2 S D -2860

S E C is a pine post 6 x 6, scribed S 2-SEC

I find line S W - S E to be N 70° 54' E 589.56 instead of N 70° 15' E 600.0 ft as given in patent notes.

I find line S E - N E to be N 8° 15' E 1497.75 ft instead of N 7° 40' E 1500.0 ft as given in patent notes.

Gold Crown lode, Sur No 2860.

Cor No 2 is a quartzite rock 9 x 5 x 9 ins high chiselled x on top, 2 G C 2860 on side.

Gold Crown No 2 lode, unsurveyed.

West side center is a 4 x 4" post set in a monument of rocks.

New York lode, unsurveyed.

S W Cor is a pine post 4 x 4 ins. set in a monument of rocks.

Closing Corner. Sec 36 T 1 S, R 12 E., being the closing corner of the south boundary of said Sec. 36 on the east side line of the Surpriser No. 2 lode, Lot No. 38 is a quartzite rock 7 x 8 x 13 ins high chiselled L 38 on west side, CC on east side.

S 1/4 Cor Sec 2, Tp 2 S, R 12 E.

is a limestone rock 6 x 12 x 13 ins high chiselled 1/4 on the north face.

*Ralph L. Motz*

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.  
January 17th, 1914.

Shaft No 2 and Shaft No 4 on the Interloper are situated topographically in such a way that they tend to develop the Interloper, Virginian and Taft lodes of this survey. The David Harum lode of this survey is separated from the three above named claims by a gulch. This gulch is lower than the shafts. The incline shaft is also headed to the south and away from the David Harum. Every foot gained in depth in the two shafts, tends to gain a level at which point drifts may be run into the surrounding ground of the three claims; and thereby the two shafts tend to develop the Interloper, Taft and Virginian claims and have been considered common improvements.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

W. A. Davidson

known as the DAVID HARUM, INTERLOPER, VIRGINIAN, TAFT

and showing the respective capacities in which they acted.

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, George Powell and W. C. Rice

and....., do solemnly swear that we assisted

Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

W. A. Davidson

known as the DAVID HARUM, INTERLOPER, VIRGINIAN, TAFT

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

George Powell, Chainman.

W. C. Rice, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 29

day of December, 1913

Lo Roy Taft  
Notary Public

*My commission expires*  
Oct 8 1917

# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated November 26th, 1913., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. A. Davidson, known as the David Harum, Interloper, Virginian, and Taft, situate in Pioneer Mining District, Pinal County, Arizona, in Section 2, Township No. 2 South, Range No. 12 East, G & S R B & M, and designated as Survey No. 3106, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*Ralph L. Motz*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz  
U. S. Mineral Surveyor, before me John W. Ross, Notary Public this 16th.  
day of January, 1914.

*John W. Ross*  
Notary Public.  
In and for the County of Cochise,  
State of Arizona.  
My Commission expires July 21, 1916.

AMENDED NOTICE OF MINING LOCATION.  
LODE CLAIM

DEC. 6 - 1913  
 NOV. 26 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the DAVID HARUM Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by William A. Davidson, Citizen of the United States, the undersigned, on the 4th day of January 1913.

The length of this claim is 1500 feet, and I claim 1451 feet in a northerly direction, and 50 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. the general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in the State of Arizona, about  $\frac{1}{4}$  mile in a southerly direction from Superior P. O. and is bounded by the Surpriser No.2 and Wedge Claims on the North, on the east by the Gold Crown No.2, on the south by the Interloper & Ruby and on the west by the Fraction No.1.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at rock (chiselled X on top) set in the ground near a monument of rocks at a point in a southerly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence Westerly 300 feet to a pine post, being the southwest corner of said claim; thence northerly 1500 feet to a rock set in the ground, being at the northwest corner of said claim; thence easterly 300 feet to a monument of rocks at the center of the north end of said claim; thence easterly 300 feet to a rock chiselled 2-2860 G. C. being at the northeast corner of said claim; thence southerly 1500 feet to a pine post at the southeast corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the David Harum Mining Claim, located by William Davidson & Cyril Byrne on the 5th day of April 1904, and recorded in Book No;22 of Records of Mines, at page 4, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of January 1913.

William A. Davidson.

Filed and recorded at request of J. K. Hooper, June 10th 1913, at 2.30 P. M.

G. F. Watson, County Recorder.

State of Arizona,)
(ss.
County of Pinal. )

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the DAVID HARUM Mining Claim as the same appears of record in my office in Book No.1 of Mines Amended, at Page 502; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office, this 10th day of October, A. D. 1913.

.....GFWatson.....
County Recorder.

AMENDED NOTICE OF MINING LOCATION.  
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

NOV 26 1913

This Mining Claim, the name of which is the INTERLOPER Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by William A. Davidson, a citizen of the United States, the undersigned, on the 9th day of June 1913.

The length of this claim is 1500 feet, and I claim 80 feet in a northwesterly direction, and 1420 feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in the State of Arizona, about  $\frac{3}{4}$  of a mile in a southerly direction from Superior P. O. and is bounded on the north by the David Harum and Gold Crown No.2, on the east by the Gold Crown No.1, on the south by the Virginian and on the west by the Ruby. This claim is situated in Sec.1, T. 2 S., R.12 E., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a pine post <sup>set</sup> in a monument of rocks at a point in a northwesterly direction 80 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 301.7 feet to a pine post; being the northeast corner of said claim; thence southeasterly 1500 feet to a pine post, being at the southeasterly corner of said claim; thence westerly 325 feet to a pine post at the center of the south end of said claim; thence westerly 325 feet to a pine post, being at the southwesterly corner of said claim; thence northwesterly 1500 feet to a rock set in the ground at the northwesterly corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This in an Amended Location Notice of the Interloper Mining Claim, located by William A. Davidson & Cyril Byrne on the 11 day of January 1907, and recorded in Book 24 of Records of Mines, at page 520, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 9th day of June 1913.

Wm. A. Davidson.

Filed and recorded at request of J. K. Hooper, June 10th 1913 at 2.30 P. M.

G. F. Watson, County Recorder.

State of Arizona, )  
                          ( ss.  
County of Pinal. )

I, G. F. Watson, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the INTERLOPER Mining Claim, as the same appears of record in my office, in Book No. 1 of Mines Amended, at page 503; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Given under my hand and seal of office, this 10th day of October, A. D. 1913.

..... *G. F. Watson* .....  
County Recorder.

AMENDED NOTICE OF MINING LOCATION.  
Lode Claim

NOV 26 1913

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the **VIRGINIAN** Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by WILLIAM A. DAVIDSON, a citizen of the United States, the undersigned, on the 9th day of June, 1913.

The length of this claim is 1500 feet and I claim 355 feet in a northwesterly direction, and 1145 feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in the State of Arizona, about 3/4 of a mile in a southerly direction from Superior P. O., and is bounded on the North by the Interloper, on the East by the New York and Leadville, on the South by the Leadville and San Juan, and on the West by the Taft Mining Claims. It is situated in Sec. 1, T. 2 S., R. 12 E., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a pine post set in a mound of rocks at a point in a northwesterly direction 355 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 325 feet to a pine post, being the northeast corner of said claim; thence southeasterly 1500 feet to a pine post, being <sup>at</sup> the southeast corner of said claim; thence westerly 325 feet to a pine post at the center of the south end of said claim; thence





AMENDED NOTICE OF MINING LOCATION.  
Lode Claim.

TO ALL WHOM IT MAY CONCERN:

NOV. 26 1913

This Mining Claim, the name of which is the **Taft** Mining Claim, situate on lands belonging to the United States <sup>of America,</sup> and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by WILLIAM A DAVIDSON, a Citizen of the United States, the undersigned, on the 9th day of June, 1913.

The length of this claim is 1500 feet and I claim 200 feet in a Southeasterly direction, and 1300 feet in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Pioneer Mining District, in Pinal County, in the State of Arizona, about 3/4 of a mile in a southerly direction from Superior P. O., and is bounded on the North by the Ruby, on the East by the Virginian and on the South by the San Juan Mining Claims. It is situated in Sec. 1, T. 2 S., R. 12 E., G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a pine post set in a monument of rocks at a point in a southerly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence westerly 320.9 feet to a pine post set in mound of rocks, being the southwesterly corner of said claim; thence northwesterly 1500 feet to a pine post, being at the northwesterly corner of said claim; thence easterly 320.9 feet to a pine post at the center of the north end of said claim; thence easterly 325 feet to a 4 x 4 post, being at the northeaster-

ly corner of said claim; thence southeasterly 1500 feet to a 4 x 4 post at the southeasterly corner of said claim; thence westerly 325 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Taft Mining Claim, located by William A. Davidson on the 25th day of March, 1909, and recorded in Book D of Records of Mines, at page 23, in the office of the County Recorder of the aforesaid County of Pinal, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 9th day of June, 1913.

WILLIAM A. DAVIDSON

Filed and recorded at request of J. K. Hooper June 10th 1913 at 2:30 P. M.

G. F. Watson, County Recorder.

STATE OF ARIZONA, )  
: ss  
County of Pinal. )

I, G. F. WATSON, County Recorder in and for the County of Pinal, State of Arizona, do hereby certify that the within and foregoing is a full, true and correct copy of the AMENDED NOTICE OF MINING LOCATION of the TAFT MINING CLAIM, as the same appears of record in my office in Book No. 1 of Mines Amended, at page 504; that I have compared the same with the original record and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office this 10th day of October, A. D. 1913.

  
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

April 22, 1914.

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

W. A. Davidson

, known as the DAVID HARUM, INTERLOPER, VIRGINIAN, TAFT.

, situate in PIONEER

Mining District, PINAL County,

ARIZONA, in Section 2, Township No. 2 S.,

Range No. 12 E., and designated as Survey

No. 3106, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon <sup>or for each of</sup> said mining claims by claimant or his grantors, and that said improvements consist of 16 cuts, 4 shafts, 9 tunnels, 1 cross-cut and 1 drift, total value \$3970.00. Shafts 2 and 4 on the Interloper lode being so situated that they tend to develop the Interloper, Virginian and Taft lodes of this survey but not the David Harum lode, an undivided one-third interest in each of said improvements, \$320 and \$250, respectively, is properly credited to each of said Interloper, Virginian and Taft lodes.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

April 22, 1914 190

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

W. A. DAVIDSON

, known as the

DAVID HARUM, INTERLOPER, VIRGINIAN, TAFT.

situate in PIONEER mining district,

PINAL County, ARIZONA.

in Section 2, Township No. 2 S., Range No. 12 E.

, designated as Survey No. 3106

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, December 23-24, 1913, 190, under my instructions dated

November 26, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank J. Ingalls

U. S. Surveyor-General for Arizona.