

Copied June 22, 1914.

A L H

APR 25 1914

1

(4-683.)

Mineral Survey No. 3112

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Detroit Copper Mining Company of Arizona ✓

KNOWN AS THE

Johannah Summit, S.L.C.L.

Copper Mountain Mining District,

Greenlee County, Arizona

Sections 4 and 5 Uns., Township 4 S., Range 29 E., G. & S.R.P.M.

Surveyed under instructions dated March 7, 1914 ✓

by E. T. Morton
U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced March 29, 1914

Survey completed April 2, 1914

6-179

Address;

Ellinwood & Ross, Attys.,
Bisbee, Arizona.

Y. 4. 15

SURVEY NO. 3112

Johannah

Beginning at Cor.No.1.

Identical with Cor.No.4 Summit lode of this survey.

On line 2-3 Sur.No.1620 Boss lode at N 83°16'W 468.8 ft.
from Cor.No.3.

A redwood post, in place, 4x6 ins. 3 ft. high with mound of
stone scribed, S4-3112, J1-3112, whence

U.S.M.M.No.3, bears S 43°11'W 864.4 ft.

Thence N 0°06'W

1054 To Cor.No.2.

On line 3-4 Summit lode of this survey.

A redwood post, in place, 4x6 ins. 3 ft. high with mound of
stone, scribed J2-3112.

No bearings available.

Thence S 83°16'E

302.1 North end, center of the location and lode.

604.2 To Cor.No.3.

A redwood post in place 4x6 ins. 3 ft. high with mound of
stone scribed J3-3112

No bearings available.

Thence S 0°06'E

115.37 Intersect line 1-2 Sur.No.1539 Lady Washington lode at
S 14°08'W 81.43 ft. from Cor.No.2.

1054 To true point for Cor. No. 4.

Witness corner bears N 83°16'W 78.5 ft.

Impractical to erect corner as it is on the dump of a
shaft.

Thence N 83°16'W

78.5 Witness Cor. for Cor.No.4.

Feet	<p>A pine post, 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed, W.C. J4-3112 whence</p> <p>A cross (X) and B.R. WC4-3112 chiseled on a concrete block supporting steel headframe of shaft bears S 51°13'E 55.47 ft.</p>
135.4	Cor. No. 3 Sur. No. 1620 Boss lode.
232.72	Intersect line 1-2 Sur. No. 1539 Lady Washington lode at N 14°08'E 405.49 ft. from Cor. No. 1, and S. 14°08'W. 1021.21 ft. from Cor. No. 2.
302.1	South end center of the location and lode.
604.2	To Cor. No. 1, the place of beginning.
	Summit
	<p>Beginning at Cor. No. 1.</p> <p>Identical with Cor. No. 1 S.L.C.L. lode of this survey.</p> <p>On line 2-3 Sur. No. 1620 Boss lode at S 83°16'E 426.4 ft. from Cor. No. 2.</p> <p>A redwood post in place 4x6 ins. 3 ft. high with mound of stone scribed, S.E. Cor. S.L.C.L. 1-3112, S.W. Cor. Summit 1-3112 whence,</p> <p>U.S.M.M. No. 3 bears, S 0°41'E 701.16 ft.</p>
	Thence N 0°06'W
1500	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 4 S.L.C.L. lode of this survey.</p> <p>A redwood post in place 4x6 ins. 3 ft. high with mound of stone scribed, N.W. Cor. Summit 2-3112, N.E. Cor. S.L.C.L. 4-3112,</p> <p>No bearings available.</p>
	Thence S 83°16'E
302.1	North end center of the location and lode.
554	Intersect gulch course Northwest and Southeast.
604.2	To Cor. No. 3.
	<p>A redwood post in place 4x6 ins. 3 ft. high with mound of stone scribed S3-3112 whence,</p> <p>A cross (X) and B.R. 3-3112 chiseled on quartzite bedrock</p>

Feet	4x6 ft. facing South bears N 49°06'E 5 ft.
	Thence S 0°06'E
68	Intersect gulch course Northwest and Southeast.
446	Cor.No.2 Johannah lode of this survey.
1500	To Cor.No.4.
	Identical with Cor.No.1 Johannah lode of this survey heretofore described.
	Thence N 83°16'W
302.1	South end center of the location and lode.
604.2	To Cor.No.1, the place of beginning.
	S.L.C.L.
	Beginning at Cor.No.1.
	Identical with Cor.No.1, Summit lode of this survey heretofore described.
	On line 2-3 Sur.No.1620 Boss lode, whence
	U.S.M.E.No.3 bears S 0°41'E 701.16 ft.
	Thence N 83°16'W
302.1	South end center of the location and lode.
426.4	Cor.No.2, Sur.No.1620 Boss lode, also intersect line 4-1
	Sur.No.2962 Bear lode at S 22°43'E 61.74 ft. from Cor.No.4
599.53	Intersect line 3-4 Sur.No.2962 Bear lode at S 76°06'W
	152.56 ft. from Cor.No.4.
604.2	To Cor.No.2.
	A redwood post in place, 4x6 ins. 3 ft. high with mound of
	stone scribed, S.W. Cor. S.L.C.L. 2-3112.
	No Bearings available.
	Thence N 0°06'W
1500	To Cor.No.3.
	A redwood post in place 4x6 ins. 3 ft. high with mound of
	stone scribed, N.W. Cor. S.L.C.L. 3-3112
	No bearings available.

Feet

Thence S 83°16'E

302.1 North end center of the location and lode.

604.2 To Cor.No.4.

Identical with Cor.No.2 Summit lode of this survey heretofore described.

Thence S 0°06'E

1500 To Cor.No.1, the place of beginning.

Variation at all corners 13°40'E

LODE LINES.

As near as can be determined from present developments the veins of the several locations in this claim extend as follows from their respective discovery points. Johannah lode, 217 ft. S 0°06'E and 837 ft. N 0°06'W.

Summit lode, 513 ft. N 0°06'W and 987 ft. S 0°06'E

S.L.C.L. lode, 695 ft. N 0°06'W and 805 ft. S 0°06'E.

AREAS.

Total area Johannah lode-----Acres 14.516

Area in conflict with-

Sur.No.1539 Lady Washington lode---2.489 ✓

Total area Summit lode-----20.658

Total area S.L.C.L.lode-----20.658

Area in conflict with-

Sur.No.2962 Bear lode-----0.107

LOCATION.

This survey is located in the Copper Mountain Mining district, Greenlee County, State of Arizona in approximately Secs.4 and 5 Uns.T.4.S.R.29 E., G&S.R.P.M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

Johannah lode.

No.1.The discovery showing mineral in place is on the lode line 217 ft.from line 1-4.

No.2.A tunnel with an open cut approach to, the mouth of which bears from Cor.No.1 N 61°05'E 384 ft., running N 41°30'W 15 ft.open cut and 27 ft.4x6 ft.tunnel.

Value-----\$400.00

No.3.A tunnel with an open cut approach to, the mouth of which bears from Cor.No.1, N 39°43'E 262 ft., running N 27°25'W 16 ft.open cut and 39 ft.of 4x6 ft.tunnel.

Value-----\$420.00

No.4.Beginning at a shaft on the Lady Washington lode known as the Summit No.2 Shaft, the center of which bears from the South end center S 76°48'E 264 ft., at a depth of 238 ft.a tunnel 6x7 ft., running (N 10°34'E 35 ft., thence N 77°23'W 818 ft., thence) N 39°06'W 63 ft. thence N 54°53'W 347 ft.

Note: The first 30 ft. being on said Lady Washington lode and without the boundaries of this survey, is not credited to the claims of this survey.

Note: 585 ft. of this tunnel is on the Johannah lode and is accredited hereto.

Value 585 ft.-----\$11,900.00

Note: The last 648 ft. of this tunnel is on the Summit lode and is thereto accredited.

Summit lode.

No.1.The discovery showing mineral in place is on the lode line 513 ft. from line 2-3.
5 x 10 ft.

No.2.An open cut, the mouth of which bears from Cor.No.4 N 42°19'W 263 ft. running N 42°19'W 10 ft.

Value-----\$50.00

Note: The last 648 ft. of the No.2 tunnel on the Johannah lode is on this lode and is hereto accredited.

Value 648 ft.-----\$12,960.00

S.L.C.L. lode.

No.1.The discovery showing mineral in place is on the lode line 695 ft. from line 3-4.

No.2.A tunnel the mouth of which bears from Cor.No.4
S 15°21'W 612 ft., 5x7 ft., running S 12°11'W 150 ft.

Value-----\$1500.00

ADJOINING LODES

This survey is bounded on the North by unknown lodes unsurveyed J.Leszynsky claimant; on the East by Sur.No. 1539 Lady Washington lode, claimant herein; on the South by Sur.No.1620 Boss lode, claimant herein, and Sur.No. 2962, Bear lode, Arizona Copper Company claimant; and on the West by the Axtel, Denver and Jessie L. lodes, unsurveyed, claimant herein.

INSTRUMENT

This survey was made with a Buff & Berger light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5, 50 and 500 ft. steel tapes.

REPORT

U.S.M.M.No.3 is a pine post 6 ins.square properly set and scribed.

Sur.No.1539 Lady Washington lode:

Cors.Nos.1,2 and 4 are pine posts 4 ins.square properly set and scribed.

Sur.No.1620 Boss lode:

Cors.Nos.2 and 3 are pine posts 4x6 ins.properly set and scribed.


Sur.No.2962 Bear lode:

Cors.Nos.1,3 and 4 are pine posts 4x6 ins.properly set and scribed.

All end centers are mounds of stone.

The survey of each lode of this survey is identical with ^{the} respective amended location as staked upon the ground.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.


U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. T. Morton
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
The Detroit Copper Mining Company of Arizona
 known as the Johannah, Summit, S.L.C.L.
 and showing the respective capacities in which they acted.

L.M. Greenstein, Chainman.
J.L. Awalt, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, L.M. Greenstein
 and J.L. Awalt, do solemnly swear that we assisted
E. T. Morton, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of
The Detroit Copper Mining Company of Arizona
 known as the Johannah, Summit, S.L.C.L.
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

L.M. Greenstein Chainman.
J.L. Awalt, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 27th

day of April, 1914

Wade Hampton

 Notary Public.

My commission expires February 23, 1916

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E. T. Morton, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 7, 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Detroit Copper Mining Company of Arizona, known as the Johannah Summit, S. I. C. L., situate in Copper Mountain Mining District, Greenlee County, Arizona, in Sections 4 and 5 Unsg Township No. 4 S., Range No. 29 E., G. & S. R. P. M. and designated as Survey No. 3112, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. T. Morton
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. T. Morton
U. S. Deputy Mineral Surveyor, before me W. S. Bradford
a Notary Public this 22nd
day of Apr 1914

W. S. Bradford
Notary Public

o 3-154

My commission expires Feb 19-1916

MAR. 7- 1914

AMENDED LOCATION NOTICE.

Notice is hereby given that the undersigned, The Detroit Copper Mining Company of Arizona, a corporation, the assignee of Timothy Nardelli and Romolo Chavez, who on the 10th day of January, 1901, located the S. L. C. L. Mining Claim, situated in the Copper Mountain Mining District, Graham County, Arizona, the location notice of which claim is recorded in the office of the Recorder of said County, in Book 13, Records of Mines, page 195, has on the 25th day of August, 1910, made an amended location of said claim, by virtue of which and of said original location it claims as a mining claim, the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Graham, Ariz. to-wit:

The name of said claim is the S. L. C. L. Mining Claim; The name of the locator is the Detroit Copper Mining Company of Arizona.

ABSTRACTERS

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim is North to South.

The distance from the point of discovery to the North end center monument of said claim is 695 feet; the distance from said point of discovery to the South end center monument is 805 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument. Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the South end of the claim, which monument is 805 feet South from said location monument; thence N-83° 10' W. 302.14 feet to a 4x6 post, being the South-west corner of the claim; thence North 1500 feet to a 4x6 post, being the North-west corner of the claim; thence S. 83° 10'

E. 302.14 feet to a monument of stones, being the center of the North end of the claim; thence again S. 83° 10' E. 302.14 feet to a 4x6 post, being the North-east corner of the claim; thence South 1500 feet to 4x6 post, being the South-east corner of the claim; thence N. 83° 10' W. 302.14 feet to the place of beginning.

To more fully identify the claim, its general location is described as follows: * * * * *

Amended and posted on the ground this 25th day of August, 1910.

The Detroit Copper Mining Company of Arizona,
C. E. Mills, Superintendent,
Per Louis R. Wallace.

Greenlee County Abstract

Filed and recorded at the request of Detroit Copper Co., August 27, 1910, at 9 A. M.

and Title Company

D. H. Claridge, County Recorder,

By Lillie Claridge, Deputy.

ABSTRACTERS

STATE OF ARIZONA)
County of Greenlee) : ss.

Clifton - Arizona

I, W. E. Kelly, County Recorder in and for the County of Greenlee, State of Arizona, do hereby certify that the within and following is a true, full and complete copy of the within mentioned AMENDED LOCATION NOTICE of the S. L. C. L. MINING CLAIM as the same appears of record in my office, in Book 7, Transcribed Records of Mining Locations, at page 580.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 18th day of February, A.D. 1914.

W. E. Kelly
County Recorder.

No 3731



MAR 7 - 1914

AMENDED LOCATION NOTICE.

Notice is hereby given that the undersigned, The Detroit Copper Mining Company of Arizona, a corporation, the assignee of Isaac N. Stevens and Charles E. Stevens, who on the 12th day of November, 1900, located the JOHANNAH Mining Claim, situated in the Copper Mountain Mining District, Graham County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County, in Book 13, Records of Mines, page 133, has on the 25th day of August 1910, made an amended location on said claim, by virtue of which and of said original location, it claims as a mining claim, the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises, situated in the Copper Mountain Mining District, in the County of Graham, Arizona, to-wit:

The name of the said claim is the JOHANNAH Mining Claim; the name of the locator is the Detroit Copper Mining Company of Arizona; the length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein; general course of said lode or claim is North to South.

The distance from the point of discovery to the North end center monument of said claim is 1283 feet; the distance of point of discovery to the South end center monument is 217 feet.

The location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereafter referred to as the Location Monument.

Said claim is bounded and described as follows:

Beginning at the monument of stones placed at the center of the South end of the claim, which monument is 217 feet South from said location monument; thence N. $83^{\circ} 10'$ W., 302.14 feet to a 4x6 post, being the South-west corner of the claim; thence North 1500 feet to a 4x6 post, being the North-west corner of the claim; thence S. 83°

10' E., 302.14 feet to a monument of stones, being the center of the North end of the claim; thence again S. 83° 10' E., 302.14 feet to the North-east corner of the claim, thence South 1500 feet to a 4x6 post, being the South-east corner of the claim; thence N. 83° 10' W. 302.14 feet to the place of beginning.

To more fully identify the claim, its general location is described as follows: From the South-west corner of this claim U. S. Mineral Monument No. 3, bears S. 43° 15' 50" W., 863.69 feet; the N. E. corner being inaccessible a witness post 4x6 is set and marked "Witness Cor. N. E. C. Joh" x at N. 83° 10' W., 121 feet from the true corner.

Amended and posted on the ground this 25th day of August, 1910.

The Detroit Copper Mining Company of Arizona;
C. E. Mills, Superintendent,
Per Louis R. Wallace.

Filed and recorded at request of Detroit Copper Company August 27th, 1910, at 9 A. M.

D. H. Claridge, County Recorder.

STATE OF ARIZONA)
County of Greenlee) : ss.

I, W. E. Kelly, County Recorder in and for the County of Greenlee, State of Arizona, do hereby certify that the within and following is a true, full and complete copy of the within mentioned AMENDED LOCATION NOTICE of the JOHANNAH MINING CLAIM as the same appears of record in my office, in book 7, Transcribed Records of Mining Locations, at page 565.

[No 3223] IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 17 day of February, A.D., 1914.

W. E. Kelly

County Recorder.

MAR 7-1914

AMENDED LOCATION NOTICE.

Notice is hereby given that the undersigned, The Detroit Copper Mining Company of Arizona, a corporation, the assignee of Timothy Nardelli and Romulo Chavez, who on the 19th day of January, 1901, located the SUMMIT Mining Claim, situated in the Copper Mountain Mining District, Graham County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County, in Book 13, Records of Mines, page 196, has on this 25th day of August, 1910, made an amended location of said claim, by virtue of which and of said original location, it claims as a mining claim the following described lead, lode or vein of mineral bearing earth, rock or quartz and premises situated in the Copper Mountain Mining District, in the County of Graham, Arizona, to-wit:

The name of said claim is the SUMMIT Mining Claim:
The name of the locator is the Detroit Copper Mining Company of Arizona.

The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead lode or vein. The general course of said lode and claim is North to South.

The distance from the point of discovery to the North end center monument of said claim is 513 feet. The distance from said point of discovery to the South end center monument is 987 feet.

This location notice is posted in the monument of stones erected at said point of discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit:

Beginning at the monument of stones placed at the center of the South end of the claim, which monument is 987 feet South from said location monument; thence N. $83^{\circ} 10'$ W., 302.14 feet to a 4"x 6" post, being the South west corner of the claim; thence North 1500 feet to a 4"x 6" post, being the North-west corner of the claim; thence S. $83^{\circ} 10'$ E., 302.14 feet to a monument of stones, being

the center of the North end of the claim; thence again S. 83° 10' E., 302.14 feet to a 4x6 post, being the North-east corner of the claim; thence South 1500 feet to a 4x6 post, being the South-east corner of the claim; thence N. 83° 10' W., 302.14 feet to the place of beginning.

To more fully identify the claim, its general location is described as follows: The South-west corner of this claim is N. 0° 39' 30" W., 700.9 feet from U. S. Mineral Monument No. 3.

Amended and posted on the ground this 25th day of August, 1910.

The Detroit Copper Mining Co., of Arizona,
Per Louis R. Wallace.

Filed and recorded at the request of Detroit Copper Co.,
August 27, 1910, at 9 A. M.

D. H. Claridge, County Recorder,

By Lillie Claridge, Deputy.

STATE OF ARIZONA)
County of Greenlee) ss.

I, W. E. Kelly, County Recorder in and for the County of Greenlee, State of Arizona, do hereby certify that the within and following is a true, full and complete copy of the within mentioned AMENDED LOCATION NOTICE of the SUMMIT MINING CLAIM as the same appears of record in my office, in Book 7, Transcribed Records of Mining Locations, at page 581.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 18th day of February, A.D. 1914.

W. E. Kelly
County Recorder.

No. 3230

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

July 16, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

THE DETROIT COPPER MINING COMPANY OF ARIZONA

, known as the JOHANNAH, SUMMIT, S. L. C. L.

, situate in COPPER MOUNTAIN

Mining District, GREENLEE County,

ARIZONA, in Sections 4 & 5 Uns, Township No. 4 S.,

Range No. 29 E., and designated as Survey

No. 3112, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or its grantors, and
that said improvements consist of 3 cuts and 4 tunnels, total value
\$27230.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

July 16, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

THE DETROIT COPPER MINING COMPANY OF ARIZONA

, known as the

JOHANNAH, SUMMIT, S L C L.

situate in COPPER MOUNTAIN mining district,

GREENLEE

County,

ARIZONA

in Section 4 & 5 Uns., Township No. 4 S., Range No. 29 E.

, designated as Survey No. 3112

executed by E. T. Morton, U. S. Deputy Mineral

Surveyor, March 29-April 2, 1914, 190, under my instructions dated

March 7, 1914, 190,

have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.