

SEP 1 - 1914
1
1914

(4-683.)

Mineral Survey No. 3119

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John M. McGregor

KNOWN AS THE

Castle Rock

Warren Mining District,

Cochise County, Arizona

Section 9, Unsur., Township 23 S, Range 24 E. G & S R B & M

Surveyed under instructions dated April 18th, 1914.

by Ralph L. Motz,

U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced June 1st, 1914, 1

Survey completed June 29th, 1914, 1

6-100

Postoffice address of claimants attorney,

Fred Sutter, Bisbee, Arizona.

MINERAL SURVEY NO 3119.

Castle Rock Lode.

- Beginning at Cor No 1, the S E Cor, identical with location,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1/3119 CRL,
- whence the northeast corner of the Postoffice building brs N 53° 16' W 158.1 ft, and the southwest corner of the store of the Phelps Dodge Mercantile Company brs N 29° 43' W 77.7 ft, and U. S. M. M. No 1, Warren Mining District brs S 71° 59' E 927.3 ft.
- thence N 86° 18' W
- 76.7 intersect line 4-5 Survey No 1047 Copper Jack lode at S 11° 45' W 116.4 ft from Cor No 4, and also intersect line 13-1 Townsite of Bisbee at S 11° 45' W 116.4 ft from Cor No 13, at the N E Cor of General No 285 Copper Prince lode,
- 114.3 intersect track of the El Paso & Southwestern R.R.,
- 482.5 intersect track of the El Paso & Southwestern R.R.,
- 533.9 intersect brick block at N 78° 37' E 26.9 ft from its southwest corner,
- 542.6 intersect line 1-2 Townsite of Bisbee at N 66° 30' W 471.2 ft from Cor No 1. This point is the east corner of an Addition to the Townsite of Bisbee. Also intersect line 6-1 Survey No 389 Warren Millsite at N 31° 45' W 76.5 ft from Cor No 6, and S 31° 45' E 157.5 ft from Cor No 1.
- 665.5 intersect tracks of Warren-Bisbee Street R.R.
- 702.9 intersect brick building (Elk's Hall) at N 62° E 7.3 ft from its southwest corner,
- 933.9 intersect porch on frame house at 1.64 ft from the southeast corner of porch,
- 1051.7 intersect stairway at 1.9 ft from the southeast corner of the bottom steps,
- 1066.0 to W.C. for Cor No 2, a limestone rock 10" x 14" x 24" high set 12 inches in the ground and chiseled W.C. 2-3119 CRL,
- 1075.2 Intersect north edge of Main Street brq. N 48° 48' W.
- 1080.9 to location for Cor No 2, the S W Cor, identical with location and with the S W Cor of an Addition to the Townsite of Bisbee, being an iron pin 1" in diameter and 18 inches long driven flush with the ground. Cor No 2 is located in a roadway so it was impossible to establish a corner there. Cor No 2 is located at the intersection of the north side line of General No 285 Copper Prince lode and line 3-4 Survey No 959 Am Molvina lode, at S 86° 18' E 218.9 ft from the N W Cor of Copper Prince lode, and N 10° 57' E 378.3 ft from Cor No 3 Molvina lode. W.C. heretofore described brs S 86° 18' E 14.9 ft, and W.C. hereafter described brs N 10° 57' E 5.25 ft.
- thence N 10° 57' E (from true corner)
- 4.00 Intersect north edge of Main Street brq. N. 48° 48' W.
- 5.25 to W.C. for Cor No 2, being a quartzite rock 10" x 14" x 26" long set 12 inches in the ground and chiseled W.C. 2-3119 CRL?
- 6.5 intersect frame house at N 48° 48' W 10.0 ft from its southeast corner,
- 150.0 to original location for west end center, being a mound of stones 3 ft high with a 3 ft base,

- 186.8 intersect line 1-2 Townsite of Bisbee at N 66° 30' W 1018.3 ft from Cor No 1. This point is the N W Cor of an Addition to the Townsite of Bisbee, Intersection of line 1-2 Townsite of Bisbee with line 2-3 and line 1-2 Warren Mill Site, Sur. No. 389, is 487.2 ft. and 703 ft. respectively, N 66° 30' W from Cor. No. 1 said Townsite of Bisbee.
- 218.1 intersect line 2-3 Survey No 389 Warren Millsite at N 27° 40' W 238.9 ft from Cor No 2, and S 27° 40' E 231.1 ft from Cor No 3. Line 1-2 Survey No 389 Warren Millsite is S 72° 15' W 317.0 ft. Intersection of line 1-2 said Warren Millsite and line 1-2 Townsite of Bisbee is S. 72° 15' W. 136.1 ft. from Cor. No. 1 said Warren Millsite.
- 434.0 intersect concrete retaining wall at N 3° 45' W 80 ft from its southend,
- 450.0 to Cor No 3, the N W Cor, identical with location and situated on line 3-4 Survey No 959 Am Molvina lode at N 10° 57' E 828.3 ft from Cor No 3, and S. 10° 57' W. 270.5 ft. from Cor. No. 4
a stone 8" x 8" x 24" long set 12 inches in the ground and chiseled 3-3119 CRL,
whence the northwest corner of frame house brs N 15° 43' E 45.2 ft and the northwest corner of concrete block house brs S 35° 46' E 164.1 ft,
thence S 86° 18' E
- 14.0 intersect stairway of frame house at 3.6 ft from the southwest corner of stairway,
- 144.8 intersect frame house at N 1° 56' W 29 ft from the southwest corner,
- 245.3 intersect concrete plaster house at N 3° 58' E 3.4 ft from the southwest corner,
- 530.4 intersect frame house at S 32° 53' E 6.7 ft from the northwest corner,
- 575.2 intersect frame house at 16.74 ft from the southwest corner,
- 617.3 intersect frame house at N 86° 50' E 8.6 ft from the northwest corner,
- 649.4 intersect frame house at the northwest corner,
- 731.6 intersect frame house at 22.2 ft from the northwest corner,
- 837.0 intersect frame house at 21.7 ft from the southwest corner,
- 943.9 intersect plaster building at N 50° 26' E 1.2 ft from the most westerly corner,
- 1034.1 intersect line 3-4 Survey No 1849 Com Paul lode at N 2° 01' E 22.5 ft from Cor No 4,
- 1080.9 to Cor No 4, the N E Cor, identical with location,
being a stone 8" x 8" x 26" long set 18 inches in the ground and chiseled 4-3119 CRL,
whence the southeast corner of the Royal Hotel building brs S 57° 36' W 99.5 ft and the northeast corner of the Y.W.C.A. building brs S 45° 42' W 154.7 ft.
thence S 10° 57' W
- 9.3 intersect brick church at 1.4 ft from the northeast corner,
- ~~32.6~~
~~43.2~~ to Cor No 3 Survey No 1047 Copper Jack lode, and Cor No 12, Townsite of Bisbee, also intersect line 1-4 Survey No 1849

- Oom Paul lode at S 73° 06' E ^{43.2}~~52.2~~ ft from Cor No 4, (Cor No 4 Survey No 1047 Copper Jack lode which is identical with Cor No 13 Townsite of Bisbee brs S 24° 25' W 319.5 ft from this point.)
- 94.8 intersect concrete retaining wall,
- 117.37 intersect iron fence,
- 183.6 intersect concrete retaining wall,
- 240.9 intersect iron fence,
- 250.5 intersect tracks of the Warren-Bisbee Street R.R.
- 274.9 intersect brick building of Phelps Dodge Mercantile Company at 51.7 ft from the northwest corner,
- 300.0 to point of location for east end center. This point is located under building, so set a W.C. at N 86° 18' W 50.0 ft, being an iron pin and alongside chiseled W.C. E.E.C. 3119,
- 403.3 intersect track of El Paso & Southwestern R. R.
- 405.7 intersect track of El Paso & Southwestern R. R.
- 424.0 intersect track of El Paso & Southwestern R. R.
- 450.0 to Cor No 1, the place of the beginning.

Ledge.

The presumed course of the vein on this claim is from the east end center N 86° 18' W 1080.9 ft.

Areas.

Total area Castle Rock lode - - - - - 11.077 Ac.
 Area in conflict with Townsite of
 Bisbee - - - - - 9.475 Ac.
 Area in conflict with Copper Jack
 lode Sur No 1047 - - - - - 0.458 Ac.
 Area in conflict with Oom Paul
 lode Sur No 1849 - - - - - 0.028 Ac.
 Area in Conflict with Addition to
 Townsite of Bisbee - - - - - 1.145 Ac.
 Area in conflict with Warren
 Millsite Sur No 389 - - - - - 1.006 Ac.
 Common conflict with Warren Mill-
 site Sur No 389 and the
 Addition to Townsite of
 Bisbee - - - - - 0.756 Ac.
 Common conflict with Warren Mill-
 site Sur No 389 and
 Townsite of Bisbee, Tract A. - - 0.239 Ac.
 Common conflict with Warren Mill-
 site Sur No 389 and
 Townsite of Bisbee, Tract B - - 0.011 Ac.

Improvements.

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:-

No.1. Discovery tunnel 4 x 7 x 71 ft long, brg N 14°
 50' W, brs N 78° 25' E 3252 ft from Cor No 2,
 Value at \$9. per foot - - - - - \$639.00.

Other Improvements.

- ✓ No. 1. (a) Brick Building of Phelps Dodge Merc Co, the S W Cor of which brs from Cor No 1 N 29° 43' W 77.7 ft.
- ✓ No. 2. Concrete block building; Postoffice, the N E Cor of which brs from Cor No 1, N 53° 16' W 158.1 ft.
- ✓ No. 3. Brick building, Copper Queen Dispensary, the S E cor of which brs from Cor No 1, N 77° W 238.7 ft.
- ✓ No. 4. Block of brick business houses, the S E Cor of which brs from Cor No 1, N 78° 33' W 264.6 ft.
- ✓ No. 5. Brick Block, known as Johnson Block, the S E Cor of which brs from Cor No 1, N 80° 48' W 610.9 ft.
- ✓ No. 6. Brick business block, the S E Cor of which brs from Cor No 1, N 74° 54' W 543.1 ft.
- ✓ No. 7. Block of brick business houses, the S E Cor of which brs from Cor No 1, N 47° 49' W 204.6 ft.
- ✓ No. 8. Bank of Bisbee building, the S E Cor of which brs from Cor No 1, N 31° 11' W 166.6 ft.
- ✓ No. 9. Allen Block, the S E Cor of which brs from Cor No 1, N 27° 32' W 271.2 ft.
- ✓ No. 10. Concrete building, the S E Cor of which brs from Cor No 1, N 44° 53' W 368.2 ft.
- ✓ No. 11. Stone house, the S E Cor of which brs from Cor No 1, N 49° 27' W 432.4 ft.
- ✓ No. 12. Frame house, the S E Cor of which brs from Cor No 1, N 50° 32' W 455.5 ft.
- ✓ No. 13. Concrete garage, the S E Cor of which brs from Cor No 1, N 54° 56' W 478.5 ft.
- ✓ No. 14. Frame house, the S E Cor of which brs from Cor No 1, N 57° 19' W 512.5 ft.
- ✓ No. 15. Brick building, known as the Fair Annex, the most easterly corner of which brs from Cor No 1, N 62° 04' W 530.4 ft.
- ✓ No. 16. Concrete block building, known as the Glover House, the S W Cor of which brs from Cor No 2, N 71° 08' E 560.5 ft.
- ✓ No. 17. Concrete block house, the N W Cor of which brs from Cor No 2, N 65° 45' E 433.6 ft.
- ✓ No. 18. Concrete block house, the S W Cor of which brs from Cor No 2, N 58° 42' E 311.1 ft.
- ✓ No. 19. Concrete block house, the S E Cor of which brs from Cor No 2, N 51° 36' E 313.1 ft.
- ✓ No. 20. Plaster house, the N W Cor of which brs from Cor No 2, N 43° 40' E 214.5 ft.
- ✓ No. 21. Plaster house, the S W Cor of which brs from Cor No 2, N 64° 01' E 173.4 ft.
- ✓ No. 22. Plaster house, the N W Cor of which brs from Cor No 2, N 68° 10' E 179.4 ft.
- ✓ No. 23. Plaster house, the N W Cor of which brs from Cor No 2, N 68° 30' E 221.9 ft.
- ✓ No. 24. Concrete block house, the N W Cor of which brs from Cor No 2, N 80° 56' E 226.1 ft.

Other Improvements (Cont'd)

- No.25. Frame house, the N W Cor of which brs from Cor No 2, N 79° 18' E 127.9 ft.
- No.26. Frame house, the S E Cor of which brs from Cor No 2, S 88° 27' E 8.75 ft.
- No.27. Frame house, the N E Cor of which brs from Cor No 2, N 38° 57' E 89.6 ft.
- No.28. Frame house, the N E Cor of which brs from Cor No 3, S 14° 59' E 98.5 ft.
- No.29. Frame barn, the N E Cor of which brs from Cor No 3, S 27° 18' E 108.5 ft.
- No.30. Frame shack, the N E Cor of which brs from Cor No 3, S 17° 09' E 150.1 ft.
- No.31. Frame house, the S W Cor of which brs from Cor No 3, S 61° 24' E 23.46 ft.
- No.32. Frame house, the S W Cor of which brs from Cor No 3, S 75° 15' E 150.4 ft.
- No.33. Concrete plaster house, the S W Cor of which brs from Cor No 3, S 85° 30' E 245.3 ft.
- No.34. Brick building, known as Oliver House, the N W Cor of which brs from Cor No 3, S 84° E 430.5 ft.
- No.35. Cement plaster house, the S W Cor of which brs from Cor No 3, S 77° 22' E 517.6 ft.
- No.36. Cement plaster house, the S E Cor of which brs from Cor No 3, S 72° 24' E 521.9 ft.
- No.37. Cement block house, the S W Cor of which brs from Cor No 3, S 75° 03' E 303.8 ft.
- No.38. Cement block house, the N W Cor of which brs from Cor No 3, S 73° 51' E 312.7 ft.
- No.39. Concrete block house, Baptist Church, the N E Cor of which brs from Cor No 3, S 52° 18' E 351.6 ft.
- No.40. Concrete block house, the N W Cor of which brs from Cor No 3, S 49° 11' E 196.4 ft.
- No.41. Concrete block house, the N W Cor of which brs from Cor No 3, S 35° 46' E 164.1 ft.
- No.42. Brick Church, the N W Cor of which brs from Cor No 4, S 81° 12' W 43.4 ft.
- No.43. Plaster building, known as Royal Hotel, the S E Cor of which brs from Cor No 4, S 57° 36' W 99.5 ft.
- No.44. Frame building, known as Hughes Block, the S E Cor of which brs from Cor No 4, N 89° 16' W 172.3 ft.
- No.45. Frame house, the S W Cor of which brs from Cor No 4, N 88° 24' W 350.3 ft.
- No.46. Frame house, the N W Cor of which brs from Cor No 4, N 86° 18' W 431.5 ft.
- No.47. Frame house, the N E Cor of which brs from Cor No 4, N 85° 56' W 440.5 ft.
- No.48. Frame house, the N E Cor of which brs from Cor No 4, S 89° 55' W 453.1 ft.

- ✓ No.49. Frame house, the NE Cor of which brs from Cor No 4, N 84° 41' W 484.0 ft.
- ✓ No.50. Frame house, the S E Cor of which brs from Cor No 4, N 88° 58' W 513.4 ft.
- ✓ No.51. Frame building, the S E Cor of which brs from Cor No 4, S 80° 31' W 494.1 ft.
- ✓ No.52. Frame house, the S E Cor of which brs from Cor No 4, S 78° 06' W 428.0 ft.
- ✓ No.53. Adobe house, the NE Cor, of which brs from Cor No 4, S 78° 26' W 489.9 ft.
- ✓ No.54. Frame building, the NE Cor of which brs from Cor No 4, S 86° 09' W 352.9 ft.
- ✓ No.55. Frame house, the NE Cor of which brs from Cor No 4, S 72° 40' W 328.8 ft.
- ✓ No.56. Frame house, the S E Cor of which brs from Cor No 4, S 82° 19' W 306.2 ft.
- ✓ No.57. Frame house, the S E Cor of which brs from Cor No 4, S 79° 10' W 257.5 ft.
- ✓ No.58. Frame building, the NW Cor of which brs from Cor No 4, S 74° 21' W 319.6 ft.
- ✓ No.59. Frame house ~~the~~, the NE Cor of which brs from Cor No 4, S 81° 53' W 176.6 ft.
- ✓ No.60. Concrete garage, the NE Cor of which brs from Cor 4, S 49° 30' W 134.5 ft.
- No.61. Plaster building, known as Y. W. C. A. Home, the NE Cor of which brs from Cor No 4, S 45° 42' W 154.7 ft.
- No.62. Frame house, the NE Cor of which brs from Cor No 4, S 19° 41' W 121.2 ft.

No. Adjoining Claims.

North. Townsite of Bisbee.

East. Copper Jack lode Survey No 1047, owned by the Copper Queen Consolidated Mining Company. Com Paul lode, Survey No 1849.

South. Copper Prince lode General No 285, owned by the Copper Queen Consolidated Mining Company, Warren Millsite Survey No 389.

West. Holvina lode Survey No 959 Am, owned by the Copper Queen Consolidated Mining Company.

Location.

This claim is located at Bisbee, Arizona, in the Warren Mining District, in Sec 9, ^{Unsurv.} T²³ S, R 24 E, G & S R B & M, ~~unsurveyed~~. Cochise County.

Instrument.

This survey was made with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 foot steel tape. Magnetic variation 12° 30' East at all corners.

Report.

Survey No 959 Am, Molvina lode. Line 3-4 brs N 10° 57' E 1098.8 ft instead of N 10° 33' E 1096.0 ft. Cors 3 and 4 are pine posts 4 x 4 ins square set in a mound of stones and scribed ML 3-959 and ML 4-959 respectively.

General No 285, Copper Prince lode. I find line NE-NW Cors to be S 86° 18' W 1223.1 ft instead of S 85° 41' W 1226.5 ft. NW Cor is a pine post 4x 4 ins sq set in a mound of stones and scribed NW CP 285. N E Cor is an iron pin with cap 2 $\frac{1}{2}$ " in diameter set flush with the ground and marked NE CP 285.

Survey No 1047 Copper Jack lode. I find line 2-3 to be N 73° 06' W 965.0 ft instead of N 73° 30' W 964.0 ft.; line 3-4 to be S 24° 25' W 319.5 ft instead of S 24° 25' W 300.0 ft.; and line 4-5 to be S 11° 45' W 277.6 ft instead of S 11° 45' W 277.67 ft. Cor No 2 is a pine post 4 x 4 ins sq set in a mound of stones and scribed 2-1047 CJ. Cor No 3 is an iron post with cap 2 $\frac{1}{2}$ " in diameter set flush with the ground and marked 3-1047 CJ, Cor No 4 and 5 are similar iron posts marked 4-1047 CJ and 5-1047 CJ respectively.

Survey No 1849, Oom Paul lode, I find line 3-4 to be S 2° 01' W 1500.0 ft instead of N 1° 33' 30" W 1500.0 ft. I find line 4-1 to be S 73° 06' E 600.0 instead of S 73° 34' E 600.0 ft.

Townsite of Bisbee, I find line 12-13 to be S 24° 25' W 319.5 ft instead of S 24° 25' W 314.5 ft. I find line 13-1 to be S 11° 45' W 277.6 ft instead of S 11° 45' W 277.57 ft. I check line 1-2.

Addition to the Townsite of Bisbee. I find the north line to be N 66° 30' W 547.1 ft instead of N 66° 30' W 536.3 ft.; south line to be N 86° 18' W 538.3 ft instead of N 85° 47' W 525.87 ft., west line to be N 10° 57' E 186.8 ft instead of N 10° 33' W 178.2 ft.

Survey No 389. Warren Millsite. All corners of this millsite were missing. The corners were reestablished according to the patent bearings and distances.

Ralph L. Motz
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.
August 26th, 1914.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

John M. McGregor

known as the Castle Rock

and showing the respective capacities in which they acted.

Emanuel Lee, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~ I Emanuel Lee

~~and~~ _____, do solemnly swear that ~~we~~ ^I assisted Ralph L. Motz

_____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

John M. McGregor

known as the Castle Rock

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Emanuel Lee, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 31st

day of August, 1914. ~~1900~~

JW Ross

Notary Public, in and for the County of Cochise, State of Arizona

My Commission expires Feb 21, 1916

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 18th, 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John M. McGregor, known as the Castle Rock, situate in Warren Mining District, Cochise County, Arizona, in Section 9 Unsur., Township No. 23 S., Range No. 24 E., G & S R B & M. and designated as Survey No. 5119, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz,
 U. S. ~~Deputy~~ Mineral Surveyor, before me J. W. Ross, Notary
 Public this 31
 day of August, 1914.

JW Ross
 Notary Public, in and for the County
 of Cochise, State of Arizona.
 My Commission expires Febry 21, 1916.

NOTICE OF MINING LOCATION
LODE CLAIM.

APR 17 1914

TO ALL WHOM IT MAY CONCERN:

This mining Claim, the name of which is the Castle Rock Mining Claim situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John M. McGregor citizen of the United States, the undersigned, on the 31st day of January, 1914 and I claim Three Hundred feet in a Westerly direction and Twelve Hundred feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three Hundred feet in width of the surface ground, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Warren Mining District, in Co-chise County, in the State of Arizona, and lies to the North of the Copper Prince Mining Claim, survey No. 285

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a post three feet high set in the ground in a mound of stones, at a point in a Westerly direction Three hundred feet from the discovery shaft (at which this notice is posted), being the center of the West end line of said claim; thence One Hundred and Fifty feet in a Southerly direction, along the East side line of the Molvina Mining Claim Survey No. 959, to a post and monument, being the south West corner of said claim; thence Easterly Fifteen Hundred feet along the north side line of the Copper Prince Mining Claim Survey No. 285, to a post and monument being at the South East corner of said claim; thence Northerly One Hundred and Fifty feet to a post and monument, at the center of the East end of said claim; thence Northerly Three Hundred feet to a post and monument being at the North East corner of said claim; thence Westerly Fifteen Hundred feet to a post and monument, being at the North West corner of said claim; thence Southerly Three Hundred feet along the East side line of the Molvina Mining Claim to the place of beginning.

All done under the provisions of Chapter Six, of Title Thirty Two of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona "An Act to revise and Codify the laws of the Territory of Arizona " approved March 16, 1901.

Dated and posted on the ground this 31st day of January 1914.

John M. McGregor,

Witness

Locator.

Wm Shields.

Filed and recorded at request of Jack McGregor, Feb. 12, 1914, at 1; P.M. in Book 47 Records of Mines at pages 621 and 622.

STATE OF ARIZONA,)
) : SS.
County of Cochise.)

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the record of the original NOTICE OF MINING LOCATION of the **Castle Rock** lode mining claim, filed for record in my office on the 12th day of February, A. D. 1914 at 1:00 P.M., and recorded in Book 47 of Records of Mines at pages 621 and 622, and that the same is a full, true and correct copy of the record of said original and of the whole thereof.

Given under my hand and seal of office, this the 15th day of April, A. D. 1914.

Owen E. Murphy,

County Recorder.

By James Adams Deputy.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 9, 1915.

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

John M. McGregor

known as the Castle Rock

situate in Warren

Mining District, Cochise County, Arizona.

in Section 9 unsurf., Township No. 23 S., Range No. 24 E., and

designated as Survey No. 3119, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 tunnel, total value \$639.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 9, 1915.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

John M. McGregor

, known as the

Castle Rock

situate in Warren mining district,

Cochise County, Arizona.

in Section 9 unsur., Township No. 23 S., Range No. 24 E.

, designated as Survey No. 3119

executed by Ralph L. Motz, United States Mineral

Surveyor, June 1-29, 1914, 190, under my instructions dated

April 18, 1914, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.