(4-683.)

## Mineral Survey No. 3121

Krn. 29. 1514

Lot No.

ARI ZONA

Land District.

#### FIELD NOTES

ED Sealon

KNOWN AS THE

Long Pine

Durkey Cref Mining District,

Jarahari County, Argure

Section approx 2.2 Township 12 N, Range 1 W turning,

Surveyed under instructions dated April 20 - ,1914

by William H Menrith

U.S. Deputy Mineral Surveyor

Claim located See location notice 1

Survey commenced April 25 to 1914

Survey completed 4 1914

Address of Claimans

M. W. Moore, Box 649.

Privaria Surveyor

```
SURVEY NO.3121.
```

LONG PINE .

Beginning at Cor. No. 1

Identical with the loc. and with cor. No. 3 Conglomerate and cor. No. 2 No. One Burlington lodes Sur. No. 1950 with mound of stones A Schist stone 31812 ins. above the ground chiseles 3-C. 2 No. 01-8-1950nItChideled it 1-L-P-3121 on the side facing this lode. Whence: -U.S.M.M. Brs. N 75937 W 1484.8 ft. Loc. cor. mound of stones 2X2 ft. A Pine Tree 30 ins. diam. brs.N 36230 W 8.8 ft.scribed X-B-T-1-L-F-3121.No other . . . . bearings available. On line 1-4 Blue Jay lode, Sur. No. 1952, N 58° 30' W 127 ft. from Cor. No.4.

Thence N 37900 E Va. 149E

750. W.C. Side mon. of stones 2X2 ft. identical with the loc.

1337.17 Intersect line 3-4 Sur. No. 1952. Blue Jay lode at N 31233 E 1331.05 ft.from Cor.No.4

Is property for a. 1500. To. Cor. No. 2. To. of the first of

Identical with the loc.

A porphyry stone 4X6X24 ins.set 12 ins.in theground with mound of stones chiseled 2-L-F-3121 whence:-

an oak tree 12 ins. diam. scribed X-B-T-2-L-F-3121 brs. S 34243 W 15 ft.

An Oak tree lo ins.diam scribed X-B-T-2-L-F-3121.brs.

Thence S 58230 E Va.142E

. Line 500 fr. from the 300 . N.C.E. a mound of stones 2X2 ft. identical with the loc. witish instrum our. No.2. . 14915 W 335 ft.

1.600 To To Cor. No. 3. Host out in 121 15

Identical with the loc.

. A schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones Chiseled X-3-L-P-3121, No bearings available. Loc.cor.mound of atones 2X2 ft.

Thence S 37200 W Va.149E

E.C.S. mound of stones 2X2 ft. identical with the loc. 750.

1500 To Cor. No. 4.

An Opi whole

Identical with the loc. and with Cor. No. 3 No. One Burlington lode which is on line 1-2 Home Stead lode, Sur. No. 1950, 56.05 ft. from Cor. No. 2. Sur. No. 1950, a Porphyry stone 4X10X12 ins. with mound of stones chiseled 2-No.1-B-1950 I chiseled 4-L-F-3121 on side facing this lode. Whence :-

the loc.

Survey No.3121 Continued.

An oak tree 5 ins.diam. scribed X-1-T-4-L-P-3121 cbrs.led N 66200 W. lo.ft. No other bearings available.Loc.cor. mound of stones 2X2 ft.

Thence N 58:30 W. Va.14:E

300 S.C.E. identical with the loc. a mound of atones 2X2 ft

473 Cor. No. 4. Sur. No. 1952 Blue Jay lode.

600. To Cor. No. 1 the place of beginning.

of 1815 - - AREA.

Area in conflict with sur. No. 1952

Blue Jay lode...... 1.940 acres.

#### 1 58215 H Ja - LI - ADJOINING CHAIMS - 6 L I John III MI. VEE

This claim is bounded on the North by U.S.Land.on the East by Chimheuva No.3. unsurveyed claimed by Tom. Roach, on the South by sur. No. 1950 No. One Eurlington lode. and on the West by sur. 1952 Blue Jay lode.

LOCATION. approximately
This claim is located in S.E.1/4 of Sec.22 T.12 N.R.1 W.
unsurveyed Turkey Creek Mining District Yavapai Co. Arizona Prescott
National Forest.

As near as tan be determined from present developments the vein upon this claim extends N 372E 1500 ft.from the S.C.E. to the N.C.E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimants, is not less than five hundred dollars.

#### INSTRUMENT.

This survey was made with a Curley Solar Transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with loo-ft. and 500-ft. steel tapes.

includes a 275 conf.

oul est mound of stone 2XX ft., ide "lost sith the luc.

identical with the log and with the lost was not sir draw isolated

Sor, Wo. 1950 a Porphys. wiess 4X 0XII ins. with mo or stone

Jake. ed 2-M. 1-B-1950 I chiscled 4-1-1-3191 on since

-: conent and eins antend

market vall and

ALCH TOD INT

1500

#### REPORT.

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line, The tie line was run directly upon the ground.

The U.S.M.M. is a porphyry boulder 24 X 30 X 24 ins.high with mound of stones 4 ft. base by 3 feet high, chiseled TC+M.D.

Cor.No.4 Sur.No.1952 Blue Jay lode is a granite stone
4 X 6 X 15 ins.along side of a mound of stones, chiseled
4-1-J-1952.

William & Merritty

U.S.Mineral Surveyor.

### FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by Landlann Hollen 1 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of ..... ED Dealon known as the and showing the respective capacities in which they acted. Thos Marred FINAL OATHS OF ASSISTANTS. hose marmos do solemnly swear that we assisted Williams ...., United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of. represented in the foregoing field notes as having been surveyed by said deputy-mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Subscribed and sworn to by the above-named persons before me this 28"

day of april , 1914

my Commission Expresses Feb. 22-1916 Siba O. Brown, notary Public Yavakai County, arigona

....., Chainman.

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H Messitto	, U. S. <del>Deputy</del> Mineral			
Surveyor, do solemnly swear that, in pursuance of instruc				
States Surveyor General for Angura April 20 - 1914, I have, in strict	t conformity to the laws of the			
United States, the official regulations and instructions th				
of said Surveyor General, faithfully and correctly execu				
	known as the			
situate in Durking Bruk				
situate in Dunkey Cruk	Mining District			
Garnhard County, A	in Section			
Opprex 22, Township No. 12 N, Range No. 1	W IIIs			
and designated as Survey No. 3/2/	as renresented			
in the foregoing field notes, which accurately show the be				
,	_			
as distinctly marked by monuments on the ground, and				
of the location certificate, which was received by me from				
said instructions, and that all the corners of said survey l	•			
petuated in strict accordance with the law, official regul				
under; and I do further solemnly swear that the foreg				
field notes of said survey and my report therein, and	that the labor expended and			
improvements made upon said mining claim by claimant	or fus grantors			
are as therein fully stated, and that the character, exte	nt, location and itemized value			
thereof are specified therein with particularity and full	detail, and that no portion of			
said labor or improvements so credited to this claim has	been included in the estimate			
of expenditures upon any other claim.				
	C			
(1) Plan	at Menito			
	U. S. Deputy Mineral Surveyor.			
Subscribed and sworn to by the said william	n & mount			
U. S. Deputy Mineral Surveyor, before me - 7	go"			
day of april a. D. 1914.	na this 20			
day of a forth a D. 1914.				
2 km, O	Brown .			
	tary Rublic			
my Commission No	tary Jublic			

To All Whom It May Concern:

AFR 20.1914

This Fining Claim, the name of which is the Long Pine Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Carr and E.D. Seaton the undersigned, on the 18th day of January, 1901.

The length of this claim is Fifteen hundred feet, and width of claim is six hundred feet, in a northerly direction and .... feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Turkey Creek Mining District the in Yavapai County, in the Territory of Arizona, joins the Mohawk on a East side line direction from ..........

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at the north end center, at a point in a northerly direction ..... feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the East side line of said claim; thence southerly 750 feet to a monument of stones being at the Southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the South end of said claim; thence westerly 300 feet to a monument of stones being at the Southwest corner of said claim; thence northerly 750 feet to a monument of stones being at the center of the West side line of said claim; thence northerly 750 feet to a monument of stones at the Northwest corner of said claim; thence Easterly 300 feet to the place

of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Re vised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 18th day of January 1901.

John Carr E.D.Seaton

12 m 121

AUGUL OFF	21" A.D. 1901,	AXXXXVIV , at 9 o clock
A.M., Book 57 of Mines	Carry .	pages 301
Records of Yavapai County, Arizona.		, ,
	( )	
•	SEAL }	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
		P.J. Farley County Recorder,
	By	F.J.Gibbons
		Deputy Recorder.
		•
	-	
STATE OF ADIZONA		
OUNTY OF YAVAPAI.		
	Colwell, County Recorder	in and for the County of Yavapai. State of
I, L. S. C		•
I, L. S. C rizona, and custodian of the records	of such office, do hereby	certify that I have compared the foregoing
I, L. S. Corizona, and custodian of the records opy with, and that the same is a full	of such office, do hereby t, true and correct copy of	certify that I have compared the foregoing  Notice of Mining Location
I, L. S. Corizona, and custodian of the records app with, and that the same is a full	of such office, do hereby t, true and correct copy of	certify that I have compared the foregoing  Notice of Mining Location
I, L. S. Control of the records of the and that the same is a full ong Pine Lode Claim, b	of such office, do hereby t, true and correct copy of ty John Carr and	certify that I have compared the foregoing  Notice of Mining Location  E D Seaton
I, L. S. Control of the records of the and that the same is a full ong Pine Lode Claim, but the for record on March 21,	of such office, do hereby the true and correct copy of the John Carr and	certify that I have compared the foregoing  Notice of Mining Location  E D Seaton
I, L. S. Cordinan of the records opp with, and that the same is a full ong Pine Lode Claim, but the for record on March 21, exord in my office in Book 57	of such office, do hereby the true and correct copy of y John Carr and 1901, at 9-0'cloc	certify that I have compared the foregoing  Notice of Mining Location  E D Seaton
I, L. S. Cordinary of the records on with, and that the same is a full ong Pine Lode Claim, but the for record on March 21, cord in my office in Book 57	of such office, do hereby the true and correct copy of y John Carr and 1901, at 9-0'cloc	certify that I have compared the foregoing  Notice of Mining Location  E D Seaton
I, L. S. Cord in my office in Book	of such office, do hereby the true and correct copy of the John Carr and 1901, at 9-0'cloc of Mines, hole thereof.	certify that I have compared the foregoing  Botice of Mining Location  E D Seaton  ak A.M. and as the same appears of
I, L. S. Cordinan of the records opp with, and that the same is a full ong Pine Lode Claim, but the for record on March 21, exord in my office in Book 57	of such office, do hereby  the true and correct copy of  y John Carr and  1901, at 9-0'cloc  of Mines,  hole thereof.	E D Secton  and as the same appears of  ESS WHEREOF, I have hereunto set my
I, L. S. Carizona, and custodian of the records opp with, and that the same is a full ong Pine Lode Claim, but the for record on March 21, second in my office in Book 57	of such office, do hereby the true and correct copy of the John Carr and  1901, at 9-0'cloc  of Mines, hole thereof.  IN WITN hand and a	certify that I have compared the foregoing  I Notice of Mining Location  E D Seaton  Ek A.M. and as the same appears of  ESS WHEREOF, I have hereunto set my  offixed my Official Seal this 18th day
drizona, and custodian of the records opy with, and that the same is a full ong Pine Lode Claim, b	of such office, do hereby the true and correct copy of the John Carr and  1901, at 9-0'cloc  of Mines, hole thereof.  IN WITN hand and a	certify that I have compared the foregoing  Motice of Mining Location  E D Seaton  Ek A.M. and as the same appears of  ESS WHEREOF, I have hereunto set my  affixed my Official Seal this 18th day

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

#### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix,	Ari zona,	
	***************************************	July 23	, 1914.
I, U. S. Surveyor General for	District of A	rizona	
do hereby certify that the foregoing	**		,
of the Survey of the mining claim of			
, known as the			
Mining District,	YAV	APAI	County,
ARIZONA, Approx.,	in Section22.,	, Townsh	ip No. 12 N.,
Range No. 1 W., Unsur.		and designa	ated as Survey
No. 3121	, has been correct	tly copied from th	e originals on
file in this office; that said Field I			
mining claim as will, if incorporate	d into a patent, serv	e fully to identify	the premises,
and that such reference is made then	rein to natural obje	cts or permanent 1	monuments as
will perpetuate and fix the <i>locus</i> the	reof.		
And I further certify that five	hundred dollars' wo	orth of labor has l	been expended
or improvements made upon said r	nining claim by clai	mant or his	grantors, and
that said improvements consist of.	l shaft, l tu	nnel and cros	scut,
total value \$1140.00			
, ,			
4			
and that no portion of said labor or		been included in t	
expenditures upon any other claim.	_		
I further certify that the plat th		. S. Land Office at.	Phoenix,
Arizona, is correct an	d in conformity with	h the foregoing Fi	eld Notes.
	Fra	nk S. Ingalls	
United Stat	tes Surveyor General for.		

## SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix	Ari zona,
		July 23 , 19 14.
I, U. S. Surveyor-G	General for District of Arizona	
do hereby certify that t	the foregoing and hereto attached Field Notes and	Return of the Survey of the
Mining Claim of		
	E. D. SEATON	
	·	known as the
	LONG PINE	
situate in	CHERRY CREEK	mining district,
YAVAPAI		ARIZONA. Approx.
in Section 22	, Township No. 12 N., Ran	nge No. 1 W., Unsur.
, de	esignated as Survey No. 3121	
executed by	William H. Merritt	, U. S. <del>Deputy</del> Mineral
Surveyor,	April 25, 1914, 190,	under my instruc <mark>tions dated</mark>
April 20	, 1914, , , , have been critically exam	nined and the necessary cor-
rections and explanation	ns made, and the said Field Notes and Return, an	d the Survey they describe,
are hereby approved.	A true copy of the copy of the location certificate	e filed by the applicant. for
survey is included in th	e field notes.	
	Trank I Inge	elk
	II & Samueron Comercal for	Ari zona.