Jule 5- 1014

(4-683.)

Mineral Survey No. 3126

Lot No. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Sullivan Copper Development Company

KNOWN AS THE

HAWKINS

California Mining District,

Cochise County, Arizona

Section Approx. 28 , Township 16 s , Range 30 E, G & S R B & M

Surveyed under instructions dated May 5, 1914.

by Ralph L. Motz

U. S. Doputy Mineral Surveyor

Claim located See Location Notice , 1
Survey commenced May 7, 1914. , 1
Survey completed May 7, 1914. , 1

0 6-160

Postoffice address of Claimant's Attorney

Cleon T. Knapp, P.O. Box 829, Bisbee, Arizona.

Hawkins

Beginning at Cor. No. 1, the SE Cor, identical with location

a pine post 4 ft. long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3126 HL

whence a limestone rock in place 18 x 24 x 12 ins high chiselled BR x 1-3126 bears S 75° 50' W 7.0 ft and a second limestone rock in place with like chiselling brs S 75° E 6.3 ft. and U. S. M. M. No. 2099 California Mining District, Cochise Co. bears N 37° 29' E 851.4 ft.

thence S 87° 52' W

- 5.0 To location for South End Center being a monument of stones 3 ft high with a 3 ft base
- 224.1 Same bearing to Cor. No. 2, the S W Cor situated at intersection of line 3-4 Survey No. 2101, Eclipse Lode and line 4-1 Survey No. 2102, Eighty Six Lode at S 9° 25' W 328.9 ft from Cor No 4, Survey No. 2101 Eclipse Lode and S 46° 11' E 227.5 ft from Cor No 4, Survey No. 2102 Eighty Six Lode.

a juniper post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3126 HL

whence the original location for S W Cor bears S 87° 52' W 10.0 ft, a limestone rock in place with 18 x 24 x 8 in high exposure chiseled BR x 2-3126 bears S 26° 15' W 8.2 ft and a second limestone rock in place 48 x 48 x 6 ins high with like chiseling brs S 78° 50' E 13.5 ft.

thence N 46° 11' W

227.5 To Cor No 3, identical with Cors 1 and 4, of Survey No 2100 Colorado Lode and Survey No 2102 Eighty Six Lode respectively

a juniper post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3126 HL

whence a limestone rock in place 12 x 18 x 6 ins high chiseled BR x 3-3126 brs S 55° 10' W 9.0 ft and a second limestone rock in place 18 x 24 x 15 ins high with like chiseling brs S 43° 30' E 22.0 ft

thence N 46° 05' W

- 220.5 To intersect line SW-SH of Baltimore lode unsurveyed at N 87° 52' E 31.6 ft from the SW Cor and S 87° 52' W 1468.4 ft from the SE Cof
- 258.1 Same bearing intersect line SW2NW Baltimore Lode unsurveyed at N 9° 25' E 27.6 ft from the SW. Cor and S-9° 25' W 572.4 ft from the NW Cor
- 1037.0 Same bearing along line 1-4 Survey No 2100 Colorado Lode to Cor No 4, the NW Cor, identical with location on south side line Portland lode, unsurveyed.

a juniper post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3126 HL

whence a porphyry rock in place 8 x 8 x 4 ins high chiseled BR x 4.3126 bears N 58° 45' W 19.6 ft and a second porphyry rock in place with like chiseling brs N 86° 10' E 15.8 ft.

thence N 87° 52' E

377.8 To location for north end center being a mound of stones 3 ft high with 3 ft base

655.2 Same bearing to Cor No 5, the N E Cor identical with location and with the N W Cor of Baltimore Lode unsurveyed

a juniper post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 5-3126 HL

whence a limestone rock in place 15 x 15 x 4 ins high chiseled BR x 5-3126 brs N 2° W 24.4 ft and a second limestone rock in place 6 x 8 x 6 ins high with like chiseling brs N 48° 45' W 24.5

thence S 28° 17' E

To Cor No 4, Survey No 2101 Eclipse Lode and intersect south side line SW-SE Baltimore Lode unsurveyed at N 87° 52' E 408.7 ft from the SW Cor and \$ 87° 52' W 1091.3 ft from the SE Cor.

1013.8 Same bearing to Cor No 1 the place of the beginning.

LEDGE

The presumed course of the vein on this claim is from the north end center S 40° 27' E 1160.0 ft.

Hawkins Lode, total area - - - - - - - - 9.190 A.

Conflict vs Baltimore, lode,

unsurveyed - - - - - - 2.748 A

Conflict vs Survey No 2101,

Eclipse Lode - - - - - 0.829 A

IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or its grantors, is not less than Five Hundred Dollars and that said improvements consist of:-

No. 1 Dis Cut 5 x 10 x 14 ft long with tunnel in face 5 x 7 x 86 ft long bearing S 55° E, mouth of open cut bears from north end center S 40° 27' E 58.0 ft Value - \$580.00

ADJOINING CTAIMS

North Portland lode unsurveyed, owned by Geo. H. Crosby

East Sur. No. 2101, Eclipse Lode - Baltimore lode unsurvey owned by Geo. H. Crosby

South Sur. No. 2101, Eclipse Lode

West Sur. No. 2100, Colorado Lode Sur. No. 2102, Eighty Six Lode

LOCATION

This claim is situated in the California Mining District, in the Chiricahua National Forest, Cochise Co., Arizona. It is located about 7 miles in a morthwesterly direction from the town of Paradise on unsurveyed land approximately in Tp 16 S, R 30 B, G & S R B & M unsurveyed.

INSTRUMENT

This survey was made with a C. L. Berger & Sons No. 6 Light Mountain Transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 ft steel tape.

Magnetic Variation 12° 30 \ E at all corners.

REPORT

Survey No. 2100, Colorado Lode. Cors 1 and 4 are juniper posts properly set and scribed

I find line 1-4 to be N 46° 05' W 1262,9 ft instead of N 46° 05' W 1275.0 ft.

Survey No. 2101, Eclipse Lode.

Cors 3 and 4 are juniper posts properly set and scribed. I check line 3-4 in course and distance.

Survey No. 2102, Eighty Six Lode

Cors l and 4 are pine posts properly set and scribed I check line 4-1 in course and distance.

Baltimore Lode, unsurveyed.

SW, NW and SE Cors are juniper posts properly set with no scribing.

U. S. M. M. No. 2099 is a mound of stones with a 6 ft base 4 ft high with a post in center partially destroyed, but with a part of the scribing remaining. I also identified a bearing tree, a bearing stump and a bearing rock at correct courses and distances from this monument.

I do not check the ties of prior surveys to U.S.M.M. No. 2099, due to error in the former surveys.

Ralph L. mots
U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

May 25, 1914.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the nam	es of the individuals employ	yed by Ralph L. Motz	
United States Deputy	Mineral Surveyor, to assis	t in running, measuring, and marking t	he lines, corners, and
boundaries described i	n the foregoing field notes o	f the survey of the mining claim of	
	Sullivan Copper I	Development Company	
known as the	Hawkins		
and showing the respe	ctive capacities in which the	ey acted.	
		G. T. Colvin	, Chainman.
		***************************************	, Chainman.
			, Axman.
	FINAL CATH	S OF ASSISTANTS.	
37.00 m			
and		, do solemnly swear that we assisted	Raiph L.
Motz	, United States De	puty Mineral Surveyor, in marking the co	orners and surveying
the boundaries of the r	mining claim of	······································	
***************************************	Sullivan Copper	Development Company	
known as the	Hawkins		********************
represented in the fore	going field notes as having	been surveyed by said deputy mineral su	rveyor and under his
direction; and that sa	id survey has been in all re	spects, to the best of our knowledge and	belief, faithfully and
correctly executed, and	the corner and boundary	monuments established according to law	and the instructions
furnished by the Unite	ed States Surveyor-General f		
		H. J Colvin	८ ⁴., Chainman.
			, Chainman.
			, Axman.
		·	, Flagman/
A 11	Subscribed and sworn to	o by the above-named persons before me th	nis 22 W
William E	day of	leu 190 L	-
		Meanon	1
		Matares (Public
9489bŏm8-03		political s	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, i	n pursuance of instructions received from the United
States Surveyor General for	Arizona , dated
	, I have, in strict conformity to the laws of the
	ns and instructions thereunder, and the instructions
of said Surveyor General, faithfull	y and correctly executed the survey of the Mining
NO.	Copper Development Company
	, known as the
	ns ,
	a Mining District,
	County, Arizona. , in Section
N. Carlotte and Ca	S, Range No. 30 E, G & S R B & M Unsurveyed
	3126 , as represented
	accurately show the boundaries of said mining claim
	s on the ground, and described in the attached copy
	vas received by me from the Surveyor General with
	orners of said survey have been established and per-
	the law, official regulations and instructions there-
	swear that the foregoing are the true and original
•	report therein, and that the labor expended and
•	
	ing claim by claimant or its grantors
	at the character, extent, location and itemized value
-	particularity and full detail, and that no portion of
-	ited to this claim has been included in the estimate
of expenditures upon any other cla	im.
	12 00 D P 10 1
	W.S. Deputy Mineral Surveyor.
	U. S. Deputy Mineral Surveyor.
Cubanibad and aware to be t	Reinh To Motz
	he said Ralph L. Motz
	eyor, before me Arch L. Le Rue
Notary Public	
day of May, 1914.	
	Mrch. L.Lehlle
	7
o o _ lit	Notary Public, in and for
	the County of Cochise frizona. My Commission expires

AMENDED

Motice of Mining Location

MAKA- 1014

LODE CLAIM

To all Whom it may Concern:


This Mining Claim, the name of which is the Hawkins,
Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
uable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Sullivan Copper Development Company, a corporation, organized
and existing under the laws of the state of Minnesota.
Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States."
the undersigned, on the 20 day of April , 19 14
The length of this claim is 1500 feet,
and it claim S 58 feet,
in a northwesterly direction and 1442.
feet in a southeasterly direction from
the center of the discovery shart, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
northwest to the southeast
The claim is situated and located in the California Mining District, in
Cochise County, in the State of Arizona, about 900 feet
in a westerly direction from U.S.M.M.#2099. It is
bounded on north by Portland claim, oneast by Baltimore and
Eclipse claims; on southwest by Colorado and Eighty-six claims;
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
monument of stones.
at a point in a nor thwes terlydirection 58 feet from
the discovery shart (at which this notice is posted,) being in the center of the nor th
end line of said claim; thence easterly 277.4 feet to a pine post
and monument , being the
southeasterly 1500 feet to a pine post & monument , being at the
S.E. corner of said claim; thence westerly 5 feet
to a post end monument at the center of the south end of said claim;
thence westerly 250 feet to a post and monument , being at the
S.W. corner of said claim; thence northwesterly 1500
feet to a post and monument at the N.W. corner of said claim;
thence easterly 577.8 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Hawkins,
Mining Claim, located by E.F. Sweene y.
August 05 and day of
August , 1905, and recorded in Book 34 of Records of Mines, at
page. 426, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice
Dated and posted on the ground this 20th day of April 1914
Witness: af Balmforth. Sullivan Copper Development Co
Sieon I, Trapp
Attorney in fact.

10

1

COMPARED

STATE C	OF ARIZONA,	ss.		
County of	U 13-12			
I, Que	6 Dary	bhy , c	County Recorder in and for the Coun	ity and
State aforesaid, do here	eby certify that the	within instrument	was filed for record ato'cloc	kM.,
on this	day ofA	PR 2 4 1914, 19	, and duly recorded in Book No.	52
THE RESERVE OF THE PARTY OF THE		CHEST LETTERS	County, Arizona, at pages 577	
			first above written.	0
		To be 186 manual	o seam o herry	hy
			Sun County Record	ler.
			M 8 1.9 "	E. b.m.
ioi		, 19.	A. D. 19. Recorder. Recorder.	1.
AMENDED AMENDED Hotice of Location LODE CLAIM		Filed and Recorded at request of	The Report of th	
S236 ENDED of Locat		at I	Record of Wine	
AMENDED OF TO DE CLA	S. C.	ordec	2 2 2	
AME TICE OF	lawki ns	l Rec	7 3	-
Lo	图	d and	D 2 2 2 2 8 10	
E S		7	" poling.	
B		Dated	Book Book By	



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix,	Arizona,	
		August 22	2 , 1 914.
I, U. S. Surveyor General for_	District of A	ri zona	•
do hereby certify that the foregoing			,
of the Survey of the mining claim	of		
SULLIVAN	COPPER DEVELOPM	MENT COMPANY	**
, known as the	HAWKINS		
	, situate in	CALIFORNIA	
Mining District,	COCHIS	3E	County,
ARIZONA, Approx.	, in Section 28	, Townsl	hip No. 16 S,
Range No. 30 E., Unsur.		and design	nated as Survey
file in this office; that said Field mining claim as will, if incorporate and that such reference is made the will perpetuate and fix the locus the And I further certify that five or improvements made upon said that said improvements consist of	ed into a patent, serverein to natural object of the control of th	re fully to identify cts or permanent or has mant or its	the premises, monuments as been expended grantors, and lue \$580.00
and that no portion of said labor or expenditures upon any other claim. I further certify that the plat the Arizona, is correct an	r improvements has be nereof, filed in the U.	S. Land Office at	Phoenix,
United Star	tes Surveyor General for	Arizona.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General, Phoenix, Arizona, August 22 1914. I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of..... SULLIVAN COPPER DEVELOPMENT COMPANY HAWKINS situate in _____ mining district, COCHISE County, ARIZONA, Approx. in Section 28 , Township No. 16 S., Range No. 30 E., Unsur. designated as Survey No. 3126 executed by Ralph L. Motz , U. S. Deputy Mineral Surveyor, May 7, 1914 , under my instructions dated May 5, 1914, , , , , 190...., have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes.

U. S. Surveyor-General for ____

4115b5m6-02