(4-683.)

Mineral Survey No. 3131

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

		19
	KNOWN AS THE	
	Michigan	
	California	Mining District,
Cochise	County, Ariz	ona.
	Township 16 South , I	Range <u>30 E, G & S</u> I M Unsurveye
	ctions dated May 5th	Range 30 E, G & S I M Unsurveye
	by Ralph L.	Range <u>30 E, G & S</u> I M Unsurveye
Surveyed under instruc	by Ralph L.	Range 30 E, G & S I M Unsurveye , 1914. Motz. U. S. Deputy M ineral Surveyor
Surveyed under instruc	by Ralph L.	Range 30 E, G & S F M Unsurveye, 1914. Motz. U. S. Doputy Mineral Surveyor, 1

Postoffice address of clamants attorney, Cleon T. Knapp, P. O. Box 829, Bisbee, Arizona.

MICHIGAN

Beginning at Cor No 1, the N W Cor, identical with location and with Cors Nos.1 and 1, of Michigan lode Sur No 2103 and Emlipse lode Sur No 2101, respectively, on south side line Boston lode, unsurveyed a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3131 ML,

whence a porphyry rock in place 15 x 24 x 14 ins high chiseled BR x 1-3131 brs N 19° E 35.3 ft, and a second porphyry rock in place 10 x 15 x 12 ins high with like chiseling brs N 21° 55' W 24.0 ft, and U. S. M. M. No 2099 California Mining District brs N 69° 35' W 869.8 ft.

thence S 9° 35' W

- 300.8 to original location for west end center, being a mound of stones 3 ft high with a 3 ft base,
- same bearing to Cor No 2, the S W Cor, identical with location and with Cors No 2 and 2, Sur No 2101 Eclipse lode and Sur No 2103 Michigan lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3131 ML,

whence a limestone rock in place 24 x 36 x 3 ins high chiseled BR x 2-3131 brs S 16° 50' W 26.1 ft, and a second limestone rock 8 x 10 x 3 imshigh with like chiseling brs S 63° 35' W 24.5 ft.

thence S 76° 13' E

to Cor No 3, the S E Cor, identical with location and with Cor No 3, Sur No 2103 Michigan lode,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3131 ML,

whence a Juniper tree 18 ins in diameter blazed and scribed BT x 3-3131 brs N 2° 34' W 58.2ft, and an oak tree 8 ins in diameter blazed and scribed BT x 3-3131 brs N 48° 22' W 44.0 ft.

thence N 9° 35' E

- 300.8 to original location for east end center, being a mound of stones 3 ft. high with a 3 ft. base,
- 601.6 same bearing to Cor No 4, the N E Cor, identical with location and with Cor No 4, Sur No 2103 Michigan lode,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3131 ML,

whence a limestone rock in place 6 x 8 x 10 ins high chisled BR x 4-3131 brs N 16° 40' E 30.4 ft, and a second limestone rock in place 6 x 12 x 12 ins high with like chiseling brs S 2° 09' W 27.5 ft. There N 76°13' W

1464.9 To Cor. No. 1 the place of beginning. Ledge.

The presumed course of the vein on this claim is from the west end center location S 76° 13' E 1464.9 ft.

AREA:

Total and net area- - - -- - - 20.107 A. Conflict with Michigan lode, Sur. No. 2103, IMPROVEMENTS.

I hereby certify that the value of the labor and improvem ments placed upon this claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements are as follows: -

- Dis. Cut and tunnel. Open cut 5 x 12 x 20 ft long with tunnel at face 5 x 7 x 77 feet long brg S 60° E, the mouth of open cut brs from the west end No.1. center S 76° 13' E 100.0 3t. Value \$345.00
- Open cut 6 x 10 x 15 ft long brg N 67° W, the mouth of which bre from Con Wo. 2, N 42° 14' E No.2. 270.0 ft . \$ 45.00
- Shaft 4 x 12 x 10 ft. deep brs. from Cor No 2, No. 3. N 44° 30' E 572.0 ft. Value \$ 75.00
- No.4. Shaft 4 x 6 x 15 ft deep brs from Cor No 2. N 62° E 331.0 ft. Value \$ 75.00

Total improvements \$540.00

Adjoining Claims.

North. Boston lode, unsurveyed, owned by George H. Crosby.

South. Claims and claimants unknown.

East. Claims and claimants unknown.

West. Sur No 2101, Eclipse lode.

Location.

This claim is located about 7 miles in a northwesterly direction from the town of Paradise on unsurveyed lands in the California Mining District, Cochise County, Arizona, approximately in Tp 16 S, R 30 E, G & S R B & M. unsurveyed.

Instrument.

This survey was made with a C. L. Berger & Sons No 6 Light Mountain Transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with 300 foot steel tape. Magnetic variation 12° 30' East at all corners.

Report.

Sur No 2103, Michigan lode.

Cors Nos.1, 2, 3 and 4 are pine post properly set and scribed.

Bearing and distance of Line 1-2 I find to be S 9° 35' W 601.6 ft instead of S 9° 25' W 601.6 ft.

Bearing and distance of line 2-3 I find to be S 76° 13' E 1464.9 ft instead of S 76° 19' E 1453.5 ft.

Bearing and distance of line 3-4 I find to be N 9°
35' E 601.6 ft instead of N 9° 25' E 601.6 ft.

Bearing and distance of line 4-1 I find to be N 76°
13' W 1464.9 ft instead of N 76° 19' W 1453.5 ft.

Tie line I find to be N 69° 35' W 869.8 ft instead of N 69° 59' W 867.5 ft.

Sur No 2101 Eclipse lode,
Cors Nos.1 and 2 are posts properly set and scribed.
I find line 1=2 to be S 9° 35' W 601.6 ft instead of S 9° 25' W 601.6 ft.

U. S. M. M. No 2099 is a mound of stones with a 6 ft base 4 ft high with a post in center partly destroyed, but with a part of the scribing remaining. Also identified a bearing tree, a bearing stump and a bearing rock of this monument.

Ralph L. mok U. S. Mineral Surveyor.

Dated at Bisbee, Arizona. May 25th, 1914.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of	f the individuals employed by Ralph L. Notz	
United States Deputy Min	neral Surveyor, to assist in running, measuring, and marking the lines, corners, and	
boundaries described in the	ne foregoing field notes of the survey of the mining claim of	
	Sullivan Copper Development Company	
known as the	Michigan :	
and showing the respective	e capacities in which they acted.	
	G. T. Colvin , Chainman.	
	, Chainman.	
	Axman.	
	, Flagman.	
E.I	INAL OATHS OF ASSISTANTS.	
	olvin	
	do solemnly swear that we assisted	
alph L. Motz	, United States Deputy Mineral Surveyor, in marking the corners and surveying	
the boundaries of the minim	ng claim of	
	Sullivan Copper Development Company	
known as the	Michigan	
represented in the foregoin	ng field notes as having been surveyed by said deputy mineral surveyor and under his	
direction; and that said su	urvey has been in all respects, to the best of our knowledge and belief, faithfully and	
correctly executed, and the	te corner and boundary monuments established according to law and the instructions	
furnished by the United St	tates Surveyor-General for Arizona	
	G. J. Calvin Chainman.	
	, Chainman.	
	, Axman.	
		1
	Flagman.	V
	Subscribed and sworn to by the above-named persons before me this.	
	day of Maneral John Maneral	,
	notary Publi	e
9489b5m8-08	Communical Expris March 22	,0
xng	emmen effers main 1	77/

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for <u>Arizona.</u> , dated
May 5th, 1914. , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Sullivan Copper Development Company
, known as the
Michigan ,
situate inMining District,
Cochise County Arizona, in Sections
approx 27 & 28, Township No. 16 S , Range No. 30 E? G & S P B & M Unsurveyed
and designated as Survey No. 3131 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Ralph L. Mots
Ralph L. Moh. U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Ralph L. Motz
U.S. Deputy Mineral Surveyor, before me Arch L. Le Rue, Hotary
Public this 26th,
day of May , 1914.
Mark I I at 111
Notary Public, in and
for the County of Cochise, Arizona.

NOTICE OF MINING LOCATION LODE CLAIM

MAY.4- 1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Michigan Mining Claim situate on lands belonging to the United States of America, and in which there are valuable miniral deposits, was entered upon and located for the purpose of exploration and purchase by John Sullivan, -the undersigned on the 1st day of January, 1904.

The length of this claim is 1500 fifteen hundred feet and I claim one hundred feet, in a Westerly direction, and fourteen hundred feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Westerly to the Easterly direction.

The claim is situated and located in the Chiricahua Mining District in Cochise County, in the Territory of Arizona, about 800 yards in a Southerly direction from White Tail on the Eastern Slope of the Chiricahua mountains and about three miles in a Westerly direction from the hippers and is a relocation of the Arizona mine and is the eastern extension of the Eclipse mine.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at -----at a point in a southerly direction and about seventy feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence southerly 300 feet to a monument of Stones, being the Southwest corner of said claim thence Easterly 1500 feet to a monument of stones, being at the South East corner of said claim; thence northerly 300 feet to a Monument of stones at the center of the Easterly end of said claim; thence northerly 300 feet to a monument of stones, being at the North East corner of said claim; thence Westerly 1500 feet to a monument of stones at the north west corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16th, 1901.

Dated and posted on the ground this 1st day of January 1904.

Locator John Sullivan

Filed and recorded at request of John Sullivan Mch. 9th, A.D.1904, at 1; P.M. in Book 30 page 224, Records of Mines.

Filed and recorded at request of John Sullivan Mch. 9th, 1904. at 1: P.M., in Book 30, page 224, Records of Mines.

STATE OF ARIZONA)
SS
COUNTY OF COCHISE)

I, Owen, E. Murphy, County Recorder in and for the County send State aforesaid, DO HEREBY CERTIFY, that I have compared the annexed and foregoing copy with the original Location Notice of the MICHICAN Mining Claim, filed for record in my office on the 16th day of March, 1904, in Book 30 of Record of Mines, at Page 224, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal office, this the 24th day of April, A.D. 1914.

Owen E. Murphy

County Recorder.

Ito on Stale

BV

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
	August 22 , 1914 .
I, U. S. Surveyor General for	District of Arizona
	transcript of the Field Notes, return and approval
	of
	PPER DEVELOPMENT COMPANY
	MICHIGAN
	, situate in CALIFORNIA
	COCHISE County,
	in Section s 27 & 28 , Township No. 16 S,
	, and designated as Survey
	, has been correctly copied from the originals on
mining claim as will, if incorporated and that such reference is made ther will perpetuate and fix the locus them. And I further certify that five is or improvements made upon said in that said improvements consist of	Notes furnish such an accurate description of said d into a patent, serve fully to identify the premises, rein to natural objects or permanent monuments as reof. hundred dollars' worth of labor has been expended mining claim by claimant or its grantors, and 2 cuts, 1 tunnel and 2 shafts, total
expenditures upon any other claim. I further certify that the plat the	improvements has been included in the estimate of ereof, filed in the U.S. Land Office at Phoenix, d in conformity with the foregoing Field Notes. Frank S. Ingalls,

United States Surveyor General for. Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	22 × 42 × 62 × 62 × 62 × 62 × 62 × 62 ×	Phoenix, Ar	izona,
		Aug	ust 22, 1914
I, U. S. Surveyor-General for	District of Ari	.zona	
do hereby certify that the foregoing a	and hereto attached Field	Notes and Return	of the Survey of the
Mining Claim of			
SULLIVAN (COPPER DEVELOPMEN	T COMPANY	
		1000000	, known as the
	MICHIGAN		* 0 P. A. (1) C.
situate in.	CALIFORNIA		Mining District,
COCHISE	County,	ARIZONA,	Approx.
in Section \$ 27 & 28, Tow	vnship No. 16 S.,	, Range No	30 E., Unsur.
, designated as Su	rvey No. 3131		
executed by Ralph	L. Motz,	, T	. S. Deputy Mineral
Surveyor, May 7, 19	914,	, 190 , under m	y instructions dated
May 5, 1914,	, 190, have been	critically examine	d and the necessary
corrections and explanations made, ar	nd the said Field Notes and	l Return, and the S	Survey they describe,
are hereby approved. A truc copy o	f the copy of the location	certificate filed b	y the applicant. for
survey is included in the field notes.	Than	h f In	galle
	U.S. Surve	evor-General for	Ari zo na .

21811b3m2-06