

Platted

AUG 12 1914

(4-683.)

Mineral Survey No. 3142

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. H. Burmeister

KNOWN AS THE

Barry D. Nellie D.
Beck

_____ Mining District,

Yavapai County, Arizona

Section 19 - 24 & 25, Township 11 N., Range 1 E
Prescott National 11 N., 1 W Unsurveyed

Surveyed under instructions dated July 27, 1914

by William P. Marshall,
U. S. Deputy Mineral Surveyor.

Claim located See location notices, 1

Survey commenced August 4, 1914

Survey completed 7, 1914

o 6-100

Address:
Norris & Mitchell, Atty's
Prescott Arizona

Survey No. 3142. Nellie T.

Beginning at Cor. No. 1.

Identical with the location and with Cor. No. 3 1st.

North Extension of the Peck^{lode} Gen'l. No. 93. a schist stone
 4X10X12 ins. above the ground chiseled P.M. 3.1.N. in mound of
 stones, I chiseled 1-N-T-3142. on the side facing this lode.
 and built mound of stones. Loc. cor. mound of stones 2X2 ft.

Whence: -U.S.L.M. No. 2529 brs. S 1:40'E 2820 feet.
 Cor. of Secs. 19, 24, 25+30, T11N, R5.1E. & 1W. brs. N 61° 31'E. 729.88 ft.
 No bearings available.

Feet

Thence N 63:20'W va. 14:8'E

250 Cross Wash 6 ft. wide course N 19:00'E

300 S.C.E. identical with the loc. a mound of stones 2X2 ft.

453 To Cor. No. 2.

Identical with the loc. and with cor. No. 2. 1st. North Extension
 of the Peck^{lode} Gen'l. No. 93. a schist stone 4X10X12 ins. set in
 the ground with mound of stones chiseled P.M. 2.1-N. I chis-
 eled 2-N-T-3142 on the side facing this lode and raised
 mound of stones. Loc. cor. mound of stones 2X2 ft.

No bearings available.

Thence N 17:36'E va. 14:8'E

1385.43 To Cor. No. 3.

Identical with the loc. and with cor. No. 2 Pansy D. lode of
 this sur. A schist stone 3X12X30 ins. set 15 ins. in the
 ground with mound of stones chiseled 3-N-T. 2-P-D-3142.
 No bearings available. Loc. cor. mound of stones 2X2 ft.

Thence S 63:20'E va. 14:8'E

300 N.C.E. Identical with the loc. and with the S.C.E. of
 Pansy D. lode of this sur. a mound of stones 2X3 ft.

380 Cross wash 6 ft. wide course N 32:30'E

600 To Cor. No. 4.

Identical with the loc. and with cor. No. 1 Pansy D. lode
 of this sur.

A schist stone 3X10X24 ins. set 12 ins. in the ground with
 mound of stones chiseled 4-N-T. 1-P-D-3142. No bearings avail-
 able Loc. cor. mound of stones 2X2 ft.

Survey No. 3142 continued
 Thence S 23°41'W va. 14°E
 571.36 Intersect line 1-2 Oriental lode Gen'l. No. 72 at N 35° 38'E
 191.69 ft. from cor. No. 1
 767.29 Intersect line 4-1 Oriental lode Gen'l. No. 72 at S 54°22'E
 40.57 ft. from cor. No. 1
 1370 To Cor. No. 1 the place of beginning.

Pansy D.
 Beginning at Cor. No. 1.
 Identical with the loc. and with cor. No. 4. Nellie T. lode of
 this survey hereinbefore described, Whence U.S.L.M. No. 2529
 brs. S 6°33'W 4100.17 feet.

Thence N 63°20'W va. 14°E
 220 Cross wash 6 ft. wide course N 32°30'E
 300 S.C.E. Identical with the location and with the N.C.E. of
 Nellie T. lode of this sur. hereinbefore described
 600 To Cor. No. 2.
 Identical with the loc. and with Cor. No. 3. Nellie T. lode of
 this sur. hereinbefore described.

Thence N 15°38'E va. 14°E
 1360 To Cor. No. 3:
 Identical with the loc.
 A Quartz stone 4x8x24 ins. set 12 ins. in the ground with
 mound of stones chiseled 3-P-D-3142. No bearings available.
 Loc. cor. mound of stones 3x2 ft. Whence: 1/4 sec. cor. on G. & S.
 River Meridian between secs 19-24 T. 11 N. R. 1 E & 1 W. brs.
 Thence
 N 59°17'E 303.2 feet.

Thence S 63°20'E va. 14°E
 270 Cross wash 6 ft. wide course N 33°E
 291.99 Intersect G. & S. R. Meridian North 285.46 ft. to 1/4 sec. cor.
 and South 2354.54 ft. to cors. to secs. 19-30 R. 1 E. & 24-25
 R. 1 W. T. 11 N.
 300.00 N.C. End, identical with the loc., a mound of stones 2 x 3 ft.
 600.00 To Cor. No. 4, identical with the loc., a schist stone 4x6x24 ins. set 12 ins. in the ground with
 mound of stones chiseled 4-P-D-3142. No bearings available. Loc. cor. a mound of stones 2 x 3 ft.
 Thence S 15°38'W. Va. 14°E.
 1021.4 Intersect G. & S. R. Meridian North 1407.31 ft. to 1/4 sec. cor.
 and south 1232.69 ft. to Cor. Secs. 19-30 R. 1 E. & 24-25 R. 1 W. T. 11 N
 1360 To Cor. No. 1 the place of beginning.

Survey No.3142 continued.

AREAS.

Total area Nellie T.lode,.....16.536 Acres.
 Area in conflict with Oriental^{lode} Gen'l No.72 0.089 "
 Total area Pansy D.lode 18.386 "

LOCATION.

This survey is located in S.W.1/4 of sec.19.T.11.N.R.1 E.&
 S.E.1/4 sec.24 & N.E.1/4 sec.25 T.11.N.R.1 W.G.&S.R.M.
 unsurveyed, in the Prescott National Forest, in the Peck
 Mining District, Yavapai County, Arizona.

ADJOINING CLAIMS.

✓ Is bounded on the East by Oriental lode gen'l.No.72 and U.S
 Land, on the South by 1st.North Extension of the Peck, Gen'l.
 No.93 and on the West and North by U.S.Land.

LODE LINES.

As near as can be determined from present developments the
 veins of the several locations embraced in this claim ex-
 tend as follows from their respective end centers.
 NELLIE T.lode N 23°41'E 1370 ft.from S.C.E.to N.C.E.
 PANSY D.lode. N 15°38'E 1360 ft. " S.C.E. " N.C.E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the improvements made upon
 each of the locations embraced in this mining claim by the
 claimant or his grantors is not less than five hundred
 dollars, and that said improvements consist of:-

Nellie T lode.

No.1 dis.shaft which is on the lode line 105 ft.from the
 N.C.End.4X6X50 ft.value.....\$500.00
 the following works all bear from cor.No.3.
 No.2 shaft S 27°E 340 ft.4X6X16 ft. .value ..\$128.00
 No.3 shaft S 6°30'W 731 ft.4X6X20 ft.value \$160.00
 No.4 tunnels 11°W 850 ft.4X6X 75 ft.course
 S 70°00'W value \$450.00

Pansy D.lode.

No.1 dis.shaft which is on the lode line 5 ft.from the
 S.C.End 4X6X10 ft.....value.....\$80.00
 No.2 shaft which is on the lode line 35 ft.from the S.C.E.
 4X6X40 ft.....value\$400.00
 No.3 tunnel which brs.from Cor.No.1 N 43°20'W 260.ft.
 4X6X 75 ft.course N 75°W value\$450.00
 No.4.Tunnel which brs.from cor.No.4 S 65°W 310 ft.
 4X6X50 ft.course N 20°Evalue....\$300.00

INSTRUMENT

This survey was made with a Gurley Solar Transit, The
 courses were deflected from the true meridian as determined
 by direct solar observations. The courses were measured with
 a 100-ft. and 500-ft. steel tapes.

Survey No. 3142 continued.

REPORT.

The lode line of each lode of this survey was run direct upon the ground, and the several corners established by means of offsets from the lode lines. The tie lines were run direct upon the ground.

U.S.L.M. No. 2529 is a large cross U.S.L.M. 2529 chiseled on East face of large granite boulder.

Line 2-3. 1st. North Extension of the Peck, gen'l. No. 93 is in error as to distance.

I made a very diligent search for the corners of Oriental lode Gen'l. No. 72, but could not find any of the corners, and I have calculated the intersections with said lode from the official field notes thereof.

1/4 and Sec. corners on the Meridian are Pipes properly marked.

William A. Merritt
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William A. Merritt
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

 known as the Cassy D., Nellie D.
 and showing the respective capacities in which they acted.

R. L. Merritt, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

R. L. Merritt
 and _____, do solemnly swear that we assisted William
A. Merritt, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of R. H. Burmeister

 known as the Cassy D., Nellie D.
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

R. L. Merritt, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of August, 1904

my Commission Expires
Feb. 22 - 1916.

14234b5m8-04

Zilba O. Brown
Notary Public
Yavapai County, Arizona

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR


I, William H. Merritt, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 27-1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of R. H. Burnister, known as the Perry D. Nellie J., situate in Beck Mining District, Yavapai County, Arizona, in Section 19, Township No. 11 N, Range No. 1 E, Mountain & Prescott National Forest, and designated as Survey No. 3142, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public in and for Yavapai County, Arizona this 10th day of August, 1914

Ziba O. Brown
Notary Public

my Commission Expires Feb. 22-1916.
O. 3-154



Notice of Location.

Know all Men by these Presents:

That I the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge, from discovery shaft.

The Exterior boundaries are as follows, Viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1,500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as being the north extension of the Nellie T, in Peck Mining District, Yavapai County, Arizona Territory, and shall be known as the Pansy D, Mining Claim.

Dated On The Ground, this 1st day of January 1902

Witness,

Pat Donlan

Al Francis.

Recorded at request of Mrs. A.V.Kautz May 21 A.D.1902, at 2:15 o'clock P.M., in Book 47 of Mines, Page 237 Records of Yavapai County, Arizona.

(Seal) P.J.Farley, County Recorder.

By F.E.Walker Deputy.

"Nellie T."

09

Notice of Mining Location.
Lode Claim.

JUL 27 1914

To All Whom It May Concern:

This Mining Claim, the name of which is the Nellie T. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Pat Donlan the undersigned, on the First day of January, 1902.

The length of this claim is Fifteen hundred feet, and I claim 200 feet, in a northerly direction and 1300 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred 300 feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, this claim is the North extension of the Peck direction from.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895, and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground, this First day of January 1902.

Pat Donlan

Witness Al Francis

Recorded at request of Mrs. A. V. Kautz May 21st A. D. 1902, at 2:15 o'clock P. M.
Book 63 of Mines, Page 57, Records of Yavapai County, Arizona.

(Seal)

P. J. Farley County Recorder.

By A. F. Kinsman Deputy .

Filed and recorded at request of _____

A. D. 191 , at _____ o'clock

M., Book _____ pages _____

Records of Yavapai County, Arizona.

{ SEAL }

L. S. COLWELL,
County Recorder,

By _____
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of Location of Nellie T Lode Mining Claim filed for record on May 21, A.D.1902 at 2:15 o'clock P.m., and as the same appears of record in my office in Book 63 of Mines, Page 57, Records of Yavapai County, Arizona, and Pansy D Lode Mining Claim,

filed for record on May 21, A.D.1902 at 2:15 o'clock P.M. and as the same appears of record in my office in Book 47 of Mines, at pages 237 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 22nd day of July, A. D. 1914

L. S. Colwell
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 2, 1914, 1

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

R. H. Burmister

, known as the PANSY D, MELLIE T.

, situate in Peck

Mining District, Yavapai County,

Arizona, in Sections ¹⁹ 24 & 25, Township No. 11 N

Range No. 1 E., Unsur.,
1 W., Unsur., and designated as Survey

No. 3142, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or his grantors, and
that said improvements consist of 5 shafts and 3 tunnels, total value
\$2468.00.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 2, 19 14.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

R. H. Burmister

, known as the

PANSY D., NELLIE T.

situate in Peck Mining District,

Yavapai County, Arizona

in Sections 19 11 N 1 E., Unsur., 24 & 25, Township No. 11 N, Range No. 1 W., Unsur.

, designated as Survey No. 3142

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, August 4 - 7, 19 14, under my instructions dated

July 27, 19 14, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.