

Platted

DEC 18 1914
JAN 15 1915

4-683.

Mineral Survey No. 3156

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. W. SULLIVAN

KNOWN AS THE

GOLD DOLLAR, GOLD DOLAR NO. 2 AND GOLD DOLLAR NO. 3

MARTINEZ Mining District,

YAVAPAI County, ARIZONA

Section 26 & 27, Township 10 N., Range 6 W.

Surveyed under instructions dated Oct. 27, 1914,

by J. WILLIAM WAARA,
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced Nov. 12, 1914, 1

Survey completed Nov. 18, 1914, 1

o 6-100

Attorney for Claimant.

Fen S. Hildreth,

Phoenix, Arizona.

SURVEY NO. 3156

GOLD DOLLAR

Beginning at Cor.No.1, identical with Cor.No.1 of the Gold Dolar No.2 lode and north center end of Gold Dollar No.3 lode, both of this survey, a stone 28 x 14 x 6 inches set fourteen inches in the ground with a substantial mound of stone alongside; chiseled 1-G D-2 and 1- G D - 3156 on N.W. face and N C E on southeast face, with cross on top for exact corner point, from which point;

The 1/4 corner between sections 26 and 27 of T.10 N. R.6 W. of the gila and Salt River Base and Meridian, brs. S.43°-34'E. 1233.5 feet.

A rock in place, being an outcrop at edge of flat, 10 x 20 x 10 ft. exposed and chiseled BxR,1-G D-3156, brs. S.40°-53'W. 51.2 ft.

No other bearings available.

Thence N.48°-20'-30"W.

- 831.15 Cross road, brs. northeast to southwest.
- 953.15 Cross gulch, flows northeast to southwest.
- 1496.15 TO COR. NO. 2, identical with Cor.No.4 of Gold Dolar No.2 lode of this survey, a granite stone, 6 x 8x 24 inches long set 12 inches in the ground with a substantial mound of stone alongside; chiseled G D-2-3156 on N.E Face and G D 2-4 on S.W.Face, with cross on top for exact corner point, from which point; the location monument, identical with Location Monument for N.W.Cor. Gold Dolar No.2 Lode, ^{of this survey} hereinafter described, brs.N.48°-20'-30"W. 70.2 feet. *No bearings available*
Thence N.40°-53'E.
- 271.3 NORTH CENTER END, a mound of stone, whence Location monument, being a mound of stone 3 ft. base and 2 ft. high, brs. N.35°-40'E. 33.0ft.
- 571.3 TO COR.NO.3, a granite stone, 6 x 14 x 30 inches long set fourteen inches in the ground with a substantial mound of stone alongside; chiseled 3-G D-3156 on S.E.Face, with cross on top for exact corner point, from which point;
A rock in place 4x3x2 feet exposed and chiseled BxR 3-G D-3156, brs. N.2°-20'W. 24.1 feet.
No other bearings available.

(Handwritten mark)

Thence S.48°-25'-30"E.

- 335.0 Cross gulch, flows southerly.
 867.0 Cross road, brs. northeast to southwest.
 1496.1 TO COR. NO.4, a granite stone 6x8x28 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled 4-G D-3156 on west face with cross on top for exact corner point.

No bearings available.

Thence S.40°-53'W.

- 273.5 Cor.No.3 Gold Dollar No.3 lode of this survey, a granite stone, 7x12x26 inches long set twelve inches in the ground with a substantial mound of stone alongside, chiseled 3-G D 3-³¹⁵⁶ with cross on top for exact corner point.
 300.0 SOUTH CENTER END, a mound of stone,
 573.5 TO THE PLACE OF BEGINNING.

All corners are identical with their respective locations except where otherwise mentioned. Variation at all corners 14°-00'E.

GOLD DOLAR No.2

Beginning at Cor.No.1, identical with Cor.No.1 of the Gold Dollar Lode, ^{this survey} previously described, The $\frac{1}{4}$ Cor. between Secs. 26 & 27 of T.10 N., R. 6 W., G. & S. R. B. & M., brs. S.43°34'E. 1233.5 ft.
 thence S.40°-53'W.

- 51.2 Bearing rock for Cor.No.1 Gold-Dollar lode, this survey.
 300.0 SOUTH CENTER END, identical with Cor. No.2 of the Gold Dollar No.3 Lode of this survey, a granite boulder 4 x 2 x 3 feet exposed, and chiseled ²⁻G D-3-3156 on top, with "x" on southwest edge for exact corner point, and a substantial mound of stone alongside, from which point;

A rock in place 10 x 15 x 2 feet exposed and chiseled BxR, 2 G D 3-3156, brs. S.29°-33'W. 18.95 feet.

No other bearings available.

- 564.3 Witness Corner to Cor.No.2 of this lode, hereinafter described.
 600.0 TO POINT FOR COR.NO.2, where it was impracticable to set a stone, due to bed rock being close to the surface, so I established a Witness Corner, on line 1-2, N.40°-53'E.

35.7 feet from point for Cor. No.2, said witness corner being a granite boulder 4x3x2 feet exposed and chiseled W C, 2-G D 2-3156 with cross on top for exact corner point.

from the point for Cor. No.2, a rock in place 3x3x2 feet exposed and chiseled BxR, 2-G D 2-3156, brs. S.45°-15'W. 13.1 feet.

No other bearings available.

Thence N.48°-10'W.

1071.0 Cross Gulch, flows northeast to southwest.

1116.0 Cross road, brs. northeast to southwest.

1496.2 TO COR. NO.3, a granite stone 8 x 10 x 24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled 3-G D 2-3156 with cross on top for exact corner point, from which point,

A rock in place, 6 x 6 x 4 feet exposed and chiseled BxR, 3-G D 2-3156, brs. S.81°-13'E. 132.45 feet.

A mound of stone three foot base and two feet high being the location monument for this corner brs. N.51°-47'W. 123.0 feet. ~~this monument is also the location monument for the N.E. Cor. of Gold Dollar No.2 lode, this survey.~~
No other bearings available.

Thence N.40°-53'E.

300.0 NORTH CENTER END, a mound of stone, whence the location monument brs. N.61°-56'W. 124.5 feet, said monument being a monument of stone three foot base and two feet high.

595.6 TO COR.NO.4 identical with Cor.No.2 of Gold Dollar lode, ^{of this survey} previously described, from which point,

A mound of stone three foot base and two feet high being the location monument for this corner, brs. N.48°-20'30"W. 70.2 feet.

Thence S.48°-20'-30"E.

543.0 cross Gulch, flows northeast to southwest.

665.0 cross road, brs. northeast to southwest.

1496.15 TO THE PLACE OF BEGINNING.

All corners are identical with their respective locations except where otherwise mentioned. Variation at all corners 14°-00'E.

. GOLD DOLLAR No. 3 .

Beginning at Cor. No.1, a granite rock in place 6 x 3 x 1 foot exposed, with a substantial mound of stone alongside; chiseled, 1-G D 3-3156 on N.E. face with cross on top for exact corner point, from which point;

The 1/4 corner between sections 26 and 27 in T.10 N. R.6 W. of the Gila and Salt River Base and Meridian, brs. N.8°-20'W. 358.3 feet.

A mound of stone three foot base and two feet high being the location monument for this corner, brs. S.21°-20'E. 47.8 feet.

No other bearings available.

Thence N.47°-04'-30"W.

71.4 Intersect the section line between sections 26 and 27, S.0°-04'W. 305.8 feet from the 1/4 corner stone between said sections, and N.0°-04'E. 2337.2 ft. from Cor. to sections 26-27-34-35, a stone properly set and marked.
1500.0 TO COR. NO.2, previously described, being identical with South Center End of Gold Dolar No.2 lode, this survey.

Thence N.40°-53'E.

248.8 Bearing rock for Cor.No.1 G.D.-3156.

300.0 NORTH CENTER END, identical with Cor.Nos1 of Gold Dollar and Gold Dolar No.2 lodes, ^{this survey,} previously described.

573.5 South Center End, Gold Dollar lode, ^{this survey,} previously described.

600.0 TO COR.NO.3, previously described, being on line 4-1 Gold Dollar lode, this survey, 273.5 ft. from Cor. No.4.

Thence S.47°-04'-30"E.

677.2 Cross road brs. northwest to southeast.

856.2 Cross railroad, brs. northwest to southeast.

893.5 Intersect the section line between sections 26 and 27, at N.0°-04'E. 512.1 feet from the 1/4 corner between said sections, and S.0°04'W. 2134.2 ft. from the corner of Secs.22,23,26 & 27.

1300.0 cross gulch flows northwest to southeast.

1410.0 Leave gulch above mentioned.

1500.0 TO COR.NO.4, a granite stone 8 x 10 x 24 inches long set twelve inches in the ground with a substantial mound of stone alongside; chiseled 4-G D - 3-3156, with cross on top for exact corner point, from which point;

A rock in place 6x6x4 feet exposed and chiseled BxR 4-G D 3-3153, brs. S.1°-47'W. 48.0 feet.

A mound of stone three foot base and two feet high being the location monument for this corner, brs, S.79°-57'E. 55.5 feet.

No other bearings available.

Thence S.40°-53'W.

- 30.0 Cross gulch, flows southeasterly.
- 235.5 cross railroad, brs northwest to southeast.
- 300.0 SOUTH CENTER END, a mound of stone.
- 330.0 Cross road, brs. northwest to southeast.
- 600.0 TO THE PLACE OF BEGINNING.

All corners are identical with their respective locations, except where otherwise mentioned. Variation at all corners 14°-00'E.

LODE LINES

As near as can be determined from the present developments, the veins on the respective lodes extend as follows from their discoveries;

GOLD DOLLAR LODE

N.48°-25'-30"W. 791.2 feet and S.48°-25'-30"E.704.9 ft.

GOLD DOLAR No.2

N.48°-10'W. 605.0 feet, and S.48°-10'E. 891.2 feet.

GOLD DOLLAR No.3

N.47°-04'-30"W. 98.0 feet, and S;47°-04'-30"E. 1403.0 ft.

AREAS

	Acres
Total area of Gold Dollar Lode - - - - -	19.657
Total area of Gold Dolar No.2 Lode - - - - -	20.529
Total area of Gold Dollar No.3 Lode - - - - -	20.647

853

LOCATION

This survey is located in sections 26 and 27, T.10 N.R.6 W.

~~55~~

of the Gila and Salt River Base and Meridian, in the
Martinez Mining District, Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and
improvements made upon, or for the benefit of each loca-
tion embraced in said mining claims, by the claimant or
his grantors is not less than five hundred dollars, and
that said improvements consists of:

GOLD DOLLAR LODE

No.1 Discovery Monument, located on the ledge,
N.48°-25'-30"W. 704.9 feet from the South Center End.

No.2, Shaft, the center of which brs. S.66°-38'E.
775.0 feet from Cor. No.2, 4 x 6 x 125 feet deep, from the
bottom of which runs a drift N.48°-25'W. 50.0 feet and
also another drift runs S.48°-25'E. 50.0 feet. (Workings
inaccessible due to water) Total length of drifts is 100 ft.
value Shaft \$1250.00
" " Drifts 1000.00

No.3 Shaft, the center of which brs. N.25°-38'W.
from Cor. No.1/
550.0 feet, 4 x 6 x 24 feet deep.

value \$240.00

No.4, Cut, the center of which brs. N.88°-23'W.
538.0 feet from Cor. No.4, 10 x 6 x 5 feet deep.

Value \$100.00

No.5 Cut, the center of which brs. N.86°-45'W.
520.0 feet from Cor. No.4, 10 x 6 x 7 feet deep.

Value \$120.00

GOLD DOLLAR No.2 LODE.

No.1, Discovery Shaft, the center of which brs.
S.48°-10'E. 605.0 feet from the North center end, 4 x 6 x
10 feet deep (caved).

Value \$100.00

No.2, Shaft, the center of which brs. S.47°-29'E.
953.0 feet from Cor. No.4, 4 x 6 x 40 feet deep.

value \$400.00

GOLD DOLLAR No.3 LODE.

No.1 Discovery Shaft, the center of which brs. S.47°-04'-30"E. 98.0 feet from the North Center End, 4 x 6 x 10 feet deep(caved).

value \$100.00

No.2, Tunnel, the mouth of cut brs. S.25°-36'E. 533.0 feet from Cor. No.3, 4 x 6' running S.62°-30'W. 32.0 feet to mouth of tunnel being breast of cut, 92.0 feet to sta.1, thence N.46°-00'W. 33.0 feet to sta. 2, also from sta. 1 S.26°-30'E. at 9.0' upraise to surface 15 feet, 39.0 feet to sta. 3, thence from sta. 3 S.10°-30'E. 10.0 feet to breast. From Sta. 2 N.26°-30'W. 16.0 feet to breast, having a total length of cut 32.0 feet, of tunnel and drifts 157.0 feet and upraise of 15.0 feet.

Value Cut	\$200.00
" " Tunnels	\$1570.00
Upraise	150.00

No.3, Open cut, the mouth of which brs. S.80°-33'E. 576.0 feet from Cor.No.3, 28 x 8 x 4 feet deep.

Value \$150.00

No.4, Cut and tunnel, the mouth of cut brs. S.69°-49'E. 593.0 feet from Cor. No.2, 4 x 6' running S.7°-30'E. 18.0 feet to mouth of tunnel, thence S.23°-00'E. 15.0 feet to breast of tunnel, having a total length of cut 18.0 ft. and tunnel 15.0 feet.

value Cut	\$100.00
" " Tunnel	\$150.00

No.5 Cut and tunnel, the mouth of cut brs. N.63°-12'W. 545.0 feet from Cor. No.4, 4 x 6' running S.76°-45'W. 30.0 feet to mouth of tunnel, 195.0 feet to caved ground in tunnel, having a total length of cut of 30.0 feet and 165.0 feet of tunnel.

value Cut	\$200.00
" " Tunnel	\$1650.00

OTHER IMPROVEMENTS

GOLD DOLLAR LODE.

5. A corrugated iron building used for hoist house, brs.

from Cor. No.2 /
S.64°-01'E. 765.0 feet/ Size of building 10 x 15 feet.

A cabin 12 x 20 foot frame building, brs. S.82°-40'W.
490.0 feet, from Cor. No.4.

A corrugated iron building used for a barn 18 x 24
feet, brs. N.56°-50'W. 660.0 feet, from Cor. No.4.

GOLD DOLLAR No.2 Lode

No other improvements.

GOLD DOLLAR No.3 Lode

No other improvements.

ADJOINING CLAIMS

There are no adjoining claims to this survey, all the
surrounding land being Public Domain.

INSTRUMENT

This survey was made with a Lietz Light Mountain transit-
theodolite, No.13-5929. The courses were deflected from the
true meridian, as determined by observations by the use of
the Saegmuller Solar Attachment. The distances were measured
with a 150 foot and 300 foot steel tape.

REPORT

The 1/4 corner between sections 26 and 27, T.10 N.R.6 W.
of the Gila and Salt River Base and Meridian, is a granite
stone 8 x 9 x 12 inches exposed, chiseled 1/4 on its west
side, with mound of stone alongside.

The discrepancies found existing between the claims as
marked by the location monuments and as described in the
location notices, are due to errors in the location
notices.

The Discovery Monument of the Gold Dollar Lode is located
on an outcropping of the ledge, and is a monument of stone
three foot base and two feet high.

William Waara
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. William Weara

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of J. W. Sullivan

known as the GOLD DOLLAR, GOLD DOLAR No. 2, GOLD DOLLAR No. 3

and showing the respective capacities in which they acted.

- Franklin Newhall, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~, I. Franklin Newhall

~~and~~....., do solemnly swear that ~~we~~ ^I assisted J. WILLIAM

WAARA, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of J. W. SULLIVAN

known as the GOLD DOLLAR, GOLD DOLAR No. 2, GOLD DOLLAR No. 3

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ARIZONA.

- Franklin Newhall, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 23rd

day of December, ad, 1912

Robert E. Jones
Notary Public

14224b5m8-04

My commission expires. July 23-1916

11
DEC. 13. 1914

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, J. WILLIAM WAARA, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated OCT. 27, 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. W. SULLIVAN, known as the GOLD DOLLAR, GOLD DOLAR No. 3, GOLD DOLLAR No. 3, situate in MARTINEZ Mining District, YAVAPAI County, ARIZONA, in Sections 26 & 27, Township No. 10 N., Range No. 6 W., G. & S. R. B. & M. and designated as Survey No. 3156, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. William Waara
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said J. William Waara
U. S. ~~Deputy~~ Mineral Surveyor, before me J. G. Brown, a Notary Public
this seventeenth
day of December, 1914,

J. G. Brown
Notary Public

My Com. expires Feb. 19. 1916.

Notice of Mining Location

LODE CLAIM

00127.1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Gold Dollar" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Frank Lucas George Kirkland A.D. Cupples

Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States." the undersigned, on the 5th day of June 1904. ~~xxx~~

The length of this claim is fifteen hundred feet, and we claim 750 feet, in a n easterly direction and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said ~~claim~~ ^{vein}. The general course of the lode deposit and premises is from the easterly to the westerly

The claim is situated and located in the Congress Mining District, in Yavapai County, ~~Yavapai~~ ^{Arizona}, about One 1/2 mile in a southerly direction from Congress Mine and about 2 miles Marteineze P.O. supposed to be abandoned property of D.J. Jones, and others. Name of claim not known.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a n easterly direction 750 feet from the discovery shaft (at which this notice is posted,) being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones, being at the north west corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the south west corner of said claim; thence easterly 1500 feet to a monument of stones, being ~~x~~ the south east corner of said claim; thence northerly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and ~~of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.~~ Title XLVII of the Revised Statutes of Arizona, 1901.

Dated and posted on the ground this 5 day of June 1904. ~~xxx~~

Witness: _____
 _____ Frank Lucas
 _____ George Kirkland
 _____ A.D. Cupples.

~~XXXXXX~~ recorded at request of E.S. Perkins

Aug. 9" A.D. 1904

~~XXXXXX~~, at 1:10 o'clock

P. M., Book 72 of Mines

pages 167

Records of Yavapai County, Arizona.

{ SEAL }

~~XXXXXXXXXX~~
P.J. Farley
County Recorder,

By _____

M.B. Farley

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of Mining Location
"Gold Dollar"

filed for record on Aug. 9, 1904, at 1:10 o'clock P.M. and as the same appears of record in my office in Book 72 of Mines at pages 167 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 15th day of October, A. D. 1914.

L. S. Colwell
County Recorder.



Notice of Mining Location

LODE CLAIM

60727.1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Gold Dolar No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by A.D.Cupples and Frank Lucas.

Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States." the undersigned, on the 12th day of Aprrial, 1905 ~~1911~~

The length of this claim is fifteen hundred feet, and we claim 750 feet, in an easterly direction and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said ~~claim~~ ^{vein}. The general course of the lode deposit and premises is from the easterly to the westerly

The claim is situated and located in the Congress Mining District, in Yavapai County, in the Territory of Arizona, about Two miles in a Southerly direction from Congress P.O. and about three miles in a northerly direction from Martinez P.O.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted,) being in the center of the east end line of said claim; thence Northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 1500 feet to amonument of stones, being at the southeast corner of said claim; thence northerly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and ~~of the General Assembly of Arizona, entitled "An Act to Amend the Code of Laws of the Territory of Arizona, 1901."~~ Title XLVII of the Revised Statutes of Arizona, 1901.

Dated and posted on the ground this 12th day of Aprrial 1905. ~~1911~~

Witness: J.A.Park A.D.Cupples
Frank Lucas

Filed and recorded at request of Frank Lucas

June 3" A.D.1905 ~~XXXXXX~~, at 1:05 o'clock

P. M., Book 73 of Mines pages 416

Records of Yavapai County, Arizona.

{ SEAL }

~~XXXXXXXXXX~~
Roland Mosher
County Recorder,

By E.C. Averyt
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of Mining Location
Gold Dollar No.2

filed for record on June 3, 1905 at 1:05 o'clock P.M. and as the same appears of record in my office in Book 73 of Mines at pages 416 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 15th day of October, A. D. 1914
L. S. Colwell
County Recorder.



Notice of Mining Location

LODE CLAIM

601.27.1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Gold Dollar No. 3
 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
 mineral deposits, was entered upon and located for the purposes of exploration and purchase by
A.D. Cupples & Frank Lucas

Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States."

the undersigned, on the 15 day of May 1907 ~~1914~~

The length of this claim is fifteen hundred feet,
 and we claim 1400 feet,
 in a easterly direction and 100
 feet in a westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
three hundred (300) feet in width of the surface grounds, on each
 side of the center of said ~~claim~~ ^{vein}. The general course of the lode deposit and premises is from the
easterly to the westerly

The claim is situated and located in the Congress Mining District, in
Yavapai County, in the Territory of Arizona, about one mile
 in a Southerly direction from Congress Mines
Abandoned Ground of Congress Mines Co.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a easterly direction 1400 feet from
 the discovery shaft (at which this notice is posted,) being in the center of the east
 end line of said claim; thence northerly 300 feet to a monument of
stones, being the northeast corner of said claim;
 thence westerly 1500 feet to a monument of stones, being at the
northwest corner of said claim; thence southerly 300 feet
 to a monument of stones at the center of the west end of said claim;
 thence southerly 300 feet to a monument of stones, being at the
southwest corner of said claim; thence easterly 1500
 feet to a monument of stones being at the southeast corner of said claim;
 thence northerly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United
 States, ~~and of the General Assembly of Arizona, examined and approved by the~~ ~~of the Territory of Arizona, approved March 16, 1901.~~ and Title XLVII of the Revised
 Statutes of Arizona, 1901.

Dated and posted on the ground this 15 day of May 1907 ~~1914~~

A.D. Cupples

Witness: J.A. Park

Frank Lucas

Filed and recorded at request of A.D.Cupples

June 28 A.D.1907 ~~XXXXXX~~, at 1:58 o'clock

P.M., Book 82 of Mines pages/ 88

Records of Yavapai County, Arizona.

{ SEAL }

~~XXXXXXXXXX~~
J.C. Bradbury
County Recorder,

By C.W. Bennett,
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of ~~Notice of Mining Location~~
Gold Dollar No. 3

filed for record on June 28, A.D.1907 at 1:58 o'clock P.M. and as the same appears of record in my office in Book 82 of Mines, at pages/ 88 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 15th day of October, A. D. 1914

L. S. Colwell
County Recorder.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 22, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

J. W. Sullivan

known as the Gold Dollar, Gold Dolar No. 2, Gold Dollar No. 3.

situate in Martinez

Mining District, Yavapai County, Arizona.

in Sections 26 & 27, Township No. 10 N., Range No. 6 W., and

designated as Survey No. 3156, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
each of

ments made upon said mining claim^s by claimant or his grantors, and that said improvements

consist of 5 shafts, 6 cuts, 3 tunnels, 2 drifts and 1 upraise,

total value \$7480.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

March 22, 1915.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

J. W. Sullivan

, known as the

Gold Dollar, Gold Dolar No. 2, Gold Dollar No. 3.

situate in Martinez mining district,

Yavapai

County,

Arizona.

in Sections 26 & 27, Township No. 10 N., Range No. 6 W.

, designated as Survey No. 3156

executed by J. William Waara, U. S. Deputy Mineral

Surveyor, November 12-18, 1914, 1914, under my instructions dated

October 27, 1914, 1914, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.