4-683.

Mineral Survey No. 3182

Lot No. ______ Land District.

FIELD NOTES

Calumet & Arizona Mining Co

KNOWN AS THE

Silica Queen No 1. Silica Queen No 2. Silica Queen No 3

Warren Mining District,

Cochise County, Arizona

Sections 17 & 14 Township 24 S , Range 25 E, G & S R B & M.

Surveyed under instructions dated April 8th , 1915,

by Ralph L. Motz.

U.S. Doputy Mineral Surveyor

Claim located see location notices , 1

Survey commenced April 19th , 1915.

Survey completed April 21st , 1915.

Postoffice address of claimants attorney,

Cleon T. Knapp, Bisbee, Arizona.

SILICA QUEEN NO 2.

Beginning at Cor No 1, the S W Cor, identical with location a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3182 SQ2,

whence a quartzite ledge with 32 x 49 ins exposure and chiseled BR x 1-3182 brs. N 71° 30' W.12.5 ft., and a second quartzite ledge with 18 x 23 insexposure and like chiseling brs \$ 6° 45' W 13.55 ft., and the N W Cor of Sec 14, T 24 S, R 25 E, C & S R B & M brs N 84° 15' 30" W 675.1 ft.

thence N 37° E

- 61.2 intersect the north line of the NW 1/4 of Sec 14, T 24 S, R 25 E, at S 88° 30' E 708.8 ft from the N W Cor, and N 88° 30' W 1764.2 ft from the 1/4 Cor,
- 304.0 to original location for west end center, being a mound of stones 3 ft. high with a 3 ft. base,
- 608.0 to Cor No 2, the N W Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3182 SQ2, whence a limestone rock 34 x 15 in exposure and chiseled BR x 2-3182 brs S 66° 19' E 9.6 ft., and a quartzite rock with 12 x 20 in exposure and like chiseling brs S 61° 20'

thence S 43° E

- 624.2 intersect the north line of the NW 1/4 of Sec 14, T 24 S, R 25 E, at S 88° 30' E 1463.8 ft from the N W Cor, and N 88° 30' W 1009.2 ft from the 1/4 Cor.,
- 1325.5 cross abandoned railroad grade,

W 26.7 ft.

1500.0 to Cor No 3, the N.E. Cor, identical with location and with Cor No 1 Silica Queen No 1 lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3182 SQ2,

no bearing monuments available.

thence S 37° W

- 222.0 cross abandoned railroad grade,
- 300.0 to west end center Silica Queen No 1 lode of this survey,
- 304.0 to original location for east end center, being a mound of stones 3 ft high with a 3 ft base,
- 600.0 to Cor No 4 Silica Queen No 1 lode of this survey,
- 608.0 to Cor No 4, the S E Cor, identical with location a pine post 4 ft long 4 ins. sq. set 18 ins in the ground in a mound of stones and scribed 4-3182 SQ2,

no bearing monuments available.

thence N 43° W

to Cor No 1, the place of the beginning. 1500.0

SILICA QUEEN NO 1.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 3 Silica Queen No 2 lode of this survey, heretofore described to which I add 1-3182 SQl for this claim. The N 1/4 Cor of Sec 14, T 24 S, R 25 E, G & S R B & M brs N 33° 50' E 739.2 ft.

thence S 53° 28' E

- 180.4 cross spur track of the El Paso & Southwestern Railway,
- 1493.4 to Cor No 2, the N E Cor, identical with location, and with Cor No 1 Silica Queen No 3 lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3182 SQ1,

whence a limestone rock 15 x 7 x 9 ins high and chiseled BR x 2-3182 brs N 56° 18' E 46.7 ft., and a quartz rock 14 x 20 x 9 ins high with like chiseling brs S 48° 56' E 32.7 ft.

thence S 37° W

- to original location for east end center, identical with west end Silica Queen No 3 lode of this survey, being a mound of stones 3 ft high with a 3 ft base,
- 600.0 to Cor No 3, the S E Cor, identical with location and with Cor No 5 Silica Queen No 3 lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3182 SQ1,

No bearing monuments available.

thence N 53° 28' W

- 1392.4 cross abandoned railroad grade,
- 1493.4 to Cor No 4, the S W Cor, identical with location, and situated on line 3-4 Silica Queen No 2 lode of this survey, at N 37° E 8 ft from Cor No 4,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3182 SQ1,

whence a limestone rock in place 29 x 19 x 11 ins high and chiseled BR x 4-3182 brs. N 47° 32' E 13.8 ft., and a quartzite ledge with 19 x 21 insexposure and like chiseling brs N 8° W 40.5 ft.

thence N 37° E

- 296.0 to east end center Silica Queen No 2 lode of this survey,
- 300.0 to original location for west end center, being a mound of stones 3 ft high with a 3 ft base,
- 378.0 cross abandoned railroad grade,
- 600.0 to Cor No 1, the place of the beginning.

SILICA QUEEN NO 3.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 2 Silica Queen No 1 lode of this survey, heretofore described to which I add 1-3182 SQ3 for this claim. The N 1/4 Cor of Sec 14, Tp 24 S, R 25 E, G & S R

B & M brs N 27° 40' 30" W 1697.2 ft.

thence S 58° 44' E

652.4 to Cor No 2, the N E Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3182 SQ3,

whence a quartzite ledge 24 x 14 insexposure and chiseled BR x 2-3182 brs N 77° 24' W 41.0 ft., and a second quartzite ledge 6 x 12 insexposure and like chiseling brs N 43° 27' E 21.85 ft.

thence S 37° W

300.0 to original location for east end center, being a mound of stones 3 ft high with a 3 ft base,

436.9 to Cor No 3, the S E Cor,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3182 SQ3,

no bearing monuments available. The original location for the southeast corner brs S 37°W163.1 ft.,

thence S 83° 24' W

264.4 to Cor No 4,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3182 SQ3,

no bearing monuments available. The original location for the southeast corner brs S 58° 44' E 192.4 ft.

thence N 58° 44' W

460.0 to Cor No 5, the S W Cor, identical with location and with Cor No 3 Silica Queen No 1 lode of this survey, heretfore described to which I add 5-3182 SQ3 for this claim.

thence N 37° E

300.0 to original location for west end center, identical with east end center Silica Queen No 1 lode of this survey, heretofore described,

600.0 to Cor No 1, the place of the beginning.

LODE LINES.

SILICA QUEEN NO 2.

The presumed course of the vein on this claim is from the east end center N 43° W 1500.0 ft.

SILICA QUEEN NO 1.

The presumed course of the vein on this claim is from the east end center N 53° 28' W 1493.4 ft.

SILICA QUEEN NO 3.

The presumed course of the vein on this claim is from the east end center N 58° 44' W 652.4 ft.

*	AREAS.
	Total and net area of Silica Queen No 2 20.618 A.
	Total and net area of Silica Queen No 1 20.570 A.
	Total and net area of Silica Queen No 3 8.583 A.
	IMPROVEMENTS.
	I certify that the value of the labor and improvements on each claim of this survey, placed thereon by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-
	SILICA QUEEN NO 2.
No.1.	Discovery open cut 4 x 10 x 8 ft long brg S 83° W, the face of open cut brs from east end center on lode line 300 ft. Value \$ 50.00
No.2.	Shaft 4 x 6 x 10 ft deep brs from a point on line 2-3 at S 43° E 600.0 ft, from Cor No 2, N 79° 40' W 153.0 ft. Value \$ 60.00
No.3.	Open cut 5 x 12 x 51 ft long, with tunnel 4 x 6 x 25 ft long hrg S 57° 30' W, brs from Cor No 3 N 86° 50' W 245.0 ft. Value \$400.00
No.4.	Open cut 6 x 10 x 31 ft long, with tunnel 6 x 6 x 6 ft long brg N 35° W, the mouth of open cut brs from Cor No 4, North Value \$200.00
	Total improvements \$710.00
	SILICA QUEEN NO 1.
No.1.	Discovery open cut 4 x 10 x 10 ft long, brg N 63° 40' E, the face of open cut brs from west end center S 53° 28' E 530.0 ft. Value \$ 50.00
No.2.	Open cut 5 xll x 29 ft long brg N 63° 40' E the mouth of which brs from a point on lode line5300 ft from north end center, S 63° 40' W 52.0 ft. Value \$150.00
No.3.	Shaft 4 x 6 x 15 ft deep brs from Cor No 1 S 27° 50' E 193.0 ft. Value \$100.00
No.4.	Open cut 80 ft wide, 30 ft high, 150 ft long brg S 31° E, the center of the mouth of open cut brs from Cor No 1 S 24° 03' E 312.0 ft. Value \$6700.00
	Total improvements \$7000.00
	SILICA QUEEN NO 3.
No.1.	
No.2.	Open cut 5 x 10 x 28 ft long brg N 30° E, the mouth of which brs from west end center S 54° 36' E 180.0 ft. Value \$150.00
No.3.	Open cut 5 x 10 x 20 ft long, with tunnel in face 4 x 6 x 22.5 ft long brg N 41° E, the mouth of open cut brs. from west end center S 54° 36' E 204.0 ft. Value \$375.00
	Total improvements \$575.00

(4.)

Total improvements on group

\$8285.00

ADJOINING CLAIMS.

North, East, South and West. Claims and claimants unknown. The main line of the E.P. * S.W. R.R. lies about 100 ft. south of and parallel to line 3-4 Silica Queen No.3.

This survey is located in the WarrengMining District, Cochise County, Arizona, in Sections 14, Tp 24 S, R 25 E, G & S R B & M.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons Light Mountain transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 30' East at all corners.

REPORT.

See * below.

Roefl L. Moto.

Dated at Bisbee, Arizona.
April 26th,1915.

00000000000000

* Cor. for Secs. 10,11,14 and 15, T. 24 S., R. 25 E., is a sandstone rock 7 x 11 x 10 ins. high, chiseled 11 on E. face, 1111 on S. face. Monument of rocks 2 ft. high north of corner.

 $\frac{1}{2}$ Cor. between Secs. 11 and 14, is a limestone rock 6 x 10 x 12 ins. high, chiseled $\frac{1}{2}$ on N. face. Monument of rocks west of corner.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individua	ds employed by Ralph L. Motz
United States Deputy Mineral Surveyor	r, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing fiel	ld notes of the survey of the mining claim of
Calume	t & Arizona Mining Co
known as the Silica Queen No	l, Silica Queen No 2, Silica Queen No 3
and showing the respective capacities in	which they acted.
	A. S. Dawson , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL O	ATHS OF ASSISTANTS.
A. S. Dawson	T
NO.	, do solemnly swear that 🗰 assisted
Ralph L. Motz , United	States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	
Calume	t & Arizona Mining Co
known as the Silica Queen No	1, Silica Queen No 2, Silica Queen No 3
	as having been surveyed by said deputy mineral surveyor and under his
_	my n in all respects, to the best of XXXX knowledge and belief, faithfully and
	boundary monuments established according to law and the instructions
	General for Arizona
furnished by the United States Surveyor	Chainman.
	, Chainman.
	Axman.
	Flagman.
Subscribed an	nd sworn to by the above-named person before me this 23rd
day of	April, 1915
	Moch Letue
	Notary Public in and for the County of Cochise, State of Arizona.
9489b5m8-03	My commission expires October 11,1917.

9489b5m8-03

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz	, U. S. Deputy Mineral						
	t, in pursuance of instructions received from the United						
States Surveyor General for Arizona							
April 8th, 1915. , I have, in strict conformity to the laws of							
United States, the official regulations and instructions thereunder, and the instructions							
of said Surveyor General, faithfully and correctly executed the survey of the Mining							
Claim of Calumet	& Arizona Mining Co						
	, known as the						
	Silica Queen No 2, Silica Queen No 3						
situate in	Warren Mining District,						
Cochise	County, Arizona , in Section s						
11 & 14, Township No. 2	4 S., Range No. 25 E, G & S R B & M						
and designated as Survey No	3182 , as represented						
in the foregoing field notes, which	h accurately show the boundaries of said mining claim						
as distinctly marked by monume	ents on the ground, and described in the attached copy						
of the location certificate, which	was received by me from the Surveyor General with						
said instructions, and that all the	e corners of said survey have been established and per-						
petuated in strict accordance wi	th the law, official regulations and instructions there-						
under; and I do further solemn	ly swear that the foregoing are the true and original						
field notes of said survey and	my report therein, and that the labor expended and						
improvements made upon said n	ining claim by claimant or its grantors						
are as therein fully stated, and	that the character, extent, location and itemized value						
thereof are specified therein wit	h particularity and full detail, and that no portion of						
said labor or improvements so co	redited to this claim has been included in the estimate						
of expenditures upon any other	claim.						
	Ralph L. Moh U.S. Deputy Mineral Surveyor.						
	U. S. Doputy Mineral Surveyor.						
	•						
	Subscribed and sworn to by the said Ralph L. Motz,						
	urveyor, before me J. W. Ross, Notary						
	this 26th						
day of April,	1915						
•							

Notary Public in and for the County of Cochise, State of Arizona.
My commission expires February 21st,1916.

APR8-1915

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Silica Queen No. 1
Mining Claim, situate on lands belonging to the United States of
America, and in which there are valuable mineral deposits, was entered
upon and located for the purpose of exploration and purchase by
J. H. Meyers & Alfred Paul Citizens, the undersigned, on the 24th
day of January 1909

The length of this claim is 1500 feet and We claim 700 feet in a Southerly direction, and 800 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1 & 1/2 Miles in a Westerly direction from Silica Junction

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of Stones at a point in a South direction 700 feet from the discovery shart (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a Monument of Stones, being the South East corner of said claim; thence 1500 feet to a Monument of Stones, being at the North East corner of said claim; thence 300 feet to a Monument of Stones at the center of the North end of said claim; thence 300 feet to a Monument of Stones, being at the North West corner of said claim; thence 1500 feet to a monument at the South West corner of said claim; thence 1500 feet to a monument at the South West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 24th day of January 1909.

J. H. Meyers

Alfred Paul

Locators.

Filed and recorded at request of Ray Swain Apr 20 1909 at 11;47 A.M. and recorded in Book 44 Record of Mines, Page 260

STATE OF ARIZONA, County of Cochise.

I, wen E. Murphy, County Recorder in and for the County and State aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Location Notice of the Silica Queen No. 1 Mining Claim, filed in my office on the 20th day of April, A.D. 1909 at 11;47 A.M., and recorded in Book 44 Record of Mines, Page 260, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 3rd day or April, A.D. 1915.

Owen E. Murphy,

County recorder.

Deputy.



APR8-1915

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Silica Queen No. 2
Mining Claim, situate on lands belonging to the United States of
America, and in which there are valuable mineral deposits, was entered
upon and located for the purpose of exploration and purchase by
J. H. Meyers & Alfred Paul, Citizens the unuersigned on the 24th day
of January 1909.

The length of this claim is 1500 feet and We claim 300 feet in a Southerly direction, and 1200 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1 & 1/2 Mile in a Westerly direction from Silica Junction

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of Stone at a point in a South direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a Monument of Stone, being the South East corner of said claim; thence 1500 feet to a Monument of Stones, being at the North East corner of said claim; thence 300 feet to a monument of stone at the center of the North end of said claim; thence 300 feet to a Monument of Stone, being at the North West corner of said claim; thence 1500 feet to a Monument of Stone at the Southwest corner of said claim; thence 1500 feet to a Monument of Stone at the Southwest corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 24th day of January 1909.

J. H. Meyers

Alfred Paul

Locators

Filed and recorded at request of Ray Swain Apr 20 1909 at 11;47 A.M. and recorded in Book 44 Record of Mines, page 261

STATE OF ARIZONA,) : SS County of Cochise.)

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Location Notice of the Silica Queen No. 2 Mining Claim, filed in my office on the 20th day of April, A.D. 1909 at 11;47 A.M., and recorded in Book 44 Record of Mines, Page 261, and that the same is a full, true and correct copy of said original and of the whole there or.

Given under my hand and seal of office, this the 3rd day of April, A.D. 1915

Owen E. Murphy

County "ecorder.

Deput





AFRO- 1915

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Silica Queen No. 3, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul and J. H. Meyers, Citizens the undersigned, on the 15th day of April 1909.

The length of this claim is 1500 feet and We claim 1000 feet in a Southerly direction, and 500 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1 1/2 mile in a Westerly direction from Silica Junction

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of Stone at a point in a South direction 1000 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a Monument of Stone, being the South East corner of said claim; thence 1500 feet to a Monument of Stone, being at the North East corner of said claim; thence 300 feet to a Monument of Stone at the center of the North end 1000 of said claim thence 300 feet to a monument of Stone, being at the North West corner of said claim; thence 1500 feet to a Monument of Stones at the South West corner of said claim; thence 1500 feet to a Monument of Stones at the South West corner of said claim; thence 1500 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15th day of April 1909.

Alfred Paul

J. H. Meyers

Locators.

Filed and recorded at request of Alfred Paul May 22 1909 at 9 A.M. and Recorded in Book 44 Record of Mines, Page 523.

STATE OF ARIZONA, : SS County of Cochise.)

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Location Notice of the SILICA QUEEN No. 3, Mining Claim, filed for record in my office of the 22nd day of May, A.D. 1909 at 9;00 A.M., and recorded in Book 44 Record of Mines, Page 523, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 3rd day of April, A.D. 1915.

Owen E. Murphy,

Bar

Deputy.

County Recorder 2





U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR GENERAL,

	** ,
Pho enix, Arizona,	
	June 28 , 1915.
I, U. S. Surveyor General for	District of Arizona,
do hereby certify that the foregoing	transcript of the Field Notes, return and approval
of the Survey of the mining claim of	of
	ARIZONA MINING CO.
	ca Queen No. 1, Silica Queen No. 2,
	, situate in Warren
	Cochi se County,
A	in Sections 11 & 14, Township No. 24 S,
	, and designated as Survey
	, has been correctly copied from the originals on
	Totes furnish such an accurate description of said
	d into a patent, serve fully to identify the premises,
and that such reference is made ther	ein to natural objects or permanent monuments as
will perpetuate and fix the <i>locus</i> ther	reof.
each of	hundred dollars' worth of labor has been expended nining claim ^S by claimant or its grantors, and
that said improvements consist of	cuts, 2 shafts and 3 tunnels, total
value \$8285.00	

WW30422220000000000000000000000000000000	
and that no portion of said labor or	improvements has been included in the estimate of
expenditures upon any other claim.	The second contract of
I further certify that the plat the	ereof, filed in the U.S. Land Office at Phoenix,
	d in conformity with the foregoing Field Notes.
	Frank S. Ingalls,
United State	s Surveyor General for Arizona.

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U.S. Surveyor-General,

	Phoenix, Arizona,	
	. y	June 28. , 19 15.
I, U. S. Surveyor-Gener	al for District of Arizona	
do hereby certify that the fo	regoing and hereto attached Field Notes and	Return of the Survey of the
Mining Claim of		
CA	LUMET & ARIZONA MINING CO.	
		, known as the
Silica Queen No	. 1, Silica Queen No. 2, Sil	ica Queen No. 3.
situate in	Warren	mining district,
Cochise	County,	Ari zona.
in Section s 11 & 14	Township No. 24 S., Ra	nge No. 25 E.
, designa	ted as Survey No3182	
executed by	Ralph L. Motz,	, U. S. Deputy Mineral
Surveyor,Ap	ril 19-21, , 19 15 ,	under my instructions dated
April 8,	, 19 L5 , have been critically exam	nined and the necessary cor-
rections and explanations ma	de, and the said Field Notes and Return, an	nd the Survey they describe,
are hereby approved. A tru	ne copy of the location certificate	e filed by the applicant. for
survey is included in the field	I notes.	galle
AMELEUS OO	U. S. Surveyor-General for	T Arizona.