

MAY 18 1915

4-683.

Mineral Survey No. 3184.

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W. B. Lount

KNOWN AS THE

Gladys Q

Plomosa Mining District,

Yuma County, Arizona,

Section approx. 17, Township 5 N., Range 17 W., G.S.R.M., Unsurveyed.

Surveyed under instructions dated April 27, 1915,

by C. C. Thompson, U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced May 1, 1915, 1

Survey completed May 4, 1915, 1

6-169

Address of Claimant's Attorney:

Frank H. Parker, Phoenix, Arizona.

FRANK H. PARKER

SURVEY NO. 3184.

GLADYS Q

Beginning at Cor. No. 1.

A stone 6 x 10 x 30 ins. set 6 ins. in the ground to bed rock and surrounded by substantial mound of earth and stone, with mound of stone, chiseled 1G-3184 and a cross at corner point,

whence,

U. S. M. M. No. 3184 bears S. 79° 13' E. 4153.2 ft.

No other bearings available.

Feet.

Thence S. 57° 46' W.

300 To south end center.

440 Middle of dry drain 6 ft. wide draining northwesterly.

600 To Cor. No. 2.

A stone 7 x 12 x 26 ins. set 14 ins. in the ground, with mound of stone, chiseled 2G-3184 and a cross at corner point.

No bearings available.

Thence N. 32° 14' W.

490 Middle of dry drain 8 ft. wide draining northwesterly.

1500 To Cor. No. 3.

A face on bed rock 3 x 3 ft. sloping southwesterly, with mound of stone, chiseled 3G-3184 and a cross at corner point.

No bearings available.

Thence N. 57° 46' E.

300 To north end center.

600 To Cor. No. 4.

A stone 7 x 15 x 26 ins. set 14 ins. in the ground, with mound of stone, chiseled 4G-3184 and a cross at corner point,

whence,

The S. W. Cor. Tough Nut lode, unsurveyed, Mudersbach and Roberts claimants, bears S. 7° 56' W. 392 ft.

SURVEY NO. 3184.

Feet.

No other bearings available.

 Thence S. 32° 14' E.

242.27 Intersect west end line Tough Nut lode, unsurveyed, at
 N. 45° 00' E. 259.25 ft. from its S. W. Cor.

1065.56 Intersect south side line Tough Nut lode, unsurveyed, at
 S. 50° 30' E. 806.65 ft. from its S. W. Cor.

1500 To Cor. No. 1 the place of beginning.

 All corners of this survey are identical with the
 corners of the location, the end centers consisting of
 stone monuments.

 Variation at all corners of this survey 14° 30' E.

 LODE LINE.

As near as can be determined from present develop-
 ments the vein of this location extends as follows from
 its discovery point:

500 ft. N. 32° 14' W. and 1000 ft. S. 32° 14' E.

 AREA.

Total area Gladys Q lode 20.661 Acres.

Area in conflict with Tough Nut lode, unsurveyed,
 2.389 Acres.

 LOCATION.

This claim is located approximately in Sec. 17,
 T. 5 N., R. 17 W., G. & S. R. M., unsurveyed, Plomosa
 Mining District, Yuma County, Arizona.

 ADJOINING CLAIMS.

This survey is joined on the northeast by the
 Tough Nut lode, unsurveyed, Mudersbach and Roberts
 claimants. Other boundaries unknown.

 EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improve-

SURVEY NO. 3184.

ments made upon this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:

No. 1 The discovery out and tunnel the face of out and mouth of tunnel being the discovery point is on the center line 500 ft. from the center of line 3-4. Cut 10 ft. face, 4 ft. wide, running N. 80° W. 12 ft. Tunnel 4 x 6 ft, running N. 84° E. 33 ft.

Value \$400.00

No. 2 A out the face of which from Cor. No. 3 bears S. 64° 15' E. 748 ft., 9 ft. face, 4 ft. wide, running S. 20° W. 14 ft.

Value \$70.00

No. 3 A shaft which from Cor. No. 3 bears S. 69° 10' E. 625 ft., 4 x 6 ft. x 24 ft. deep.

Value \$240.00

No. 4 A shaft which from Cor. No. 3 bears S. 77° 05' E. 666 ft., 4 x 6 ft. x 9 ft. deep.

value \$70.00

No. 5 A shaft which from Cor. No. 3 bears S. 77° 05' E. 694 ft., 4 x 6 ft. x 34 ft. deep.

Value \$340.00

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No. 4 transit. The courses were deflected from a meridian established by observing Polaris at elongation at the Tough Nut camp on a former occasion. The distances were measured with a Lufkin 660 ft. steel tape.

REPORT

The S. W. Cor. Tough Nut lode, unsurveyed, is a stone monument.

SURVEY NO. 3184.

Establishment of U.S.M.M. No. 3184.

This survey being on unsurveyed land on which no U. S. Mineral Monument or other corner exists within 2 miles I establish U. S. M. M. No. 3184 as follows:

On a high point visible from a large portion of the surrounding country I select a rock in place 2 x 3 ft. x 1 ft. above ground, with mound of stone 6 ft. base 6 ft. high, chiseled U. S. M. M. No. 3184 and a cross indicating the exact point, whence,

A cross on the face of a cliff 3 x 4 ft., chiseled U. S. M. M. No. 3184 B. R., bears S. 31° 06' E. 40.1 ft.

A cross on the face of a cliff 2 x 4 ft., chiseled U. S. M. M. No. 3184 B. R., bears N. 67° 51' W. 15.7 ft.

Four Peak bears N. 26° 33' W.

Planet Peak bears N. 6° 42' E.

Railroad station at Bouse bears N. 9° 33' E. about 11 miles.

Ives Peak bears N. 44° 18' E.

This monument is located approximately in Sec. 16, T. 5 N., R. 17 W., G.&S. R. M., unsurveyed, Plomosa Mining District, Yuma County, Arizona.

~~The S. W. Cor. Touga Nut lode, unsurveyed, is a stone monument.~~

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by C. C. Thompson,
United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

W. B. Lount

known as the Gladys Q

and showing the respective capacities in which they acted.

Nick Schlumberger, *Chainman.*

....., *Chainman.*

....., *Arman.*

....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~we,~~ I, Nick Schlumberger,

and....., do solemnly swear that ^I~~we~~ assisted.....

C. C. Thompson, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of W. B. Lount,

known as the Gladys Q

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona.

Nick Schlumberger, *Chainman.*

....., *Chainman.*

....., *Arman.*

....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 18

day of May, 1915., 190.....

H. C. Hamilton

My Commission Expires December 10, 1917

Notary Public.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, C. C. Thompson, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 27, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. B. Leunt,
 _____, known as the Gladys Q,
 situate in Plomosa Mining District,
Yuma County, Arizona, approx., in Section 17, Township No. 5 N., Range No. 17 W., G.S.R.M., Unsurveyed, and designated as Survey No. 3184, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

C. C. Thompson
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said C. C. Thompson,
 U. S. ~~Deputy~~ Mineral Surveyor, before me H. C. Hamlin,
Notary Public, this 18
 day of May, 1915.

H. C. Hamlin
 My Commission Expires December 18, 1917
 Notary Public.

STATE OF ARIZONA)
COUNTY OF Yuma.) ss.

Gus. Mundersbach, being first duly sworn, deposes and says that he is familiar with the Gladye Q lode mining claim, situate in the Plomosa Mining District, Yuma County, Arizona, for which W. B. Lount has made application to the Surveyor-General for the District of Arizona for an official survey, as a basis for an application for patent to said claim; that he has actually been on this mining claim and has seen all of the monuments of location defining the boundaries thereof, as are described in the location notice of said lode claim on which this survey is based; that the original ~~end or~~ side center monuments of location were actually established on the ground by the locators at the approximate centers of the ~~end or~~ side lines of this claim; that said ~~end or~~ side center monuments of location were not situate within the boundaries of said lode claim, as defined by straight lines connecting the respective corner monuments; and furthermore that he is not interested in said claim in any manner whatsoever.

Gus Mundersbach
Affiant.

Subscribed and sworn to before me this 11 day of June, 1915.

(SEAL)

My Commission Expires December 13, 1917

H. C. Hamlin
Notary Public.

1
52

Notice of Mining Location

9

Lode Claim.

Apr 26 1915

To All Whom It May Concern:

This Mining Claim, the name of which is the "Gladys Q" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Eugene Jackson, W. A. Bondurant and W. B. Lount, citizens of the United States, the undersigned on the 15th day of Febry 1901.

The length of this claim is 1500 feet and we claim five hundred feet in a northerly direction and one thousand feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width, of the surface grounds, on each side of the center of said claim, The general course of the lode deposit and premises is from the north to the south.

The claim is situated in the Plomosa Mining District in Yuma County, in the Territory of Arizona, about one mile in a western direction from the Copper King mine, about 18 miles from Tysons Wells and about 8 miles south from the four Peaks and about 12 miles S. W. from Bowses Well.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument at a point in a southerly direction one thousand feet from the discovery shaft, (at which this notice is posted) being in the center of the south end line of said claim; thence West 300 feet to a Stone monument being the South West corner of said claim; thence north 750 feet to a Stone monument at the center of the west side line of said claim; thence 750 feet to a Stone monument being at the north west corner of said claim; thence east 300 feet to a Stone monument at the center of the north end of said claim; thence East 300 feet to a stone monument being at the north east corner of said claim; thence south 750 feet to a Stone monument being at the center of the east side line of said claim; thence south 750 feet to a Stone monument at the South east corner of said claim; thence West 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th 1895 and amended March 2nd, 1899.

Dated and posted on the ground this 15th day of February 1901.

Eugene Jackson
Willard Bondurant
Wm. B. Lount.

Recorded at request of Eugene Jackson, May 16th 1901-9 A. M.

C. P. Cronin
County Recorder.

By R. W. Byler
Dept.

State of Arizona,)
County of Yuma.) ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of a Notice of Mining Location of the Gladys Q Mining Claim, filed in this office on the 16th day of May, 1901, and which same appears of record in Book L of Mines, at page 52, Records of Yuma County, State of Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official seal, this 13th day of April, A.D. 1915.

James T. Hodges
County Recorder, Yuma County,
State of Arizona.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 23, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

W. B. LOUNT

known as the GLADYS Q

situate in PLOMOSA

Mining District, YUMA County, Arizona, Approx.

in Section 17, Township No. 5 N., Range No. 17 W., unsur., and

designated as Survey No. 3184, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 2 cuts, 1 tunnel and 3 shafts, total value \$1120.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

July 23, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

W. B. LOUNT

known as the

GLADYS Q

situate in PLOMOSA mining district,

YUMA County, ARIZONA, Approx.

in Section 17, Township No. 5 N., Range No. 17 W., unsur.

designated as Survey No. 3184

executed by C. C. Thompson, U. S. ~~Deputy~~ Mineral

Surveyor, May 1-4, 1915, under my instructions dated

April 27, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.