

Platted

NOV 1 1915

DEC 9 1915

EC 29 1915

4-683.

Mineral Survey No. 3199

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Tom Reed Gold Mines Company

KNOWN AS THE

Gray Eagle, Bald Eagle, Black Eagle, Aztec Center, Aztec Center
Southeast.

San Francisco Mining District,

Mohave County, Arizona.

Sections 23 and 24, Township 19 N., Range 20 W. unapproved
G & S.R. B & M.

Surveyed under instructions dated June 11, 1915, 1,

by Edward L. Haff,

U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced August 16, 1915

Survey completed August 24, 1915

o 6-169

Address of claimant, N.P. Moerdyke, Atty.

Security Building,

Los Angeles, Calif.

Mineral Survey No.3199

Feet.

Grey Eagle.

Beginning at Cor.No.1.

On line between the S.E.Cor.and S.angle Cor. of the Big Jim lode (unsurveyed) Big Jim Gold Mining Company claimant, at N.36°01'W.-223.63 ft. from the S.E.Cor. and S.36°01'E.-610.90 ft. from the S.angle Cor.

Identical with Cor.No.5 Bald Eagle lode of this survey.

A pine post 4 ft.long 4 ins.square set 18 ins in the ground, with mound of earth and stone, a nail at corner point and scribed G.E.1-B.E.-5-3199, whence,

The S.W.Cor. of Sec.19 T.19N.R.19 W. G.& S.R. B.and M.bears S.68°47'E. ~~6868.43~~ ft.

The E.1/4 Cor.of Sec.23 T 19 N.R.20 W. unapproved, G and S.R. B and M.bears N.80°17'50"E.1183.71 ft.

No bearing objects available.

Thence S.38°00'W.

190.00 Wagon road 8 ft.wide, course, northwest and southeast

300.00 To south end center.

Identical with north end center Bald Eagle lode of this survey.

A pine post 4 ft.long 4 ins.square set 18 ins in the ground, with mound of earth and stone, a nail at center point and scribed S.End C.-C.E.-N.End C.B+E-3199.

530.00 Dry Gulch , course westerly.

600.00 To Cor.No.2.

Identical with Cor.No.4 Bald Eagle lode of this survey.

A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground with mound of earth and stone, a nail at corner point and scribed G-E-2-B.E.-4-3199.

No bearing objects available.

Thence N.36°01'W.

128.00 Dry Gulch, course westerly.

610.90 To Cor.No.3.

A pine post 4 ft.long, 4 ins.square, set 18 ins.in

Mineral Survey No.3199.

the ground with mound of earth and stone, a nail at corner point and scribed G.E.-3-3199.

No bearing objects available.

Thence N.48°21'W.

386.00 To Cor.No.4.

A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground with mound of earth and stone, a nail at corner point and scribed G.E.-4-3199, whence,

U.S.L.M. No.1602 bears N.80°55'50"W.-9002.40 ft.

No bearing objects available.

Thence N.38°00'E.

300.00 To north end center.

Identical with Cor.No.5 Sur.No.2610 Rising Star lode, Tom Reed Gold Mines Company, claimant.

A cross (X) at corner point and R.S.-5-2610,N.E.C. G.E.chiseled on an andesite boulder showing 2.5x3x3 ft. above ground, with a mound of stone 3 ft.high alongside.

348.00 Wagon road, course northwest and southeast.

600.00 To Cor.No.5.

Identical with south end center Rising Star lode, Sur.No.2610 and with S.W.Cor.Big Jim lode, unsurveyed.

A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground with mound of earth and stone, a nail at corner point and scribed R.S.-S-E-C-2610 G-E-5-3199.

No bearing objects available.

Thence S.48°21'E.

386.00 To Cor.No.6.

Identical with south angle corner Big Jim lode, unsurveyed.

A pine post 4 ft. long, 4 ins.square, set 18 ins. in the ground, with mound of earth and stone, a nail at Cor.Point and scribed G.E.6-3199.

Thence S.36°01'E.

580.00 Dry Gulch, course southwesterly,

610.90 To Cor.No.1, the place of beginning.

feet

Bald Eagle.

Beginning at Cor.No.1

Identical with Cor.No.3 Aztec Center and Cor.No.5 Black Eagle lodes of this survey.

A pine post 4 ft.long, 4 ins.square, set 18 ins in the ground, with mound of earth and stone, a nail at corner point and scribed B.E.1-A.C.-3-B1.E.-5-3199, whence,

S.W.Cor.of sec.19. T.19 N., R. 19 W. G & S.R. B and M.bears S.72°36'47"E.-5778.92ft.

E.1/4 Cor.of Sec.23 T.19 N.,R.20.W., unapproved, bears N.16°13'10"E.997.90 ft.

No other bearing objects available.

Thence S.38°00'W.

290.00 Wagon road, course east and west.

300.00 To south end center.

Identical with north end center, Black Eagle lode of this survey.

A pine post 4 ft long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point and scribed S. End C.-B.E.N. End C.-B1.-E-3199.

362.00 Dry Gulch, 10 ft.wide, course northwesterly.

600.00 To Cdr.No.2.

Identical with Cor.No.4.Black Eagle lode of this survey.

A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground with mound of earth and stone.A nail at corner point and scribed B.E.-2-B1.-E.-4-3199.

No bearing objects available.

Thence N. 55°15'W.

212.00 Dry wash, 10 ft. wide, course southwest.

520.00 Dry wash, 20 ft. wide, course southwest.

826.00 To Cor.No.3.

A pine post 4 ft. long 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail

at corner point and scribed B.E.-3-3199.

No bearing objects available.

Thence N.36°01'W.

356.00 To Cor.No.4.

Identical with Cor.No.2 Grey Eagle lode of this survey, previously described.

Thence N.33°00'E.

70.00 Dry Gulch, course westerly.

300.00 To north end center.

Identical with south end center Grey Eagle lode of this survey, previously described.

410.00 Wagon road, course northwesterly and southeasterly.

600.00 To Cor.No.5.

Identical with Cor.No.1, Grey Eagle lode of this survey, previously described.

Thence S.36°01'E.

223.53 Cor.No.5 Aztec Center lode of this survey and S.E.Cor. Big Jim lode, Unsurveyed.

256.00 Dry Gulch, course southwesterly.

356.00 To Cor.No.6.

Identical with Cor.No.4 Aztec Center lode of this survey.

A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground with mound of earth and stone, a nail at corner point and scribed B.E.-6-A.C.-4-3199.

No bearing objects available.

Thence S.55°15'E.

650.00 Dry Gulch 20 ft.wide, course southwesterly,

826.00 To Cor.No.1, the place of beginning.

Black Eagle.

Beginning at Cor.No.1

Identical with Cor.No.2 Aztec Center Southeast lode of this survey.

A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground, with mound of earth and rock, a nail at corner point, and scribed 1-B1-E-2-A-C-S-E-3199, whence,

Mineral Survey No.3199.

5

Feet	S.W.Cor.of Sec.19 T.19.N.,R.19 W. G & S.R. B and M. bears S.74° 26' E. -4613.49 ft.
	No bearing objects available.
	Thence S.38°00'W.
200.21	To south end center.
	A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point and scribed S.End C.-Bl.-E.-3199.
310.00	Wagon road, course southeast and northwest.
430.00	Dry wash 6 ft.wide, course northwesterly.
500.21	To Cor.No.2.
	A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point, and scribed Bl.-E.-2-3199.
	No bearing objects available.
	Thence N.51°00'W.
204.00	Dry wash, 6 ft.wide, course northwesterly.
622.00	To Cor.No.3.
	A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground with mound of earth and stone, a nail at corner point and scribed Bl.E.-3-3199.
	No bearing objects available.
	Thence N.88°21'W.
283.00	Dry wash, 10 ft.wide, course northwesterly.
648.94	To Cor.No.4.
	Identical with Cor.No.2 Bald Eagle lode of this survey, previously described.
	Thence N.38°00'E.
238.00	Dry wash, 10 ft.wide course westerly.
300.00	To north end center, identical with south end center Bald Eagle lode of this survey, previously described.
310.00	Wagon road, course east and west.
600.00	To Cor.No.5.
	Identical with Cor.Nos.1 and 3 Bald Eagle and Aztec Center lodes of this survey, respectively, previously described.

Mineral Survey No.3199

Feet	Thence S.65°25'E.
405.91	<p>To Cor.No.6.</p> <p>Identical with Cor.Nos. 2-4 Aztec Center and Aztec Center Southeast lodes of this survey.</p> <p>A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point and scribed B1-E-6-A-C-S-E-4A.C.1-2, -3199</p> <p>No bearing objects available.</p> <p>Thence S.77°16'E.</p>
141.60	<p>To Cor.No.7.</p> <p>Identical with Cor.No.3 Aztec Center Southeast lode of this survey.</p> <p>A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point and scribed B1-E-7-A-C-S-E-3-3199.</p> <p>No bearing objects available.</p> <p>Thence S.62°52'E.</p>
633.03	<p>To Cor.No.1. The place of beginning.</p> <p>Aztec Center.</p> <p>Beginning at Cor.No.1.</p> <p>Identical with Cor.No.5.Aztec Center Southeast lode of this survey.</p> <p>A cross (X) at corner point and A.C.1-A.C. S.E. -5-3199, chisled on the west face near the base of an andesite cliff, showing 15x20 ft.10 ft.high with a pine post 4 ft.long, 4 ins.square, set in a mound of stone alongside, whence,</p> <p>S.W.Cor of Sec.19,T.19 N.,R.19 W. G.& S.R. B.& M. bears S.67°58'45"E.5215.64 ft.</p> <p>The W.1/4 Cor.of Sec.24 T.19 N., R.20 W., unapproved, G & S.R., B and M. bears N.28°47'50"W.832.47 ft.</p> <p>No bearing objects available.</p> <p>Thence S.38°00'W.</p>
300.00	<p>To south end center.</p> <p>Identical with north end center Aztec Center Southeast lode of this survey.</p>

Mineral Survey.No.3199

Feet	
504.58	<p>A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground, with a mound of earth and stone, a nail at center point and scribed, S.End C.-A.C. and N.End C. A.C.S.E.-3199.</p> <p>To Cor.No.2.</p> <p>Identical with Cor.No.6.Black Eagle and Cor.No.4 Aztec Center Southeast lodes of this survey, previously described.</p> <p>Thence N.65°25'W.</p>
405.91	<p>To Cor.No.3.</p> <p>Identical with Cor.Nos.1 and 5 Bald Eagle and Black Eagle lodes of this survey, previously described.</p> <p>Thence N.55°15'W.</p>
176.00	<p>Dry wash, 20 ft. wide, course southwesterly.</p>
826.00	<p>To Cor.No.4.</p> <p>Identical with Cor.No.6.Bald Eagle lode of this survey, previously described.</p> <p>Thence N.36°01'W.</p>
100.00	<p>Dry wash 10 ft.wide, course southwesterly.</p>
132.37	<p>To Cor.No.5.</p> <p>On line 5-6 Bald Eagle lode of this survey.</p> <p>Identical with S.E.Cor.Big Jim lode, unsurveyed,</p> <p>A pine post 4 ft.long, 4 ins.square, set 18 ins in the ground, with mound of earth and stone, a nail at corner point and scribed A.C.5.-3199.</p> <p>No bearing objects available .</p> <p>Thence N.38°00'E.</p>
268.28	<p>To North End Center.</p> <p>Identical with south end center Big Jim lode, unsurveyed.</p> <p>A pine post 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point and scribed, N.End C.A-C-3199.</p>
566.92	<p>To Cor.No.6.</p> <p>Identical with N.E.Cor. Big Jim lode, Unsurveyed,</p> <p>A pine post 4 ft.long, 4 ins.square, set 18 ins.in</p>

Mineral Survey No. 3199

Feet	the ground, with mound of earth and stone. A nail at corner point and scribed A.C.-6-3199.
	No bearing objects available.
	Thence S.49°50'E.
455.00	Dry wash, 6 ft. wide, course southwesterly.
920.00	Drywash 10 ft. wide, course southwesterly.
924.69	To Cor.No.7.
	A pine post 4 ft.long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point and scribed A.C.-7-3199
	No bearing objects available.
	Thence S.62°20'50"E.
429.73	To Cor.No.1. The place of beginning.
	Aztec Center Southeast.
	Beginning at Cor.No.1.
	A cross (X) at corner point and A.C.S.E.1-3199 chiseled on the southwest face near the base of an andesite cliff 20x30 ft.25 ft.high with a pine post 4 ft. long 4 ins.square, set in a mound of stone alongside, whence,
	The S.W.Cor.Sec.19 T.19 N. R. 19 W. G.& S.R.
	B and M. bears S.68°39'E.-4451.00 ft.
	No bearing objects available.
	Thence S.38°00'W.
300.00	To south end center.
	A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, and scribed S. End C. A.C.S.E.-3199.
485.28	To Cor.No.2.
	Identical with Cor.No.1, Black Eagle lode of this survey, previously described.
	Thence N.62°52'W.
633.03	To Cor.No,3.
	Identical with Cor.No.7 Black Eagle lode of this survey, previously described.

feet

Thence N.77°16'W.

141.60

To Cor.No.4.

Identical with Cor.Nos.6-2 Black Eagle and Aztec Center lodes of this survey respectively, previously described.

Thence N.38°00'E.

204.58

To north end center.

Identical with south end center Aztec Center lode of this survey, previously described.

504.58

To Cor.No.5.

Identical with Cor. No.1, Aztec Center lode of this survey, previously described.

Thence S.64°05'E.

766.72

To Cor.No.1 , The place of beginning.

Variation.

Variations at all corners 14°40'East.

Lode lines.

As near as can be determined from present developments, the lode lines of the several lodes in this survey, extend from their respective discovery points as follows:

Grey Eagle.

N.48°21'W.386.ft.and S.36°01'E.-610.90 ft.

as shown by the general course of the vein croppings each way from the discovery shaft.

Bald Eagle:

N.36°01'W.356.ft. and S.55°15'E.826.ft.as

shown by the vein cropping each way from the discovery cut and in No.2 shaft.

Aztec Center:

N.49°52'W.-950.15 ft. and S.62°51'E.404.50 ft.

as shown by the vein cropping each way from discovery cut and in No.2 cut and tunnel.

Aztec Center Southeast:

N.64°05'W.566.72 ft and S.64°05'E.-200 ft.from

the discovery monument..

Black Eagle:

N.88°21'W.648.94 ft. and S.51°00'E.-622.ft. as shown by the vein cropping each way from the discovery shaft and in No.5.Cut.

AREA.S.

Total area Grey Eagle	13.395	Acrs.
Total area Bald Eagle	16.073	"
Total area Black Eagle	11.895	"
Total area Aztec Center	16.972	"
Total area Aztec Center Southeast	8.262	"

. LOCATION.

This survey is located in the E.1/2 Sec.23 and S.W. 1/4 Sec.24 T.19 N.,R.20 W.,unapproved, G and S.R.B and M. in the San Francisco Mining District, Mohave County, Arizona.

Adjoining Claims.

The known claims, adjoining this survey are on the northwest, Sur.No.2610, Rising Star lode, Tom Reed Gold Mines Company, claimant; on the north, The Big Jim lode, unsurveyed, Big Jim Gold Mines Company, claimant; Others, if any, unknown.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claims, by the claimant, or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

On the Grey Eagle lode;

No.1 The discovery shaft, which is on the lode line at S.48°21'E.386.ft from the north End Center, 4x6 ft. 8 ft.deep in a quartz ledge.

Value\$ 50.00

No.2 A shaft, which bears from Cor.No.4 S.30°50'E.-388ft. 4x6 ft.8 ft.deep, mineralized andesite.

Value. \$ 50.00

No.3. A shaft, which bears from Cor.No.6 South 230 ft.

Mineral Survey No.3199.

11

- 4x6 ft.40 ft.deep in quartz, andesite and vein matter.
Value. \$500.00
- No.4. A shaft which bears from Cor.No.6.S.8°20'E.312.ft.
5x7 ft.10 ft. deep in quartz,andesite and vein matter.
Value. \$ 75.00
- An undivided 1/5 interest in improvement No.6 on
the Black Eagle lode hereafter described.
Value \$ 4600.00
- On the Bald Eagle lode.
- No.1 The discovery cut, the face of which is on the lode
line at S.36°01'E.-356,ft from the north end
center. 4 ft. wide 9.5 ft face, running S.55°E.24 ft. to
mouth in quartz, spar and vein matter.
Value. \$75.00
- No.2. A shaft on the lode line at N.55°15'W.195.ft from
the southeast End Center 5x7 ft.16 ft.deep in quartz
and vein matter.
Value. \$ 150.00
- No.3. A shaft, which bears from Cor.No.4 S.66°E.422 ft.
4x7 ft.64 ft.deep in quartz,spars and vein matter.
Value \$ 650.00
- No.4 A shaft which bears from Cor.No.4.S.68°15'E.430
ft. 7x7 ft 4 ft deep to caved material.
Value to present depth \$ 25.00
- No.5. A shaft which bears from Cor.No.4 S.70°35'E.410 ft.
7x7 ft.4ft.deep to caved material.
Value to present depth \$ 25.00
- No.6. A cut, the mouth of which bears from Cor.No.4
S.66°E.435.ft.4ft.wide 9 ft. face, runs, S.40°W.20 ft.
to face, at face of cut a tunnel 4x6 ft.runs S.40°W.12
ft.to face, all in crushed andesite and vein matter.
Value of cut and tunnel \$175.00
- An undivided 1/5 interest in improvement No.6 on
the Black Eagle lode hereinafter described.
Value \$4600.00
- On the Black Eagle Lode:
- No.1 The discovery shaft, which in on the lode line

at S.88°21'E.648.94 ft. from the *North* End Center 5x7 ft. 11 ft. deep on a quartz vein.

Value \$ 75.00

No.2 A shaft, which bears from Cor.No.5 S.64°E 105.ft 5x8 ft.10 ft. deep in hard andesite.

Value \$ 100.00

No.3 A cut, the mouth of which bears from Cor.No.3. N.52°10'W.310 ft. 5 ft. wide, runs, N.25°E.30 ft. to an 8 ft.face in quartz, vein matter and andesite.

Value \$ 100.00

No.4 A cut, the mouth of which bears from Cor.No.3. N.57°W.360 ft. 5 ft.wide, runs N.10°E.25 ft.to an 8 ft. face, in andesite, at face of cut a shaft 5x7 ft.8 ft. deep on a quartz vein.

Value of cut and shaft. \$ 150.00

No.5 A cut, the mouth of which bears from Cor.No.2 N. 38°E.285 ft. 4 ft. wide runs North 18 ft.to an 8 ft. face, in quartz and vein matter.

Value. \$ 75.00

No.6. An incline shaft which bears from Cor.No.7 S.24° 18'E.90 ft. 4.5x6 ft.in the clear 400 ft. deep, timbered incline, N.7°E.dip 68°

At the 80 ft.level a cross cut 5x7 ft runs N.10° W.20 ft. and S.10°E.13 ft.

At the 200 ft. level a drift 5x7 ft.runs from the shaft N.7°E.15 ft. to point A.,thence N.7°E.114.ft. to point B.,Thence N.22°E.71 ft. to face in rock.

At point A a drift 5x7 ft.runs.S.72°E.37ft.,thence N.85°E.40 ft.,thence N.50°E.25 ft;thence S.85°E.43 ft.; thence S.75°E.28 ft; thence East 25 ft; thence S.60°E.22ft. thence N.75°E.15 ft; to face, and from point A a drift 5x7 ft.runs N.57°W?34 ft; thence N. 32°W.55 ft; thence N.75°W?17 ft; thence S.45°W.16 ft; thence N.48°W.40 ft. Thence N.65°W?25 ft; thence N.48°E.38 ft.; thence N.48° E.8 ft. to face and N.55°W. 17 ft. to face.

At the 400 ft. level a cross cut 5x7 ft.runs N.5°E.57 ft. to a point from which drifts 5x7 ft.run N.

72°W.16 ft. and S.85°E.15 ft. and a cross cut 5x7 ft. runs N. 5°E.31 ft. to face, all in andesite and vein matter.

Value of 400 ft of shaft and 837 ft. of drifts and cross cuts.....\$ 23000.00

This shaft and the drifts therefrom are being run for the joint development of all the lodes of this claim and an undivided 1/5 interest therein is credited to each claim in this group.

Value 1/5 interest credited to this claim \$ 4600.00

This shaft being centrally located is a practicable and feasible main working shaft for the group, as by drifting and cross cutting therefrom, in different directions, toward and under the several claims of this group, the entire group may be advantageously developed and ore extracted therefrom. This improvement is therefore, a common improvement for the benefit of each claim of this group, and a 1/5 undivided interest of the total value of this improvement (\$23000.00) is properly accredited to each lode claim of the group. The general slope of the surface of the claims is rugged. This shaft is centrally located and at its present depth the bottom thereof is below the surface of each claim of this group, making it possible to extend cross cuts and drifts from this shaft and intersect the ore bodies lying under each claim.

On the Aztec Center Lode:

No.1 *The discovery* cut, the face of which is on the lode line at S.49°52'E.950.15 ft. from the north End Center 4 ft. wide, 8 ft. face runs west 16 ft. to mouth in an altered andesite and quartz vein material.

Value \$50.00

No.2 A cut, the mouth of which bears from Cor.No.3. N.25°30'E.195. ft.5 ft.wide runs S.50°E.26 ft. to a 10 ft. face, at face of cut a tunnel 4x6 ft. runs S.60° E.6 ft. to a point; thence S.63°E.102 ft. to face of

tunnel on west wall of vein and N.55°E.36 ft. to face of a cross cut, through the vein.

Value of cut, tunnel and cross cut- \$ 1570.00

No.3. A shaft which bears from Cor.No.2 N.9°10'W.176.ft 4x9 ft.10 ft.deep in andesite.

Value \$ 75.00

No.4 A cut, the mouth of which bears from Cor.No.5 N.84° E.120 ft. 5 ft. wide, runs N.65°E.54 ft. to an 8 ft. face in andesite.

Value \$ 160.00

An undivided 1/5 interest in improvement No.6 on the Black Eagle lode previously described.

Value \$ 4600.00

On the Aztec Center Southeast.

No.1 The discovery cut, the face of which is on the lode line at N.64°05'W.290 ft. from the southeast End Center, 5 ft. wide 9 ft. face runs S. 15 ° W.15 ft. to mouth in andesite.

Value \$ 50.00

No.2 A cut, the mouth of which bears from Cor.No.2 N. 47°55'W.306.ft 8 ft. wide runs N.24°E.28 ft. to a 13 ft. face, in andesite, quartz and vein matter.

Value \$ 150.00

No.3 A cut, the mouth of which bears from Cor.No.3 N.84° 20'E.99 ft.5 ft. wide runs S.85°E.15 ft. thence S.20°E. 15 ft. to an 8 ft.face, in andesite, quartz and spar.

Value \$ 90.00

No.4 A shaft, which bears from Cor.No.3 N.10°20'E.85 ft. 6x8 ft.10 ft. deep in andesite, quartz and spar.

Value \$ 75.00

An undivided 1/5 interest in improvement No.6 on the Black Eagle lode, previously described.

Value \$ 4600.00

Other Improvements.

A frame and iron building, the northwest corner of which bears from Cor.No.7 Black Eagle lode of this survey S.34°E.37 ft.18x24 ft., course of long side

S.83°E. This building is used as a housing for a gasoline hoist and blacksmith shop and belongs to claimant herein.

Instrument.

This survey was made with a C.L.Berger No.2 Transit. The courses were deflected from the true meridian as determined by direct solar observations taken on the ground.

The distances were measured with 100 and 500 ft. steel tapes.

Report.

All lines and ties in this survey were run direct on the ground and the courses and distances found to be as herein stated.

U.S.L.M.No.1602 is a basalt stone 3x15x14 ins. above ground, properly set, chiseled with a cross (X) on top and U.S.L.M. 1602 on the south face.

The S.W.Cor.of Sec.19 T.19 N.,R.19W. G & S.R. B & M is an a desite rock 4x8x12 ins. lying on the ground properly marked,with monument of rock along side.

The E.1/4 Cor.Sec 23 T.19 N.,R.20 W., unapproved, G and S.R. B and M. is a 1 inch iron pipe with a brass cap, properly set and marked.

Sur.No.2610, Rising Star lode.

All corners are pine posts 4 ins.square, properly set and scribed.

I find the boundary lines 4-5,5-6- and 6-1 to be as follows:

Line 4-5 S.38°W.599.10 ft.instead of S.37°55'W. 600 ft.

Line 5-6 N.53°09'20"W.1115.31 ft. instead of N.53° 13'W.1117.4 ft.

Line 6-1 N.48°13'W.199.63 ft.instead of N.48°20'W. 200 ft.

I find the tie from Cor.1 to U.S.L.M. No.1602 to be

N.81°41'30"W.7991.4 ft. instead of N.86°41'50"W.
8018.7 ft.

All corners of the Big Jim lode, unsurveyed,
are pine posts 4 ins. square properly set and
marked.

NOTE.

The Disagreements between these field notes and
the amended location certificates with regard to the
courses and distances of the boundary lines, the lode
lines and ties are due to error in the latter.

All corners and end centers were found in
place on the ground.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

15

Mineral Survey No.3199

16

S.83°E. This building is used as a housing for a gasoline hoist and blacksmith shop and belongs to claimant herein.

Instrument.

This survey was made with a C.L.Berger No.2 Transit. The courses were deflected from the true meridian as determined by direct solar observations taken on the ground.

The distances were measured with 100 and 500 ft. steel tapes.

Report.

All lines and ties in this survey were run direct on the ground and the courses and distances found to be as herein stated.

U.S.L.M.No.1602 is a basalt stone 3x15x14 ins. above ground, properly set, chiseled with a cross (X) on top and U.S.L.M. 1602 on the south face.

The S.W.Cor.of Sec.19 T.19 N.,R.19W. G & S.R. B & M is an a desite rock 4x8x12 ins. lying on the ground properly marked,with monument of rock along side.

The E.1/4 Cor.Sec 23 T.19 N.,R.20 W., unapproved, G and S.R. B and M. is a 1 inch iron pipe with a brass cap, properly set and marked.

Sur.No.2610, Rising Star lode.

All corners are pine posts 4 ins.square, properly set and scribed.

I find the boundary lines 4-5,5-6- and 6-1 to be as follows:

Line 4-5 S.38°W.599.10 ft.instead of S.37°55'W. 600 ft.

Line 5-6 N.58°09'20"W.1115.31 ft. instead of N.58° 13'W.1117.4 ft.

Line 6-1 N.48°13'W.199.63 ft.instead of N.48°20'W. 200 ft.

I find the tie from Cor.1 to U.S.L.M. No.1602 to be

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward L. Haff

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Tom Reed Gold Mines Company, Known as the Grey Eagle, Bald Eagle, Black Eagle, Aztec Center Aztec Center Southeast

and showing the respective capacities in which they acted.

R. L. D'Arcy, Chairman.

L. R. Scott, Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We R. L. D'Arcy

and L. R. Scott, do solemnly swear that we assisted

Edward L. Haff, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Tom Reed Gold Mines Company

Known as the Grey Eagle, Bald Eagle, Black Eagle, Aztec Center Aztec Center Southeast

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

R. L. D'Arcy, Chairman.

L. R. Scott, Chairman.

....., Axman.

....., Flagman

Subscribed and sworn to by the above-named persons before me this 28th

day of October, 19 15

Jacob Sheffield

Notary Public

My Commission expires June 28th 1919

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward L. Haff, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 11, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Tom Reed Gold Mines Company known as the Grey Eagle, Bald Eagle, Black Eagle, Aztec Center, Aztec Center Southeast, situate in San Francisco Mining District, Mohave County, Arizona, in Section s 23 and 24, Township No. 19 N., Range No. 20 W. unapproved Gand S.R.B. and M and designated as Survey No. 3199, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edward L. Haff
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff
 U. S. Deputy Mineral Surveyor, before me Gadok Sheffield
Notary Public this 28th
 day of October 1915

Gadok Sheffield
Notary Public

*My Commission expires
 June 28th, 1919*

3199

Grey Eagle
- N.48° 27' W 387.5
S.36° 07' E.611.4
3000 ft S.E. of B. H. Shaft.

AMENDED
NOTICE OF LOCATION
LODE CLAIM

JUN 11 1915
JUN 18 1915

To All Whom it May Concern:-

This mining claim, the name of which is the "Grey Eagle" Mining claim situate on the lands belonging to the United States of America, and in which there are valuable mineral deposits was entered and located for the purpose of exploration and purchase by the

Tom Reed Gold Mining Co.

citizens of the U. S. the undersigned on the 20th day of Dec 1908. The length of this claim is 998.9 ft and we claim 387.5 ft N 48° 27' W and 611.4 ft S 36° 07' E from the Center of the Discovery Mt, at which this notice is posted, together with 300 ft in width of the Surface grounds on each side of the center of this claim. The general course of this Lode Deposit is from N 48° 27' W to S 36° 07' E. This claim is situate and located in the San Francisco Mining District Mohave County Arizona Territory about 3000 ft South easterly from the Ben Harrison Shaft and location U. S. Patent Survey No 2610.

The Surface boundaries are marked upon the grounds as follows:- Beginning at a pine post, whence the Discovery bears S 48° 27' E. 387.5 ft distant, being the North west end Center and identical with the S. W. Cor. of Rising Star Claim Mineral Survey No 2610, thence N. 37° 55' E 300.0 ft. to a pine post - identical with the South east end Center of Rising Star; thence S 48° 27' E 387.5 ft to a pine post being on the East side line; thence S 36° 07' E 611.5 ft to a pine post, being the S. E. Cor and identical with the N. E. Cor. Bald Eagle;-thence S 37° 55' W 600.0 ft to a pine post, being S. W. Cor and identical with N. W. Cor Bald Eagle; thence N.36° 07' W. 611.4 ft to a pine post being on the West side Line thence N.48° 27' W 387.5 ft to a pine post being the N. W. Corner; thence N. 37° 55' W 300.0 ft to the place of beginning.

All done under the provisions of Chapter Six Title XXXII of the revised Statutes of the U. S. and act of the General assembly of the Territory of Arizona, "entitled" An act to Revise and Codify the Laws of the Territory of Arizona" Approved March 16th 1901.

This is an Amended Location Notice of the Gray Eagle Mining Claim located by Eli Hilty on January 1st 1904, and recorded in Book "U" page "675" March 28th 1904, Records of Mines, in the office of the County Records of Mohave County Arizona, to which reference is hereby made and posted on the ground to correct errors in the description in the said original location notice.

Dated and posted on the ground this 10th day of January 1909.

Witness
H. G. Schader.

Signed, Tom Reed Gold Mining Company.
by S. S. Jones Supt.

Filed and recorded at request of S. S. Jones, January 12, A. D. 1909, at 9 o'clock A. M., in Book Z, Pages 670-671 of Mining Records of Mohave County, Arizona Territory.

R. A. Robertson.
County Recorder.
By Marie Carrow Deputy.




STATE OF ARIZONA, }
County of Mohave } ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Notice of Location
of the GREY EAGLE lode mining claim, situate in San Francisco Mining Dis-
trict, County of Mohave, State of Arizona,

and of the endorsement thereupon with the original records of the same on file in this office, and
that the same are correct transcripts therefrom and of the whole of
said original records.



WITNESS my hand and the seal of said office, this 14th

day of J u n e , 191 5.

J. W. Morgan
Recorder of Mohave County.

ADDITIONAL AND AMENDED LOCATION NOTICE

MINERAL CLAIM

KNOW ALL MEN BY THESE PRESENTS:

That the Tom Reed Gold Mines Co., has this 8th day of May 1915 amended, located and claimed and by these present does amend, locate, and claim by right of the original discovery and this additional and amended location certificate, in compliance with the laws of the United States of America and with the laws of the State of Arizona and with local customs and regulations, 1183.4 ft linear and horizontal measurement, on the Bald Eagle lode, vein, ledge, or deposit, along the strike thereof, with all its dips angles and variations, as allowed by law, together with 300 ft, more or less, on each side of the middle of said vein at the surface so far as can be determined from present developments, and all veins, lodes, ledges and deposits and surface ground within the lines of said claim.

Located within the San Francisco Mining District, County of Mohave, State of Arizona.

The surface boundaries of said claim are marked upon the ground as follows, and described by metes and bounds, to wit:-

Beginning at N. W. END CENTER POST, identical to S.E. End Center Grey Eagle Claim, from which the LOCATION POST at which this notice is placed, bears S36-07E 356.4 ft;-
 Thence N37-55E 300 ft to CORNER POST No 1, identical to Corner No 3 Grey Eagle Claim;-
 Thence S36-07E 356.4 ft to CORNER POST No 2, identical to Corner No 6 Aztec Center Claim;-
 Thence S55-12 E 827 ft to CORNER POST No 3, identical to Corner No 5 Aztec Center Claim and Corner No 1 Black Eagle Claim;
 Thence S37-55W 300 ft to S. E. END CENTER POST, identical to N.W. End Center Post Black Eagle Claim, which bears S55-12 E 827 ft. from location post at which this notice is placed;
 Thence S37-55W 300 ft to CORNER POST No 4, identical to Corner No 7 Black Eagle Claim;
 Thence N55-12W 827 ft to CORNER POST No 5;
 Thence N36-07W 356.4 ft to CORNER POST No 6, identical to Corner No 4 Grey Eagle Claim;
 Thence N37-55 E 300 ft to place of beginning.
 Corner No 1 bears S42-29E 2317.6 ft from Corner No 3 Benj. Harrison Claim, Patent Survey No 2610.

This being the same lode originally located by Eli Hilty on January 1, 1904, and recorded in Book U page 676, Records of Mines, March 28, 1904 and amended by the Tom Reed Gold Mines Co and recorded in Book Z pages 676-677-678, January 12, 1909, Mining Records of Mohave County, in the office of the County Recorder of Mohave County, State of Arizona. This further and additional amended certificate of location is made without any waiver of any previously acquired rights, but for the purpose of correcting any errors in the original and amended location, description, or record.

Dated may 8th, 1915.

TOM REED GOLD MINES CO.
 By S. S. Jones
 Agent.

Filed and Recorded at request of S. S. Jones May 8th A. D. 1915 at 2 o'clock P.M. in Book I.I. of Mines, Pages 84-85, Records of Mohave County, Arizona.



J. W. Morgan
 County Recorder....

ADDITIONAL AND AMENDED LOCATION NOTICE
MINERAL CLAIM

KNOW ALL MEN BY THESE PRESENTS:

That the Tom Reed Gold Mines Company has this 8th day of May, 1915, amended located and claimed, and by these presents does amend, locate, and claim, by right of original discovery and this additional amended location certificate, in compliance with the laws of the United States of America and of the laws of the State of Arizona and of the local customs and regulations, 1273.3 linear feet and horizontal measurement on the Black Eagle lode vein, ledge, or deposit, along the strike thereof, with all its dips angles and variations, as allowed by law, together with 300 feet, more or less, on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins lodes, ledges, or deposits and surface ground within the lines of said claim.

Located within the San Francisco Mining District, County of Mohave, State of Arizona.

The surface boundaries of said claim are marked upon the ground and described by metes and bounds as follows, to wit:-

- Beginning at the N. W. END CENTER POST, Identical to S. E. End Center Bald Eagle Claim, from which Location Post, at which this notice is placed, bears S88-26E. 651.6 ft;
 - Thence N37-55E 300 ft to CORNER POST No 1, Identical to Corner No 3 Bald Eagle Claim and Corner No 5 Aztec Center Claim;
 - Thence S65-11 E 387.2 ft. to CORNER POST No 2, Identical to Corner No 4 Aztec Center Claim and Corner No 5 Aztec Center S.E Claim;-
 - Thence S77-27E 163.4 ft. to CORNER POST No 3, Identical to Corner No 4 Aztec Center S. E. Claim;-
 - Thence S62-55E 633.8 ft. to CORNER POST No 4, Identical to Corner No 3 Aztec Center S.E.Claim;-
 - Thence S37-55W 201.5 ft. to S. E. END CENTER POST, which bears S 51-05E 621.7 ft. from location post;-
 - Thence S37-55W 300 ft. to CORNER POST No 5;-
 - Thence N51-05W 621.7 ft to Corner POST No 6;-
 - Thence N88-26W 651.6 ft. to CORNER POST No 7, Identical to Corner No 4 Bald Eagle Claim;-
 - Thence N37-55E 300 ft. to place of beginning.
- Corner No. 2 bears S46-50E 3846.7 ft. from Corner No. 3 Benj. Harrison Claim, Patent Survey No 2610.

This being the same lode originally located by Eli Hilty on Jan. 1st, 1904 and recorded in Book U of Records of Mines, page 674 and amended by the Tom Reed Gold Mines Co., the 10th day of Jan 1909 and recorded Jan. 12th, 1909 in Book Z, pages 667-668 of Mining Records of Mohave County, in the office of the County Recorder of Mohave County State of Arizona. This further and additional amended certificate of location is made without any waiver of any previously acquired rights, but for the purpose of correcting any errors in the original and amended location, description, or record.

Dated May 8th, 1915.

TOM REED GOLD MINES CO.
By S. S. Jones
Agent.

at 2 o'clock P.M.

Filed and Recorded at request of S. S. Jones May 8th A. D. 1915, in Book I.I. of Mines, Pages 85-86, Records of Mohave County, Arizona.

J. W. Morgan
County Recorder.



249

ADDITIONAL AND AMENDED LOCATION NOTICE

JUN 11 1915

MINERAL CLAIM

Know all men by these presents:-

That the Tom Reed Gold Mines Company has this 8th day of May, 1915, amended located and claimed, and by these presents does amend, locate, and claim, by right of the original discovery and this amended location certificate, in compliance with the provisions of the laws of the United States of America, and of the Laws of the State of Arizona, and of local customs and regulations 1359.3 linear feet, and horizontal measurement, on the Aztec Center vein, lode, ledge, or deposit, along the strike thereof, with all its dips, angles, and variations as allowed by law, together with 300 feet, more or less, on each side of the middle of said vein, at the surface so far as can be determined from present developement and all veins, lodes, and ledges and surface ground within the lines of said claim.

Located within the San Francisco Mining District, County of Mohave, State of Arizona.

The surface boundaries of said claim are marked upon the ground and described by metes and bounds as follows, to wit:-
Beginning at the NW END CENTER POST, from which the location post, at which this notice is placed, bears S 49 - 47 E 949.4 ft.:-
Thence N 43 - 15 E 300 ft. to Corner POST No 1:-
S49 - 48 E 898.35 ft. to CORNER POST No 2:-
Thence S 61 - 41 E 459.7 ft. to CORNER POST No 3 Identical to Corner No 1 Aztec Center S.E. Claim:-
Thence S 43 - 15 W 300 ft. to S. E. END CENTER POST, Identical to N.W. End Center Aztec Center S. E. Claim, and which bears S 63 - 12 E 409.9 ft. from location post at which this notice is placed:-
Thence S43-15W 214.6 ft. to CORNER POST No 4, Identical to Corner No 2 Black Eagle Claim and Corner No 5 Aztec Center S.E Claim:-
Thence N65-11W 387.2 ft. to CORNER POST No 5, Identical to Corner No 1 Black Eagle Claim and Corner No 3 Bald Eagle Claim:-
Thence N55-12 W 827 ft. to CORNER POST No 6, Identical to Corner No 2 Bald Eagle Claim:-
Thence N36-07W 158.7 ft. to Corner Post No 7, which is on line between Corner No 1 and Corner No 2 Bald Eagle Claim:-
Thence N43-15e 263.1 ft. to place of beginning.

Corner No 4 bears S46-50E 3846.7 ft from Corner No 3 Benj. Harrison Claim, Patent Survey No 2610

This being the same lode located by George Hartman, Citizen of the United States of America and recorded on the 11th day of April, 1905 in Book W, page 167 of Mining Records and amended and recorded on the 13th day of June 1912 in Book D.D. of Mines, pages 632 - 633, Records of Mohave County, in the office of the County Recorder of Mohave, State of Arizona. This further additional and amended certificate of location is made without any waiver of any previously acquired rights, but for the purpose of correcting any errors in the original and amended location, description or record.

Dated May 8th, 1915.

TOM REED GOLD MINES CO.
By S. S. Jones
Agent.

Filed and Recorded at request of S. S. Jones May 8th A. D. 1915 at 2 o'clock P.M. in Book I. I. of Mines, Pages 82-83, Records of Mohave County, Arizona.



J. W. Morgan
County Recorder...

ADDITIONAL AND AMENDED LOCATION NOTICE

MINERAL CLAIM

Know all men by these presents:-

That the Tom Reed Gold Mines Company, has this 8th day of May 1915 amended, located, and claimed, and by these presents does amend, locate, and claim by right of the original discovery and this additional and amended location certificate, in compliance with the provisions of the laws of the United States of America and of the laws of the State of Arizona and of local customs and regulations, 767.3 feet linear and horizontal measurement, on the Aztec Center Southeast lode, ledge vein or deposit, along the strike thereof, with all its dips angles and variations, as allowed by law, together with 300 feet, more or less on each side of the middle of said vein at the surface so far as can be determined from present developments, and all veins, lodes, ledges, and deposits and surface ground within the lines of said claim.

Located within the San Francisco Mining District, County of Mohave, State of Arizona.

The surface boundaries of said claim are marked upon the ground and described by metes and bounds as follows, to wit:-

- Beginning at the location post at which this notice is placed, N 64- 14 W 567.3 feet to NW END CENTER POST, Identical to S. E. End Center Post Aztec Center Claim;-
- Thence N 43- 15 E along S. E. End line Aztec Center Claim, 300 ft. to CORNER POST No. 1, Identical to Corner No. 3, Aztec Center Claim
- Thence S 64 - 47 E 740.3 ft. to CORNER POST No 2;-
- Thence S 37- 55 W 300 ft. to S. E. END CENTER POST, which bears S 64 - 14 E 200 ft. from location post at which this notice is placed;-
- Thence S 37 - 55 W 186 ft, to CORNER POST No 3, Identical to Corner No 4 Black Eagle Claim;-
- Thence N 62 - 55 W 633.8 ft. to CORNER POST No 4, Identical to Corner No 3 Black Eagle Claim;-
- Thence N 77 - 27 W - 163.4 ft. to CORNER POST No 5, Identical to Corner No 4 Aztec Center Claim and Corner No 2 Black Eagle Claim;-
- Thence N 43 - 15 E along S. E. End line Aztec Center Claim, 214.6 ft to N.W.END CENTER POST

This claim is a fraction lying between the Aztec Center Claim and the C. J. D. Claim

Corner NO 5 Bears S 46 - 50 E, 3846.7 ft. from Corner No 3 Benj. Harrison Claim, Patent Survey No 2610

This being the same lode located by George Hartman Citizen of the United States of America and recorded on the 14th day of January, 1909, in Book Z, pages 685-686 of mining records, and amended and recorded the 13th day Of June 1912, in Book D.D. of Mines, pages 634 - 635, Records of Mohave County, in the office of the County Recorder, Mohave County, State of Arizona. This further and additional amended certificate of location is made without a waiver of any previously acquired rights, but for the purpose of correcting any errors in the original and amended location description, or record.

Dated May 8, 1915

TOM REED GOLD MINES CO.
By S. S. Jones
Agent.

Filed and Recorded at request of S. S. Jones May 8th A. D. 1915 at 2 o'clock P.M. in Book I.I. of Mines, Pages 83-84, Records of Mohave County, Arizona.



J. W. Morgan
County Recorder...

STATE OF ARIZONA,)
 County of Mohave.) ss.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of Amended Location Certificates of the

AZTEC CENTER, AZTEC CENTER SOUTHEAST,

BALD EAGLE, BLACK EAGLE and (RED CLOUD,
 3198)

lode mining claims, situate in San Francisco Mining District, County of Mohave, State of Arizona, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 10th
 day of MAY, A. D. 1915.



J. W. Morgan
 Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 23, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

TOM REED GOLD MINES COMPANY

known as the GREY EAGLE, BALD EAGLE, BLACK EAGLE, AZTEC CENTER, AZTEC CENTER SOUTH EAST. SAN FRANCISCO

Mining District, MOHAVE County, ARIZONA.

in Sections 23 and 24, Township No. 19 N., Range No. 20 W. unapp'd., and

designated as Survey No. 3199, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 14 shafts, 11 cuts, 2 tunnels, 1 crosscut and 837 ft. of other workings, total value \$27495. Improvement No. 6 on the Black Eagle lode being a common improvement for the benefit and development of this group of claims, an undivided one-fifth interest therein, value \$4600, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

February 23, 1916.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

TOM REED GOLD MINES COMPANY

known as the

GREY EAGLE, BALD EAGLE, BLACK EAGLE, AZTEC CENTER, AZTEC CENTER SOUTHEAST

situate in SAN FRANCISCO Mining District,

MOHAVE County, ARIZONA

in Section 23 and 24, Township No. 19 N., Range No. 20 W. unapp'd.

designated as Survey No. 3199

executed by Edward L. Haff, U. S. Deputy Mineral

Surveyor, August 16-24, 1915, under my instructions dated

June 11, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.