

Aug. 16, 1915

Jul. 20, 1915

4-683.

Mineral Survey No. 3206

Lot No. _____

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Southwestern Inami Development Company

KNOWN AS THE

Roman Eagle No. 1, Roman Eagle No. 2, Jackpot, Punjin
Globe

Mining District,

Gila

County,

Arizona

Section 26, Township 1N, Range 14 E B+SR B+M

Surveyed under instructions dated June 23, 1915,

by E. Pochi Rice,

U. S. ~~Deputy~~ Mineral Surveyor

Claim located See location notices,

Survey commenced July 1st, 1915

Survey completed July 7th, 1915

o 6-169

Address:

Edward H. Rice
Atty. for claimant,
Globe, Arizona.

SURVEY No. 3206

ROMAN EAGLE No. 1

Beginning at Cor. No. 1, being identical with Cor. No. 2 of the Roman Eagle No. 2 Lode of this survey, a pine post 3 1/2 ft. long, 4 inches square, set 18 inches in ground, surrounded by mound of stone, Scribed REL x 1 RE2 x 2 3206, whence S.E. Cor. of Sec. 34, T 1 N, R 14 E Gila and Salt River Base and Meridian, bears S 4 -45'-26" W --- 6339.16 ft.

Feet

Thence N 43°-57' W -

- 80 Cross road 10 ft. wide -
- 90 Cross Live Oak Gulch, 15 ft. wide, flowing north east
- 120 Cross road 10 ft. wide
- 737.91 Cor. No. 3 of the Jackpot Lode of this Survey
- 760 Cross road 10 ft. wide - -
- 790 Cross road 10 ft. wide
- 930 Cross road 10 ft. wide
- 950 Pass under electric transmission line running from Roosevelt to Superior.
- 1236.20 Cor. No. 2, a pine post 4 inches square, 4 ft. long, set 20 inches in ground with mound of stone, scribed REL x 2 3206
- Thence N 14°-21' E
- 157.82 Intersect line 3-4 of Barney No. 18 Lode, Survey No. 2880 whence Cor. No. 3 bears N 78 -05'-30" E ---444.72 ft. and intersection of Line 3-4 of the Barney No. 18 Lode, Survey No. 2880, with Line 2-3 of the Live Oak No. 5 Lode, Survey No. 2684 bears N 78 -05'-30"E ---244.54 ft.
- 350.93 West Center End of the Roman Eagle No. 1 Lode, a pine post 4 inches square, 4 ft. long, set 18 inches in ground with mound of stone and scribed WCE REL x 3206
- 703.23 Corner No. 3, a pine post, 4 inches square, 4 ft. long, set 18 inches in ground, with mound of stones and scribed REL x 3 3206, whence shaft of Barney Copper Co. bears S 52 -35' E
- Thence S 43°-59' E
- 160 Cross road 10 ft. wide

Feet 215	Pass under electric transmission line running from Roosevelt to Superior
227.75	Intersect Line 2-3 of the Live Oak No. 5 Lode, Survey No. 2684 whence Cor. No. 2 bears S 9°-46' W S 9°-46' W -- 368.73 ft. and intersection of Line 2-3 of the Live Oak No. 5 Lode, with Line 3-4 of the Barney No. 18 Lode, Survey No. 2880, bears S 9° - 46' W -- 318.69 ft.
388.86	Intersect Line 2-3 of the Barney No. 18 Lode, ^{and line 2-3 Barney No. 21 lode, both of} Survey No. 2880 whence Cor. Nos. 3 ² respectively, bears S 10° - 48' E -- 159.66 ft.
579.70	Intersect Line 1-2 of the Barney No. 21 Lode, Survey No. 2880, whence Cor. No. 2 bears S 79° - 14' W -- 104.45 ft.
1079.14	Intersect Line 1-2 of the Live Oak No. 5 Lode, Survey No. 2684 and line 2-3 of the Pinyon Lode of this survey at the West Center End of the Pinyon Lode, whence Corner No. 2 of the Pinyon Lode bears S 9° - 48' - 30" W -- 300.00 ft. and Cor. No. 2 of the Live Oak No. 5 Lode bears N 69°-08' W -- 699.67 ft.
1170	Cross road, 10 ft. wide
1235.74	Cor. No. 4, being identical with Cor. No. 3 of the Roman Eagle No. 2 Lode of this survey, a pine post, 4 inches square, 4 ft. long, set 20 inches in ground with mound of stone, scribed RE1 x 4 RE2 x 3 3206 Thence S 14°-21' W
80	Cross gulch 5 ft. wide, flowing south easterly
170	Cross road 10 ft. wide
245.91	Intersect Line 1-2 of the Pinyon Lode of this survey, whence Cor. No. 2 of the Pinyon Lode bears N 60°-47'-30" W -- 113.32 ft.
352.44	East Center End of the Roman Eagle No. 1 Lode , being identical with the West Center End of the Roman Eagle No. 2 Lode of this survey, a pine post, 4 inches square, 4 ft. long, set 18 inches in ground with mound of stone, scribed ECER1 WCER2 x 3206
580	Cross road 10 ft. wide
610	Cross Live Oak Gulch, 10 ft. wide, flowing north east
653. 67	Intersect Line 3-4 of the Jackpot Lode of this survey, whence Cor. No. 3 bears N 47°-24' W -- 712.70 ft. Also cross road 10 ft. wide at this point.

Feet

Survey No. 3206 Continued

Roman Eagle No. 1 Lode, Continued

680 Cross road 10 ft. wide

704.08 Corner-No. 1, being identical with Cor. No. 2 of the Roman Eagle No. 2 Lode of this survey, previously described

ROMAN EAGLE No. 2.

Beginning at Cor. No. 1, a pine post 4 inches square, 4 ft. long set 18 inches in ground with mound of stone and scribed RE2 x 1 3206, whence S.E. Cor. of Sec. 34, T 1 N, R 14 E, Gila and Salt River Base and Meridian bears S 15°-28'-26" W -- 5708.71 ft.

Thence N 50°-44' W

101.41 Intersect south side line of the Novelty Lode, unsurveyed, whence S.E. Cor. of Novelty Lode bears N 87°-50'-30" E -- 541.57 ft.

390 Cross road 10 ft. wide

425.94 Intersect north side line of the Hobson Lode, unsurveyed, whence N.W. Cor. of Hobson Lode bears S 86°-31'-30" W -- 640.60 ft. and N.E. Cor. of Hobson Lode bears N 86°-31'-30" E -- 738.46 ft.

523.60 Cor. No. 4 of the Jackpot Lode of this survey

844.96 Intersect north side line of the Novelty Lode, unsurveyed, whence N.W. Cor. of the Novelty Lode bears S 86°-24'-30" W -- 108.52 ft.

1288.32 Cor. No.-2, being identical with Cor. No. 1 of the Roman Eagle No. 1 Lode of this survey, previously described.

Thence N 14°-21' E

24.08 Cross road 10 ft. wide

50.41 Intersect line 3-4 of the Jackpot Lode of this survey, whence Cor. No. 4 bears S 47°-24' E -- 787.30 ft. Crosses road 10 ft. wide at this point

94.08 Cross Live Oak Gulch, 10 ft. wide, flowing northeast

124.08 Cross road 10 ft. wide

351.64 West center end of the Roman Eagle No. 2 Lode, being identical with the east center end of the Roman Eagle No. 1 Lode of this survey, previously described.

Feet

SURVEY No. 3206, Continued

ROMAN EAGLE No. 2 LODE, Continued

458.17 Intersect line 1-2 of the Pinyon Lode of this survey, whence
Cor. No. 1, bears S 60°-47'-30" E -- 563.03 ft.

534.08 Cross road 10 ft. wide

624.08 Cross gulch 5 ft. wide, flowing southeasterly

704.08 Cor. No. 3, being identical with Cor. No. 4 of the Roman
Eagle No. 1 Lode of this survey, previously described.

Thence S 43°-59' E

100 Cross road 10 ft. wide

120 Cross gulch 5 ft. wide, flowing northeasterly

250 Cross road 10 ft. wide -

510 Cross road 10 ft. wide

540 Cross Live Oak Gulch, 10 ft. wide, flowing northeast

572 Intersect barn 24 x 28 ft., long side bearing northwest

634.06 Intersect line 4-1 of the Pinyon Lode of this survey, whence
Cor. No. 1 of the Pinyon Lode bears S 9°-48'-30" W -- 57.62 ft.

Also intersect line 2-3 of the Live Oak No. 2 Lode, ^{Sur. No. 2684.} whence Cor.
No. 2 of the Live Oak No. 2 Lode, ~~Survey No. 2684~~, bears
S 9°-48'-30" W -- 531.21 ft. and intersection of the line 2-3
of the Live Oak No. 2 Lode, ~~Survey No. 2684~~ with the north side
line of the Novelty Lode, unsurveyed bears S 9°-48'-30" W --
502.23 ft.

1275.47 Intersect north side line of the Novelty Lode, Unsurveyed,
whence N.E. Cor. of Novelty Lode bears N 86°-24'30" E -- 395.70
ft., ^{N.W. Cor. thereof brs. S. 86°24'30" W. 826.96 ft.} and intersection of line 2-3 of Live Oak No. 2 Lode, Survey
No. 2684, with north side line of the Novelty Lode bears
S 86°-24'-30" W -- 532.04 ft.

1295.00 Cross road 10 ft. wide

1372.74 Cor. No. 4, a pine post 4 inches square, 4 ft. long, set 18
inches in ground with mound of stone and scribed RE2 x 4 3206

Thence S 14°-21' W

96.91 Intersect Line 1-2 of the Live Oak No. 2 Lode, Survey No. 2684
whence Cor. No. 1, being identical with Cor. No. 2 of the
Copper King Lode, Survey No. 2530 bears S 80°-01' E -- 12.16
ft. and Cor. No. 2 of the Live Oak No. 2 Lode, Survey No. 2684

Feet

SURVEY No. 3206, Continued

ROMAN EAGLE No. 2 LODE, Continued.

bears N 80°-01' W -- 588.38 ft.

222.63 intersect north side line of the Hobson Lode, unsurveyed, whence N.E. Cor. bears N 86°-31'-30" E -- 332.69 ft

352.44 East Center End of the Roman Eagle No. 2 Lode, a pine post 4 inches square, 4 ft. long, set 20 inches in ground and set with mound of stones and scribed ECERE2 X3206

456.30 Intersect south side line of the Novelty Lode, unsurveyed, whence S.E. Cor. bears N 87°-50'-30" E -- 445.65 ft.

526.29 Cor. No. 1, previously described.

Jackpot.

Beginning at Cor. No. 1, a pine post, 4 inches square, 4 ft. long, set 18 inches in ground, with mound of stone, scribed JP1 3206, whence S.E. Cor. of Sec. 34, T 1 N, R 14 E, Gila and Salt River Base and Meridian, bears S 7°-12' W -- 5459.79 ft.

Thence N 47°-24' W

142.09 Intersect west end line of the Hobson Lode, unsurveyed, whence N.W. Cor. of the Hobson Lode bears N 6°-42' W -- 221.18 ft.

701.60 Intersect line 4-1 of the Garnet Lode, Survey No. 3104, whence Cor. No. 1 bears S 79°-52' E -- 553.14 ft, and Cor. No. 4 bears N. 79° 52' W. 51.19 ft.

890 Cross Live Oak Gulch 8 ft. wide, flowing northeasterly

970 Cross road 10 ft. wide

990 Cross road 10 ft. wide

1050 Cross road 10 ft. wide

1090 Cross road 10 ft. wide

1280 Pass under transmission line running from Roosevelt to Superior.

1470 Cross road 10 ft. wide

1500.00 Cor. No. 2, a pine post 4 inches square, 4 ft. long, set 18 inches in ground with mound of stone, scribed JP2 3206

Thence N 46°-08'-30" E

250 Cross road 10 ft. wide

300.57 West Center End of the Jackpot, a pine post 4 inches square, 4 ft. long, set 18 inches in ground with mound of stone and

Feet	SURVEY No. 3206 Continued,
	JACKPOT LODE Continued
	scribed WCEJP x 3206
315	Pass under electric transmission line running from Roosevelt to Superior
601.14	Cor No. 3, a granite stone, 7 x 12 inches, 26 inches long, set 14 inches in ground, and scribed JP3 3206, with mound of stone 3 ft. base and 2 ft. high alongside, being on line 1-2 Roman Eagle No. 1 lode of this survey, N 43° 57' W. 737.91 ft. from Cor. No. 1.
	Thence S 47°-24' E
640	Cross road 10 ft. wide
670	Cross Live Oak Gulch flowing northeast. Gulch 15 ft. wide
712.70	Intersect Line 4-1 of the Roman Eagle No. 1 Lode of this survey, and line 2-3 of the Roman Eagle No. 2 lode of this survey, whence Cor. Nos 1 & 2 respectively, Eagle No. 1 Lode bears S 14°-21' W -- 50.41 ft. Cross road 10 ft. wide at this point.
1197.10	Intersect north side line of the Novelty Lode, unsurveyed whence N.W. Cor. bears S 86°-24'-30" W -- 134.41 ft. Intersection of north side line of Novelty Lode with line 1-2 of the Roman Eagle No. 2 Lode of this survey bears S 86°-24'-30" W -- 25.89 ft.
1500.00	Cor. No. 4, a pine post 4 inches square, 4 ft. long, set 20 inches in ground with mound of stone, scribed JP4 x 3206, being on line 1-2 Roman Eagle No. 2 lode of this survey, S. 50° 44' E. 764.72 ft. from Cor. No. 2.
	Thence S 46°-08'-30" W
102.35	Intersect north side line of the Hobson Lode, unsurveyed, whence N.W. Cor. of Hobson Lode bears S 86°-31'-30" W -- 490.95 ft. Intersection of North side line of the Hobson Lode with west end line of the Novelty Lode, unsurveyed, bears S 86°-31'-30" W -- 280.93 ft. and intersection of north side line of Hobson Lode, with line 1-2 of the Garnet Lode, Survey No. 3104, bears S 86°-31'-30" W -- 334.74 ft.
300.57 419.91	East Center end, a pine post 4 ins. sq, 3 1/2 ft. long, set 10 ins. in ground, in mound of stone, scribed ECE JP x 3206. Intersect south side line of the Novelty Lode, unsurveyed,
586.87	whence S.W. Cor. bears S 87°-50'-30" W -- 49.35 ft. N.W. Cor. said Novelty lode brs. N. 0° 35' W. 489.44 ft. from the S.W. Cor. thereof, and intersection of west end line said Novelty lode with north side line Hobson lode, brs. same course, 204.85 ft. dist. Intersect line 1-2 of the Garnet Lode, Survey No. 3104, whence
	Cor. No. 1 bears N 2°-46' E -- 368.12 ft and intersection of line 1-2 of the Garnet Lode with north side line of the Hobson Lode, unsurveyed, bears N 2°-46' E -- 315.78 ft.
601.14	Cor. No. 1, previously described.

SURVEY No. 3206 Continued

PINYON

Beginning at Cor. No. 1, a pine post, 4 inches square, 5 ft. long, set 20 inches in ground, scribed PLX3206. Corner set in mound of stone. Whence ^{the} S.E. Cor. of Sec. 34, T 1 N, R 14 E., Gila and Salt River Base and Meridian bears S 9°-53'-18" W — 6584.32 ft.

Thence N 60°-47'-30" W

- 140 Cross road 10 ft. wide
- 160 Cross Live Oak Gulch, 10 ft wide, flowing northeast
- 210 Cross road 10 ft. wide
- 290 Intersect office building 24 x 24 ft., sitting northeast and northwest

563.03 Intersect line 4-1 of the Roman Eagle No. 1 Lode of this survey and line 2-3 of the Roman Eagle No. 2 Lode of this survey whence Cor. No. 4 of the Roman Eagle No.1 being identical with Cor. No. 3 of the Roman Eagle No. 2, bears N 14°-21' E — 245.91 ft.

676.35 Cor No. 2, a pine post, 4 inches square, 4½ ft. long, set 20 inches in ground, with mound of stone, scribed P2 x 2684

Thence N 9°-48'-30" E

- 20 Cross road 10 ft. wide
- 170 Cross gulch 5 ft wide, flowing southeast
- 280 Cross road 9 ft. wide
- 300.00 West Center End of Pinyon, a granite stone 6 x 10 x 24 inches set 14 inches in ground, with mound of stones 2½ ft. base and 2 ft. high alongside. Stone scribed WCEP X3206. Also intersect line 1-2 of the Live Oak No. 5 Lode, Survey No. 2684 ~~being identical with Cor. No. 4 of the Pinyon Lode of this survey~~ whence Cor No. 1 of the Live Oak No. 5, being identical with Cor. No. 4 of this Lode of this survey bears S 69°-08' E -- 650.03 ft. Also intersect line 3-4 of the Roman Eagle No. 1 Lode of this survey, whence Cor. No. 4 of the

SURVEY No. 3206 Continued

Feet

PINYON, Continued

~~Roman Eagle No. 1, previously described, bears S 43°-59' E -- 156.60 ft.~~

385 Cross road 10 ft. wide

400.00 Cor. No. 3, a granite stone, 8 x 10 x 24 inches, set 18 inches in ground, with mound of stone 2½ ft. base and 2 ft. high alongside. Cor. scribed P3*3206.

Thence S 60°-47'-30" E

80 Cross road 10 ft. wide

676.35 Cor No. 4, being identical with Cor. No. 1 of the Live Oak No. 5 Lode, Survey No. 2684, a pine post , 4 inches square, in mound of stone and 3 ft. out of ground and scribed L05 x 1 2684 and P4 x 3206

Thence S9°-48'-30"W

50 Cross road 8 ft. wide

80 Cross Gulch 5 ft. wide, flowing east

100.00 ~~East Center End of the Pinyon Lode,~~ a granite stone 5 x 12 x 24 inches set 14 inches in ground with mound of stones 2½ ft base and 2 ft. high alongside. Stone scribed ECEP x 3206

120 Cross road 10 ft. wide

150 Cross road 10 ft. wide

240 Cross Live Oak Gulch, 12 ft. wide. flowing northeast

342.38 Intersect line 3-4 of the Roman Eagle No. 2 Lode of this survey, whence Cor No. 3 ~~of the Live Oak No. 2 Lode~~ bears N 43°-59' W -- 634.06 ft.

400.00 Cor. No. 1, previously described.

LODE LINES

As near as can be determined in the light of present developments, the lodes of the various locations, extend as follows from the respective discovery shafts, cuts and tunnels.

- Roman Eagle No. 1 Lode-: 914 ft. N 43°-58'-30" W and 321.74 ft S 43°-58'-30" E
- Roman Eagle No. 2 Lode-: 308 ft N 43°-59' W and 1064.74 ft. S 43°-59' E
- Jackpot Lode -: 530 ft. N 47°-24' W and 970 ft. S 47°-24' E
- Pinyon Lode -: 630 ft. N 60°-47'-30" W and 46.35 ft. S 60°-47'-30" E

AREAS

Total area ROMAN EAGLE No. 1 Lode	16.990 Acres ✓	
Area in conflict with Barney No. 18 Lode, Survey No. 2880		2.887 Acres ✓
Area in conflict with Barney No. 21 Lode, Survey No. 2880		.191 Acres ✓
Area in conflict with Live Oak No. 5 Lode, Survey No. 2684		2.906 Acres ✓
Area in common conflict with Live Oak No. 5 Lode, Survey No. 2684 and Barney No. 18 Lode, Survey No. 2880		.842 Acres ✓
Area in common conflict with Live Oak No. 5 Lode, Survey No. 2684 and Barney No. 21 Lode, Survey No. 2880		.191 Acres ✓
Total Area ROMAN EAGLE No. 2 Lode	16.505 Acres ✓	
Area in conflict with Live Oak No. 2 Lode, Survey No. 2684		4.287 Acres ✓
Area in conflict with Novelty Lode, Unsurveyed		5.166 Acres ✓
Area in conflict with Hobson Lode, Unsurveyed		1.346 Acres ✓
Area in common conflict with Live Oak No. 2 Lode, Survey No. 2684 and Novelty Lode, Unsurveyed		1.303 Acres ✓
Area in common conflict Novelty and Hobson Lodes, Unsurveyed		1.272 Acres ✓
Total area JACKPOT Lode	20.661 Acres ✓	
Area in conflict with Novelty Lode, Unsurveyed		2.490 Acres ✓
Area in conflict with Hobson Lode, Unsurveyed		2.056 Acres ✓
Area in conflict with Garnet Lode, Survey No. 3104		2.433 Acres ✓
Area in conflict with Roman Eagle No. 1 Lode of this survey		.363 Acres ✓
Area in conflict with Roman Eagle No. 2 Lode of this survey		.401 Acres ✓
Area in common conflict with Novelty and Hobson Lodes, Unsurveyed		.779 Acres ✓

AREAS Continued

Area in common conflict with Roman Eagle No. 2 Lode of this survey and Novelty Lode, Unsurveyed	.066 Acres
Area in common conflict with Garnet Lode, Survey No. 3104 and Hobson Lode, Unsurveyed	.850 Acres
Total area of PINYON Lode	5.858 Acres
Area in conflict with Live Oak No. 5 Lode, Survey No. 2684	.732 Acres
Area in conflict with Roman Eagle No. 1 Lode of this survey	.744 Acres
Area in conflict with Roman Eagle No. 2 Lode of this survey	1.875 Acres

LOCATION

This survey is located on un-surveyed land, in the Globe Mining District Gila County, Arizona. ~~It lies approximately~~ in Sec. 26, T 1 N, R 14 E, Gila and Salt River Base and Meridian

EXPENDITURE of FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or it's grantors is not less than five hundred dollars, and that said improvements consist of:-

ROMAN EAGLE No. 1

No. 1-:	Discovery shaft situated on the lode line, 321.74 ft. from the east center end. Shaft 5x7x32 ft. deep. Shaft untimbered	Value \$480.00
No. 2-:	Drill Hole, 16" x 1285 ft. deep, bears S 85°-30' W 284 ft. from Cor. No. 4	Value \$5140.00
No. 3-1	Drill hole, 16 " x 1425 ft. deep, bears S 62°-35' E 360 ft. from Cor. No. 2	Value \$5700.00
No. 4-:	Drill Hole 16" x 1210 ft. deep, bears S 56°-00' W 104 ft. from Cor. No. 4	Value \$4840.00
No. 5-:	Drill Hole, 16" x 1345 ft. deep, bears N 7°-50' E 482 ft. from Cor. No. 1	Value \$5380.00

EXPENDITURE OF FIVE HUNDRED DOLLARS Continued

Roman Eagle No. 1 Continued

- No. 6-: Drill Hole , 16" x 625 ft. deep, bears N 7°-30'E
432 ft. from Cor. No. 1 Value \$2500.00
- No. 7-: Drill hole, 16" x 1170 ft. deep, bears N 20°-10' W
37 ft. from Cor No. 1 Value \$4680.00
- No. 8-: Cut and tunnel, cut 4 x 15 x 9 ft. high, tunnel 5 x 6 x 15
ft. long, bearing N 55° W. Mouth of cut bears
N 38°-53' W -- 224 ft. from Cor. No. 1. Value \$115.00

ROMAN EAGLE No. 2-:

- No. 1-: Discovery tunnel on lode-line, mouth of tunnel 308 ft. from
west center end, tunnel 4½ x 6 x 50 ft long, bearing S 51°-00' E
Value \$ 300.00
- No. 2-: Drill Hole 16" x 1247 ft. deep, bears S 16°-20' E
300 ft. from Cor. ~~#2~~ #3 Value \$5000.00
- No. 3-: Drill hole, 12½" x 780 ft. deep, bears S 28°-50' E
668 ft. from Cor. No. 3 Value \$2340.00
- No. 4-: Drill Hole, 16 " x 1235 feet deep, bears S 41°-10' E
140 ft. from Cor. No. 3 Value \$4940.00
- No. 5-: Cut and tunnel. Cut 4 x 20 x 7 ft. high, tunnel 5 x 7 x 70
ft. long. Mouth of cut bears S 22°-00' E from Cor. No. 3 ~ 378 ft
Cut and tunnel bear N 41°-00' W Value \$ 480.00

JACKPOT -:

- No. 1-: Discovery cut 4 ft. wide, 14 ft. long and 10 ft. high on
lode line, 530 ft. from west center end Value \$ 30.00
- No. 2-: Drill hole, 16" x 1160 ft. deep, bears S 31°-45' E
715 ft. from Cor. No. 3 Value \$4640.00
- No. 3-: Untimbered shaft, 5 x 8 x 31 ft. deep, bears S 41°-15' E
680 ft. from Cor. No. 3 Value \$ 470.00

EXPENDITURE OF FIVE HUNDRED DOLLARS, Continued

PINYON-:

No. 1:-	Discovery tunnel, on lode line 630 ft. from west center end Tunnel $4\frac{1}{2}$ x 6 x 35 ft. long bears S 32°-00' W --	Value \$ 210.00
No. 2:-	Tunnel on lode line, 595 ft. from west center end 4 x $6\frac{1}{2}$ x 25 ft. long, bears S 31°-00' W	Value \$ 150.00
No. 3:-	Drill hole, 16" x 1160 ft. deep, bears S 87°-15' W 192 ft. from Cor. No. 4	Value \$ 4640.00

OTHER IMPROVEMENTS

ROMAN EAGLE No. 1-:

At #2, listed under head of EXPENDITURE OF FIVE HUNDRED DOLLARS and also at #4, in each case is a 4 H.P. pumping plant in a 10 x 12' corrugated iron building, buildings set north west on long side

ROMAN EAGLE No. 2-:

From Cor. No. 3

S 45°-30' E -- 572 ft. Corrugated iron barn 24 x 28 ft. Long side bearing southeast.

S 40°-30' E -- 567 ft. Corrugated iron building 24 x 28 ft. Long side bearing southeast

S 28°-15' E -- 455 ft. Corrugated iron garage 12 x 20 ft. Long side bearing N 56°-00' E

W 29°-30' E -- 373 ft. Wooden office building 24 x 24 ft. Bears N 54°-00' E and N 36°-00' W

S 18°-40' E -- 395 ft. Corrugated iron sample house, ^{10x12ft.} Long side bears N 54°-00' E

S 37°-00' E -- 411 ft. Tent and corrugated iron dwelling house 12 x 40 ft. Long side bears N 54°-00' E

S 41°-30' E -- 395 ft. Tent and corrugated iron dwelling house 12 x 40 ft. Long side bears N 10°-30' W

INSTRUMENT

This survey was made with a Buff and Buff transit, # 4071, with vertical and horizontal circles graduated to 30". A 300 ft. and a 5 ft. steel tape were used for measuring distances.

REPORT

This survey was made by traverses run directly on the ground, which closed within the allowable limits of error.

The S. E. Cor. of Sec. 34 , T 1 N , R 14 E, Gila and Salt River Base and Meridian is a granite stone 6 x 12 inches, 12 inches out of ground, long way of stone, east and west . Scribed SC on north face, \equiv on east face and \equiv on west face, and nothing on south face. Mound 2 ft. base and 2 ft. high, 3 ft. north of corner. No other marks or evidences of pits.

All corners of this survey are identical with the amended location corners as found on the ground.

I find the location notice of the Roman Eagle No. 2 to be in error, the correct bearings and distances being given in my notes.

Corner No. 3 of the Barney No. 18 Lode, Survey No. 2880, being identical with Cor. No. 2 of the Barney No. 21 Lode, Survey No. 2880 is a pine post, 4 inches square, in mound of stones, scribed B 18 3 x 2880 B 21 2. Cor. No. 2 of the Barney No. 18 Lode, being identical with Cor. No. 3 of the Barney No. 21 Lode, Survey No. 2880, is a pine post 4 inches square, in mound of stone, scribed B 18 2 x 2880 B 21 3. Cor. No. 1 of the Barney No. 21 Lode, Survey No. 2880, is a pine post 4 inches square scribed B 21 1 x 2880

Cor. No. 2 of the Live Oak No. 5 Lode, Survey No. 2684 is a pine post 4 inches square, in mound of stone, scribed LO5 x 2 x 2684

Cor. No. 3 of the Live Oak No. 5 Lode, Survey No. 2684 is a pine post 4 inches square in mound of stone, scribed LO5 x 1 x 2684.

Cor. No. 1 of the Live Oak No. 2 Lode, Survey No. 2684, being identical with Cor. No. 2 of the Copper King Lode, Survey No. 2530 is a pine post, 4 inches square in mound of stone and scribed LO2 x 1 x 2684 and CK 2 x 2530.

Cor. No. 2 of the Live Oak No. 2 Lode, Survey No. 2684 is a pine post 4 inches square in mound of stone and scribed LO2 x 2 x 2684.

Cor. No. 1 of the Garnet Lode, Survey No. 3104 is a pine post 4 inches square in a mound of stones and scribed LG x 3104

Cor. No. 2 of the Garnet Lode, Survey No. 3104 is a pine post, 4 inches

REPORT, Continued

square, in mound of stones and scribed 2G x 3104

Cor. No. 4 of the Garnet Lode, Survey No. 3104 is a pine post, 4 inches square in mound of stones and scribed 4G x 3104

The corners of the Novelty and Hobson Lodes, unsurveyed are all pine posts, 4 inches square, in mounds of stone and were shown me on the ground by owners of said claims.

I find the following errors in the following surveys.

Line 2-3 of the Barney No. 21 Lode, Survey No. 2880 is N 10°-48' W 584.41 ft. instead of N 10°-46' W -- 584.30 ft. as given by Survey No 2880

Line 1-2 of the same lode is S 79°-14' W -- 408.81 ft., instead of S 79°-13' W -- 408.50 ft. as given by survey No. 2880

Line 1-2 of the Live Oak No. 5 Lode, Survey No. 2684 is N 69°-08' W -- 1349.70 ft. instead of N 69°-08' W -- 1347.00 ft as given by survey No. 2684.

Line 2-3 of the above lode is N 9°-46' E -- 599.94 ft., instead of N 9°-49' E -- 599.5 ft as given by Survey No. 2684

Line 1-2 of the Live Oak No. 2 Lode, ~~is~~ Survey No. 2684, is N 80°-01' W 600.54 ft., insted of N 80°-03' W -- 600.0 ft. as given by Survey No. 2684.

Line 4-1 of the Garnet Lode, Survey No. 3104 is S 79°-52' E -- 604.33 ft. instead of S 79°-51' E -- 603.7 ft. as given by Survey No. 3104.

MAGNETIC VARIATION

The declination of the needle at all corners was 14°-10' E

SURROUNDING CLAIMS

On the north are the Barney No's. 18 and 21 lodes, survey No. 2880 and the Live Oak No's. 2 and 5 lodes, survey No. 2684, former owned by the Barney Copper Co. and the latter by the Inspiration Consolidated Mining Co.

On the east are the Live Oak No. 2 Lode , Survey No. 2684 and Copper King Lode, Survey No. 2530, owned by the Inspiration Consolidated Mining Co. and the Novelty and Hobson Lodes, unsurveyed, owned by Phillips. et al.

On the south are the Novelty and Hobson Lodes, unsurveyed, the Garnet Lode, Survey No. 3104, owner unknown, and Standby and Roman Eagle No. 3 Lodes, unsurveyed, owned by applicant.

SURROUNDING CLAIMS, Continued.

On the west are the Garnet Lode, Survey No. 3104, the Barney No. 18 Lode, Survey No. 2880, and Standby and Roman Eagle No. 3 lodes, unsurveyed.

DETERMINATION OF LATITUDE AND MERIDIAN, July 1st., 1915.

LATITUDE:-

Determination made with Sagemuller Solar Attachment.

Sun's apparent declination at Greenwich apparent noon, July 1st., 1915 was N 23°-10'-31" and hourly change was -9.2"

Survey situated in approximately 111° West Longitude, which is 7.4 hours west
Change for 7.4 hours is -1'-08", therefore declination for apparent noon
at place of survey was N 23°-09'-23". Refraction in declination for
zero hours (or apparent noon) at approximately 34°-30' N. Latitude is plus
15", therefore I set off on my solar attachment a plus declination of 23°-
09'-38" (Really 23°--9'-30") and observe the app sun at apparent noon
when my vertical circle read 56°-36', being the co-latitude of the place
of observation. Therefore the latitude is N 33°-24'

MERIDIAN:-

I observed Polaris at eastern elongation on th night of July 1st.
1915 and when Polaris had reached his farthest point east, I set a peg
with a 10 d. nail, directly on line with him.

Co-declination of Polaris for July 1st., 1915 1°-08'-57"

Latitude of place of observation 33°-24'

Sine of bearing of Polaris at elongation equals $\frac{\text{Sin } 1^{\circ}-08'-57''}{\text{Cos } 33^{\circ}-24'}$

Log sin	1°-08'-57"	8.3022313
Log cos	33°-24'	<u>9.9216073</u>

Log sin bearing	8.3806240
-----------------	-----------

Therefore the bearing of Polaris at the time of observation was N1°-22'-36" E

JUL 12 1915

AMENDED LOCATION NOTICE OF
ROMAN EAGLE NO.1 LODE MINING CLAIM.

TO WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the ROMAN EAGLE NO.1 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on January 1, 1908, by Lyman C. Woods, Charles Maybush, F. Hayward (also written Haywood), George Wilson, and Joe Grassi, all of whom were then citizens of the United States, and the original location notice is recorded in the office of the County Recorder of Gila County, Arizona, in Book 17 of Records of Mines, at page 68.

This amended location is made on this 31 day of May, 1915, by Southwestern Miami Development Company, an Arizona corporation, which is the present owner of said claim, and said corporation reserves and maintains all, and abandons and relinquishes none, of its rights in and to said mining claim.

The length of this claim is 1236 feet and the same extends 914 feet in a north 44° west direction and 322 feet in a south 44° east direction from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is northwest and southeast.

This claim is situated in the Globe Mining District, in Gila County, State of Arizona, and is bounded on the north by the patented Live Oak No.5 claim of Mineral Survey No.2684 and the unsurveyed Pinyon; on the east by the unsurveyed Roman Eagle No.2 lode; and on the south by the Jackpot lode, unsurveyed, and on the west by the Barney No. 18 lode of Survey No.2880.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a pine post in a monument of stones at a point approximately north 44° west 914 feet from the discovery shaft, at which this notice is posted, being in the center of the west end line of said claim; thence approximately north 14° 22' east 352.5 feet to a 4 x 4 pine post set in a mound of stones, being at the northwest corner of said claim; thence south 44° east 1236 feet to a 4 x 4 pine post in a mound of stones, being at the northeast corner of said claim; thence approximately south 14° 22' west 352.5 feet to a 4 x 4 pine post in a mound of stones, being at the center of the east end line of said claim; thence approximately south 14° 22' west 352.5 feet to a 4 x 4 pine post in a mound of stones, being at the southeast corner of said claim; thence approximately north 44° west 1236 feet to a 4 x 4 pine post in a mound of stones, being at the southwest corner of said claim; thence approximately north 14° 22' east 352.5 feet to the place of beginning.

Dated and posted on the ground this 31 day of May, 1915.
SOUTHWESTERN MIAMI DEVELOPMENT COMPANY,

Witness:

G.W. McDaniel.

By F.W. Hoar, Agent.

Filed and recorded at the request of E.W. Rice on the 12 day of June, A.D. 1915, at 30 minutes past 10 o'clock A.M.

E.T. STEWART, County Recorder.

STATE OF ARIZONA,)
) SS
County of GILA.)

I, E.T. STEWART, Recorder in and for the county of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE OF THE ROMAN EAGLE NO.1 LODE MINING CLAIM, as the same appears of record in my office in Book 16, Records of Mines, at page 205; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 15th day of June, A.D. 1915.



E. T. Stewart
Recorder.

AMENDED LOCATION NOTICE OF
ROMAN EAGLE NO.2 LODE MINING CLAIM.

TO WHOM IT MAY CONCERN:

JUN 15 1915

This lode mining claim, the name of which is the ROMAN EAGLE NO.2 and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on January 1, 1908, by Lyman C. Woods, Charles Maybush, F. Hayward (also written Haywood), George Wilson and Joe Grassi, all of whom were then citizens of the United States, and the original location notice is recorded in the office of the County Recorder of Gila County, Arizona, in Book 17 of Records of Mines at page 69.

This amended location is made on the 31 day of May, 1915, by Southwestern Miami Development Company, an Arizona corporation, which is the present owner of said claim, and said corporation reserves and maintains all, and abandons and relinquishes none, of its rights in and to said mining claim.

The length of this claim is 1500 feet and the same extends 308 feet in a north 44° west direction and 1192 feet in a south 44° east direction from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is northwest and southeast.

This claim is situated in the Globe Mining District, in Gila County, State of Arizona, and is bounded on the north by the Pinyon lode, unsurveyed, and the patented Live Oak No.2 lode of Mineral Survey No.2684; on the south by the Jackpot lode, unsurveyed; and on the west by the Roman Eagle No.1 lode unsurveyed.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a 4 x 4 pine post in a mound of stones, at a point approximately north 44° west 308 feet from the discovery shaft, at which this notice is posted, being in the center of the west end line of said claim; thence approximately north 14° 22' east 352.5 feet to a 4 x 4 pine post in a mound of stones, being at the northwest corner of said claim; thence approximately south 44° east 1500 feet to a 4 x 4 pine post in a mound of stones, being at the northeast corner of said claim; thence approximately south 14° 22' west 352.5 feet to a 4 x 4 pine post, being at the center of the east end line of said claim; thence approximately south 14° 22' west 352.5 feet to a 4 x 4 pine post in a mound of stones, being at the southeast corner of said claim; thence approximately north 44° west 1500 feet to a 4 x 4 pine post in a mound of stones, being at the southwest corner of said claim; thence approximately north 14° 22' east 352.5 feet to the place of beginning.

Dated and posted on the ground this 31 day of May, 1915.

SOUTHWESTERN MIAMI DEVELOPMENT COMPANY,
By F.W.Hoar, Agent.

Witness:

G.W.McDaniel.

Filed and recorded at the request of E.W.Rice on the 12 day of June, A.D.1915, at 30 minutes past 10 o'clock A.M.
E.T.STEWART, County Recorder.

STATE OF ARIZONA,)
County of Gila.) SS

I, E.T.STEWART, Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE OF THE ROMAN EAGLE NO.2 LODE MINING CLAIM, as the same appears of record in my office in Book 16, Records of Mines, at page 206; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 15th day of June, A.D.1915.

E. T. Stewart
Recorder.



RECORDS DEPARTMENT

AMENDED LOCATION NOTICE OF
JACKPOT LODGE MINING CLAIM.

TO WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the JACKPOT and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on November 19, 1908, by Julius Riser, who was then a citizen of the United States, and the original location notice is recorded in the office of the County Recorder of Gila County, Arizona, in Book 18, of Records of Mines, at page 212.

This amended location is made on this 31 day of May, 1915, by Southwestern Miami Development Company, an Arizona corporation, which is the present owner of said claim, and said corporation reserves and maintains all, and abandons and relinquishes none, of its rights in and to said mining claim.

The length of this claim is 1500 feet and the same extends 530 feet in a north 47° 24' west direction and 970 feet in a south 47° 24' east direction from the center of the discovery shaft, at which this notice is posted, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is northwest and southeast.

The claim is situated in the Globe Mining District, in Gila County, State of Arizona, and the northeast corner of this claim bears south 03° east approximately 1610 feet from corner No. 1 of the patented Live Oak No. 5 claim of Mineral Survey No. 2684.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a pine post at a point in a north 47° 24' west direction, 530 feet from the discovery shaft, at which this notice is posted, being in the center of the west end line of said claim; thence approximately north 45° 55' east 301 feet to a pine post, being the northwest corner of said claim; thence approximately south 47° 24' east 1500 feet to a pine post, being at the northeast corner of said claim; thence south 45° 55' west 301 feet to a pine post at the center of the east end line of said claim; thence south 45° 55' west 301 feet to a pine post, being at the southeast corner of said claim; thence north 47° 24' west 1500 feet to a pine post at the southwest corner of said claim; thence north 45° 55' east 301 feet to the place of beginning.

Dated and posted on the ground this 31 day of May, 1915.

SOUTHWESTERN MIAMI DEVELOPMENT COMPANY,

By F.W. Hoar, Agent

Witness:

G.W. McDaniel

Filed and recorded at the request of E.W. Rice on the 12 day of June, A.D. 1915, at 30 minutes past 10 o'clock A.M.

E.T. STEWART, County Recorder.

STATE OF ARIZONA,)
 County of GILA.) SS

I, E.T.STEWART, Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE OF THE JACKPOT LODE MINING CLAIM, as the same appears of record in my office in Book 16, Records of Mines, at page 206 ; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 15th day of June, A.D.1915.



E. T. Stewart
 Recorder.

AMENDED LOCATION NOTICE OF
PINYON LODGE MINING CLAIM.

JUN 12 1915

TO WHOM IT MAY CONCERN:

This lode mining claim, the name of which is the PINYON and which contains rock in place bearing valuable mineral deposits, was originally entered upon and located on July 1, 1906, by Chas. A. Bauer, Geo. F. Wilson and Joe Grassi, all of whom were then citizens of the United States, and the original location notice is recorded in the office of the County Recorder of Gila County, Arizona, in Book 12 of Records of Mines at page 322.

This amended location is made on the 31 day of May, 1915, by Southwestern Miami Development Company, an Arizona corporation, which is the present owner of said claim, and said corporation reserves and maintains all, and abandons and relinquishes none, of its rights in and to said mining claim.

The length of this claim is 677 feet and the same extends 630 feet on the westerly side and 47 feet on the easterly side of the center of the discovery shaft, at which point this notice is posted, and 100 feet in width on the northerly side and 300 feet in width on the southerly side of the center of said claim.

The general course of the lode deposit and premises is easterly and westerly.

This claim is situated in the Globe Mining District, in Gila County, State of Arizona, and is bounded on the north by the patented Live Oak No. 5 lode of Mineral Survey No. 2684; on the east by the patented Live Oak No. 2 lode of Mineral Survey No. 2684; on the south and west by the Roman Eagle No. 1 and Roman Eagle No. 2 lodes, unsurveyed.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a 4 x 4 pine post in a mound of stones, at a point approximately north 60° 47' west 630 feet from the discovery shaft, at which this notice is posted; being in the center of the west end line of said claim; thence approximately north 09° 49' east 100 feet to a 4 x 4 pine post in a mound of stones, being at the northwest corner of said claim; thence approximately south 60° 47' east 677 feet to a 4 x 4 pine post in a mound of stones, being at the northeast corner of said claim; thence south 09° 49' west 100 feet to a 4 x 4 pine post in a mound of stones, being at the center of the east end line of said claim; thence south 09° 49' west 300 feet to a 4 x 4 pine post in a mound of stones, being at the southeast corner of said claim; thence approximately north 60° 47' west 677 feet to a 4 x 4 pine post in a mound of stones, being at the southwest corner of said claim; thence approximately north 09° 49' east 300 feet to the place of beginning.

Dated and posted on the ground this 31 day of May, 1915.

SOUTHWESTERN MIAMI DEVELOPMENT COMPANY,

Witness:

By F. W. Hoar, Agent.

G. W. McDaniel.

Filed and recorded at the request of E. W. Rice on the 12 day of June, A. D. 1915, at 30 minutes past 10 o'clock A. M.
E. T. STEWART, County Recorder.

STATE OF ARIZONA,)
) SS
County of GILA.)

I, E.T.STEWART, Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE OF THE PINYON LODGE MINING CLAIM, as the same appears of record in my office in Book 16, Records of Mines, at page 207; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 15th day of June, A.D.1915.



E. T. Stewart
Recorder.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. R. Rice

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Southwestern Maini Development Company

known as the Denison, Roman Eagle No. 1, Roman Eagle No. 2, Jack pot

and showing the respective capacities in which they acted.

x Thomas Mc Daniel, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ Thomas Mc Daniel

and do solemnly swear that ~~we~~ assisted E. R. Rice

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Southwestern Maini Development Company

known as the Denison, Roman Eagle No. 1, Roman Eagle No. 2, Jack pot

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

x Thomas Mc Daniel, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named person~~s~~ before me this 7th

day of July, 1915

Joseph Francis Chisholm
Notary Public

MY COMMISSION EXPIRES APRIL 22ND, 1918

Denison But 1449, Bisbee, Arizona

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, E Roche Rice, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 23, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Southwestern Inami Development Company, known as the Roman Eagle No. 1, Roman Eagle No. 2, Jackpot, Currier, Lode situate in Globe Mining District, Gila County, Arizona, in Section 26, Township No. 1 N, Range No. 14 E and designated as Survey No. 3206, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E Roche Rice

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said E Roche Rice

U. S. ~~Deputy~~ Mineral Surveyor, before me M B High this 27 day of July 1915

Notary Public

M B High

NOTARY PUBLIC

IN AND FOR COCHISE CO., ARIZONA

My commission expires Feb. 17-1916

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 21, 1915.

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

SOUTHWESTERN MIAMI DEVELOPMENT COMPANY

known as the Roman Eagle No. 1, Roman Eagle No. 2, Jackpot, Pinyon.

situate in Globe

Mining District, Gila County, Arizona.

in Section 26, Township No. 1 N., Range No. 14 E., and

designated as Survey No. 3206, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim by claimant or its grantors, and that said improvements consist of 2 shafts, 3 cuts, 5 tunnels and 11 drill holes, total value \$52,035.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 21, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

SOUTHWESTERN MIAMI DEVELOPMENT COMPANY

, known as the

Roman Eagle No. 1, Roman Eagle No. 2, Jackpot, Pinyon.

situate in Globe Mining District,

Gial County, Arizona.

in Section 26, Township No. 1 N., Range No. 14 E.

, designated as Survey No. 3206

executed by E. Roche Rice, U.S. Deputy Mineral

Surveyor, July 1-7, 1915, under my instructions dated

June 23, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank Ingalls

U. S. Surveyor-General for Arizona.