

SEPT 20 1915

4-683.

Mineral Survey No. 3208

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. A. Ladd.

KNOWN AS THE

Snap Shot

Summit Mining District,

Gila County, Arizona

Section 4, Township 2 S, Range 14 E Uns.

Surveyed under instructions dated July 2, 1915.

by *R. G. Thomas*
U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced Sept. 1, 1915.

Survey completed Sept. 4, 1915.

o 6-100

Address of claimant's attys.,
M. E. Leverich & Co.,
Phoenix, Arizona.

Feet	SURVEY NO. 1.3208
	Snap Shot.
	Beginning at Cor. No.1.
	A pine post in place 4.5 ft. long, 4 ins. square set 18 ins. in the ground with mound of stone scribed, S.S.-1-3208 whence,
	The Cor. common to Secs. 33 & 34 on the South boundary of T.1.S.R.14 E. G. & S.R.B. & M. bears N 50° 17' E 1850.9ft.
	Thence N 77° 29' W
40.00	Intersect gulch course Northeast and Southwest.
1500.00	To Cor. No.2.
	(Impracticable to erect true Cor. here as it comes in the center of road.) Witness Cor. ^{hereafter described} bears N 35° 30' W 25.8ft
	Thence N 35° 30' W.
25.80	Witness Cor. for Cor. No.2.
	A pine post in place 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed, W.C.S.S.-2-3208.
	No bearings available.
250.00	Intersect gulch course Northeast and Southwest.
444.20	West end center of the location and lode.
888.3	To Cor. No.3.
	A pine post 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed S.S.-3-3208.
	No bearings available.
	Thence S 77° 29' E
335.00	Intersect gulch course Northwest and Southeast.
525.00	Intersect road course Northwest and Southeast.
1040.00	Intersect road course Northeast and Southwest.
1157.83	Intersect West end line Black Hawk lode, unsurveyed at N 9° 53' W 307.44 ft. from the S.W. Cor.

Feet
 1400.00
 1500.00

 153.13
 444.10
 868.30
 888.30

Intersect road course Northeast and Southwest.
 To Cor.No.4.
 A pine post in place 4x6 ins. 4.5 ft.long set 18 ins. in
 the ground with mound of stone ^{scribed} S.S.-4-3208 whence
 A cross (X) and B.R.4-3208 chiseled on a schist face
 2x3 ft.facing Northeast bears S 25° 36' W 15.9 ft.

 Thence S 35° 30' E

 Intersect South line Black Hawk lode unsurveyed at
 N 74° 18' E 384.54 ft.from the Southwest Cor.
 East end center of the location and lode.
 Intersect gulch course Northeast and Southwest.
 To Cor.No.1 the place of beginning.
 Variation at all corners 14' E.

LODE LINE.

As near as can be determined from present devel-
 opments the vein of the location embraced in this
 survey extends as follows from its discovery point:
 Snap Shot lode: 919' N 77° 29' W and 581 ft. S 77° 29' E.

AREA.

Total area Snap Shot lode-----	acres.
	20.461
Area in conflict with-	Acres.
Black Hawk lode unsurveyed. ---	1.752

LOCATION.

This survey is situated in the Summit Mining
 District Gila county Arizona in Section 4,
 T.2.S.R.14 E.Uns.G.&S.R.B.& M., within the Crook Nat-
 ional Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improve-
 ments made upon or for the benefit of the lode embraced
 in this claim by the claimant or its grantors is not
 less than five hundred dollars and that said improve-

ments consist of:

No.1.The discovery shaft showing mineral in place ~~is~~
is on the lode line 919 ft.from the West end center.
4x6 ft.20 ft.deep timbered 10 ft.

Value-----\$300.00

No.2 An open cut,^{5 ft. wide,}the mouth of which bears from Cor.
No.2 N 59° 32' E 400 ft.running S 61° E 20 ft. 15 ft.
face.

Value-----\$150.00

No.3.An open cut,^{4 ft. wide,}the mouth of which bears from the
West end center N 9° 30'E 280 ft.running N 9° 30'W 10
ft.,10 ft.face.

Value-----\$ 75.00

ADJOINING LODES.

This survey is bounded on the North by Unknown
lodes,unsurveyed,G.Steadman claimant,by the Black
Hawk lode,unsurveyed,Cole & Goodwin claimants;on the
East by unknown lodes,unsurveyed,Cole & Goodwin
claimants;on the South by the public domain;on the
West by unknown lodes,unsurveyed,Independence Copper
Co.claimant;

REPORT.

The corner common to Secs.33 &34 on the South
boundary of T.1.S.R.14 E. G & S.R.B.&M.is a schist
stone 21x12x5 ins.16 ins.in the ground with 3 notches
on East and West edges,with mound of stone alongside.
(Insert * next page)

Black Hawk lode unsurveyed;

All corners are monuments of stone.

The survey of this lode is identical with the
ammended location as staked upon the ground.

The differences between these field notes and the
ammended location certificate are due to errors in the
latter.

End centers are monuments of stone.

INSTRUMENT.

This survey was made with a Berger engineers transit. The courses were deflected from the true meridian as determined by a solar observation. The distances were measured with 5,50 and 500 ft. steel tapes.

R. G. Thomas
U.S. Mineral Surveyor.

* The $\frac{1}{4}$ corner between Secs. 33 and 4 is not in place. I found one of the bearing trees as described in the field notes, but could find no trace of the corner. The hillside upon which the $\frac{1}{4}$ corner would come is fairly steep and judging from the apparent brecciation this corner must have been destroyed during one of the slides.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R.G.Thomas.

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

L.A.Ladd

known as the Snap Shot.

and showing the respective capacities in which they acted.

- L.M.Greenstein......, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ I, L.M.Greenstein.

and....., do solemnly swear that ^I ~~we~~ assisted _____

R.G.Thomas, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of L.A.Ladd.

known as the Snap Shot.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ^{my} ~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- L.M.Greenstein......, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th day of September, 1915.

Joseph Francis Chubbuck,
Notary Public in and for
the county of Gila,
State of Arizona

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R.G. Thomas, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 2 1915. I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of L.A. Ladd, known as the Snap Shot, situate in Summit Mining District, Gila County, Arizona, in Section 4, Township No. 2 S, Range No. 14 E Unsurveyed, and designated as Survey No. 3208, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R.G. Thomas
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas
U. S. Deputy Mineral Surveyor, before me, Joseph Francis Chesbrough
Notary Public this 10th
day of September, 1915.
Joseph Francis Chesbrough,
Notary Public

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the SNAP SHOT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by L.A.Ladd the undersigned, on the 15 day of June, 1915.

The length of this claim is 1500 feet, and I claim 919 feet in a S.74° 30' W. direction and 581 feet in a N.74° 30' E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Summit district, Gila mining district, in Gila County, in the State of Arizona, about Two miles in a Northerly direction from Government Springs The west side line of this claim is identical with the East side lines of the Independence Mining Co's group of claims. The N.W.Cor. of this claim lies in a northerly direction about 1500 ft. from said Co's shaft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a S. 74° 30' W. direction 919 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence S. 63° W. 444.15 feet to a Redwood Post, being the Southwest corner of said claim; thence N.74° 30' E. 1500 feet to a Pine Post, being at the Southeast corner of said claim; thence N.63° W. 444.15 feet to a monument of stones at the center of the East end of said claim; thence N.63° W. 444.15 feet to a Pine Post, being at the Northwest corner of said claim; thence S.74°30' W. 1500 feet to a Redwood Post at the Northwest corner of said claim, thence S.63° E. 444.15 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16,1901.

This is an Amended Location Notice of the Snap Shot Mining Claim located by W.D.Steadman on the 1st day of January, 1910, and recorded in Book 20, of Records of Mines, at page 618, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 15 day of June, 1915.

By L.A.Ladd

Witness:

Joseph F.Chisholm
O.S.Cather.

Filed and recorded at the request of L.A.Ladd on the 18 day of June, A.D. 1915, at 55 minutes past 10 o'clock A.M.

E.T.STEWART, County Recorder.


STATE OF ARIZONA,)
) SS
County of Gila.)

I, E.T.STEWART, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the AMENDED LOCATION NOTICE of the SNAP SHOT Lode Mining Claim, as the same appears of record in my office in Book 24, Records of Mines, at page 15; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 18th day of June, A.D.1915.

E.T.STEWART, County Recorder,

By L. B. Peland
Deputy Recorder.



RECEIVED
JUN 18 1915
COUNTY CLERK
GILA COUNTY ARIZONA

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 23, 1915

I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

L. A. LADD,

known as the SNAP SHOT

situate in SUMMIT

Mining District, GILA County, ARIZONA

in Section 4, Township No. 2 S., Range No. 14 E., unsur., and

designated as Survey No. 3208, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft and 2 cuts, total value \$525.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

November 23, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

L. A. LADD

, known as the

SNAP SHOT

situate in SUMMIT Mining District,

GILA County, ARIZONA.

in Section 4, Township No. 2 S., Range No. 14 E., unsur.

, designated as Survey No. 3208

executed by R. G. Thomas, U. S. Deputy Mineral

Surveyor, Sept. 1-4, 1915, under my instructions dated

July 2, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.