Elei ei wig

SL1.20 1015

4-683.

# Mineral Survey No.3211

Lot No. Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Clinto Mc Laren William Mc Cutchen Jurky Creek Mining District, Garapai County, Aryone 8 + 17 Township 12 N, Range / W Unsum Surveyed under instructions dated Anly 8 \_\_\_\_\_, 1/5, by William H Month.
U. S. Deputy Mineral Surveyor Claim located Lee Lacation Notice Survey commenced Angust 6- 19/5 Survey completed August 7 - 1915-Robert E. Monison, Alle, Orrect, Horgona

```
SURVEY No. 3211
                                       (1)
                      WILLIAM MO CUTCHEN
          Beginning at Cor. No. 1, the N. E. Corner.
          Identical with the loc.
          A granite stone 6X8X24 ins. set 12 ins. in the ground with
          mound of stones chiseled 1-W.M.-3211 Whence:
          U.S.M.M.No.3.T.C. brs. N 23917'E 6450.19 ft.
        An oak tree 12 ins. diam. brs. S 39000 12.2 ft. Sculet x 87. 1.W.M.-3211
An oak tree 16 " " S 25000 W 24 ft. Saula x 8.T. 1-W.M.-3211
          Loc.cor.mound of stones 3X3 ft.
        Thence S 25:33'W va. 15:E
Cross road course N 66:E & S 66:W
To Cor. No. 2, the S. E. Goyner.
         Identical with the loc.
        A Cyanite stone 3X10X24 ins.set 12 ins.in the ground with
        mound of stones chiseled. 2-2-W. M-3211 Whence:-
         An oak tree lo ins. diam. soribed X-B-T-2-W.M-3211 brs.
                        N 73225 E 30.5 ft. No other bearings available.
        Loc.cor.mound of stones 3X3 ft.
        Thence N 64:27 W va. 15:E
         Cross Turkey Creek 6 ft.wide course S 4 9W
         S.C. End. identical with the loc. a mound of stones 3X3 ft.
        To Cor. No. 3, the S.W. corner.
                                  I facely by which his wallot
         Identical with the loc.
                                   . tring frage Meson
        A Cyanite stone lo X lo X 24 ins. set 12 ine in the ground with
        mound of stones chiseled X-3-W.M-3211 Whence:-
         An oak tree lo ins.diam.brs.S 559W 27.4 ft.scribed X+B-T
             3-W.M-8211
        A pine tree 12 ins.diam.scribed X-B-T-W.M-3211 brs.
       o Balear S 35%E 0.6 ft.
mode to basion diligi
Thence N 25:33'E va. 15:E ad . .
                                                THE SHOT
       To cor. No. 4. the N. W. corner.
         Identical with the loc.
         A Cyanite stone 6X6X24 ins.set 12 ins.in the ground with
        mound of stones chiseled X-4-W.M-3211. No bearings available.
        Loc.cor.mound of stones 3X3 ft.
                    Thence S 64.27'E va.
                                            159E
         Cross Turkey Creek 6 ft.wide course S 21900'W
```

N.C. End. identical with the loc. a mound of stones 3X3 ft.

TO Cor. No. 1 the place of beginning

AREA. .....20.661 acres.

r Feet

940 1500

220

300

600 th loc-

1500

100

300

600

AREA

# Survey No.3211 continued.

identions with the Lode Line As near as can bedetermined from present developments the vein of thes location extends as follows. 1500 ft. N 25:33'E from the S.C.E. to the N.C.E.

This claim is located in secs T.12 N.R.1 W.unsurveyed, Turkey Creek Mining District Yavapai County Arizona, within Prescott National Forest.

ADJOINING CLAIMS. This claim is bounded on the North by Willow No.1 lode un-surveyed, owned by M. Dungan; on the East by U.S. Land, on the South by teo. Freyda lode unsurveyed, owned by Bones Bro's and on the West by U.S. Land.

I certify that the value of the labor and improvements, made upon this claim by the claimant or his grantors is not less than five hundred dollars and consist of: No.1 dis. shaft which is on the lode line 452 ft.from the S.C.E No.2 cut & tunnel which brs.from cor.No.3 N 37%E 440 ft. No. 3 cut which is on the lode line 45 ft.from the N.C.E. No. 4work on road leading to Poland ..... \$500.00

out II ton .

rround with

INSTRUMENT! This survey was made with a Curley Solar Transit. The courses were deflected from the meridian as determined by direct Solar observations. The distances were measured with loo-ft. and 500-ft.steel tapes.

8.0.Ma.

The tie line and lode line of this claim were run upon the ground, and the several corners established by means of offsets from the lode line.

> U.S.M.M.No.3.T.C. is U.S.M.M.No.3.T.C. chiseled on granite rock in place 5%2 ft. above the groundwith mound of stones, 5 ft. base X 4 ft. high, situated on arridge on the Soookum lode sur. No. 913.

No.4 improvement, work on road to Poland was necessary 50 provision and supplies could be hauled in wagons to the claim.

OTHER IMPROVEMENTS.

From Cor. No.2; 12 x 18 ft., course of the long side West. Value

S.W. Cor. of a barn brs. N. 1° 45' W. 680 ft., 24 x 34 ft., course of the long side East. Value, \$200.00 Blant to a volume 4.67 ESSE

drone dura y seek t it wide course

mencal to borner alouf wer with I William Herrik U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by	William	4 Menst
United States Deputy Mineral Surveyor, to assist in run	nning, measuring, and	marking the lines, corners, and
boundaries described in the foregoing field notes of the sur		
Clist Mic	Laren	
Blist Mcknown as the Williams G	he Cutch	en
and showing the respective capacities in which they acted		
		, Chainman.
	Gus Sh	result, Chainman.
•		, Axman.
		, Flagman.
,		
FINAL OATHS O	F ASSISTA	NTS.
De Geo Ment	1	
and, do so	olemnly swear that we a	assisted Walliam
HMarrit United States Premity M	ineral Surveyor, in mar	king the corners and surveying
Henrik, United States Beputy M	- Mc Loar	in
the boundaries of the mining of the officers		
known as the William Mc C	erlehen	
represented in the foregoing field notes as having been su		mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our know	rledge and belief, faithfully and
correctly executed, and the corner and boundary monum	ents established accordi	ing to law and the instructions
furnished by the United States Surveyor-General for	ryona	
	Geo Mes	Chainman.
		, Chainman.
		, Axman.
		Flagman.
Subscribed and sworn to by the	above-named persons b	efore me this 12.
day of Quant	1965	
	iba O. Brown	Notary Public unty arigana
my Commission	Yavakai Co	unty arigana
8 h 2 3els 12 - 1916.	0	, 0

# FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, William H /	unik	, U. S. <del>Deputy </del> Mineral
Surveyor, do solemnly swear that, in p		
States Surveyor General for Ang	ma	, dated
July 8-1915	, I have, in strict con	nformity to the laws of the
United States, the official regulations a		-
of said Surveyor General, faithfully a	nd correctly executed	the survey of the Mining
Claim of Clint Mic		
i i		
William	Inc Culche	u,
situate in Jurky C	ruk	Mining District,
Garapai	County, fry	, in Sections
situate in Junky Conship No. 12 70	, Range No. / W	smannend
and designated as Survey No. 32/	/	as represented
in the foregoing field notes, which according		
as distinctly marked by monuments or	-	<u> </u>
of the location certificate, which was		
said instructions, and that all the corn	·	·
petuated in strict accordance with the		
under; and I do further solemnly swe		•
field notes of said survey and my re	1	
improvements made upon said mining		
are as therein fully stated, and that t	he character, extent, l	ocation and itemized value
thereof are specified therein with par	ticularity and full deta	ail, and that no portion of
said labor or improvements so credited	to this claim has bee	en included in the estimate
of expenditures upon any other claim.		
	Willia	n H Munt
		U.S. Deputy Mineral Surveyor.
		1
Subscribed and sworn to by the s	aid William	n H (Merrill
U.S. D <del>umty</del> Mineral Surveyo	r, before me a Nol	tary Public in and
U.S. Danty Mineral Surveyor	armona	this /2"
day of august 191	50	
day of		<u> </u>
	Zula O Bro	County arizons
my Commission	101	0 - 0
A 3-154		
	Javakar.	County arizona
Ell Act an ind	Javapai.	County arizona

# This is located as an Abandoned Claim. Rotice of Mining Location

# LODE CLAIM

TO ALL WHOM IT MAY CONCERN:	
This Mining Claim, the name of which is the	
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and	
purchase by W.H.Bones and Clint McLaren,	
Citizens of the United States of America.	
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")	
the undersigned, on the I5 day of August. 1908.	
The length of this claim is 1500 feet	,
and We claim 25 feet feet	,
in a Northerly direction and	
1475 feet in a Southerly direction from	
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together	
with 300 feet in width of the surface grounds, on each	1
side of the center of said claim. The general course of the lode deposit and premises is from	
the Northerly to the Southerly	
The claim is situated and located in the Turkey Creek, Mining District, in	
Yavapai County, in the Territoryof Arizona, about I Mile	
in a Southerly direction from the Reed Ranch and Bounding	
the Willow No.I. on the South the Willow No.I. being owned at	
present br M.Duncan.	
The surface boundaries of the claim are marked upon the ground as follows: Beginning at	
at a point in a Northerly direction 25 feet from	
the discovery shaft (at which this notice is posted), being in the center of the	
end line of said claim; thence 300 feet to a Monument	
of Stones, , being the North East corner of said claim; thence	
1500 feet to a Monument Stones , being at the	
South East corner of said claim; thence 300 feet	
to a	
South West corner of said claim; thence 1500	
feet to a Monument Stones at the North West corner of said claim; thence 300 feet to the place of beinning.	
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of	
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.	
Dated and posted on the ground this 15. day of August, 1908	
Witness, Clint McLaren.	
Joseph Rreton. Clint McLaren.  W.H.Bones.	

# otice of Locatio

OUTTO PROPERTY SUPPLY TO THE	D
------------------------------	---

action of the particular and the

OOF PODOCOCO OF TOO

ACCARCACIO CONTRACTOR DE CONTR

anner an

STATE OF ARIZONA, COUNTY OF YAVAPAI.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of NOTICE OF MINING LOCATION,

LODE CLAIN :-

filed for record on Sept., 23rd., A.D., 1908; at 9:30-0'clock and as the same appears of record in my office in Book 84 of MINES :at page 571 and of the whole thereof.

> IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 6th day

County Recorder.





### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix, Ari	zona,
		Nov	ember 22, , 19 <sup>1</sup> 5.
I, U. S. Surveyor-	General for Distr	ict of Arizo	na
do hereby certify that	the foregoing transcript of t	the Field Notes, ret	urn and approval of the survey
of the mining claim of			·
	Clint M	cLaren	
known as the	William M	(cCutchen	
situate in	Turkey C	reek	
Mining District,	Yavapai	County,	Arizona, approx
in Section s 8 & 17	, Township No. 12	N., Range No.	1 W., unsur., and
designated as Survey 1	vo. 3211 , h	as been correctly co	pied from the originals on file in
this office; that said F	field Notes furnish such an	accurate description	n of said mining claim as will, it
incorporated into a pat	ent, serve fully to identify t	he premises, and tha	at such reference is made therein
	ermanent monuments as wil less than tify that five hundred doll	lars' worth of labor	the locus thereof.  has been expended or improve- ime of survey
_		or his grant	tors, and that said improvements
¥			value \$250, the road
			or's estimate of im-
,			mining improvement.
and that no portion of	said labor or improvements	s has been included	in the estimate of expenditures
upon any other claim.			
I further certify th	at the plat thereof, filed in	the U.S. Land Offi	ce at Phoenix,
Arizona	is correct and in c	conformity with the	foregoing Field Notes.
		Frank	S. Ingalls,
	United States Survey	nor-General for	Ari zona.

7361b5m3-03

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U.S. Surveyor-General, Phoenix, Arizona, November 22 . 1915 I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of.... Clint McLaren -----, known as the Wil⊥iam McCutchen situate in Turkey Creek Mining District, Yavapai County, Arizona, approx. in Section 8 & 17 , Township No. 12 N., Range No. 1 W., unsur. , designated as Survey No. 3211 executed by William H. Merritt , U.S. Deputy Mineral Surveyor, August 6-7, , 19 15, under my instructions dated July 8, ..., 19 15 have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant... for survey is included in the field notes.

7360b5m3-03

U. S. Surveyor-General for Arizona.

OFFICE OF

### COUNTY ENGINEER

YAVAPAI COUNTY ARIZONA

AUG. 8-1916

PRESCOTT, ARIZONA, Aug 7-1916

Hon. Frank P. Trott.

U.S. Surveyor General.

Dear Sir:-

On the 5th.inst.I was on the "William Mc Cutchen o claim Sur. No. 3211 and measured shaft No. 1 it is now well timbered and is 27.5 ft.deep and 3.5 X 6 ft.in the clear.

Present value .....\$550.00.

U.S. Wineral Surveyor.

Subscribe and sworn to beforeme this 7th.day of August A.D.1916

Alentiel Napany Public

# Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING	CLAIN	٧T.
--	-------	-----

I, U.S. Surveyor Ge	eneral forDistr	ict of Arizona ,
		rth of labor has been expended or
improvements made by c	elaimant or <b>his</b> gr	rantors, upon the mining claim of
known as the	William McCutche	n,
		mining district,
Ammen		Range No. 1 W. Unsur.
that said improvements c	onsist of 1 shaft,	2 cuts and 1 tunnel, total
value \$700, shaft	No.1 having been e	xtended to represent an
added value of \$45	O since the time of	f survey.
		aid labor or improvements has been
		ther claim. A copy of the report of
		S. Deputy Mineral Surveyor, dated
August 7	, 1916, is hereto attac	ched.
	An.	and Prot
	U.S. Surveyor Gener	al forArizona
Office of U.S. Surveyor Ger	neral,	
Phoenix, Arizo	ns,	
Augus	t 9 1916.	