Plated

SEP. 6-1915

4---683.

## Mineral Survey No. 3217'

| Lot No. |               |
|---------|---------------|
|         |               |
| Arizona | Land District |

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

| Davides  | n Hill Hivon Connec | *  |
|--|---------------------|--|
| , adme.  | KNOWN AS THE        | I.                                       |
|  | McCann              |  |
|  | Tembatone           | Mining District,                         |
| Cochise  | County,             | Ari::ona                                 |
| Section 14 To                                      | wnship 20 5.        | Range 22 E. G & S R B                    |
| Surveyed under instructions dated July 12, , 1915, |                     |  |
| by Ralph L. Notz.                                  |                     |  |
|  |                     | U. S. <del>Deputy</del> Mineral Surveyor |
| Claim located See 1                                | peution notice      |  |
| Survey commenced                                   | July 27th, 1915.    | 1  |
| Survey completed                                   | July 27th, 1915.    | , 1                                      |

Postoffice address of claimants attorneys,

Mllinwood & Ress,

Bisbee, Arizons.

#### MC CANN.

Beginning at Cor No 1, the N W Cor, identical with location and situated on line 4-1 Lot No. 40 Lucky Cass lode at N 0° 18' E 17.1 ft from Cor No 4,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3217 McC,

whence a limestone ledge 21 x 48 ins. exposure and chiseled BR x 1-3217 brs N 19° 23' W 9.6 ft., and a second limestone ledge 34 x 42 ins. exposure with like chiseling brs S 40° W 17.6 ft., and Cor for Secs 10,11,14 and 15, Tp 20 S., R 22 E, G & S R B & M brs N 27° 57' W 1305.2 ft.

#### thence S 87° 36' E

- 0.84 intersect line 2-3 Sur No 3218 Escondido lode at N 3° 07' E 17.1 ft from Cor No 3,
- 288.3 to original location for north end center, being a mound of stones 3 ft high with a 3 ft base,
- 587.3 to Cor No 2, the N N Cor, identical with location and with Cor No 3 Lot No 40 Lucky Cuss lode, and situated on line 4-5 Sur No 928 C.O.D.lode at N O° 48' E 167.1 ft from Cor No 4, and S O° 48' W 133.0 ft from Cor No 5,

a pine post 4 ft. long 4 ins. sq. set 18 ins in the ground in a mound of stones and scribed 2-3217 McC,

whence a sandstone rock 19 x 12 x 19 ins high and chiseled BR x 2-3217 brs S 53° 25' W 16.0 ft., and a limestone ledge with 20 x 12 ins exposure and like chiseling brs S 25° 05' E 25.4 ft.

#### thence S Oº 48' W

along line 5-4 Sur No 928 C.O.D. lode to Cor No 3, the S H Cor, identical with location and with Cors No 4 and 5 of Sur No 928 C.O.D.lode and Sur No 265 Luck Sure lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3217 McC,

whence a conglomerate ledge with 37 x 40 ins exposure and chiseled BR x 3-3217 brs 3 55° W 12.15 ft., and a second conglomerate ledge with 28 x 24 x 10 ins high-exposure and like chiseling brs N 9º 03' W 24.8 ft.

#### thence N 87° 36' W

- 297.6 along line 5-1 Sur No 265 Luck Sure lode to original location for south end center, identical with Cor No 1. Sur No 265 Luck Sure lode, being a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed SECt-McC,
- 585.9 to Cor No 4, the S W Cor, identical with location, and with Cors No 2 and 2 of Sur No 265 Luck Sure lode and Sur No 367 Am Wedge lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3217 McC,

whence a limestone ledge  $36\times17$  ins exposure and chiseled BR x 4-3217 brs N 2° 12' E 14.8 ft., and a second limestone ledge with 49 x 84 ins exposure and like chiseling brs S 2° 12' W 23.0 ft.

-1

#### thence N Oo 18' E

- to south edge of open stope, 300 ft deep, 126.3
- to point of location for Cors No 1, 3 and 4 of Sur No 367 Am, Wedge lode, Sur No 3218, Escondido lode and Lot No.40, Lucky Cuss lode, respectively, (a witness corner scribed 3-3218 E brs N 3° 07' E 17.1 ft, and another witness corner with same scribing brs N 69° 12' W 16.9 ft from this point.), Cor No 3 Lot No. 40 Lucky Cuss lode brs S 89° 17' E 586.9 ft, to the north edge of open stope,
- 160.0
- 167.1 to Cor No 1, the place of the beginning.

#### LEDGE .

The presumed course of the vein on this claim is from the south end center N 0° 18' E 167.1 ft.

#### AREA.

Total area of Mc Cann lode - - - - - - 2.249 Acres.

Conflict with Sur. No.3210, Escondido lode \_ \_ \_ \_ 0.000+

Conflict with Lot No. 40 Lucky

Cuss lode - - - - - - - - - - - - - - - 0.115 Acres.

Conflict with Lot No 40 Lucky
Cuss lode and Sur No. 3218 Escondido lode, common, - -- - -0.000 + A cres.

#### IMPROVEMENTS.

the value of I certify that, the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist

- Discovery shaft 4 x 6 x 10 ft deep brs from south end center on lode line 115.0 ft. No.1. . Value \$ 60.00
- Shaft 3 x 6 x 10 ft deep brs from north end center S 74° 02' W 50.1 ft. No.2. Value \$ 50.00
- Shaft 5 x 7 x 25 ft deep with drift 4 x 6 x 11 ft long brg east, the mouth of shaft brs from Cor No 1 S 62° 30' E 269.6 ft. Value No.3. Value \$360.00
- Open cut 5 x 9 x 15.5 ft long with tunnel in face 4 x 6 x 62 ft long both brg N 89° E, and at face of tunnel is a drift 4 x 6 x 14 ft long brg S 1° E, the mouth of open cut brs from Cor No 1 S 64° 40' E 216.0 ft. No.4. Value \$850.00
- Drift 5 x 7 ft in cross section, driven from loo ft level of Lucky Cuss shaft, crosses line 3-4 of Lucky Cuss lode at S 78° 32' E 91.7 ft from Cor No 1 Ma Cann lode, thence runs S 75° 32' W 84.0 ft to face. Value \$840.00 No.5.
- Drift 5 x 7 ft in cross section, driven from 300 ft level of Lucky Cuss shaft, crosses line 3-4 Lucky Cuss lode at S 76° 27' E 77.0 ft from Cor No 1 Mc Cann lode, thence runs S 73° 11' W 48.0 ft.; thence S 1° E 25 ft to face. Total drifting 73 ft.

  Value \$730.00 No.6.

. (2.)

No.7. Drift 5 x 7 ft in cross section, driven from 300 ft level of Lucky Cuss shaft, crosses line 3-4 Lucky Cuss lode at S 81° 48' E 131.2 ft from Cor No 1 McCann lode, thence runs S 36° 22' W 32.0 ft., thence N 72° 39' W 12.0 ft., thence S 36° 22' W 25 ft to face. Total drifting 69 feet.

Value \$690.00

No.8. Drift 4 x 6 ft in cross section, driven from 300 ft level of Lucky Cuss shaft, crosses line 3-4 Lucky Cuss lode at S 0° 18' W 8.6 ft from north and center of Mc Cann lode, thence runs S 0° 18' W 110.0 ft., thence S 16° 41' E 29.5 ft., thence S 82° 03' M 17.5 ft to face. Total drifting 157 ft.

Total improvements

\$5150.000

ADJOINING CLAIMS.

North. Lot No 40, Gen No 137, Lucky Cuss lode.

East. Survey No 928, C.O.D. lode.

South. Survey No 265 Luck Sure, lode.

West. Survey No 3674Wedge lode, and Survey No 3218 Escondido lode.

LOCATION.

This survey is located in the Tombstone Mining District, Cochise County, Arizona, in Section 14, Tp 20 S., R 22 E. G & S R B & M.

#### INSTRUMENT.

This survey was made with a C. L. Berger & Sons No 1 transit. The course were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 15' East at all corners.

#### REPORT.

Cor to Secs 10,11,14 and 15, T 20 S., R 22 E., is a limestone rock 4 x 10 x 9 ins high, chisoled II on east face, and IIII on south face. A monument of stones 3 ft west.

Lot No 40, Gen No 137 Lucky Cuss lode.

Cor No 1 is a monument of stones, post gone.

Cor No 3 is E? x 4 post scribed LCMC No3, wedge lode, Sur No 367 Am.

Cor No 4 is missing, but its position was determined from its identity with CorNo.1

I find line 3-4 to be N 89° 17' W 586.9 ft instead of N 88° 20' W 594.99 ft.

I find line 4-1 to be N 0° 18' E 1492.0 ft instead of N 2° E 1499.85 ft.

Survey No 265 Luck Sure lode.

Cor No 1 is a 1 \* 1 post scribed I.M.Luck Sure M.C.Nol.

Cor No 2 is a 1 x 1 post scribed L S M C No 6.

Cor No 5 is a 1 x 1 post scribed L S M C No 2.

I find line 5-2 to be N 87° 36' 7 585.9 ft instead of N 86° 30' W 596.0 ft.

Survey No 367 Am. Wedge lode

Cor No 1 is missing.

Cor No 2 is a 4 x 4" post scribed Wedge MC No II,

I find line 1-2 to be S 0° 18' v 150.0 ft instead of S 2° w 150.0 ft.

The position of Cor. No.1 was determined from distance given for line 1-2 Sur.No.367 Am Wedge lode in Survey Nos. 367 and 265.

(3.)

Survey No 928 C. O. D. lode.

Cor No 4 is a 4 x 4 post scribed C.O.D. No 4.

Cor No 5 is a 4 x 4 post scribed C.O.D. No 5.

I find line 4-5 to be N 0° 48' E 300.1 ft instead of N 2° 0' E 294.0 ft.

Dated at Bisbee, Arizona. August 28th, 1915.

E

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

| A list of the names of the individ     | luals employed by Ralph I. Notz   |
|--|---|
| Jnited States Deputy Mineral Surve     | yor, to assist in running, measuring, and marking the lines, corners, and                                   |
| oundaries described in the foregoing   | field notes of the survey of the mining claim of  |
|  | Bunker Hill Mines Company   |
| nown as the                            | Me Cann   |
| nd showing the respective capacities   | in which they acted.  |
|  | F. H. Helleck , Chainman.   |
|  |   |
|  | , Chainman.   |
|  | Axman.  |
|  | Flagman.  |
| ad.x                                   | do solemnly swear that we assisted  |
| 7 7 7 1                                | ed States Deputy Mineral Surveyor, in marking the corners and surveying                                     |
|  | Bunker Hill Mines Company   |
| nown as the                            | Me Cann   |
| epresented in the foregoing field note | es as having been surveyed by said deputy mineral surveyor and under his                                    |
| irection; and that said survey has b   | been in all respects, to the best of our knowledge and belief, faithfully and                               |
| orrectly executed, and the corner and  | d boundary monuments established according to law and the instructions                                      |
|  | or-General for Arizona.   |
|  | P. H. Hallock, Chainman.  |
|  |   |
|  | , Chainman.   |
|  | , Axman.  |
|  | Flagman.  |
| Subscribed a                           | and sworn to by the above-named persons before me this24th  |
| day of                                 | August, 1915. , 190X  |
|  |   |
|  | Notary Public is and for the County of Cochise, State of Arizona.  My commission expires February 21st, 191 |
| 14224b5m8-04                           | My commission expires February 21st, 191  |

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

| I, Ralph L. Mot                         | 12                          | , U. S. <del>Deputy</del> Mineral   |
|---|-----------------------------|---|
|   |                             | ructions received from the United   |
|   |                             | , dated   |
|   |                             | ict conformity to the laws of the   |
| United States, the official re          | egulations and instructions | thereunder, and the instructions  |
|   |                             | cuted the survey of the Mining  |
|   |                             | mpany   |
| •                                       |                             | , known as the  |
|   |                             | ·   |
|   |                             | Mining District,  |
|   |                             | rinona , in Section   |
|   |                             | D. G.S.C.R.R.C.H.   |
| and designated as Survey I              | No. 3217                    | as represented  |
|   |                             | boundaries of said mining claim   |
|   |                             | d described in the attached copy  |
|   |                             | from the Surveyor General with  |
|   |                             |   |
|   |                             | have been established and per-  |
|   |                             | ulations and instructions there-  |
| nder; and I do further so               | olemnly swear that the fore | egoing are the true and original  |
| eld notes of said survey                | and my report therein, and  | d that the labor expended and   |
| mprovements made upon sa                | aid mining claim by claimar | nt or 1ts grantors  |
|   |                             | tent, location and itemized value   |
|   |                             | ll detail, and that no portion of   |
|   |                             | ~   |
|   |                             | as been included in the estimate  |
| f expenditures upon any of              | ther claim.                 |   |
|   |                             |   |
|   |                             | (. \  |
|   |                             | Palfh L. Mozz<br>1'. S. Deputy Mineral Surveyor.                                  |
|   | · ·                         | U'. S. Deputy Mineral Surveyor.   |
|   |                             |   |
| Subscribed and sworn                    | to by the said Rolph I.     | ifot:   |
| U. S. <del>Deput</del> y Miner          | al Surveyor, before me J    | . Ross, Motury Public   |
| *************************************** |                             | this 2°th   |
|   | t, 1915.                    | ÷   |
| 9                                       | 0 -                         |   |
|   | Ju vioo                     | 4<br>blic in and for the Coun<br>e, State of Arizona.<br>sion expires Fobruary 21 |
|   | of Corlise                  | vale is the for the Coun<br>o. State of Arizonal                                  |
| o 3—154                                 | My country                  | sion expires February 21  |

Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a point 115 feet in a Southerly direction from the discovery shaft, (at which this notice is posted, being in the center of the South end line of said claim; thence Westerly 300 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northerly 175 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Easterly 300 feet to a monument of stones and a post, being in the center of the North end line of said claim; thence Easterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southerly 175 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "McCANN" mining claim, located by A. McCann, Richard Gird, W. S.

Edwards, T. E. Walker, E. L. Schuffelin, W. C. Parsons, and

A. E. Schuffelin, on the 29th day of May, 1878, and recorded in Book 3, Transcribed Record of Mines, at page 763, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18 day of 1915.

BUNKER HILL MINES COMPANY,

By

Superintendent



UUL 1 < 1015

## AMENDED NOTICE OF MINING LOCATION LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the McCANN" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the

The length of this claim is 175 feet, and we claim 115 feet of the lode in a Southerly direction and 60 feet of the lode in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the South to the North.

Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 100 feet in a Northerly direction from United States Mineral Monument No. 2 of said mining district, and is bounded on the North by the "Lucky Cuss," Lot No. 40, on the East by the "C.O.D." Survey No. 928, on the South by the "Luck Sure," Survey No. 265, and on the West by the "Wedge," Survey No. 367, and lies in Section 14, Township 20 South, Range 22 East, Gila and

## U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

|  | Phoenix, Arizona,  |  |  |
|--|--|--|--|
|  | November 3 , 1915.                                       |  |  |
| I, U. S. Surveyor General for  | District of Arizona,                                     |  |  |
|  | ng transcript of the Field Notes, return and approval    |  |  |
|  | n of   |  |  |
|  | NKER HILL MINES COMPANY                                  |  |  |
|  |  |  |  |
|  | McCANN   |  |  |
|  | , situate in TOMBSTONE                                   |  |  |
| Mining Distric   | t, COCHISE County,                                       |  |  |
| ARIZONA,   | , in Section 14 , Township No. 20 S,                     |  |  |
| Range No. 22 E.,   | , and designated as Survey                               |  |  |
| No. 3217   | has been correctly copied from the originals on          |  |  |
|  | Notes furnish such an accurate description of said       |  |  |
|  | ted into a patent, serve fully to identify the premises, |  |  |
| and that such reference is made therein to natural objects or permanent monuments as |  |  |  |
| will perpetuate and fix the <i>locus</i> thereof.                                    |  |  |  |
|  | re hundred dollars' worth of labor has been expended     |  |  |
|  |  |  |  |
|  | mining claim by claimant or its grantors, and            |  |  |
|  | f 3 shafts, 6 drifts, 1 cut and 1                        |  |  |
| tunnel, total value \$515  | 0.00   |  |  |
|  |  |  |  |
|  |  |  |  |
| 44844444444444444444444444444444444444   |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| and that no portion of said labor  | or improvements has been included in the estimate of     |  |  |
| expenditures upon any other claim  | n.   |  |  |
| I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,   |  |  |  |
| Arizona, is correct and in conformity with the foregoing Field Notes.                |  |  |  |
|  | Frank S. Ingalls,  |  |  |
| United S   | tates Surveyor General for Ari zona.                     |  |  |

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona,

November 3, 10

| X.                       |                                       |  |
|--------------------------|---------------------------------------|--|
|                          |                                       | November 3 , 19 15.                        |
| I, U. S. Surveyor-(      | General for District of               | Arizona,                                   |
| do hereby certify that t | the foregoing and hereto attached Fie | ld Notes and Return of the Survey of the   |
| Mining Claim of          |                                       |  |
|                          | BUNKER HILL MINES C                   | OMPANY                                     |
|                          |                                       | , known as the                             |
|                          | McCANN                                | ·  |
| situate in               | T CMBST ONE                           | Mining District,                           |
| COCHISE                  | County,                               | ARIZONA.                                   |
| in Section 14            | Township No. 20 S.,                   | , Range No. 22 E.                          |
| , de                     | esignated as Survey No. 3217          |  |
| executed by              | Ralph L. Motz,                        | , U. S. <del>Deputy</del> Mineral          |
| Surveyor,                | July 27,                              | , 1915, under my instructions dated        |
| July 12,                 | , 19 15, have been c                  | ritically examined and the necessary cor-  |
| rections and explanation | ns made, and the said Field Notes ar  | nd Return, and the Survey they describe,   |
| are hereby approved.     | A true copy of the copy of the locat  | ion certificate filed by the applicant for |
| survey is included in th | e field notes.                        | & Dongalle                                 |

U. S. Surveyor-General for Arizona.

7360 b 5 m 3 - 03