VOV 15. 1915

DEC 11.1915

4---683.

Mineral Survey No. 3228.

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF				
Bunker Hill Mines Company				
KNOWN AS THE				
Buffalo, Southern Belle, Michigan, Illinios, Cornell, Houghton				
Tombstone Mining District,				
CochiseCounty,Arizona				
Sections 12, 13, 14. Township 20 South , Range 22 E. G & S R B				
Surveyed under instructions dated July 12th , 1915,				
by Relph L. Motz.				
U. S. Deputy Mineral Surveyor				
Claim located see location notices. , 1				
Survey commenced August 14th, 1915. , 1				
Survey completed August 17th, 1915. , 1				
o 6—160				

Postoffice address of claimants attorneys,

Ellinwood & Ross,

Bisbee, arizona.

HOUGHTON.

Beginning at Cor No 1, the S W Cor, identical with location and with Cor No 1 Gen No 254 Cincinnatti lode, and situated on line 3-4 Gen No 213 New Year lode at \$ 65° 29' E 75.0 ft from Cor No 4, and N 65° 29' W 223.0 ft from Cor No 3,

a pine post 4 ft long 4 ins. sq set 18 ins in the ground in a mound of stones and scribed 1-3228 H, No bearings available.

The Cor of Secs 11,12,13 and 14, T 20 S, R 22 E, G & S R B & M brs S 47° 17' W 862.3 ft.

thence N 32° 47' E

- 661.5 cross railroad running from Tombstone to Pump Shaft.
- along line 1-2 Gen No 254 Cincinnatti lode to Cor No 2, the N W Cor, identical with location and situated on line 1-2 Gen No 254 Cincinnatti lode at S 32° 47' W 17.4 ft from Cor No 2,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3228 H. No bearings available.

thence S 65° 29' E

- 300.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-H-3228,
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3228 H. No bearings available.

thence S 32° 47' W

1500.0 to Cor No 4, the S E Cor, identical with location, and situated on line 2-3 Cornell lode of this survey, at N 65° 29' W 223 ft from Cor No 3,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3228 H. No bearings available.

thence N 65° 29' W

- 77.0 to north end center of Cornell lode of this survey.
- 161.8 cross railroad running from Tombstone to Pump Shaft,
- 228.3 cross Y track of railroad running from Tombstone to Pump Shaft,
- 300.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-H-3228,
- 377.0 to Cors No 2 and 3 of Cornell lode of this survey, and Gen No 213 New Year lode, respectively,
- 600.0 to Cor No 1, the place of the beginning.

CORNELL.

Beginning at Cor No 1, the S W Cor, identical with location,

and with Cors No 2,2,6 and 3 of Gen No 213 New Year lode, Illinois lode of this survey, Sur No 758 Michigan Central lode, and Michigan lode of this survey, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3228 C,

whence a sandstone rock 20 x 15 x 4 ins high and chiseled BR x 1-3228 brs N 46° 14' W 47.4 ft., and a second sandstone rock 28 x 13 x 12 ins high with like chiseling brs N 49° 30' E 5.9 ft., and the Cor of Secs 11,12,13 and 14 T 20 S, R 22 E, G & S R B & M brs N 23° 17' W 760.6 ft.

thence N 24° 13' E

- 762.7intersect line betweeh Secs 12 and 13, T 20 S, R 22 E, at S 89° 43' E 613.5 ft from the Cor of Secs 11,12,13 and 14, and N 89° 43' W 2034.6 ft from the 1/4 Cor between Secs 12 and 13,
- 1047.4cross Y track of railroad running from Tombstone to Pump Shaft,
- 1306.0along line 2-3 Gen No 213 New Year lode to Cor No 2, the N W Cor, identical with location and with Cor No 3 Gen No 213 New Year lode, and situated on line 4-1 Houghton lode of this survey at S 65° 29' E 223.0 ft from Cor No 1,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3228 C. No bearings available.

thence S 65° 29' E

- 77.0 to south end center Houghton lode of this survey,
- 148.7 cross Y track of railroad running from Tombstone to Pump Shaft,
- 215.2 cross track of railroad running from Tombstone to Pump Shaft,
- 300.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-C-3228,
- 377.0 to Cor No 4 Houghton lode of this survey,
- 600.0 to Cor No 3, the N E Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3228 C. No bearings available.

thence S 24° 13' W

- intersect line between Secs 12 and 13, T 20 S, R 22 E, at S 89° 43' E 1269.9 ft from Cor of Secs 11 and 12,13 and 14, and N 89° 43' W 1378.2 ft from the 1/4 Cor between Secs 12 and 13,
- intersect line 5-6 Sur No 858 Belcher lode at S 12° 15' E 88.8 ft from Cor No 6, and N 12° 15' W 1333.4 ft from Cor No 5, (Cor No 1 and Cor No 2 Sur No 858 Belcher lode bear S 77° 38' W 300 ft and S 77° 38' W 600 ft, respectively from Cor No 6 of said survey.)
- to Cor No 4, the S E Cor, identical with location, and with Cor No 4 Michigan lode of this survey,

CORNELL (Cont'd.)

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3228 C.

whence a sandstone rock 14 x 11 x 6 ins high and chiseled BR x 4-3228 brs S 20° 21' E 68.5 ft., and a limestone rock 12 x 23 x 3 ins high with like chiseling brs N 23° 30' W 55.4 ft.

thence N 65° 29' W

- 176.4 intersect line 2-3 Sur No 858 Belcher lode at S 12° 21' E 601.2 ft from Cor No 2, and N 12° 21' W 817.3 ft from Cor No.3.
- to original location for south end center, identical with north end center Michigan lode of this survey, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-C-3228,
- 350.0 cross railroad track running from Tombstone to Pump Shaft,
- 600.0 to Cor No 1, the place of the beginning.

ILLINOIS.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 2 Sur No 758 Michigan Central lode, and situated on line 2-3 Gen No 143 Grand Central lode at S 23° 32' W 139.8 ft from Cor No 2 and N 23° 32' E 1353.7 ft from Cor No 3,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3228 I,

whence a sandstone rock 19 x 20 ins exposure and chiseled BR x 1-3228 brs N 47° 04' W 31.6 ft, and a second sandstone rock with 19 x 19 ins exposure and like chiseling brs N 16° 31! W 26.45 ft, and the Cor of Secs 11,12,13 and 14,T 20 S R 22 E., G & S R B & M brs N 28° 36' E 512.2 ft.

thence S 65° 29' E

- 3.4. intersect line 4-5 Sur No 276 Modoc lode, at S 23° 41' W 142.8 ft from Cor No 5, and N 23° 41' E 1350.6 ft and resist, respectively, from Cor No 4, and intersection of line 4-5 Modoc lode with line 3-4 Sur No.751 Moon light lode.
- intersect section line between Secs 13 and 14, T 20 S, R 22 E, at N 0° 0' 30" E 2088.8 ft from the 1/4 Cor between Secs 13 and 14, and S 0° 0' 30" W 561.5 ft from the Cor of Secs 11,12,13 and 14.
- 300.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-I-3228, being identical with Cor No 1, Gen No 213 New Year lode,
- 523.9 intersect line 2-3 Sur No 276 Modoc lode at S 22° 54' W 105.3 ft from Cor No 2, and N 22° 54' E 1390.6 ft from Cor No 3.
- to Cor No 2, the N E Cor, identical with location and with Cor No 1 Cornell lode of this survey, heretofore described to which I add 2-3228 I for this claim,

thence S 23° 32' W

- 186.3 cross tracks running from Tombstone to Pump Shaft,
- 753.7 intersect section line between Secs 13 and 14, T 20 S, R 22 E, at S 0° 0' 30" W 1389.7 ft from the Cor for Secs 11, 12,13, and 14, and N 0° 0' 30" E 1260.6 ft from the 1/4 Cor between Secs 13 and 14.

along lines 6-5 Sur No 758 Michigan Central lode, and 3-2 Michigan lode of this survey, to Cor No 3, the S E Cor, identical with location and with Cors No 2,3 and 5 of Michigan lode of this survey, Sur No 815 Southern Belle lode, and Sur No 758 Michigan Central lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3228 I,

whence a shale ledge 16 x lo ins exposure and chiseled BR x 3-3228 brs N 65° 19' W 46.2 ft., and a second shale ledge 17 x 8 ins exposure and like chiseling brs S 48° 23' W 38.8 ft., and Cor No 4 Sur No 815 Southern Belle lode brs N 41° 48' W 317.4 ft., and the intersection of line 3-4 said Southern Belle lode with line 2-3 Modoc lode Sur No 276, brs same course 67.1 ft distant.

thence N 65° 29' W

- 61.1 intersect line 2-3 Sur No 276 Modoc lode at N 22° 54' E 36.4 ft from Cor No 3, and S 22° 54' W 1459.5 ft from Cor No 2, (the intersection of lines 2-3 Sur No 276 Modoc lode and 3-4 Sur No 815 Southern Belle lode brs N 22° 54' E 27.2 ft.)
- 270.4 to north end center Southern Belle lode of this survey,
- 300.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-I-3228,
- 552.5 intersect line 4-5 Sur No 815 Southern Belle lode at S 88° 28' W 290.9 ft from Cor No 4, and N 88° 28' E 34.2 ft from Cor No 5,
- 557.7 intersect line 3-4 Sur No 276 Modoc lode at N 61° 18' W 498.9 ft from Cor No 3, and S 61° 18' E 42.5 ft from Cor No 4, and 22.15 ft from intersection line 3-4 Modoc with line 2-3 Sur No. 751 Moon light lode
- 579.4 to Cors No2.2 and 4 of Sur No 751 Moonlight lode, Gen No 144 South Extension of the Grand Central lode, and Southern Belle lode of this survey, respectively, (from this point Cor No 3 Sur No 751 Moonlight lode brs N 12° 22' E 65.2 ft, and the intersection of lines 3-4 Sur No 276 Modoc lode and 2-3 Sur No 751 Moonlight lode brs N 12° 22' E 1.65 ft.)
- 600.0 to Cor No 4, the S W Cor, identical with location and with Cors No 3 and 3 of Gen No 143 Grand Central lode and Sur No 758 Michigan Central lode, respectively,

a pine post 4 ft long 6 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3228 I,

whence a sandstone rock 12 x 10 x 7 ins high and chiseled BR x 4-3228 brs N 577 45' W 22.1 ft., and a second sandstone rock 26 x 14 x 11 ins high with like chiseling brs S 33° 13' W 24.0 ft.

thence N 23° 32' E

- 3.1 to Cor No 4 Sur No 276 Modoc lode,
- intersect line 3-4 Sur No 751 Moonlight lode, at N 76° 44' W 8.1 ft from Cor No 3, and 0.16 ft from the intersection of said line 3-4 Moonlight lode with line 4-5 Modoc lode Sur No 276., and S 76° 44' E 291.9 ft from Cor No 4,
- 1137.4 intersect tracks of railroad running from Tombstone to Pump Shaft,
- 1353.7 to Cor No 1, the place of the beginning.

MICHIGAN.

Beginning at Cor No 1, the S E Cor, identical with location and situated on line 4-1 Buffalo lode of this survey at N 65° 29' W 56.6 ft from Cor No 1,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3228 M,

the 1/4 Cor between Secs 13 and 14, T 20 S, R 22 E, G & S R B & M brs S 33° 35' W 554.1 ft. No bearings available.

thence N 65° 29' W

- 252.4 to north end center Buffalo lode of this survey,
- 290.0 intersect line 3-4 Sur No 795 Morning Star lode at S 21° 55' W 250.2 ft from Cor No 4, and N 21° 55' E 1163.4 ft from Cor No 3,
- 300.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-M-3228,
- intersect the section line between Secs 13 and 14, T 20 S, R 22 E, at S 0° 0' 30" W 2049.0 ft from the Cor of Secs 11,12,13 and 14, and N 0° 0' 30" E 601.3 ft from the 1/4 Cor between Secs 13 and 14,
- 561.4 to Cors No 1 and 4 of Southern Belle lode and Buffalo lodes of this survey, respectively,
- 600.0 to Cor No 2, the S W Cor, identical with location and with Cor No 3 Illinois lode of this survey, heretofore described to which I add 2-3228 M for this claim,

thence N 23° 32' E

- 600.0 intersect the section line between Secs 13 and 14 T 20 S, R 22 E, at S 0° 0' 30" W 1389.7 ft from the Cor of Secs 11,12,13 and 14, and N 0° 0' 30" E 1260.6 ft from the 1/4 Cor between Secs 13 and 14,
- 1167.4 cross tracks of railroad running from Tombstone to Pump Shaft,
- 1353.7 to Cor No 3, the N W Cor, identical with location and with Cor No 1 Cornell lode of this survey, heretofore described to which I add 3-3228 M for this claim.

thence S 65° 29' E

- 250.0 cross tracks of railroad running from Tombstone to Pump Shaft,
- 300.0 to original location for north end center, identical with south end center Cornell lode of this survey, heretofore described to which I add NECt-M-3228 for this claim,
- 423.6 intersect line 2-3 Sur No 858 Belcher lode at S 12° 21' E 601.2 ft from Cor No 2, and N 12° 21' W 817.3 ft from Cor No 3,
- 600.0 to Cor No 4, the N E Cor, identical with location and with Cor No 4 Cornell lode of this survey, heretofore described to which I add 4-3228 M for this claim.

thence S 23° 32' W

240.8 intersect line 2-3 Sur No 858 Belcher lode at S 12° 21' E 902.1 ft from Cor No 2, and N 12° 21' W 516.4 ft from Cor No 3,

whence a shale rock 20 x 24 x 11 ins high and chiseled BR x 1-3228 brs N 82° 22' W 28.1 ft., and a second shale rock 27 x 24 x 8 ins high with like chiseling brs S 77° 49' W 21.8 ft.
The 1/4 Cor between Secs 13 and 14 T 20 S, R 22 E, G & S

The 1/4 Cor between Secs 13 and 14 T 20 S, R 22 E, G & S R B & M brs S 16° 23' E 724.0 ft.

thence S 38° 52' W

to Cor No 2, the S E Cor, identical with location and with Cor No 3 Buffalo lode of this survey, and situated on the north side line of the Mellgren lode, unsurveyed,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3228 SB, No bearings available.

thence N 65° 29' W

- 309.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-SB-3228,
- 475.7 intersect line 2-3 Sur No 540 Grand Dipper lode at S 35° 31' W 35.6 ft from Cor No 2, and N 35° 31' E 1176.4 ft from Cor No 3,
- 618.0 to Cor No 3, the S W Cor, identical with location and with Cor No 3 Gen No 144 South Extension of the Grand Central lode, and situated on line 1-2 Sur No 540 Grand Dipper lode at N 78° 41' W 153.1 ft from Cor No 2, and S 78° 41' E 147.3 ft from Cor No 1,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3228 SB. No bearings available.

thence N 38° 52' E

- 8.0 along line 3-2 Gen No 144 South Extension of the Grand Central lode to Cor No 6 Sur No 815 Southern Belle lode, (Cor No 2 Sur No 815 Southern Belle lode brs from this point S 89° 39' E 588.6 ft., and Cor No 1 of said survey brs S 89° 39' E 294.0 ft.)
- 1471.5 to Cor No 5 Sur No 815 Southern Belle lode,
- to Cor No 4, the N W Cor, identical with location, and with Cors No 2 and 2 of Sur No 751 Moonlight lode and Gen No 144 South Extension of the Grand Central lode, respectively, on line 4-3 Illinois lode of this survey S 65° 29' E 20.6 ft from Cor No 4, a pine post 4 ft long 6 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3228 SB. No bearings available.

thence S 65° 29' E

- 21.7 intersect line 3-4 Sur No 276 Modoc lode at S 612 18' E 42.5 ft from Cor No 4, and N 61° 18' W 498.9 ft from Cor NO 3, and intersection of said line 3-4 Modoc lode with line 4-5, Sur. No. 815 Southern Belle lode.
- 26.9 intersect line 4-5 Sur No 815 Southern Belle lode at S 88° 28' W 290.9 ft from Cor No 4, and N 88° 28' E 34.2 ft from Cor No 5, and .75 ft. from intersection of said line 4-5 Southern Belle lode with line 3-4 Modoc lode, Sur. No. 276.
- 279.4 to south end center Illinois lode of this survey,
- 309.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-SB-3228,
- intersect line 2-3 Sur No 276 Modoc lode at N 22° 54' E 36.4 ft from Cor No 3, and S 22° 54' W 1459.5 ft from Cor
- to Cors No 3, 5, 3 and 2 of Illinois lode of this survey, Sur No 758 Michigan Central lode, Sur No 815 Southern Belle lode, and Michigan lode of this survey, Cor No 2 said Southern Belle lode brs S 43° 27' W 1260.1 ft.

 618.0

BUFFALO.

Beginning at Cor No 1, the N E Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3228 B, no bearings available.

the 1/4 Cor between Secs 13 and 14, T 20 S, R 22 H, G & S R B & M brs S 39° 15' W 565.8 ft.

thence S 38° 52' W

- intersect the section line between Secs 13 and 14, T 20 S, R 22 E, at S 0° 06' W 6.0 ft from the 1/4 Cor between Secs 13 and 14, and N 0° 06' E 2639.4 ft from the Cor of Secs 13.14.23 and 24,
- 1187.3 intersect line 3-4 Sur No 795 Morning Star lode at N 21° 55' E 12.1 ft from Cor No 3, and S 21° 55' W 1401.5 ft from Cor No 4,
- 1272.7 intersect line 2-3 Sur No 810 Bunker Hill lode at S 87° 46' W 79.6 ft from Cor No 3, and N 87° 46' E 761.8 ft from the line post on line 2-3,
- 1356.5 intersect line 3-4 Sur No 759 Wide West lode at N 84° 25' E 79.8 ft from Cor No 3, and S 84° 25' W 1274.9 ft from Cor No 4.
- 1470.3 intersect line 32-7 Sur No 759 Wide West lode at S 5° 40' E 81.2 ft from Cor No 3, and N 5° 40' W 518.8 ft from Cor No 7,
- 1487.0 to Cor No 2, the S E Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3228 B, no bearings available.

thence N 65° 29' W

309.0 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-B-3228,

- intersect line 2-3 Sur No 810 Bunker Hill lode at S 87° 46' W 540.8 ft from Cor No 3, and N 87° 46' E 300.6 ft from the line post on line 2-3, also location for northeast corner of Mellgren lode, unsurveyed,
- 618.0 to Cor No 3, the S W Cor, identical with location, and with Cor No 2 Southern Belle lode of this survey, heretofore described to which I add 3-3228 B for this claim,

thence N 38° 52' E

1487.0 along line 2-1 Southern Belle lode of this survey, to Cor No 4, the N W Cor, identical with location and with Cor No 1 Southern Belle lode of this survey, heretofore described to which I add 4-3228Bfor this claim,

thence S 65° 29' E

- intersect the section line between Secs 13 and 14,T 20 S, R 22 E at S 0° 0' 30" W 2049.0 ft from the Cor of Secs 11, 12,13 and 14, and N 0° 0' 30" E 601.3 ft from the 1/4 Cor between Secs 13 and 14,
- 261.4 to south end center Michigan lode of this survey,
- 271.4 intersect line 3-4 Sur No 795 Morning Star lode at S 21° 55' W 250.2 ft from Cor No 4, and N 21° 55' E 1163.4 ft from Cor No 3,
- 309.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-B-3228,
- 561.4 to Cor No 1, Michigan lode of this survey,
- 618.0 to Cor No 1, the place of the beginning.

LODE LINES.

HOUGHTON.

The presumed course of the vein on this claim is from the south end center N 32° 47' E 1500.0 ft.

CORNELL.

The presumed course of the vein on this claim is from the south end center N 24° 13' E 1306.0 ft.

· ILLINOIS.

The presumed course of the vein on this claim is from the north end center S 23° 32' W 1353.7 ft.

MICHIGAN.

The presumed course of the vein on this claim is from the north end center \$ 23° 32' W 1353.7 ft.

SOUTHERN BELLE.

The presumed course of the vein on this claim is from the north end center S 38° 52' W 1487.0 ft.

BUFFALO.

The presumed course of the vein on this claim is from the north end center S 38° 52' W 1487.0 ft.

		AREAS.	
Total	area	Houghton lode	
Total	area Area	Cornell lode	
Total	Area	Michigan lode	
Total		Illinois lode	
	Area	in conflict with Sur No 276 Modoc lode, common with Sur No 758 Michigan Central lode	
	Area	in conflict with Sur No 751 Moonlight lode, common with Sur No 758 Michigan Central lode	
	Area	in conflict with Sur No 751 Moonlight lode, common with Sur No 758 Michigan Central lode and Sur No 276	
	Area	Modoc lode 0.020 A. in conflict with Sur No 815 Southerh Belle lode, common with Sur No 758	
	Area	Michigan Central lode 0.810 A. in conflict with Sur No 815 Southern Belle lode, common with Sur No 758 Michigan Central lode and Sur No 276 Modoc lode 0.791 A.	
Total		Southern Belle lode	
		in conflict with Sur No 540 Grand Dipper lode 0.057 A. in conflict with Sur No	
7-		276 Modoc lode 0.207 A. in conflict wit! Sur No 815 Southern Belle and	
Total		Sur No 276 Modoc lodes common	
·		in conflict with Sur No 810 Bunker Hill lode 0.855 A. in conflict with Sur No 759 Wide West lode, also	
		common with Sur No 810 Bunker Hill lode 0.074 A.	
made	upon	that the value of the labor and improvements each of the locations embraced in this survey, imant or its grantors, is not less than five	
		llars, and that said improvements consist of:-	
Diggs	##A 70 TT	HOUGHTON. shaft 4 x 6 x 28 ft deep, brs from	
south	end	center on lode line 88 ft. Value \$250.00	

(9.0

1	Trench 5 x 5 x 34 ft long, brg S 35° Ol' E crosses end line at S 65° 29' E 31.2 ft from south end center. 27 ft of trench on this claim allotted thereto, remaining 7 ft on Value Cornell lode	\$108.00
No.3.	Shaft 4 x 6 x 48 ft deep brs from point on line 1-2 at N 32° 47' E 661.5 ft from Cor No 1, S 55° 57' E 441.0 ft. Value	\$450.00
No.4.	Shaft 4 x 6 x 22 ft deep brs from same point S 55° 56' E 460.0 ft. Value	\$175.00
No.5.	Shaft 4 x 6 x 9 ft deep brs from same point S 51° 47' E 452.0 ft. Value	\$ 60.00
No.6.	Shaft 4 x 6 x 10 ft deep brs from same point S 52° 24' E 470.0 ft. Value	\$ 60.00
	Total improvements on claim	\$1103.00
	CORNELL.	
No.1.	Discovery shaft 4 x 6 x 18 ft deep brs from south end center on lode line 155 ft. Value	\$ 185.00
No.2.	Open cut 4 x 6 x 34 ft long brg S 58° W brs from point on line 1-2 at N 24° 13' E 450.4 ft from Cor No 1, N 59° 06' E 150.8 ft. Value	\$ 175.00
No.3.	Shaft 4 x 6 x 9 ft deep brs from same point, N 34° 58' E 92.6 ft. Value	\$ 75.00
No.4.	Shaft $4 \times 6 \times 8$ $1/2$ deep brs from point on line 1-2 at N 24° 13' E 1047.4 ft from Cor No 1, S 40° 23' E 123.0 ft. Value	\$ 50.00
No •5•	7 ft of improvement No 2 on Houghton lode of this survey, allotted to this claim Value	\$ 28.00
	Total improvements on claim	\$ 513.00
	ILLINOIS.	
No.1.	Discovery shaft 4 x 6 x 47 ft deep brs from north end center on lode line 571.4 ft Value	\$ 450.00
No.2.	Shaft 4 x 8 x 300 ft deep brs from point on line 4-1 at N 23° 32' E 872.7 ft from Cor No 4, N 76° Ol' E 143.0 ft. Value	\$5250.00
No.3.	Open cut trench,5 x (2-7) x 17 ft long open cut with trench at face 4 x 52 x 12 ft long, both brg S 53° 51! W, the mouth of open cut brs from same point S 77° Ol' E 132.5 ft. Value	\$ 115.00
No.4.	Shaft 5 x 5 x 9 ft deep brs. from same point S 55° 54' E 89.0 ft. Value	\$ 50.00
No.5.	Open cut 4 x 8 x 23 ft long brg N 5° W brs from point on line 2-3 at S 23° 32' W 1021.9ft from Cor No 2, N 50° 19' W 341.2 ft. Value	\$ 100.00
No.6.	Shaft 4 x 6 x 9 ft deep brs from point on line 4-1 at N 23° 32' E 363.7 ft from Cor No 4, S 15° 14' E 169.8 ft. Value_	\$ 50.00
	Total improvements on claim	\$6015.00
	MICHIGAN.	180
No.1.	Discovery shaft 4 x 6 x 20 ft deep brs on lode	
4	line 5 ft from north end center. Value	\$ 160.00

(10.)

_			
		MICHIGAN (Cont'd.)	
	No.2.	Incline shaft 5 x 6 x 33 ft deep, brg S 36° E, incline 45°, brs from Cor No 3 S 53° 09' E	1 9
	1.0	127.2 ft. Value	\$330.00
	No.3.	Shaft 4 x 6 x 8 ft deep brs from point on line 2-3 at N 23° 32' E 1167.4 ft fromCor No 2, S	7
		34° 16' E 276.9 ft. Value	\$ 35.00
	No.4.	Trench 4 x 13 x 5 ft deep brs from same point S 28° 14' E 266.9 ft. Value	\$ 50.00
	No.5.	Shaft 4 x 6 x 10 ft. deep brs. from point on line 2-3 at N 23° 32 E 721.5 ft from Cor No 2, S 86° 26' E 213.0 ft. Value	\$ 50.00
	i di	Total improvements on claim ·	\$625.00
		SOUTHERN BELLE.	
	No.1.	Discovery shaft 4 x 6 x 10 ft deep brs from north end center on lode line 750.0 ft. Value	\$ 75.00
	No.2.	Shaft 4 x 6 x 10 ft deep brs from north end center S 86° 34' W 151.5 ft. Value	\$ 75.00
	No.3.	Shaft 4 x 6 x 62 ft deep brs from north end center S 62° 41' W 236.1 ft. Value	3620.00
	No.4.	Shaft 4 x 6 x 65 ft deep brs from north end center S 7° 53' W 280.3 ft. Value	\$650.00
	No.5.	Shaft 4 x 18 x 5 ft deep, with shaft in bottom 4 x 6 x 3 ft deep brs from north end center S 21° 42' W 316.1 ft. Value	\$135.00
	No.6.	Shaft 4 x 6 x 13 ft deep, brs from point on line 3-4 at N 38° 52' E 1025.6 ft from Cor No 3, S 42° 27' E 172.3 ft. Value	\$100.00
	No.7.	Shaft 5 x 6 x 30 ft deep brs from point on lode line 1027.4 ft from north end center, N 3° W 41.0 ft.	\$300.00
	No.8.	Shaft 4 x 6 x 8 ft deep brs from same point N 83° 48' E 52.3 ft. Value	\$ 60.00
	No.9.	Shaft 4 x 6 x 13 ft deep brs from same point S 83° 48' W 35.0 ft. Value	\$100.00
	No.10.	Shaft 4 x 6 x 13 ft deep brs from same point S 21° 56' E 124.0 ft. Value	\$100.00
	No.ll.	Shaft 4 x 6 x 50 ft deep brs from point on line 1-2 at S 38° 52' W 1031.2 ft from Cor No 1, N 81° 13' W 50.0 ft. Value	\$500.00
		Total improvements on claim	\$2715.00
		BUFFALO.	
	Noldis	Shaft 4 x 6 x 10 ft deep brs from north end center on lode line 645.0 ft. Value	\$ 75.00
	No.2.	Shaft 4 x 6 x 17 ft deep brs from north end center on lode line 570.0 ft. Value	\$ 145.00
	No.3.	Open cut $4\frac{1}{2}$ x 6 x 15 ft long brg S 45° E, the mou of open cut brs from point on lode line 703.4 ft. from north end center N 74° 48' E 67.2 ft. Value	
		(11.)	

	BUFFALO (Cont'd.)
	Open cut 5 x 7 x 19 ft long brg S 45° E, the mouth of which brs from same point S 86° 08' E 90.3 ft. Value \$ 90.00
No.5.	Shaft 4 x 6 x 11 ft deep brs from same point S 21° 08' E 110.0 ft. Value \$ 85.00
	Open cut 16 x (8-8) x 35 ft long brg N 73° W, the mouth of which brs from a point on line 3-4 at N 38° 52' E 455.8 ft from Cor No 3, N 74° 31' E 121.0 ft. Value \$ 855.00
	pen cut 4 x 10 x 12 ft long brg N 82° W, the mouth of which brs from point on line 3-4 at N 38° 52' E 1079.8 ft from Cor No 3, S 53° 53' E 107.2 ft. \$75.00
No.8.	Shaft 4 x 6 x 19 ft deep brs from north end center S 68° 21' W 81.3 ft. Value \$ 150.00
	Total impromements on claim \$1540.00
	Total improvements on group \$12,511.00
	ADJOINING CLAIMS.
East.	Sur No 858 Belcher lode, Sur No 795 Morning Star lode, and Sur No 759 Wide West lode.
South.	Sur No 810 Bunker Hill lode, Sur No 540 Grand Dipper lode, and Mellgren lode, unsurveyed, owned by V. Mellgren.
West.	Gen No 254 Cincinnatti, lode, Gen No 213 New Year lode, Gen No 143 Crand Central lode, Gen No 144 South Extension of the Grand Central lode, and Sur No 751 Moonlight lode, Sur No 815 Southern Belle, Sur No 276 Modoc lode, and Sur No 758 Michigan Central lode. LOCATION. This survey is located in the Tombstone Mining District, Cochise County, Arizona, in Sections 12, 13 and 14, Tp 20
	S, R 22 E, G & S R B & M.
	INSTRUMENT.
· ·	This survey was made with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 15' East at all corners.
	REPORT.
	Cor of Secs 11,12,13 and 14, T 20 S, R 22 E, is a sand- stone rock 12 x 8 x 8 ins above ground, chiseled I on east face, IIII on south face. A monument of rocks 2 ft west.
٥	1/4 Cor between Secs 13 and 14 is a quartzite rock 6 x 7 x 20 ins high, not set in ground but in a small mound of rocks. Chiseled 1/4 on west face. A monument of rocks 5 ft west.
	Cor of Secs 13,14,23 and 24 is a limestone rock 7 x 8 x 6 ins above ground chiseled I on east face, III on south face. A monument of rocks 4 ft west.
٠	1/4 Cor between Secs 12 and 13 is a sandstone rock 12 x 8 x 7 ins above ground, chiseled 1/4 on north face. A monument of rocks 2 ft north.
134	

REPORT (Cont'd.)

Gen. No. 143. Grand Central lode.

Cor No 2 is a 2 x 6 post scribed G C No. 2.

Cor No 3 is a 6 x 6 post scribed G C No. 3.-S E C.

I find line 2-3 to be S 23° 32' W 1493.5 ft instead of S 23° 14' W 1499.19 ft.

Gen. No. 144. South Extension of the Grand Central lode.

Cor No 2 is a 6 x 6"post scribed S E C No 2 - GCX

Cor No 3 was a monument of rocks,

I find line 2-3 to be S 38° 52' W 1487.0 ft instead

of S 37° 25' W 1499.52 ft.

Gen. No. 213. New Year lode.

Cor No 1 is a 4 x 4" post scribed N Y 1,

Cors No 2 and 6 are 4 x 4" posts not scribed.

Cor No 3 was a monument of rocks, part of old post remaining.

Cor No 4 is a 4 x 4" post scribed N Y IV

I find line 1-2 to be S 65° 29' E 300.0 ft instead of S 66° 15' E 300.0 ft.

I find line 2-3 to be N 24° 13' E 1306.0 ft instead of N 23° 15' E 1312.0 ft.

I find line 3-4 to be N 65° 29' W 298.0 ft instead of N 66° 15' W 300.0 ft.

I find line 6-1 to be S 65° 29' E 300.0 ft instead of S 66° 15' E 300.0 ft.

Gen. No. 254. Cincinnatti lode.

Cors No 1 and 2 are monument of rocks. I check line 1-2 in course but find distance to be 1517.4 instead of 1515.36 ft.

Sur. No. 276. Modoc lode.

Cors No 2, 3, 4 and 5 are 4 x 4" posts scribed MMC

No 2, MMC No 3, MMC No 4, MMC No 5, respectively.

I find line 2-3 to be S 22° 54' W 1495.9 ft instead

of S 22° 59' W 1500.0 ft.

I find line 3-4 to be N 61° 18' W 541.4 ft instead

of N 61° 18' W 540.0 ft.

I find line 4-5 to be N 23° 41' E 1493.4 ft instead

of N 23° 40' E 1498.5'ft.

Sur. No. 540. Grand Dipper lode.

Cors No 1, 2 and 3 are 6 x 6"posts scribed GDMCNo1, GDMCNo2, and GDMCNo3, respectively.

I find line 1-2 to be S 78° 41' E 300.4 ft instead of S 78° 14' E 300.0'ft.

I find line 2-3 to be S 35° 31' W 1212.0 ft instead of S 35° 53! W 1212.0 ft.

Sur No. 751. Moonlight lode.

Cors 2, 3 and 4 are pine posts scribed MMCNO.II,

MMCNO. III, and MMCNO. IV, respectively,

I find line 2-3 to be N 12° 22' E 65.2 ft instead

of N 12° 45' E 66.0 ft.

I find line 3-4 to be N 76° 44' W 300.0 ft instead

of N 77° 15' W 300.0 ft.

Sur No. 758 Michigan Central lode.

All corners are 4 x 4 posts not scribed.

I find line 1-2 to be N 65° 29' W 300.0 ft instead of N 65° 04' W 300.0 ft.

I find line 2-3 to be S 23° 32' W 1353.7 ft instead of S 23° 35' W 1360.0 ft.

I find line 3-4 to be S 65° 29' E 300.0 ft instead of S 65° 04' E 300.0 ft.

I find line 4-5 to be S 65° 29' E 300.0 ft instead of S 65° 04' E 300.0 ft.

Sur. No. 758. Michigan Central lode. (Cont'd.)

I find line 5-6 to be N 23° 32' E 1353.7 ft instead
of N 23° 35' E 1360:0 ft.

I find line 6-1 to be N 65° 29' W 300.0 ft instead
of N 65° 04' W 300:0 ft.

Sur. No. 759. Wide West lode.

Cor No 2 is a monument of rocks.

Cors No 3 and 4 are 4 x 4 posts scribed W W M C No 3 and W W M C No 4, respectively,

I check line 2-3 in course and distance.

I find line 3-4 to be N 84° 25' E 1354.7 instead of N 84° 20' E 1358.0 ft.

Sur. No. 795 Morning Star lode.

Cor No 3 is a monument of rocks.

Cors No 4 and 6 are 4 x 4" posts scribed MSMCNo.4.,

and MSMCNo.6, respectively,

Cor No 5 is missing.

I find line 3-4 to be N 21° 55' E 1413.6 ft instead

of N 21° 56' E 1420.0 ft.

I find line 4-6 to be S 68° 52' E 598.1 ft instead

of S 68° 04' E 600.0 ft.

Sur. No. 810. Bunker Hill lode.
Cor No 2 is missing.
Line post is a 4 x 4" post scribed B H M C N S LINE.
Cor No 3 is a 4 x 4" post scribed B H M C N 3.
I check line 3 to line post in course and find distance to be 841.4 ft.

Sur. No. 815. Southern Belle lode.

Cors 1, 2, 5 and 6 are monuments of rocks.

Cors 3 and 4 are 4 x 4" posts not scribed.

I find line 1-2 to be S 89° 39' E 294.6 ft instead of S 89° 21' E 300.0 ft.

I find line 2-3 to be N 43° 47' E 1260.1 ft instead of N 43° 17' E 1252.7 ft.

I find line 3-4 to be N 41° 48' W 317.4 ft instead of N 38° 37' W 295.0 ft.

I find line 4-5 to be S 88° 28' W 325.1 ft instead of N 89° 21' W 351.0 ft.

I find line 5-6 tombe S 38° 52' W 1463.5 ft instead of S 38° 50' W 1463.5 ft.

I find line 6-1 to be S 89° 39' E 294.0 ft instead of S 89° 21' E 294.0 ft.

Sur. No. 858 Belcher lode.

Cors No 1, 2, 3 and 6 are monuments of rocks.

Cors No 4 and 5 are 4 x 4" posts scribed B M C N 4, and B M C N 5, respectively,

I find line 1-2 to be S 77° 38' W 300.0 ft instead of S 77° 30' W 300.0 ft.

I find line 2-3 to be S 12° 21' E 1418.5 ft instead of S 12° 30' E 1421.5 ft.

I find line 5-6 to be N 12° 15' W 1422.2 ft instead of N 12° 30' W 1421.5 ft.

I find line 6-1 to be S 77° 38' W 300.0 ft instead of S 77° 30' W 300.0 ft.

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

November 10, 1915.

0000000000000

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed byRalpl	L. Motz,	
United States Deputy Mineral Surveyor, to assist in running, me	asuring, and marking the lines	s, corners, and
boundaries described in the foregoing field notes of the survey of the	e mining claim of	
Bunker Hill Min	nes Company	2452422342344
known as the Buffalo, Southern Belle, Michigan	Illinios, Cornell,	Houghton.
and showing the respective capacities in which they acted.		
Е. И.	Halleck ,	Chainman.
	,	Chainman.
	,	Axman.
	·;	Flagman.
FINAL OATHS OF AS	SISTANTS.	
WY, I. P. H. Halleck,		
and , do solemnly sv	vear that we assisted	
Ralph L. Motz., United States Deputy Mineral Sur	veyor, in marking the corners a	and surveying
the boundaries of the mining claim of		
Bunker Hill Mines	Company	
known as the Buffalo, Southern Belle, Michigan,	Illinios, Cornell,	Houghton
represented in the foregoing field notes as having been surveyed by	said deputy mineral surveyor	and under his
direction; and that said survey has been in all respects, to the bes	t of our knowledge and belief,	faithfully and
correctly executed, and the corner and boundary monuments estab	ished according to law and th	e instructions
furnished by the United States Surveyor-General for Arizon		
Pe	H. Hallack	Chainman.
	,	Chainman.
	,	Axman.
	· · · · · · · · · · · · · · · · · · ·	Flagman.
Subscribed and sworn to by the above-nar	ned persons before me this 24	th.
day of August, 1915.	., 190	
Xu o	Fublic in and for thise. State of Arizon	
	ise, State of Arizor Ission expires Febru	

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Notz		, U.	S. Deputy Mineral
Surveyor, do solemnly swear that, in pur			
States Surveyor General for			
July 12th, 1915.			
United States, the official regulations and	l instructions th	ereunder, a	nd the instructions
of said Surveyor General, faithfully and	correctly execu	ited the su	rvey of the Mining
Claim of Bunker Hill Mines Co	mpany,		
Buffalo, Southern Belle, Michig			
situate in			
Cochise			
12,13,14 , Township No. 20 S., F			
and designated as Survey No.	32 2 8		, as represented
in the foregoing field notes, which accura	tely show the bo	oundaries o	f said mining claim
as distinctly marked by monuments on t	he ground, and o	described in	the attached copy
of the location certificate, which was re	ceived by me fro	om the Sur	veyor General with
said instructions, and that all the corners			
petuated in strict accordance with the la			
under; and I do further solemnly swear			
field notes of said survey and my repo			_
improvements made upon said mining cl			
are as therein fully stated, and that the			
thereof are specified therein with partic			
said labor or improvements so credited to			
of expenditures upon any other claim.			
1 ,			
			-
	Ralby	1 2	Moh puty Minjeral Surveyor.
		U.S.De	puty Mineral Surveyor.
		•	
Subscribed and sworn to by the said	Ralph L.	Motz.	
U.S. Deputy Mineral Surveyor, 1			
1 5			
day of November, 1915.			

Notary Public in and for the County of Cochise, State of Arizona.

My commission expires February 21st, 1916.

o 8—154

AMENDED NOTICE OF MINING LOCATION LODE CLAIM

Val. x 10/5

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "BUFFALO" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of America 1915.

The length of this claim is 1500 feet, and we claim 645 feet of the lode in a Northeasterly direction and 855 feet of the lode in a Southwesterly direction from the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Northeast to the Southwest.

The claim issituated and located in the Tombstone
Mining District, in Cochise County, in the State of Arizona,
and the discovery shaft thereof is about 2000 feet in a
Southeasterly direction from United States Mineral Monument
No. 1 of said mining dsitrcit, and is bounded on the North
by the "Michigan," an unsurveyed mining claim, on the East
by the "Morning Star," Survey No. 795, on the South by "Bunker
Hill," Survey No. 810, on the West by the "Southern Belle,"
an unsurveyed mining claim, and lies in sections 13 and 14.
Township 20 South, Range 22 East, Gila and Salt River Base and

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northeasterly direction 645 feet from the discovery shaft, (at which this notice is posted), being in the center of the North end line of said claim; thence Southeasterly 309 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1500 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 309 feet to a monument of stones and a post, being in the center of the South end line of said claim; thence Northwesterly 309 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1500 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 309 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

The is an amended location notice of the "BUFFALO" mining claim, located by Henry Kinsley, Treasurer of The Tombstone Consolidated Mines Company, Limited, on the 5th day of October, 1904, and recorded in Book 32, Record of Mines, at page 254, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made.

And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 17 day of

BUNKER HILL MINES COMPANY,



AMENDED NOTICE OF MINING LOCATION LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

The length of this claim is 1400 feet, and we claim 5 feet of the lode in a Northeasterly direction and 1395 feet of the lode in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Northeast to the Southwest.

The claim is situated and located in the Tombstone
Mining District, in Cochise County, in the State of Arizona,
and the discovery shaft thereof is about 2000 feet in an
Easterly direction from United States Mineral Monument No.

1 of said mining district, and is bounded on the North by the
"Cornell," an unsurveyed mining claim, on the East by the
"Belcher," Survey No. 858, on the South by the "Morning Star,"
Survey No. 795, and the "Buffalo," an unsurveyed mining claim,
and on the West by the "Illinois," an unsurveyed mining claim,

JUL 12 1315

AMENDED NOTICE OF MINING LOCATION LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "SOUTHERN BELLE" Mining Claim, situate on lands belonging the the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of Turk 1915.

The length of this claim is 1500 feet long, and we claim 750 feet of the lode in a Northeasterly direction and 750 feet of the lode in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. Thegeneral course of the claims and the lode therein is from the Northeast to the Southwest.

The claim is situated and located in the Tombstone
*Mining District, in Cochise County, in the State of Arizona,
and the discovery shaft thereof is about 1500 feet in a
Southeasterly direction from United States Mineral Monument
No. 1 of said mining district, and is bounded on the North
by the "Illinois," an unsurveyed mining claim, on the South
by the "Melgrin,"an unsurveyed mining claim, and the "Grand
Dipper," Survey No. 540, and on the West by the "South Extension of the Grand Central," Lot No. 43, and lies in Section
14, Township 20 South, Range 22 East, Gila and Salt River Base.

and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northeasterly direction 750 feet from the discovery shaft, (at which this notice is posted.) being in the center of the North end line of said claim; thence Southeasterly 309 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1500 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 309 feet to a monument of stones and a post, being in the center of the South end line of said claim; thence Northwesterly 309 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1500 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 309 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "SOUTHERN BELLE" mining claim, located by D. P. Rickey and Jerome Ackerson, on the 20th day of July, 1878, and recorded in Book 1, Transcribed Record of Mines, at page 275, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 17 day of 1915.

BUNKER HILL MINES COMPANY,

By



and lies in Sections 13 and 14, Township 20 South, Range 22 East, Gila and Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northeasterly direction 5 feet from the discovery shaft, (at which this notice is posted), being in the center of the North end line of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the Northeasterorer of said claim; thence Southwesterly 1400 feet to a monument of stones and a post, being the Southeaster corner of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being in the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1400 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "MICHIGAN" mining claim, located by H. Kinsley, Treasurer of The Tombstone Consolidated Mines Company, Limited, on the first day of December, 1902, and recorded in Book 22, Record of Mines, at page 472, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made.

And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title of interest heretofore acquired by virtue of said original location.

BUNKER HILL MINES COMPANY,

By



AMENDED NOTICE OF MINING LOCATION LODE CLAIM

JUL 12 1975

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "ILLINOIS" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of 1915.

The length of this claim is 1400 feet, and we claim 580 feet of the lode in a Northeasterly direction and 820 feet of the lode in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Northeast to the Southwest.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 1500 feet in an Easterly direction from United States Mineral Monument No. 1 of said mining district, and is bounded on the North by the "New Year," Lot No. 58, on the East by the "Michigan," an unsurveyed lode mining claim, on the South by the "Southern Belles," Survey No. 815, on the West by the "Moonlight," Survey No. 751, and the "Grand Central, Lot No. 42, and lies

in Sections 13 and 14, Township 20 South, Range 22 East, Gila and Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northerly direction 580 feet from the discovery shaft. (at which this notice is posted.) being in the center of the North end line of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1400 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being in the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1400 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.


This is an amended location notice of the "ILLINOIS" mining claim, located by E. B. Gage, on the 12th day of April, 1901, and recorded in Book 19, Record of Mines, at page 146, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this // day of

gune 1915.

BUNKER HILL MINES COMPANY,

By



AMENDED NOTICE OF MINING LOCATION LODE CLAIM

كأراء المالك

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "CORNELL" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the LZ day of Yuman 1915.

The length of this claim is 1350 feet, and we claim 155 feet of the lode in a Southwesterly direction and 1195 feet of the lode in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Southwest to the Northeast.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 2200 feet in an Easterly direction from United States Mineral Monument No. 1 of said mining district, and lies in Sections 12 and 13, Township 20 South, Range 22 East, Gila and Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Southwesterly direction 155 feet from the discovery shaft. (at which this notice is posted*, being in the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1350 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the center of the North end line of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1350 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "CORNELL" mining claim, located by E. B. Gage, President of the Tombstone Consolidated Mines Company, Limited, on the 28th day of November, 1902, and recorded in Book 22, Record of Mines, at page 471, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this/7 day of June 1915.

BUNKER HILL MINES COMPANY,



AMENDED NOTICE OF MINING LOCATION LODE CLAIM

Ubl 12/015

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "HOUGHTON" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place, carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of 1915.

The length of this claim is 1500 feet, and we claim 88 feet of the lode in a Southwesterly direction and 1412 feet of the lode in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Southwest to the Northeast.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 3000 feet in a Northeasterly direction from United States Mineral Monument No. 1 of said mining district, and is bounded on the South by the "Cornell," an unsurveyed mining claim, and the "New Year," Lot No. 58, and on the West by the "Cincinnatti," Lot No. 70, and lies in Section 12, Township 20 South, Range 22 East.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Southerly direction 88 feet from the discovery shaft, (at which this notice is posted), being in the center of the South end line of said claim; thence Northwesterly 300 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northeasterly 1500 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southheasterly 300 feet to a monument of stones and a post, being in the center of the North end line of said claim; thence Southeasterly 300 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1500 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "HOUGHTON" mining claim, located by E. B. Gage, President, of the Tombstone Consolidated Mines Company, Limited, on the 28th day of November, 1902, and recorded in Book 22, Record of Mines, at page 470, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner thereof, the Bunker Hill Mines Company, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 17 day of

BUNKER HILL MINES COMPANY,



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix, Arizon	a ,
		Januar	7 31, , , , , , , , , , , , , , , , , , ,
I, U. S. Surveyor-C	General for Dist	trict of Arizona	
do hereby certify that t	he foregoing transcript o	of the Field Notes, return	and approval of the survey
of the mining claim of			
	BUNKER HI	LL MINES COMPANY	
known as the BUFFAL	, SOUTHERN BELLI	E, MICHIGAN, ILLIN	OIS, CORNELL, HOUGHTON
situate in	TOL	BST ONE	
Mining District,	COCHISE	County,	ARIZONA.
in Sections 12,13,	14, Township No. 20	S., Range No.	22 E., and
designated as Survey N	o3228,	has been correctly copied	I from the originals on file in
this office; that said Fi	eld Notes furnish such a	an accurate description of	said mining claim as will, if
incorporated into a pate	ent, serve fully to identify	y the premises, and that s	uch reference is made therein
to natural objects or per	rmanent monuments as v	will perpetuate and fix the	e locus thereof.
or for e	ach of mining claimSby claiman	t. or its grantors,	and that said improvements
The state of the s			l value \$12,511.
•			

	To the second se	**************************************	
and that no portion of s	aid labor or improveme	nts has been included in	the estimate of expenditures
	t the plat thereof filed i	in the U.S. Land Office a	t Phoenix,
		a conformity with the fore	
	-		galls,
	United States Sur	veyor-General for A	ri zona .

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General. Phoenix, Arizona, January 31 , 1916. I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the BUNKER HILL MINES COMPANY BUFFALO, SOUTHERN BELLE, MICHIGAN, ILLINOIS, CORNELL, HOUGHTON. situate in _____ Mining District, COCHISE County, ARIZONA. in Section 12, 13, 14, Township No. 20 S., Range No. 22 E. , designated as Survey No. 3228 executed by ______, U.S. Deputy Mineral Surveyor, August 14-17, , 19 15, under my instructions dated July 12, , 1915, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes.

U. S. Surveyor-General for Arizona.

7360b5m3-03