ULLO 1015

4-683.

Mineral Survey No.3234

Lot No.

drizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

G. W. Hull -
Swindler, hy heart Huran Huran No 2 Confliction
Big Big Mining District
Ganafini County, Angua  Sections 32 × 339 uns, Township 13. N , Range / E
Surveyed under instructions dated August 2, 19/3,
by William H Messell, U. S. Beputy Mineral Surveyor
Claim located Lee location Nortices, 1
Survey commenced Aug 10
Survey completed / - / 3 - , 1/9/5
John J. Hawkins, Alts. Priscott, Amorie

ence Te Con Sc.

To Cor. Wc. K.

SALL

Huron No. One (1)

Beginning at Cor. No. 1, Identical with the loc.

A quartz stone lo X lo X 26 ins. set 13 ins. in the ground with mound of stones chiseled 1-H-No.-1-3234 Whence:-

1/4 sec. cor on South line of sec. 33 T. 13. N.R. 1. E. brs.

S 2218'W 756.29 ft. No bearings available. Hos.cor. goo.soll.pldsftav

Loc.cor.mound of stones 3X3 ft.

Thence S 19001 W Va.149E

799.31 Intersect 3rd. Standard N. at East 229.83 ft. to 1/4 cor.

and West 2410.17 ft. to standard cor. to secs. 32 & 33

1500 To Cor. No. 2, the S. E. Cor.

> 1,004 and after Leorteral Identical with the loc.

A Schist stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 2-N-No.1-3234. No bearings available. -8.1-W. Mc. 3-8284. Loc.cor, mound of stones 3X3 ft.

otores SYS ut

Thence N 70259'W Va. 149E S.C.E. identical with the locia mound of atones 3X3 ft.

600 To Car No. 3. the 5. W. Cor,

Identical with the local it day fee

A Porphyry stone 4 X 6 X 24 ins. set 12 ins. in the ground with mound of stones chiseled 3-H-No.1-3234. No bearings available Loc. cor mound of stones 2X3 ft.

#### is leader to order at the land Thence N 19901'K Va.149E

Intersect 3rd. Standard W. at West 1775.54 ft. to standard cor. 493.9

to sees. 32 & 33 and East 864.46 ft.to 1/4 cor.

1154 Cor.1 Swindler lode of theis sur.

To Cor. No. 4. the N.W. Gor, of the state of 1500

Identical with the loc.

A schist stone 3xlox24 ins.set.12 ins.in the ground with mound of stones chiseled 4-H-No.1-3234. No bearings available.

Loc.cor mound of stones3 X 3 ft.

Thence S 7095915 . Va .. 149E .... N.C.E. identical with the loc.a mound of stones 3 X3 ft. 1.01.000 07

600 To Cor. No. 1 the place of beginning

140

300

Hally Billet

3

( 1

```
Survey No. 3234 continued SWINDLER
                                      ( \ )
                                          . O . off than the
               Beginning at cor. No. 1, the S. E. Cor.,
               Identical with the loc.
                                          of rauge religion.
               A schist stone 4 X 7X 28 ins.set 15 ins.in the ground
                     with mound of stones chiseled 1-S-3234 Whence 1/4 sec.
                                                 1/= TR C. C.
               cor. on south boundary of sec. 33 T.13.N.R.1 E.brs.
                                          SET ALL
               S 46008'E 900.71 ft. No bearings available.Loc.cor
                                          TO DITTO NAME OF THE
               mound of stones 3X3 ft.
                       1 000 1
     . 100 V(1 01. 1 ... Thence N 67915 W Va. 149E 100 929 11
               S.C.E. Identical with the loc.a mound of stones 3X3 ft.
                       and west sele, 17 St. to standard co.
               To Cor. No. 2, the S. W. Gor.
        600
                                              1,5,74,200
                Identical with the loc. and with cor. No. 1 Huron No. 2
                                    lunties I to the level and
                lode of this sur.
                                 .and sixthe again tards.
                A quartz stone 6x8x24 ins.set 12 ins.in the ground with
                mound of stones chiseled 2-S.1-W.No.2-3234. No bear-
                ings available.Loc.cor.mound of stones 3X3 ft.
                      . Thence N 19901 Va. 149ELFF DF. 7.0.
                                                               20.
                                               Tu 002% NO. 5.
                To Cor. No. 3. the N.W. Gor,
       1182
                Identical with the loc. and with cor. No. 4 Huron No. 2.
               Lode of this sur. The think the think
               A porphyry stone lox14x30 ins.set 15 ins.in the ground
                with mound of stones, chiseled 3-S-4-H-No. 2-3234.
                No bearings available.Loc.cor.mound of stones 3X3 ft.
. 700 Printer of . 42. 37 Thence S. 57215 Bay Na. 149 Bong t. 1
              . W.C.E. Identical with the loc.a mound of stones 3X3 ft.
        300
                To Cor. No. 4, the N. E. Cor, To wit to find we find
                                                                105±
        600
                Identical with the loc.
                                                . Flott cot of
                A granite stone 4X12X26 ins.set 13 ins.in the ground
   with mound of stones chiseledX-4-S-3234. No bearings
. dal svs available.Loc.cor.mound of stones2 X 3 ft.
```

Loo, our tout

000

roll that die To Cor. No. 1 the place of beginning.

836

sittota ho

Thence S 19?ol'W Va. 14?E

Cor. No. 4 Huran No. One (21) lode of this sur.

To deg. No. 1 the place of organian

Survey No. 3234 continued Huron No. 2 lette

Beginning at Cor. No. 1, the S.E. Cor.,

Identical with the-lec.and with cor.No.2 Swindler lode of the of this:sur.hereinbefore described, Whence: -. 1/4 sec.cor on the south boundary of sec.33 T.13 N.R.1 E brs.S 54933'E 1476.37 ft

300

Thence. N 54256!W Va.149E S.C.E.Identical with the loc.a mound of stones 3X3 ft.

600

To Car. No. 2, the S. W. Cor.,

Identical with the loc.

A porphyry stone 7X8X24 ins.set 12 ins.in the ground with me mound of stones chiseled 2-H-No.2-3234.No bearings available.Loc.cor.mound of stones 2X3 ft.

Thence N 19001 E Va. 140E

13.6

Cor. No. 1. Brushy Flat lode of this sur. .

1182

To Cor. No. 3, the N. W. Cor.,

Identical with the loc.

A porphyry stone 6X8X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-H-No.2-3234.No bearings available.

Loc.cor.mound of stones 2X3 ft.

300

M.C.E. identical with thelog. a mound of stones 3X3 ft.

600

To Cor. No. 4. the N. E. Cor.

Identical with the loc.and with cor.No.3 Swindler lode of this sur.hereinbefore described.

Thence S 19901 W , Va. 1491

1182

To Cor. No. 1 the place of beginning.

Brusy Flat.

Beginning at cor. No. 1, the S.E. Cor.,

Identical with the loc.on line -2-3 Huron No.2 lode of this sur.N 19:01'E 13.6 ft.from cor.No.2.

\*

(·) - \*z - · · · · · · · · · · · ·

00 T.

U.

(

Survey No. 3234 Brushy Flat lode continued. A porphyry stone 6x10x26 ins.set 13 ins.in the ground with Feet to about mound of stones chiseled 1-E-F-3234. Whence: -- 11 0.c.-to secs.4 & 5 T.12 N.R.1 E.brs.S35950 W 1497.5 ft. No bearings available. Loc.cor.mound of stones 3 X 3 ft. Thence N 63933!W va. 149K S.C.E. identical with the loc. a mound of stones 3X3 ft. 300 Cor. No. 4 Princes placer sur. No. 1538. 511 To Gor. No. 2, the S.W. Gor, 600 27 18 X 15 8 Identical with the loc. & with cor. No. 1 Eagle Fraction lode of this sur. 84 is bod dor. 20s. A porphyry stone 6X8X26 ins.set 13 ins.in the ground with mound of stones; chiseled 2-B-F.1-E-F-3234. No bearings available.Loc.cor.mound of sones 212 ft. SALL Thence N 19gol'E Va. 149E 200 Gross wash 5 ft.wide course N 249E will askaka one P ""villyou " To Cor. No. 3, the N.W. Cor., 1500 and saling sample to himself Identical with the loc. & with cor. No. 4 Eagle Fraction lode is the manner to hacom mon bod of this survey. A schist stone 416124 ins. set 12 ins. in the ground with mound of stones chiseled 3-B-F-4-E-F-3234. No bearings available.Loc.cor.mound of stones 3X2 ft. Thence S 63233 E Va. 142E 212 Cross wash 5 ft.wide course N 3200'W N.C.E. identical with the loc.a mound of stones 3X3 ft. 300 Sosia oli L.C 600 To Cor. No. 4, the N.E. Cor., Identical with the loc. A schist stone 3X9X30 ins.set 15 ins.in the ground with mound of stones chiseled 4-B-F-3234. No bearings available. Loc.cor.mound of stones 3 X3 ft. Ellos H. Tital Thence S 19201'W Va. 149E

331.6 Cor. No. 3 Huron No. 2 lode of this sur.

To Cor. No. 1 the place of beginning.

7:1

#### Survey No.3234 continued

Eagle Fra ction

TOLJE:

M

Beginning at cor. No. 1 the S. E. Cort,

Identica with the loc. and with cor. No. 2 Brushy Flat lode of this sur.hereinbefore described. Whence:-

Standard cor. to secs. 32&33 T.13 N.R.1. E. brs. S 15.36W1537.96ft.
C.C. G Sees, 475 T 12 N R 1 E 6rs. S 12.54W 1519.66 ft. No bearings available.

Thence N 63933'W va. 149E

Cross Wash 5' Wide of 24% 00 F S.C.E. identical with the loc. a mound of stones 3X3 ft. 300

20 2 NO 11 21

Cor. No. 1 Sur. No. 1538 Princes Placer 486

Cross road course S 35:00'W & N 35:00'E 525

the 5. W. Cor., 600 To Cor. No. 2, identical with the loc. and with cor. No. 1 Monteguma lode of this sur.

> A Granite stone 6X12X24 ins.set 12 ins.in the ground with mound of stones chiseled 2-E-F-1-M-3234 , No bearings available.Loc.cor.mound of stones 2X3 ft. 201

#### Thence N 19901'E va.149E'

To Cor. No. 3, the N. W. Cor. 1500

> Identical with the loc. and with cor. No. 4 Monteguma lode of this sur.

> A Schist stone 6X8X24 ins. set 12 ins. in 'the 'ground with mound of stones chiseled 3-E.F-4-M-3234. No bearings available.Loc.cor.mound of stones 2X3 ft.

#### Thence S 63933'E va.149E

300 N.C.E. identical with the loc.a mound of wtones 3X3 ft.

Cross road course S 20,30'W & N 20230'E 545

To Cor. No. 4, the N.E. Cor. 600

> Identical with the loc and with Cor. No. 3 Brushy Flat lode of this sur hereinbefore described.

Thence S 19201 W va. 142E cross wash 5 ft.wide course N 249E

To Cor. No.1 the place of beginning. 1500

3	7	(6)
		Survey No.3234 continued.
- 1	Feet.	Montezuma 1. 1.
		Beginning at cor. No.1, the S.E.Cor.
	spoi f	Identical with the loc. and with cor. No. 2 Eagle Fraction
		lode of this sur hereinbefore described. Whence :-
Here.	6Missy.	Standard cor. to secs. 32&33 T. 13 N.R. 1 E. brs. S 4:03'E 1752.94ft.
		Thence N 63233'W va.142E
	61	Cross P & E R.R.
	300	S.C.E. identical with the loc.a mound of stones 3X3 ft.
,	600	To Cor. No. 2, the S.W. Cor. MELLI. OF THE LOW. TOO SHA
		Identical with the loc. 1732 2 22 2000 bar 25070 and
	X.	A Schist stone 3XloX24 ins.set 12 ins.in the ground with
		mound _of stones chiseled 2-M3234.No bearings available.
	isty bn	Loc. cor. A round post 4 ins. X 3 ft. in mound of earth USLMN 1538 and 941:02'E 93.1 feet
	C 83	Thence N 19901'E va.149E
1 13	1035	Cross F&E.R.R.
	1500	To Cor. No. 3, the N. W. Coy.
		Identical with the loc.
		A Schist stone 3xloX24 ins.set.12 ins.in the ground with
		mound of stones chiseled 3-M-3234. No bearings available.
113	Militar	Loc.cor.mound of stones 3X3 ft.
		Thence S 63933'E va.149E
- 300	300	N.C.E. identical with the loc. a mound of stones 3X3 ft.
- 13	600	To Cor. No. 4, the N. E. Cor.,
		Identical with the loc. and with cor. No. 3 Eagle Fraction lode
	.41.5	of this sur hereinbefore described.
		Minagos W. A. Tinh. no. 2 - Setupe beet secto - call
1		Thene S 19901'W va. 149E
101	1500	To Cor. No.1 the place of beginning.
		AREAS.
		HURON No.OME(I)lode, total, area

#### Survey No.3234 continued.

## LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows: 6

Huron No. One.(1) 1500 ft. N 19801'E From S.C.E. to the N.C.E. Swindler. 1182 ft. N 19901'E'" S.C. E) ." Huron No. 2 S.C.E N.C.E. 1182 ft. N 19901'E Brushy Flat. ft.N.19901'E S.C.E N.C.E. Eagle Fraction. 1500 ft.N'J ft.N '19901'E S.C.E. Montezuma.

N 19901'E

LOCATION This ol aim is located in secs. 32&33, T:13.N.R.1 E & sec.4 T.
12 N.R.1 E. Big Bug Mining District Value 1. 12 N.R.1 E., Big Bug Mining District, Yavapai County, Arizona.

S.C.E. "

N.C.E.

### ADJOINING CLAIMS:

This claim is bounded on the North by U.S.Land, Tom Crank lode unsurveyed, claimed by Davis Bruner, and North America lode, claimed by C.P. Wingfield; on the East by U.S.Land, on the South by U.S.Land and sur. No. 1538 Princes Placer& Viotor lode, unsurveyed, claimed by &.W.Hull, and on the West by U.S. Land.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the glaimant or his grantors is not less than five hundred dollars for each lode in the claim, and that said improvements consist of:-

Huron No. One() No.1 dis cut which is on the lode line 50 ft.from the N.C.E " 3 shaft which brs.from cor. No. # S 11:00 W 610 ft. 4X6X loft. value 100.00 1 / 3 of the value of the common improvement shaft No.3 Swindler lode,\$500.00 is credited to this lode. total improvements...... 3330.00

- Swindler . lode.

\$85,773

1500

No.1 dis.cut which is on the lode line 400 ft.from the N.C.E. 4X15X10 ft.value \$50.00 3 Shaft which brs.from cor.No.S S 23:00 F 418 ft. 4X6Xloo ft.timbered....value....\$1500 this is a common improvement and 1 /3 of its value \$500.00, is credited to \$1500.00 Huron No. One lode and to Huron No. \$500.00 4x6x 1604 Course 5434

No 2. Tunnel which bears from Cor. N°3 538:10 E 282.0 4)
Huron No. 2 Then Co 517: W 490.0 Value 4 4550.00
Total Improvements 45100.00 No. 1Dis. shaft which is on the lode line looft. from the NCE. ..\$100.00

4X6Xlo ft. ....value ......\$100.00 2 cut which brs.from cor.No.4 N 59.30 W 362 ft. 4x20 X 8 ft.deep all the 20 ft. value N°38haft Which brs.from cor. No. 4 N.65 15 W 360 ft.

/ 3 the value of the common improvement \$100.00

D. M. Milt 50,00

.

60.00

Survey No.3234 continued.
shaft No.3 Swindler lode,\$500.00 is credited to this lode total improvements on this lode.....\$850.00

OHJ RUTTON Brushy Flat Lat. No.1 dis.cut which is on the lode line 400 ft.from the N.C.E. 4X15Xlo ft....value.....\$50.00 2 tunnel which brs.from cor.No.3 S 12:45 W

400 ft.4X6X20ftcourse N 30°W value \$120.00

" 3 tunnel which brs. from cor. No. 3 S 47235 E 438.0 ft.

4X6X75 ft.course N 85:00 E value \$450.00 total improvements on this lode ..... \$620.00

Eagle Fraction No.1 dis.shaft which is on the lode line520 ft.from S.C.End 4X6X45 ft. value.....\$450.00

" 2 tunnel which brs.from cor.No.4 S 35.0 35 W 684 ft.

4X6X30 ft.course S 42.W value ....\$180.00

total value of the improvements on this lode

\$630.00

Montezuma 1011 No.1 dis.cut which is on the lode line 700 ft.from the N.C.E.4X15X10 ft. value.....\$50.00

Other Improvements.

Eagle Fraction lode. From cor.No.3. the N.E.cor.of a house bears S 12:W 782 ft.

16X30 ft.course of long side N 72:W

From cor.No.3 the North Cor.of a house brs.S 4:20'W 1080.ft.

20X26 ft.course of long side N 20:W

> INSTRUMENT
> This survey was made with a Curley Solar Transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with loo-ft. and 500-ft.steel tapes.

From the common improvement shaft No.3 on the Swindler lode the surface ascends to the S.E. and descends to N.W, this shaft is so located that the Huron No. One and the Huron No. 2 lodes may be developed by drifting from this shaft. The Brushy Flat, Eagle Fraction and Montezuma lodes are lower than this shaft so cannot receive benefit from it.

The standard cor to sees 32&33 T.13 N.R.1 E.is a 3 inch pipe properly marked Cors. 1 & 4 Princes Placer are small mounds of stones. USLMN= 1538 is a mond of Plous & Earlie the post is decayed.

no increases where we on the fode time loof, from the

William H Meswith

### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by William H. Murney
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
July Sulfull of metion
known as the Swing Brushy Montey Huron Huron Eagle In the
and showing the respective capacities in which they acted.
Geo Munik Chainman.
Ges Merrit Chainman.
Axman.
Flagman.
FINAL OATHS OF ASSISTANTS.
We, Geo, Merrith '
and R. La Merrill , do solemnly swear that we assisted William
1 ( h. 1 ×1
United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of
all different of the first of t
known as the Swall Market How How How Cords
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Aryund
Geo, Mentt: Chainman.
Geo, Month, Chainman.  P. J. Merrit, Chainman.
Axman.
Flagman.
Subscribed and sworn to by the above-named persons before me this. 1914
day of august, 1985
and the state of t
MY COMMISSION EXPIRES PERY, 18, 1919  M. Tarra Parkles
V Nitory Inflee

#### FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, William HMerry U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Angust 2-1915, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of gold Cumyovon Conorol foithfully and competitive and il
Claim of G. W. Shulf (1)
Claim of
situate in Pro Ann Mining District
Garafiai County, Argue, in Sections  32433910 Township No. /3 , Range No. / E
and designated as Survey No. 3234 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
ellippi state s
William H. Messik. 1. S. Doputy Mineral Surveyor.
C.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said William H Munk
U. S. Deputy Mineral Surveyor, before me
day of angust, 191,5.
day of
MY COMMISSION EXPIRES FEBY. 18, 1916
1 - D
· 3-154

#### NOTICE OF LOCATION.

JUL 31. 1913.

#### @@@@@@@@@@@@@@

#### KNOW ALL MEN BY THESE PRESENTS:-

That I, the undersigned, have this day Located Fifteen Hundred (I,500)
linear feet of this vein or lode, bearing precious metals, with all dips,
spurs, angles and variations, with surface ground Three Hundred (300) feet
side
on each of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all Water
and Water privileges thereon or appurtenant thereto, under and according
to the provisions of the United States Mining Laws, under which it is
located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 300 feet in a Northerly direction and I,200 feet in a Southerly direction along the ledge, from discovery shaft.

The Exterior boundaries are as follows, viz ;-

Commencing at a monument of stone on West boundary line, distant

Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge 300 feet to

Monument of Stone at N.W.corner of claim; thence in an Easterly direction

at right angles across the ledge Six Hundred (600) feet, to Monument of

Stone at N.E. corner of claim; thence in a Southerly direction parallel

with the ledge Fifteen Hundred (I,500) feet to Monument of Stone at S.E.

corner of claim; thence at right angles across the ledge in a Westerly

direction Six Hundred (600) feet to Monument of Stone at S.W.corner of

claim; thence in a Northerly direction parallel with the ledge I,200 feet

to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated about One Mile northwest of the Boggs Mine, and about One and one-half miles East of the Henrietta Mine; in Big Bug Mining District, Yavapai County, Arizona Territory; and shall be known as the Swindler Mining Claim.

Dated on the ground this I7, day of May 1896.

T.W.Boggs.	
J.H.Calter.	Witnesses.

John E.Brinley.

Recorded at request of John Brinley, June 2nd., A.D., 1896, at 9,0 clock A.M., in Book 43 of Mines, page 284; Records of Yavapai County, Arizona.

( SEAL.)

F.A.Tritle,

County Recorder.

BY H.R.Tritle,

Deputy.

### 14

#### AMENDED


### Notice of Mining Location LODE CLAIM

TO ALL WHOM IT MAY CONC	CERN:
-------------------------	-------

This Mining Claim, the name of which is the	RUSHY FLAT
Mining Claim, situate on lands belonging to the United mineral deposits, was entered upon and located for	States of America, and in which there are valuable the purposes of exploration and purchase by
G.W.H	
000000000000000000000000000000000000000	
the undersigned, on the 28th day of	
	EN HUNDRED feet,
and I claim FOUR I	
in a NORTHERLY	
the center of the discovery shaft, at which this notice	e is posted, lengthwise of the claim, together with
THREE HUNDRED	
side of the center of said claim. The general cour	se of the lode deposit and premises is from the
NORTHERLY to the	e SOUTHERLY
The claim is situated and located in the	Mining District, in
YAVAPAI County, in the Sta	te of Arizona, about 2600 ft.,
in a NORTHEASTERLY direction from	om THE STANDARD CORNER TO SECTIONS
32 & 33,T,13 N,R,I,E,	
The surface boundaries of the claim are mark A MONUMENT OF STONES	ed upon the ground as follows: Beginning at
at a point in a	etion 400 feet from
the discovery shaft (at which this notice is posted,) being	
end line of said claim; thence S. 63°, 33 E. 300	
, being the N.R.	
thence S.19°, OI'V. 1500 feet to	
S.R. corner of said cla	
to a MONUMENT OF STONES at the center	
thence N.63°,33° W 300 feet to	
S.W. corner of said claim	
feet to a MONUMENT OF STONES at the	
thence 8.63°, 33', E. 300	
	Fitle XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona of the Territory of Arizona," approved March 16, 190	a, entitled "An Act to Revise and Codify the Laws
This is an Amended Location Notice of the BRU	SHY FLAT,
Mining Claim, located by F.E. WAGER and THEO.	H.WADE,
	on the 15th. day of
JULY, 1897,, and recorded	l in Book 48, of Records of Mines, at
page231., in the office of the County Recorder of the to which reference is hereby made, and this Amended L in the description in the said Original Location Notice. the same being a lode, instead of a placed and posted on the ground this28th.	aforesaid County of YAVAPAI, ocation Notice is made and posted to correct errors
	G.W.HULL.

		STATE OF	ARIZONA,	)			
-	15			ss.			
		r of					
	County	y OL					
	I,				County Red	corder in and for the Cor	unty and
			1				
	State	aforesaid, do	hereby certify that	the within instrum	ent was filed for re	ecord ato'cloo	ekM.,
	on the	is	day of		, 191, and di	uly recorded in Book No	
	of		Records of		County,	Arizona, at pages	
	***************************************			and official seal t			
			Withess my name	and onicial sour			
					¢ *		
						County Reco	order.
				10 10 10 10			
	7)) H	: 9 н	н 2	3 5			
	By	Pag Cou	at .		Dat		7
	By	COUN.	at 🤐 Book	J.U.	Dated		Doi
	nted	COUNTY	at 9:0	JNO.	Dated		Doti
	nted and	Page 480 COUNTY,	at <b>9:00</b> -	Filed an	Dated		Dotic
	nted and	Page 480; I COUNTY, AF	at 9:00- Book 86.01	Filed and JNO.J.I	Dated.		Dotice
	JAI nted and for	Page 480; RE COUNTY, ARI ( SEAL.)	at <b>9:00- 0</b> Book <b>86. OF</b>	Filed and R JNO.J.HA	Dated		Dotice Lo
	JAI nted and for	Page 480; RECO COUNTY, ARIZO	at 9:00- 0'c	Filed and Reco	Dated		Dotice of
	JAMES.	Page 480; RECOR COUNTY, ARIZON ( SEAL.) L	at 9:00- 0'cl	Filed and Record JNO.J.HAWKI JULY, 29th	Dated		Dotice of
	JAMES.	Page 480; RECORDS COUNTY, ARIZONA ( SEAL.) L.S	at 9:00- 0'cloc	Filed and Recorded  JNO.J.HAWKINS  JULY, 29th.	Dated		
	JAMES W.C	Page 480; RECORDS COUNTY, ARIZONA. ( SEAL.) L.S.	at 9:00- O'clock Book 86 OF MINES:	Filed and Recorded a  JNO.J.HAWKINS.  JULY, 29th.	Dated		
	JAMES W. C.	Page 480; RECORDS OF COUNTY, ARIZONA.	at 9:00- O'clock, Book 86 OF MINES:	Filed and Recorded at 1  JNO.J.HAWKINS,  JULY, 29th.,	Dated		
	JAMES W. C.	Page 480; RECORDS OF COUNTY, ARIZONA.  ( SEAL.) L.S.COL	at 9:00- 0'clock, Book 86 OF MINES:	.HAWKINS29th	Dated		
	JAMES W. C.	Page 480; RECORDS OF Y. COUNTY, ARIZONA.  ( SEAL.) L.S.COLWI	at 9:00- 0'clock, Book 86 OF MINES:	.HAWKINS29th	Dated		
	JAMES W. C.	Page 480; RECORDS OF YAV COUNTY, ARIZONA.  ( SEAL.) L.S.COLWEL	at 9:00- 0'clock, Book 86 OF MINES:	.HAWKINS29th			
	JAMES W. C.	Page 480; RECORDS OF YAVAL COUNTY, ARIZONA.  ( SEAL.) L.S.COLWELL	at 9:00- 0'clock, A. Book 86 OF MINES:	.HAWKINS29th			
	JAMES.		at 9:00- 0'clock, A. M Book 86 OF MINES:	nd nd	Dated 191		Dotice of Location

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.



#### NOTICE OF LOCATION.

Known all men of these Presence that we have this day located fifteen hundred feet of this vain or load bearing precious mettels with all dips, spurs & angles and variations with surface ground (300) three hundred feet on each side of the ledge or center of vein, with all mineral deposits contained contained therein, and all timber growing within the limits of said claim and all water privileges thereon .. appertaining thereto under and according to the laws of the United S=ates under which it is located, and commences on the West side line and runs (I, IOO) eleven hundred feet in a southerly direction to a monument of stone, on south west corner of claim; thence to a monument of stone across the ledge in and easterly direction (600) ft., six hundred feet to the Sout-East corner of said claim; thence to a monument of stone (I,500) hundred feet, fifteen hundred feet in a northerly direction to a monument of stone, to the North Eas.... corner of said claim; thence (600ft) six hundred feet to a monument of stone in a Westerly direction across the ledg- ; thence to a monument of stone (400) ft., four hundred feet in a southely direction; thence to center of said claim in an easterly ..... (200) feet; three hundred feet to place of discovery monument. This claim is more generaly described is about half mile from the Swindler Mining mining claim, and in the forks of the road that leads to Chaparell, and the Old Black Canion road leading to Prescot-

Located on the ground, July 6th., I898; and shall be known as the Montezuma Mining Claim. This Claim is in Big Bug Mining District, Yavapai Co., Arizona.

Locators.

Teofile Montain.

Guadalupe Trufille.

Murseano Ribera.

John Brinley.

Lulu a. Krackenberger.

Adem Krackenberger.

Recorded at request of Teofile Montain, July I5 A.D., I898; At I0:37, Occock/
in Book 5I, of Mines, pages 4 & 5; Records of Yavapai County, Arizona.

( SEAL.) W.I.Johnson,

County Recorder.

# HURON NO. ONE (1). Potice of Mining Location

# 2,17

### LODE CLAIM

-	THE PART OF THE PA	1
	This Mining Claim, the name of which is the	
	are valuable mineral deposits, was entered upon and located for the purposes of exploration and	
	purchase by The Huron Gold Company,	
	(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")	
	the undersigned, on the Ist., day of January 1903.	
	The length of this claim is	
	and we claim 600 Six Hundred feet,	ŀ
	in an Northerly direction and 900	
	Nine Hundred feet in a Southerly direction from	-
	the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together	
	with Three Hundred (300) feet in width of the surface grounds, on each	1
	side of the center of said vein. The general course of the lode deposit and premises is from	
	the Northerly to the Southerly	
	The claim is situated and located in the Big Bug, Mining District, in	
	Yavapai County, in the State of Arizona, about 800 feet	
	in a - Easterly direction from Swindler Shaft, north east	1
	corner joines the Swindler Mine on the and runing 1500 feet southerl	V
t	along the Bast lines of the Swindler & Victor Mining claims thence 60 easterly; thence 1500 feet, northerly; thence 600 feet to place of	O
	begining;	1
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at	
	A monument of stones,	
	A montamento of scories,	1
	at a point in an Northerly direction 600 feet from	
	the discovery shaft (at which this notice is posted), being in the center of the Northerly	
	end line of said claim; thence Eastly 300 feet to a monument	
	of stones , being the Northeast corner of said claim; thence	
	Southerly 1500 feet to a monument of stones, being at the	
	Southeast corner of said claim; thence Westerly 300 feet	-
	to a 8 monument of stones of the West and of soid slaim	
	to a	
	to a a monument of stones at the center of the West end of said claim; thence Westerly 300 feet to a monument of stones being at the	
	thence Westerly 300 feet to a monument of stones, being at the	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim;	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim; thence Easterly 300 feet to the place of beinning.	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning accordance and accordance ac	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning accordance of the Concerning accordance of t	
	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning accordance and accordance ac	
es	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning accordance of the Concerning accordance of t	
es	thence Westerly 300 feet to a monument of stones, being at the  Southwest corner of said claim; thence Northerly 1500  feet to a monument of stones, being the Northwest corner of said claim;  thence Easterly 300 feet to the place of beinning.  All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning to the Unite	

	18s	TATE OF	ARIZONA	,	ss.					obi	- <del> </del>		
	County of	f			.)								
	I,	***************	******		*************			, Cou	nty Recor	der in	and for th	e County	and
	State of	magnid da	handha can	tife that	t the mult	him in the		61a	. 60	a.t		ofelosle	3.6
			hereby cer										
	on this	••••••••	day of		******************************	************		191,	and duly	recorde	d in Book	No	
	of		Records	of					County, A	rizona,	at pages	************	
			Witness	my hand	d and of	ficial sea	il the d	ay and	year first	above 1	written.		
							*********	************			County	Recorder.	
							7						
				in									
Pri	Ву	70	Rec		at.	P			Da	11			1
Printed and		SEAL.	Records Arizona.	ok	0	April	G.W.Hull		Dated.				
		E	ds na.	67	9:00- 0'clock.	-	. Hu						
for sale			Of.	30	0	N	1	R					
			Ya	MI	cl			ecor	V108				1
by the	· H	P. d	Val	neg	ock			ded					
e Pre	Deputy	Cou	8	D		,		at r					
scot		ARI nty	S	2		A. D		eque					
Prescott Courier	D.	J. FARLEY, County Recorder	Yavapai County,	Book 67 of Mines; Page 323;	>	D. 1903		Recorded at request of	191				
rier	der.	der.	¥	3	M	03		100					

notice of Location

### LODE CLAIM

TO	ATT	MOTTON	TITL	WAV	CONCERN:
IU	ALL	WHOM	11	IVI PA I	CONCERN.

	n, the name of which is the Huron No.2.
	on lands belonging to the United States of America, and in which there eposits, was entered upon and located for the purposes of exploration and
numbers by The H	uron Gold Company.
purchase by	at on the venture of the
(Locator must insert either "a c	itizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on th	ne First day of January, 1903.
	s claim is 1500 Fifteen Hundred feet,
	claim 600 feet,
in an Northerly	direction and
	feet in a Southerly direction from
the center of the disco	overy shaft, at which this notice is posted, lengthwise of the claim, together
with Three Hund	ired (300) feet in width of the surface grounds, on each
side of the center of	said Vein. The general course of the lode deposit and premises is from
the Norther	cly to the Southerly
The claim is situa	ted and located in the Big Bug Mining District, in
Yavapai	County, in the State of Arizona, about 600 feet
in a Westerly	direction from The Swindler Mine Shaft, the
feet Southerly 600 feet Westerl	the N.W.cor., Swindler Mining Claim, runs 1500  along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet ment of stone.
feet Southerly 600 feet Westerl Eastley to monum	along the West line of the Swindler Mine; thence .y; thence I500 feet Northerly, thence 600 feet
feet Southerly 600 feet Westerl Eastley to monun The surface bound	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.
feet Southerly 600 feet Westerl Eastley to monun The surface bound	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  aries of the claim are marked upon the ground as follows: Beginning at
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  aries of the claim are marked upon the ground as follows: Beginning at
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an No	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,  ortherly direction 350 feet from
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,  ortherly direction 350 feet from t which this notice is posted), being in the center of the East
feet Southerly 600 feet Westerl Bastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet ment of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,  ortherly direction 350 feet from t which this notice is posted), being in the center of the East ; thence Easterly 300 feet to a monument of
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly 1500	along the West line of the Swindler Mine; thence by; thence 1500 feet Northerly, thence 600 feet dent of stone.  Baries of the claim are marked upon the ground as follows: Beginning at Stones,  Crtherly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of , being the Northeast corner of said claim; thence
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an No the discovery shaft (a end line of said claim stones southerly I500 S.E.	along the West line of the Swindler Mine; thence by; thence 1500 feet Northerly, thence 600 feet dent of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,  ortherly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of , being the Northeast corner of said claim; thence  of the Swindler Mine; thence 600 feet  feet from t which this notice is posted), being in the center of the Bast corner of said claim; thence  of the Swindler Mine; thence 600 feet  feet from t which this notice is posted), being at the
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of	along the West line of the Swindler Mine; thence  Ty; thence 1500 feet Northerly, thence 600 feet  Thent of stone.  Therefore are marked upon the ground as follows: Beginning at  Stones,  Therefore direction 350 feet from  It which this notice is posted), being in the center of the Bast  Thence Basterly 300 feet to a monument of  The point of stones feet to a monument of  The point of stones feet to a monument of  The point of stones feet to a monument of stones feet feet feet feet feet feet feet fe
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly	along the West line of the Swindler Mine; thence  y; thence 1500 feet Northerly, thence 600 feet  aries of the claim are marked upon the ground as follows: Beginning at  stones,  ortherly direction 350 feet from  t which this notice is posted), being in the center of the Bast  ; thence Kasterly 300 feet to a monument of  , being the Northeast corner of said claim; thence  of feet to a monument of stones, being at the  corner of said claim; thence Westerly 300 feet  f stones at the center of the West end of said claim;
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest	along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet ment of stone.  daries of the claim are marked upon the ground as follows: Beginning at stones,  ortherly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of , being the Northeast corner of said claim; thence  of feet to a monument of stones, being at the corner of said claim; thence Westerly 300 feet f stones at the center of the West end of said claim;  300 feet to a monument of stones, being at the
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest feet to a monument	along the West line of the Swindler Nine; thence y; thence 1500 feet Northerly, thence 600 feet hent of stone.  aries of the claim are marked upon the ground as follows: Beginning at stones,  betterly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of , being the Northeast corner of said claim; thence  present the corner of said claim; thence westerly 300 feet f stones at the center of the West end of said claim; 300 feet to a monument of stones, being at the corner of said claim; thence Northerly 1500
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly All done under the	along the West line of the Swindler Mine; thence y; thence I500 feet Northerly, thence 600 feet hent of stone.  aries of the claim are marked upon the ground as follows: Beginning at Stones,  betterly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest feet to a monument thence Easterly All done under the the United States, and	along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet hent of stone.  aries of the claim are marked upon the ground as follows: Beginning at Stones.  Stones.  Ortherly direction 350 feet from t which this notice is posted), being in the center of the Bast ; thence Basterly 300 feet to a monument of
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest feet to a monument thence Rasterly All done under the the United States, and	along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet ment of stone.  aries of the claim are marked upon the ground as follows: Beginning at Stones.  Stones.
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest feet to a monument thence Rasterly All done under the the United States, and	along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet ment of stone.  aries of the claim are marked upon the ground as follows: Beginning at stones,  aries of the claim are marked upon the ground as follows: Beginning at stones,  aries of the claim are marked upon the ground as follows: Beginning at stones,  aries of the claim are marked upon the ground as follows: Beginning at stones,  aries of the claim are marked upon the ground as follows: Beginning at stones,  feet to a monument of the Bast  corner of said claim; thence  corner of said claim; thence westerly 300 feet fatones at the center of the West end of said claim; 300 feet to a monument of stones, being at the corner of said claim; thence Northerly 1500  tof stones, being the Northwest corner of said claim; 300 feet to the place of beinning.  approvisions of Chapter Six, of the Title XXXII, of the Revised Statutes of of an Act of the General Assembly of Arizona, entitled "An Act Concerning the 20th 1895, and amended March 2d, 1899, and March 16 on the ground this First day of January, 1903.
feet Southerly 600 feet Westerl Eastley to monum The surface bound A monument of at a point in an Ne the discovery shaft (a end line of said claim stones southerly I500 S.E. to a monument of thence Westerly Southwest feet to a monument thence Rasterly All done under the the United States, and	along the West line of the Swindler Mine; thence y; thence 1500 feet Northerly, thence 600 feet ment of stone.  aries of the claim are marked upon the ground as follows: Beginning at Stones.  Stones.

400				
	20 STATE OF	ARIZONA,		
	County of			
	Name .			
	I,		, Con	unty Recorder in and for the County and
				transfer to the second of the
	State aforesaid, do	hereby certify that the	within instrument was file	d for record at o'clock M.,
	on this	day of	, 191	, and duly recorded in Book No
	of	Records of		County, Arizona, at pages
		Witness my hand and	d official seal the day and	year first above written.
				County Recorder.
				County Recorder.
		an in		
P	By C	at Book		
rinte		NO OOK	To a	Dated
Printed and for	SEAL.	at 9:00 - 0'clock n Book 67, of Mines Records of Yayapai Arizons.	G.W.	2
nd	F.	67,	G.W.Hull	
or s	_	7 0	· H	
sale		Ya	E ceco	
by the	מי 🔰	Ve.	rde	
	F G	pa.	d a	
Prescott	FARLEY County Reco POUND. Deputy Reco	0 3		
scoti	TA UNI	D Ba	que	to the fact to the fact that t
Co	Reco	nt e	. 19	191
Courier	FARLEY, County Recorder POUND. Deputy Recorder	Book 67, of Mines, Page, 322  Book 67, of Mines, Page, 322  cords of Yavapai County,	equest of A. D. 19 03	
7		80		

notice of Location

### 21

# Notice of Mining Location

### LODE CLAIM

TO	AT.T.	WHOM	TT	WAY	CONCERN:
IU	ALL	WHOM	44	WAI	COMCERN:

This Mining Claim, the name of which is the Ragle Fraction					
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and					
purchase by Frank Nestor,					
Citizen					
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")					
the undersigned, on the let., day of January, 1909.					
The length of this claim is Fifteen Hundred feet,					
and I claim <b>Eight Hundred</b> feet,					
in a Southerly direction and Seven					
Hundred feet in a Northerly direction from					
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together					
with Two Hundred & Fifty feet in width of the surface grounds, on each					
side of the center of said claim. The general course of the lode deposit and premises is from					
the Northerly to the Southerly					
The claim is situated and located in the Big Bug Mining District, in					
Yavapai County, in the State of Arizona, about 350 feet					
in a Basterly direction from . The Huron Depot, joining					
the Wade claim on the East side and the Montezuma Claim, on the					
West side.					
The surface boundaries of the claim are marked upon the ground as follows: Beginning at					
North end center,					
at a point in a Northerly direction Seven Hundred feet from					
the discovery shaft (at which this notice is posted), being in the center of the					
end line of said claim; thence 250 feet to a Monument of					
stones , being the North West corner of said claim; thence					
Fifteen Hundred feet to a Monument being at the					
South West corner of said claim; thence Seventy Five feet					
to a Monument at the center of the South end of said claim;					
thence seventy Five feet to a Monument being at the					
South East corner of said claim; thence Fifteen Hundred					
feet to a Monument at the North East corner of said claim;					
thence 250feet to the place of beinning.					
All done under the provisions of Chapter Six, of the Title XXXII, of the Revised Statutes of					
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.					
Dated and posted on the ground this Ist. day of January. 1909.					
Frank Nestor.					
Witnessed :-					
R.C.Martin,					
J.W.Nelson.					

	22	TATE OF	ARIZONA	, } ss.					
	County of	***************************************		)					
	Ι,			***************************************	.,	, Cou	nty Recorder	in and for the Cour	nty and
	State afor	of bigge	horoby oor	tify that the w	rithin inst	rumant was filed	for record a	to'clock	M
	on this		day of	***************************************		, 191,	and duly reco	orded in Book No	
	of		Records	of			County, Arizon	a, at pages	
			Witness	my hand and	official se	al the day and	year first abov	ve written.	
						***************************************			
								County Record	ler.
		7		•			4.7		
Printed and	Ву	-	Page.	at		H H	Dated		
ed ar		SEAL	Page, 502;Recor	•	March, 20,	Filed and Recorded at request	d		
nd for		E	50	9:04, 0'clock, 85 Of Mines;	100	and			
for sale	G	લ	502 Records of Arizona.	200	Ö	Rec			
by t		J.C.BRADBURY,  County Recorder.	320	ole ole	-,=	orde			
he P	BENNETT . Deputy Reco	Co.	rd	nes		d at		Later Company	
resco	Duty	uniy	0		, A. I	requ			
by the Prescott Courier	ENNETT. Deputy Recorder.	RADBURY. County Recorder.			D	lest	191		
urier	order	order	ave	M	1909	of			
			Yavapai		•				is do i
			ga.						

notice of Location

OUDDOORDEDTOTOTOTOTOTOTOTO

ereserrer<mark>regerandanaense</mark>ssana

QUOLIQ: 71 aaaaaaaaaaaaaaaaaaaa

generata University

<u>@#@8@##########@@@</u>

OCCOOCE SWULLTHOO GEROOD

**你你你你**#

STATE OF ARIZONA, COUNTY OF YAVAPAI.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of

Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing

copies with, and that the same arefull, true and correct copies of the following MINING

LOCATION NOTICES; "SWINDLER" ("BRUSHY FLAT", "BRUSHY FLAT", -AMENDED, -"MONTEZUMA, "

"HURON NO.I", - "HURON NO.2", - and "EAGLE FRACTION", ----

and as the same appears of

record in my office in Books, 43, 48, 86, 51, 67, - and 85, - PAGES, 284, 231, 480, 4 and 5, 323, 322, and 502; and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 29th. day

of JULY, , A. D. 1915

County Recorder

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix	. Arizona.				
	January 5 , 1916				
I, U. S. Surveyor-General for District of	Ari zona				
do hereby certify that the foregoing transcript of the Field	Notes, return and approval of the survey				
of the mining claim of					
G. W. HULL					
known as the SWINDLER, BRUSHY FLAT, MONTEZ					
Mining District, YAVAPAI  sec. 4 T. 12 N., in Section 32&33, uns, Township No. 13 N.,					
designated as Survey No. 3234, has been co	orrectly copied from the originals on file in				
this office; that said Field Notes furnish such an accurate	description of said mining claim as will, if				
incorporated into a patent, serve fully to identify the premis	es, and that such reference is made therein				
to natural objects or permanent monuments as will perpetua	ate and fix the locus thereof.				
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant or his grantors, and that said improvements					
consist of 5 cuts, 7 tunnels and 8 shafts	, total value \$9650.				
Shaft No.3 on the Swindler lode being	a common improvement for				
the benefit and development of the Sw	indler, Huron No. One (1)				
and Huron No.2 lodes of this survey, (the other claims in this					
group being lower than said shaft are not benefited thereby),					
an undivided one-third interest therein, value \$500, is properly					
credited to each of the said three lo	des.				
and that no portion of said labor or improvements has been upon any other claim.					
I further certify that the plat thereof, filed in the U.S.	Land Office at Phoenix,				
Ari zona is correct and in conformity	with the foregoing Field Notes.				
	Frank S. Ingalls,				
United States Surreyor-General	Arizona.				

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona,			
		January 5 , 1916		
I, U. S. Surveyor-Gener	ral for District of Ari	zona		
do hereby certify that the fo	regoing and hereto attached Field	l Notes and Return of the Survey of the		
Mining Claim of				
	G. W. HULL			
		known as the		
	EAGLE FRACTION	O.ONE (1), HURON NO. 2,		
situate in	BIG BUG	Mining District,		
YAVAPAI	County,	ARI ZON A.		
sec. 4, in Sections 32 & 33,ur	T. 12 N., 1s, Township No. 13, N.,	R. 1 E., and, Range No. 1 E.		
, designa	ated as Survey No. 3234			
executed by	William H. Merritt	, U. S. <del>Deputy</del> Mineral		
Surveyor, Aug	gust 10-13,	, 19.5, under my instructions dated		
August 2,	, 19 <b>15</b> , have been cr	itically examined and the necessary cor-		
rections and explanations ma	ade, and the said Field Notes and	Return, and the Survey they describe,		
are hereby approved. A tru	ne copy of the copy of the location	on certificate filed by the applicant for		
survey is included in the fiel	Tran	or-General for Arizona.		

7360b5m3-03